

DAFTAR PUSTAKA

- Abarike, E. D., Cai, J., Lu, Y., Yu, H., Chen, L., Jian, J., Tang, J., Jun, L., & Kuebutornye, F. K. A. (2018). Effects of a commercial probiotic BS containing *Bacillus subtilis* and *Bacillus licheniformis* on growth, immune response and disease resistance in Nile tilapia, *Oreochromis niloticus*. *Fish and Shellfish Immunology*, 82, 229–238. <https://doi.org/10.1016/j.fsi.2018.08.037>
- Abd Allah, E., Abd El Haliem, S. A., Kishawy, A. T. Y., & El Sayed, H. (2025). Influence of Dietary *Bacillus subtilis* and Acidifiers on Nile Tilapia's Growth Performance, Immune Functions, and Antioxidant Capacity. *Aquaculture Studies*, 25(6), 299–311. <https://doi.org/10.4194/AQUAST2464>
- Abd El-Hamid, A. G., Ahmed, O. M., & Said, M. M. (2024). Probiotic, Prebiotic, and Synbiotic effects on Growth Performance, Water Quality, Non-Specific Immune Response, Antioxidant Activity, and Food Safety of the Nile Tilapia (*Oreochromis niloticus*) (Vol. 28, Issue 5). www.ejabf.journals.ekb.eg
- Abdel-Razek, N., Khalil, R. H., Abdelrahim, T. M. M., Fathi, M., & Metwaly, S. A. (2026). Isolation and Invitro Evaluation of Bacteriophage Therapy Targeting *Streptococcus agalactiae* in Nile Tilapia (*Oreochromis niloticus*): A Potential Approach to Sustainable Disease Management in Aquaculture. *Journal of Fish Diseases*, 49(1), e70019. [10.1111/jfd.70019](https://doi.org/10.1111/jfd.70019)
- Abu-Elala, N., Marzouk, M., & Moustafa, M. (2013). Use of different *Saccharomyces cerevisiae* biotic forms as immune-modulator and growth promoter for *Oreochromis niloticus* challenged with some fish pathogens. *International Journal of Veterinary Science and Medicine*, 1(1), 21-29. <https://doi.org/10.1016/j.ijvsm.2013.05.001>
- Adorian, T. J., Jamali, H., Farsani, H. G., Darvishi, P., Hasanpour, S., Bagheri, T., & Roozbehfar, R. (2019). Effects of Probiotic Bacteria *Bacillus* on Growth Performance, Digestive Enzyme Activity, and Hematological Parameters of Asian Sea Bass, *Lates calcarifer* (Bloch). *Probiotics and Antimicrobial Proteins*, 11(1), 248–255. <https://doi.org/10.1007/s12602-018-9393-z>
- Aftabgard, M., Salarzadeh, A., Mohseni, M., Bahri Shabanipour, A. H., & Zorriehzahra, M. E. J. (2019). The combined efficiency of dietary isomaltooligosaccharides and *Bacillus* spp. on the growth, hemato-serological, and intestinal microbiota indices of Caspian brown trout (*Salmo trutta caspius* Kessler, 1877). *Probiotics and antimicrobial proteins*, 11(1), 198-206.
- Ahmadifar, E., Kalhor, N., Dawood, M. A. O., Ahmadifar, M., Moghadam, M. S., Abarghouei, S., & Hedayati, A. (2021). Effects of polystyrene microparticles on inflammation, antioxidant enzyme activities, and related gene expression in Nile tilapia (*Oreochromis niloticus*). *Environmental Science and Pollution Research*, 28(12), 14909–14916. <https://doi.org/10.1007/s11356-020-11731-x>
- Al-deriny, S. H., Dawood, M. A. O., Abou, A. A., El-tras, W. F., Ahamad, B., Doan, H. Van, & Mohamed, R. A. (2020). The synergistic effects of *Spirulina platensis* and *Bacillus amyloliquefaciens* on the growth performance, intestinal histomorphology, and immune response of Nile tilapia (*Oreochromis niloticus*).

Aquaculture Reports, 17(5), 100390. <https://doi.org/10.1016/j.aqrep.2020.100390>

- Almeida, J. C. R., Bega, J. M. M., Leite, L. de S., de Oliveira, J. N., Albertin, L. L., & Matsumoto, T. (2023). Membrane aerated biofilm reactor in recirculating aquaculture system for effluent treatment. *Environmental Technology (United Kingdom)*, 44(26), 4071–4083. <https://doi.org/10.1080/09593330.2022.2078674>
- Amenyogbe, E., Droepenu, E. K., Ayisi, C. L., Boamah, G. A., Duker, R. Q., Abarike, E. D., & Huang, J. S. (2024). Impact of probiotics, prebiotics, and synbiotics on digestive enzymes, oxidative stress, and antioxidant defense in fish farming: current insights and future perspectives. *Frontiers in Marine Science*, 11, 1368436. <https://doi.org/10.3389/fmars.2024.1368436>
- Anderson, D., Siwicki, A., 1995. Basic hematology and serology for fish health programs. In: M. Shariff, J.R. Arthur & R.P. Subasinghe (eds): diseases in Asian aquaculture. *Asian Fish. Soc. Fish Heal. Sect.* 185–202.
- Araújo, E. P. de, Carvalho, P. L. P. F. de, Freitas, J. M. A. de, Silva, R. L. da, Rocha, M. K. H. R., Teixeira, C. P., Damasceno, F. M., Sartori, M. M. P., Pezzato, L. E., & Barros, M. M. (2017). Dietary spray-dried plasma enhances the growth performance, villus: crypt ratio and cold-induced stress resistance in Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 479(1), 675–681. <https://doi.org/10.1016/j.aquaculture.2017.07.003>
- Arifin, M. Y. (2016). Pertumbuhan Dan Survival Rate Ikan Nila (*Oreochromis. Sp*) Strain Merah Dan Strain Hitam Yang Dipelihara Pada Media Bersalinitas. *Jurnal Ilmiah Universitas Batanghari Jambi*, 15(1).
- Attar, F., Keyhani, E., & Keyhani, J. (2006). A comparative study of superoxide dismutase activity assays in *Crocus sativus* L. corms. *Applied Biochemistry and Microbiology*, 42(1), 101–106. <https://doi.org/10.1134/S0003683806010169>
- Bahrami, Z., Roomiani, L., Javadzadeh, N., Sary, A. A., & Baboli, M. J. (2023). Microencapsulation of *Lactobacillus plantarum* in the alginate/chitosan improves immunity, disease resistance, and growth of Nile tilapia (*Oreochromis niloticus*). *Fish Physiology and Biochemistry*, 49(5), 815–828. <https://doi.org/10.1007/s10695-023-01224-2>
- Beauchamp, C., Fridovich, I., 1971. Superoxide dismutase: Improved assays and an assay applicable to acrylamide gels. *Anal. Biochem.* 44, 276–287. [https://doi.org/10.1016/0003-2697\(71\)90370-8](https://doi.org/10.1016/0003-2697(71)90370-8)
- Beveridge, M. C., & Brummett, R. E. (2015). Aquaculture and the environment. *Freshwater fisheries ecology*, 794-803. [10.1002/9781118394380.ch55](https://doi.org/10.1002/9781118394380.ch55)
- Bieczynski, F., Paineofilú, J. C., Venturino, A., & Luquet, C. M. (2021). Expression and function of ABC proteins in fish intestine. *Frontiers in Physiology*, 12, 791834. [10.3389/fphys.2021.791834](https://doi.org/10.3389/fphys.2021.791834)
- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*. 72 (1-2) , 248-254.
- Cano-Lozano, J. A., Diaz, L. M. V., Bolivar, J. F. M., Hume, M. E., & Pardo, R. Y. R. (2022). Probiotics in tilapia (*Oreochromis niloticus*) culture: Potential probiotic

Lactococcus lactis culture conditions. *Journal of bioscience and bioengineering*, 133(3), 187-194. 10.1016/j.jbiosc.2021.11.004

- Cardoso, M. M. L., & de Roos, A. M. (2025). Nile tilapia growth and reproduction: a dynamic energy budget approach. *Environmental Biology of Fishes*, 1-17. 10.1007/s10641-025-01675-x
- Cerezuela, R., Guardiola, F. A., Meseguer, J., & Esteban, M. Á. (2012). Fish & Shellfish Immunology Increases in immune parameters by inulin and *Bacillus subtilis* dietary administration to gilthead seabream (*Sparus aurata* L.) did not correlate with disease resistance to *Photobacterium damsela*. *Fish and Shellfish Immunology*, 32(6), 1032–1040. <https://doi.org/10.1016/j.fsi.2012.02.025>
- Cerezuela, R., Meseguer, J., & Esteban, M. Á. (2013). Fish & Shellfish Immunology Effects of dietary inulin, *Bacillus subtilis* and microalgae on intestinal gene expression in gilthead seabream (*Sparus aurata* L.). *Fish and Shellfish Immunology*, 34(3), 843–848. <https://doi.org/10.1016/j.fsi.2012.12.026>
- Chen, Y. Bin, Hu, J., Lyu, Q. J., Liu, L. J., Wen, L. F., Yang, X. K., & Zhao, H. H. (2016). The effects of Natucin C-Natucin P mixture on blood biochemical parameters, antioxidant activity and non-specific immune responses in tilapia (*Oreochromis niloticus*). *Fish and Shellfish Immunology*, 55, 367–373. <https://doi.org/10.1016/j.fsi.2016.06.016>
- Dailami, M., Rahmawati, A., Saleky, D., & Toha, A. H. A. (2021). *Ikan Nila*. Penerbit Brainy Bee.
- Dash, S., Das, S. K., Samal, J., & Thatoi, H. N. (2018). Epidermal mucus, a major determinant in fish health: a review. *Iranian journal of veterinary research*, 19(2), 72. 10.22099/ijvr.2018.4849
- Daivagna, U., Jayashree S., Sahu, P. K., Jyothi R., Singh, K., Ghumman, S., Aggarwal, D. (2025). Probiotic applications in aquaculture for disease prevention and growth enhancement. *International Journal of Aquatic Research and Environmental Studies*, 5(1) 460-470. 10.70102/IJARES/V5i1/5-1-42
- Dawood, M. A. O., Eweedah, N. M., Moustafa, E. M., & Shahin, M. G. (2020). Synbiotic Effects of *Aspergillus oryzae* and β -Glucan on Growth and Oxidative and Immune Responses of Nile Tilapia, *Oreochromis niloticus*. *Probiotics and Antimicrobial Proteins*, 12(1), 172–183. <https://doi.org/10.1007/s12602-018-9513-9>
- de Campos, C. M., Zanuzzo, F. S., Gimbo, R. Y., Favero, G. C., Soares, M. P., Pilarski, F., & Urbinati, E. C. (2022). Dietary inulin modulated the cortisol response and increased the protection against pathogens in juvenile pacu (*Piaractus mesopotamicus*). *Aquaculture Research*, 53(3), 860-869. 10.1111/are.15626
- Dewanti, A. R., Putri, A. O., Istiqomah, I., & Isnansetyo, A. (2022). Safety, Adherence, Enzymatic Activities, and Application Effects of Oral Probiotic Candidates for Shortfin Eel (*Anguilla bicolor bicolor*). *Jurnal Ilmiah Perikanan Dan Kelautan*, 14(2), 203–213. <https://doi.org/10.20473/jipk.v14i2.34315>
- do Carmo Alves, A. P., Peconick, A. P., da Silva Cerozi, B., & Possebon Cyrino, J. E. (2022). Role of probiotics on the immunity of Nile tilapia *Oreochromis niloticus*: a review. *Aquaculture International*, 30(4), 1905–1929. <https://doi.org/10.1007/s10499-022-00881-z>

- Doan, H. Van, Hossein, S., Khanongnuch, C., & Kanpiengjai, A. (2018). Host-associated probiotics boosted mucosal and serum immunity , disease resistance and growth performance of Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 491, 94–100. <https://doi.org/10.1016/j.aquaculture.2018.03.019>
- Doan, H. Van, Hossein, S., & Tapingkae, W. (2016). Fish & Shellfish Immunology Combined administration of low molecular weight sodium alginate boosted immunomodulatory , disease resistance and growth enhancing effects of *Lactobacillus plantarum* in Nile tilapia (*Oreochromis niloticus*). *Fish and Shellfish Immunology*, 58, 678–685. <https://doi.org/10.1016/j.fsi.2016.10.013>
- Dra, T. P. P. (2012). Visión panorámica del sistema inmune. *Revista Médica Clínica Las Condes*, 23(4), 446-457.
- El-Saadony, M. T., Alagawany, M., Patra, A. K., Kar, I., Tiwari, R., Dawood, M. A. O., Dhama, K., & Abdel-Latif, H. M. R. (2021). The functionality of probiotics in aquaculture: An overview. In *Fish and Shellfish Immunology* (Vol. 117, pp. 36–52). Academic Press. <https://doi.org/10.1016/j.fsi.2021.07.007>
- Elashry, M. A., Moustafa, M. M. A., Wassel, M. A., Hoda, A., El-garhy, S., El-haroun, E. R., & Elsaied, H. E. (2021). Synergistic effects of *Bacillus pumilus* and exogenous protease on Nile tilapia (*Oreochromis niloticus*) growth , gut microbes , immune response and gene expression fed plant protein diet. *Animal Feed Science and Technology*, 275(2), 114892. <https://doi.org/10.1016/j.anifeedsci.2021.114892>
- Elbahnaswy, S., Elshopakey, G. E., Abdelwarith, A. A., Younis, E. M., Davies, S. J., & El-Son, M. A. M. (2024). Immune protective, stress indicators, antioxidant, histopathological status, and heat shock protein gene expression impacts of dietary *Bacillus* spp. against heat shock in Nile tilapia, *Oreochromis niloticus*. *BMC Veterinary Research*, 20(1). <https://doi.org/10.1186/s12917-024-04303-5>
- Fazio, F., Costa, A., Capparucci, F., Costa, G., Parrino, V., & Arfuso, F. (2024). Automated Hematological Approach and Protein Electrophoretic Pattern in Tilapia (*Oreochromis niloticus*): An Innovative and Experimental Model for Aquaculture. *Animals*, 14(3). <https://doi.org/10.3390/ani14030392>
- Firouzbakhsh, F., Mehrabi, Z., Heydari, M., Khalesi, M. K., & Tajick, M. A. (2014). Protective effects of a synbiotic against experimental *Saprolegnia parasitica* infection in rainbow trout (*Oncorhynchus mykiss*). *Aquaculture Research*, 45(4), 609-618. [10.1111/j.1365-2109.2012.03261.x](https://doi.org/10.1111/j.1365-2109.2012.03261.x)
- Ganguly, S., Dora, K.C., Sarkar, S. *et al.* Supplementation of prebiotics in fish feed: a review. *Rev Fish Biol Fisheries*. 23, 195–199 (2013). <https://doi.org/10.1007/s11160-012-9291-5>
- García-Márquez, J., Tapia-Paniagua, S., Moriñigo, M. Á., & Arijo, S. (2022). Probiotics for Controlling Infectious Diseases. *Probiotics in Aquaculture*, 103-129. [10.1007/978-3-030-98621-6_6](https://doi.org/10.1007/978-3-030-98621-6_6)
- Ghadbaan, F. A., & Aldeen, S. B. (2015). Optimum Condition of Inulinase Production from *Bacillus cereus* (Be9). *Iraqi Journal of Science*, 56(2), 1315–1323.
- Gómez, G. D., & Balcázar, J. L. (2008). A review on the interactions between gut microbiota and innate immunity of fish. *FEMS Immunology & Medical Microbiology*, 52(2), 145-154. [10.1111/j.1574-695X.2007.00343.x](https://doi.org/10.1111/j.1574-695X.2007.00343.x)

- Habib, S. S., Batool, A. I., Rehman, M. F. U., & Naz, S. (2024). Evaluation of the antibacterial activity and protein profiling of Nile tilapia (*Oreochromis niloticus*) epidermal mucus under different feeds and culture systems (biofloc technology and earthen pond). *Journal of Fish Diseases*, 47(2), e13884. 10.1111/jfd.13884
- Handayani, I., Aryati, Y., & Gardenia, L. (2022). The Role of Prebiotics for Diversity of Intestinal Microorganisms of Tilapia (*Oreochromis niloticus*). In *IOP Conference Series: Earth and Environmental Science* (Vol. 1118, No. 1, p. 012010). IOP Publishing. 10.1088/1755-1315/1118/1/012010
- Harvey, V.L., J.N. Keating, & Buckley. (2021). Phylogenetic analyses of ray-finned fishes (*Actinopterygii*) using collagen type I protein sequences. *Royal Society Open Science*. 8. 201955. <https://doi.org/10.1098/rsos.201955>.
- Hastuti, S., & Subandiyono. (2021). *Aplikasi Teknologi Intensif Pada Budidaya Ikan Nila Di Saluran Irigasi*. Tigamedia Pratama.
- Haygood, A. M., & Jha, R. (2018). Strategies to modulate the intestinal microbiota of Tilapia (*Oreochromis sp.*) in aquaculture: a review. *Reviews in Aquaculture*, 10(2), 320–333. <https://doi.org/10.1111/raq.12162>
- Hilbert, J.-L., & Rambaud, C. (2025). *Industrial Chicory and Its Specialized Metabolites: Diversification of Uses and Varietal Selection* (pp. 273–306). https://doi.org/10.1007/978-3-031-38663-3_134
- Huang, X., He, H., Li, Z., Liu, C., Jiang, B., Huang, Y., Su, Y., & Li, W. (2024). Screening and effects of intestinal probiotics on growth performance, gut health, immunity, and disease resistance of Nile tilapia (*Oreochromis niloticus*) against *Streptococcus agalactiae*. *Fish & Shellfish Immunology*, 151, 109668. 10.1016/j.fsi.2024.109668
- Huynh, T. G., Shiu, Y. L., Nguyen, T. P., Truong, Q. P., Chen, J. C., & Liu, C. H. (2017). Current applications, selection, and possible mechanisms of actions of synbiotics in improving the growth and health status in aquaculture: a review. *Fish & shellfish immunology*, 64, 367-382. 10.1016/j.fsi.2017.03.035
- Iqbal, M. J., Afzal, M., Abbas, K., & Shahid, M. (2020). Effect of protein to energy (P/E) ratios on growth performance, body composition and digestive enzyme activities in Rohu, *Labeo Rohita* fingerlings. *Pakistan Journal of Agricultural Sciences*, 57(3), 791–798. <https://doi.org/10.21162/PAKJAS/20.8865>
- Iskandar, A., Islamay, R. S., & Kasmono, Y. (2021). Optimalisasi Pembenihan Ikan Nila Merah Nilasa *Oreochromis sp.* Di Ukat Cangkungan, Yogyakarta. *Samakia: Jurnal Ilmu Perikanan*, 12(1), 29–37. <https://doi.org/10.35316/jsapi.v12i1.887>
- Islam, M. H., Linda, S. S., Khan, M. G. Q., & Islam, M. S. (2025). Boosting Growth, Muscle Development, and Intestinal Morphology in Gangetic *Mystus cavasius* With Dietary Synbiotics. *Aquaculture Research*, 1(1), 1–8. <https://doi.org/10.1155/are/3638368>
- Ismarica, I., Putra, D. F., & Khairina, U. (2022). Ontogeny and morphological development of Tilapia (*Oreochromis niloticus*) larvae in Aceh Province, Indonesia. *E3S Web of Conferences*, 339. <https://doi.org/10.1051/e3sconf/202233901007>
- Isnansetyo, A., Fikriyah, A., Kasanah, N., & Murwantoko. (2016). Non-specific

immune potentiating activity of fucoidan from a tropical brown algae (*Phaeophyceae*), *Sargassum cristaefolium* in tilapia (*Oreochromis niloticus*). *Aquaculture International*, 24(2), 465–477. <https://doi.org/10.1007/s10499-015-9938-z>

- Iwashita, M. K. P., Nakandakare, I. B., Terhune, J. S., Wood, T., & Ranzani-Paiva, M. J. T. (2015). Dietary supplementation with *Bacillus subtilis*, *Saccharomyces cerevisiae* and *Aspergillus oryzae* enhance immunity and disease resistance against *Aeromonas hydrophila* and *Streptococcus iniae* infection in juvenile tilapia *Oreochromis niloticus*. *Fish and Shellfish Immunology*, 43(1), 60–66. <https://doi.org/10.1016/j.fsi.2014.12.008>
- Jenik, K., Oberhoffner, S., & DeWitte-Orr, S. J. (2024). Response to pathogens-innate immunity. 10.1016/B978-0-323-90801-6.00093-8
- Jiang, Z., Applegate, T. J., & Lossie, A. C. (2013). *Cloning , Annotation and Developmental Expression of the Chicken Intestinal MUC2 Gene*. 8(1). <https://doi.org/10.1371/journal.pone.0053781>
- Jørgensen, J. B. (2014). The innate immune response in fish. *Fish vaccination*, 85-103. 10.1002/9781118806913.ch8
- Kaewarsar, E., Chaiyasut, C., Lailerd, N., Makhamrueang, N., Peerajan, S., & Sirilun, S. (2023). Optimization of Mixed Inulin, Fructooligosaccharides, and Galactooligosaccharides as Prebiotics for Stimulation of Probiotics Growth and Function. *Foods*, 12(8), 1591. <https://doi.org/10.3390/foods12081591>
- Kalaichelvan, A., Nadarajapillai, K., Sellaththurai, S. R., Arachchi, U. P. E., Kim, M. J., Jung, S., & Lee, J. (2025). CRISPR/Cas9-induced knockout of tumor necrosis factor-alpha-type I augments viral infection in zebrafish. *Fish and Shellfish Immunology*, 157, 110092. <https://doi.org/10.1016/j.fsi.2024.110092>
- Kalaiselvan, P., Malarvizhi, K., & Ranjan, A. (2025). Probing into the Impacts of Endogenous and Exogenous Short-Chain Fatty Acids (SCFAS) in Fish Health and Growth – A Review. *Annals of Animal Science*, 25(1), 119–137. <https://doi.org/10.2478/aoas-2024-0050>
- Kayansamruaj, P., Dong, H. T., Pirarat, N., Nilubol, D., & Rodkhum, C. (2017). Efficacy of α -enolase-based DNA vaccine against pathogenic *Streptococcus iniae* in Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 468, 102–106. <https://doi.org/10.1016/j.aquaculture.2016.10.001>
- Kazuń, B., Kazuń, K., Małaczewska, J., Kamiński, R., Urbańska, D. A., Sikorska, J., Wolnicki, J., & Szudrowicz, H. (2023). Effects of long-term administration of various dietary prebiotic supplements on the growth , immune cell activity and digestive tract histology of juvenile vimba (*Vimba vimba*). *Journal of Veterinary Research*, 67(2), 233. <https://doi.org/10.2478/jvetres-2023-0033>
- Ken, C. F., Chen, C. N., Ting, C. H., Pan, C. Y., & Chen, J. Y. (2017). Transcriptome analysis of hybrid tilapia (*Oreochromis spp.*) with *Streptococcus agalactiae* infection identifies Toll-like receptor pathway-mediated induction of NADPH oxidase complex and piscidins as primary immune-related responses. *Fish & Shellfish Immunology*, 70, 106-120. <https://doi.org/10.1016/j.fsi.2017.08.041>
- Kleinow, K. M., & James, M. O. (2017). Response of the teleost gastrointestinal system to xenobiotics. In *Target organ toxicity in marine and freshwater teleosts* (pp. 269-362). *CRC Press*. 10.1201/9781315109244

- Kong, L., Wu, L., Guo, Z., Mu, L., Yang, Y., Bian, X., Li, B., Pan, X., Fu, S., & Ye, J. (2020). A Siglec-1-like lectin from Nile tilapia (*Oreochromis niloticus*) possesses functions of agglutination and mediation of macrophage phagocytic activity. *Fish and Shellfish Immunology*, 102, 203–210. <https://doi.org/10.1016/j.fsi.2020.04.034>
- Krasnov, A., Afanasyev, S., Nylund, S., & Rebl, A. (2020). Multigene expression assay for assessment of the immune status of Atlantic Salmon. *Genes*, 11(11), 1236. <https://doi.org/10.3390/genes11111236>
- Latifah, M. R. N., Istiqomah, I., Murti, F. A. U., Helmiati, S., Murwantoko, M., & Isnansetyo, A. Oral Probiotics Modulate the Gut Microbiome, Nutrient Transport Gene Expression, and Growth of Hybrid Tilapia (*Oreochromis sp.*) Fed with Black Soldier Fly (*Hermetia illucens*). *Jurnal Perikanan Universitas Gadjah Mada*, 26(2), 163-176. <https://doi.org/10.22146/jfs.95268>
- Lee, P. T., Ho, T. H., Nguyen, B. T., Lin, Y. L., & Chiu, P. Y. (2020). Expression profile, subcellular localization and signaling pathway analysis of fish-specific TLR25 in Nile tilapia (*Oreochromis niloticus*). *Fish and Shellfish Immunology*, 104(March), 141–154. <https://doi.org/10.1016/j.fsi.2020.05.028>
- Lembang, M. S., Santria, Aprilastina, D., & Rusli, M. (2025). Correlation of Water Quality Parameters in a Recirculating Aquaculture System for the Nile Tilapia (*Oreochromis niloticus*) Cultivation. *Egyptian Journal of Aquatic Biology and Fisheries*, 29(4), 375–389. <https://doi.org/10.21608/ejabf.2025.440769>
- Lepage, M., & Dubois, V. (2025). Innate Immune Defence. *Immunogenetics and Histocompatibility: A Guide for Practitioners*, 1-38. [10.1002/9783527847617.ch1](https://doi.org/10.1002/9783527847617.ch1)
- Li, K., Qiu, H., Yan, J., Shen, X., Wei, X., Duan, M., & Yang, J. (2021). The involvement of TNF- α and TNF- β as proinflammatory cytokines in lymphocyte-mediated adaptive immunity of Nile tilapia by initiating apoptosis. *Developmental and Comparative Immunology*, 115(5), 103884. <https://doi.org/10.1016/j.dci.2020.103884>
- Li, Q., Yang, X., Tan, C., Chen, J., Lin, L., et al. (2023). Isolation and identification of intestinal probiotics from tilapia fish (*Oreochromis niloticus*) and in vitro probiotic characteristics assessment. *Journal of Food Science and Biotechnology*, 42(12). [10.12441/spyswjs.20210812003](https://doi.org/10.12441/spyswjs.20210812003)
- Linda, S. S., Islam, M. J., Mou, S. A., Islam, M. H., Shahjahan, M., & Islam, M. S. (2025). Synbiotic Supplementation Boosts Growth, Gut Health, and Immunity in Asian Fossil Catfish (*Heteropneustes fossilis*). *Aquaculture Research*, 2025(1), 4542077. [10.1155/are/4542077](https://doi.org/10.1155/are/4542077)
- Liu, Q., Wen, L., Pan, X., Huang, Y., Du, X., Qin, J., Zhou, K., Wei, Z., Chen, Z., Ma, H., Hu, T., & Lin, Y. (2021). Dietary supplementation of *Bacillus subtilis* and *Enterococcus faecalis* can effectively improve the growth performance, immunity, and resistance of tilapia against *Streptococcus agalactiae*. *Aquaculture Nutrition*, 27(4), 1160-1172. [10.1111/anu.13256](https://doi.org/10.1111/anu.13256)
- Lusiastuti, A. M., Maryanti, S. D., & Purwaningsih, U. (2013). Probiotik *Bacillus Cereus* Untuk Pengendalian Penyakit *Streptococcosis* Pada Ikan Nila, *Oreochromis niloticus*. *Jurnal Riset Akuakultur*, 8(1), 109–119.
- Lv, Y., Gao, X., Dai, Q., Zhu, L., Liu, S., Hu, Z., Lu, J., Zhou, H., Jin, J., & Mei, Z. (2024). Functional insights of digestion, absorption, and immunity in different

segments of the intestine in *Hemibarbus labeo* from transcriptomic analysis. *Comparative Biochemistry and Physiology Part D: Genomics and Proteomics*, 52, 101278. 10.1016/j.cbd.2024.101278

- Madhulika, Ngasotter, S., Meitei, M. M., Kara, T., Meinam, M., Sharma, S., Rathod, A. K., Singh, S. B., Singh, S. K., & Bhat, R. A. H. (2025). Multifaceted Role of Probiotics in Enhancing Health and Growth of Aquatic Animals: Mechanisms, Benefits, and Applications in Sustainable Aquaculture—A Review and Bibliometric Analysis. *Aquaculture nutrition*, 1 (1), 5746972. 10.1155/anu/5746972
- Martín-Peláez, S., Gibson, G. R., Martín-Orúe, S. M., Klinder, A., Rastall, R. A., La Ragione, R. M., Woodward, M. J., & Costabile, A. (2008). In vitro fermentation of carbohydrates by porcine faecal inocula and their influence on *Salmonella Typhimurium* growth in batch culture systems. *FEMS microbiology ecology*, 66(3), 608-619. 10.1111/j.1574-6941.2008.00610.x
- Mawardi, M., Indrawati, A., Lusiastuti, A. M., & Wibawan, I. W. T. (2023). Antibiotic resistance gene-free probiont administration to tilapia for growth performance and *Streptococcus agalactiae* resistance. *Veterinary World*, 16(12), 2504–2514. <https://doi.org/10.14202/vetworld.2023.2504-2514>
- Melo-Bolívar, J. F., Ruiz Pardo, R. Y., Quintanilla-Carvajal, M. X., Díaz, L. E., Alzate, J. F., Junca, H., Rodríguez Orjuela, J. A., & Villamil Diaz, L. M. (2023). Evaluation of dietary single probiotic isolates and probiotic multistrain consortia in growth performance, gut histology, gut microbiota, immune regulation, and infection resistance of Nile tilapia, *Oreochromis niloticus*, shows superior monostrain perform. *Fish and Shellfish Immunology*, 140(5), 108928. <https://doi.org/10.1016/j.fsi.2023.108928>
- Mesalhy, S., Ahmed, Y. A., & Abdel-aziz, A. (2008). Studies on *Bacillus subtilis* and *Lactobacillus acidophilus*, as potential probiotics, on the immune response and resistance of Tilapia nilotica (*Oreochromis niloticus*) to challenge infections. *Fish & shellfish immunology*, 25(1-2), 128-136. 128–136. <https://doi.org/10.1016/j.fsi.2008.03.013>
- Mills, S., Ross, R. P., & Coffey, A. (2011). Lactic acid bacteria: *Lactococcus lactis*. In *Encyclopedia of Dairy Sciences: Second Edition* (pp. 132-137). Elsevier Inc. 10.1016/B978-0-12-374407-4.00266-1
- Mokhtar, D. M., & Abdelhafez, E. A. (2021). An overview of the structural and functional aspects of immune cells in teleosts. 10.14670/HH-18-302
- Murti, F. A. U., Latifah, M. R. N., Istiqomah, I., Helmiati, S., Isnansetyo, A., Novriadi, R., & Kamarudin, A. S. (2023). 2403 Intestinal Enzymes and Lactic Acid Bacteria of Red Tilapia (*Oreochromis sp.*) Fed Black Soldier Fly (*Hermetia illucens*) Larvae and Probiotics. *Aquacultura Indonesiana*, 24(1), 20-29. <https://aquacultura.id/index.php/ai/article/download/5/5>
- Mustafa, E. S., & AL-Taei, S. K. (2020). Innate and Adaptive Immunity in Fish: A Review. *Al-Anbar Journal of Veterinary Sciences*, 13(2).
- Nakharuthai, C., Boonanuntanasarn, S., Kaewda, J., & Manassila, P. (2023). Isolation of Potential Probiotic *Bacillus* spp. from the Intestine of Nile Tilapia to Construct Recombinant Probiotic Expressing CC Chemokine and Its Effectiveness on Innate Immune Responses in Nile Tilapia. *Animals*, 13(6).

<https://doi.org/10.3390/ani13060986>

- Ortiz, L. T., Rebolé, A., Velasco, S., Rodríguez, M. L., Treviño, J., Tejedor, J. L., & Alzueta, C. (2013). Effects of inulin and fructooligosaccharides on growth performance, body chemical composition and intestinal microbiota of farmed rainbow trout (*Oncorhynchus mykiss*). *Aquaculture Nutrition*, 19(4), 475-482.
- Oviedo-Bolaños, K., Rodríguez-Rodríguez, J. A., Sancho-Blanco, C., Barquero-Chanto, J. E., Peña-Navarro, N., Escobedo-Bonilla, C. M., & Umaña-Castro, R. (2021). Molecular identification of *Streptococcus* sp. and antibiotic resistance genes present in Tilapia farms (*Oreochromis niloticus*) from the Northern Pacific region, Costa Rica. *Aquaculture International*, 29(5), 2337-2355. [10.1007/s10499-021-00751-0](https://doi.org/10.1007/s10499-021-00751-0)
- Panase, A., Thirabunyanon, M., Promya, J., & Chitmanat, C. (2023). Influences of *Bacillus subtilis* and fructooligosaccharide on growth performances, immune responses, and disease resistance of Nile tilapia, *Oreochromis niloticus*. *Frontiers in Veterinary Science*, 9. <https://doi.org/10.3389/fvets.2022.1094681>
- Panase, A., Thirabunyanon, M., Promya, J., Palić, D., & Chitmanat, C. (2023). Synergistic Effects of Fructooligosaccharide and *Bacillus subtilis* Dietary Supplementation on Growth, Innate Immune Responses, and Protection against *Streptococcus agalactiae* in Juvenile Nile Tilapia (*Oreochromis niloticus*). *Chiang Mai Journal of Science*, 50(5). <https://doi.org/10.12982/CMJS.2023.050>
- Patel, P., & Chatterjee, S. (2018). Innate and adaptive immunity: Barriers and receptor-based recognition. In *Immunity and Inflammation in Health and Disease* (pp. 3-13). Academic Press. [10.1016/B978-0-12-805417-8.00001-9](https://doi.org/10.1016/B978-0-12-805417-8.00001-9)
- Patel, N., Mishra, R., Kulshrestha, R., & Haider, T. (2026). Inulin as prebiotic: biochemical pathways, metabolism, and effects on gut microbiota and factors influencing its effect. In *Comprehensive Guide to Inulin* (pp. 147-168). Academic Press. [10.1016/B978-0-443-36617-8.00001-0](https://doi.org/10.1016/B978-0-443-36617-8.00001-0)
- Peres, H., Freitas, J. M. A., Carvalho, P. L. P., Furuya, W. M., Satori, M. M. P., Oliveira-Teles, A., & Barros, M. M. (2022). Growth performance and metabolic responses of Nile tilapia fed diets with different protein to energy ratios. *Aquaculture*, 547, 737493. <https://doi.org/10.1016/j.aquaculture.2021.737493>
- Purwanto, A. K. R., Larasati, B. S., Istiqomah, I., & Isnansetyo, A. (2021). Phagocytes response to dietary probiotics SEAL and *Aeromonas hydrophila* infection in red tilapia (*Oreochromis sp.*). In *IOP Conference Series: Earth and Environmental Science* 718(1), 012054. IOP Publishing.
- Prinyakupt, J., & Pluempitiwiriwawej, C. (2015). Segmentation of white blood cells and comparison of cell morphology by linear and naïve Bayes classifiers. *Biomedical engineering online*, 14(1), 63. [10.1186/s12938-015-0037-1](https://doi.org/10.1186/s12938-015-0037-1)
- Rahman, M. M., Rahman, M. A., Monir, M. S., Haque, M. E., Siddique, M. P., Khasruzzaman, A. K. M., Rahman, M. T., & Islam, M. A. (2021). Isolation and molecular detection of *Streptococcus agalactiae* from popped eye disease of cultured Tilapia and Vietnamese koi fishes in Bangladesh. *Journal of Advanced Veterinary and Animal Research*, 8(1), 14-23. <https://doi.org/10.5455/javar.2021.h480>
- Rahmi, Salam NI, Relatami ANR, Anshar AR, Akmal, Syaichudin M, Suwoyo HS, Mundayana Y, Nisaa K, Yani FI and Muzalina E, 2025. Effects of Synbiotic

Supplementation on Growth Performance, Hematological Parameters and Gut Health in Nile Tilapia (*Oreochromis niloticus*). *International Journal of Veterinary Science* 14(3): 470-477. <https://doi.org/10.47278/journal.ijvs/2024.273>

Ramos, M. A., Batista, S., Pires, M. A., Silva, A. P., Pereira, L. F., Saavedra, M. J., Ozório, R. O. A., & Rema, P. (2017). Dietary probiotic supplementation improves growth and the intestinal morphology of Nile tilapia. *Animal*, 11(8), 1259-1269. 10.1017/S1751731116002792

Reynalta, R., Anugerah, P., & Dewi, U. (2024). Potensi Kitosan Dalam Mengendalikan Infeksi Bakteri *Streptococcus agalactiae* Pada Ikan Nila (*Oreochromis Niloticus*). *KOLONI: Jurnal Multidisiplin Ilmu*, 3(2), 187-192. <https://doi.org/10.31004/koloni.v3i2.637>

Reza, A., Abdolmajid, H., Abbas, M., & Abdolmohammad, A. K. (2009). Effect of dietary prebiotic inulin on growth performance, intestinal microflora, body composition and hematological parameters of juvenile beluga, *Huso huso* (Linnaeus, 1758). *Journal of the World Aquaculture Society*, 40(6), 771-779. 10.1111/j.1749-7345.2009.00297.x

Riche, M. (2007). Analysis of refractometry for determining total plasma protein in hybrid striped bass (*Morone chrysops* × *M. saxatilis*) at various salinities. *Aquaculture*, 264(1-4), 279-284. <https://doi.org/10.1016/j.aquaculture.2006.12.018>

Ringø, E., Olsen, R. E., Gifstad, T., Dalmo, R. A., Amlund, H., Hemre, G. I., & Bakke, A. M. (2010). Prebiotics in aquaculture: A review. *Aquaculture Nutrition*, 16(2), 117-136. <https://doi.org/10.1111/j.1365-2095.2009.00731.x>

Rodrigues, A. P. O., Gominho-Rosa, M. D. C., Cargnin-Ferreira, E., de Francisco, A., & Fracalossi, D. M. (2012). Different utilization of plant sources by the omnivores jundiá catfish (*Rhamdia quelen*) and Nile tilapia (*Oreochromis niloticus*). *Aquaculture Nutrition*, 18(1), 65-72. 10.1111/j.1365-2095.2011.00877.x

Rurangwa, E., Laranja, J. L., Van Houdt, R., Delaedt, Y., Geraylou, Z., Van de Wiele, T., Van Loo, J., an Craeyveld, V., Courtin, C.M., Delcour, J.A., & Ollevier, F. (2009). Selected nondigestible carbohydrates and prebiotics support the growth of probiotic fish bacteria mono-cultures in vitro. *Journal of applied microbiology*, 106(3), 932-940. 10.1111/j.1365-2672.2008.04034.x

Saba, A. O., Yasin, I. S. M., & Azmai, M. N. A. (2024). Meta-analyses indicate that dietary probiotics significantly improve growth, immune response, and disease resistance in tilapia. *Aquaculture International*, 32(4), 4841-4867. <https://doi.org/10.1007/s10499-024-01404-8>

Safrida. 2021. Zoologi Vertebrata. Syiah Kuala University Press. Aceh.

Sharifuzzaman, S. Á., & Austin, B. (2017). Probiotics for disease control in aquaculture. *Diagnosis and control of diseases of fish and shellfish*, 189-222. 10.1002/9781119152125.ch8

Shechonge, A., Ngatunga, B. P., Tamatamah, R., Bradbeer, S. J., Sweke, E., Smith, A., Turner, F. T., & Genner, M. J. (2019). Population genetic evidence for a unique resource of Nile tilapia in Lake Tanganyika, East Africa. *Environmental Biology of Fishes*, 102(8), 1107-1117. 10.1007/s10641-019-00895-2

- Shrestha, P., Kim, B., Han, S. R., Lee, H., & Oh, T. J. (2025). Unraveling the genetic mechanisms of UV radiation resistance in *Bacillus* through biofilm formation, sporulation, and carotenoid production. *Genomics*, 111066. [10.1016/j.ygeno.2025.111066](https://doi.org/10.1016/j.ygeno.2025.111066)
- Sheridan, M. A. (2024). Structure and function of the pancreas and liver. [10.1016/B978-0-323-90801-6.00046-X](https://doi.org/10.1016/B978-0-323-90801-6.00046-X)
- Shija, V. M., Amoah, K., & Cai, J. (2023). Effect of *Bacillus* Probiotics on the Immunological Responses of Nile Tilapia (*Oreochromis niloticus*): A Review. In *Fishes* (Vol. 8, Issue 7). *Multidisciplinary Digital Publishing Institute (MDPI)*. <https://doi.org/10.3390/fishes8070366>
- Shija, V. M., Chen, H., Li, Y., Ng'onga, L., Amoah, K., Yong, Z., Chen, J., Dapeng, Y., Mkyue, R., & Cai, J. (2025). Effects of dietary supplementation with fish-derived *Bacillus amyloliquefaciens* AV5 on growth status, immune response, microbiota, and intestinal health of Nile tilapia (*Oreochromis niloticus*). *Aquaculture Reports*, 41. <https://doi.org/10.1016/j.aqrep.2025.102658>
- Srisapoome, P., & Areechon, N. (2017). Efficacy of viable *Bacillus pumilus* isolated from farmed fish on immune responses and increased disease resistance in Nile tilapia (*Oreochromis niloticus*): Laboratory and on-farm trials. *Fish & shellfish immunology*, 67, 199-210. <https://doi.org/10.1016/j.fsi.2017.06.018>
- Steevels, T. A., & Meyaard, L. (2011). Immune inhibitory receptors: essential regulators of phagocyte function. *European journal of immunology*, 41(3), 575-587.
- Sun, B. guang, & Hu, Y. hua. (2015). Evaluation of potential internal references for quantitative real-time RT-PCR normalization of gene expression in red drum (*Sciaenops ocellatus*). *Fish Physiology and Biochemistry*, 41(3), 695–704. <https://doi.org/10.1007/s10695-015-0039-8>
- Sun, H., Sun, C., & Tian, Z. (2016). The Innate Immunity. In *Practical Immunodermatology* (pp. 23-26). Dordrecht: Springer Netherlands. [10.1007/978-94-024-0902-4_2](https://doi.org/10.1007/978-94-024-0902-4_2)
- Tang, S., Liu, S., Zhang, J., Zhou, L., Wang, X., Zhao, Q., Wenge, W., Qind, J. G., Chenc, L., & Li, E. (2020). Relief of hypersaline stress in Nile tilapia *Oreochromis niloticus* by dietary supplementation of a host-derived *Bacillus subtilis* strain. *Aquaculture*, 528, 735542. [10.1016/j.aquaculture.2020.735542](https://doi.org/10.1016/j.aquaculture.2020.735542)
- Thi, T., Nguyen, T., Trong, H., Wang, P., & Chen, S. (2017). Fish & Shellfish Immunology Identification and expression analysis of two pro-inflammatory cytokines, TNF- α and IL-8, in cobia (*Rachycentron canadum* L.) in response to *Streptococcus dysgalactiae* infection. *Fish and Shellfish Immunology*, 67, 159–171. <https://doi.org/10.1016/j.fsi.2017.06.014>
- Tiengtam, N., Khempaka, S., Paengkoum, P., & Boonanuntanasarn, S. (2015). Effects of inulin and Jerusalem artichoke (*Helianthus tuberosus*) as prebiotic ingredients in the diet of juvenile Nile tilapia (*Oreochromis niloticus*). *Animal Feed Science and Technology*, 207, 120–129. <https://doi.org/10.1016/j.anifeedsci.2015.05.008>
- Tippayadara, N., Worawut, K., & Phungpis, B. (2022). Effects of Dietary Protein Levels on the Stage Development and Production Performance of Nile Tilapia. *ASEAN Journal of Scientific and Technological Reports*, 25(3), 9-17.

10.55164/ajstr.v25i3.246355

- Usman, U., Khaliq, A., Akram, F., Afzal, H., & Aziz, S. (2024). A review on the role of *Bacillus* spp. as probiotics in tilapia culture. *Agrobiological Records*, 18: 80-95. <https://doi.org/10.1002/eji.201041179>
- Vásquez-Machado, G., Barato-Gómez, P., & Iregui-Castro, C. (2019). Morphological characterization of the adherence and invasion of *Streptococcus agalactiae* to the intestinal mucosa of tilapia *Oreochromis sp.*: an in vitro model. *Journal of Fish Diseases*, 42(9), 1223-1231. 10.1111/jfd.13042
- Wanderley, M. F. B., da Silva, J. C., Borges, C. C. H., & Vasconcelos, A. T. R. (2008, August). Application of Genetic Algorithms to the Genetic Regulation Problem. In *Brazilian Symposium on Bioinformatics* (pp. 140-151). Berlin, Heidelberg: Springer Berlin Heidelberg. 10.1007/978-3-540-85557-6_13
- Wang, L., Ge, C., & Wang, J. (2017). *Effects of different combinations of Bacillus on immunity and antioxidant activities in common carp*. 2091–2099. <https://doi.org/10.1007/s10499-017-0175-5>
- Wang, M., Yi, M., Zhang, Z., Fan, Z., Jiang, L., Liu, Z., Wang, Z., Lu, M., Cao, J., & Ke, X. (2024). Effect of Different Feeding Habits on Metabolomics Profiles and Microbiota Composition and Functions of Tilapia Gut. *Aquaculture Research*, 1(1), 5545159. 10.1155/2024/5545159
- Weiss, J., Schock, G., Nour, A. A., Schaepe, K., Matthaei, K., & Peist, R. (2025). A Beginner Step-by-Step Guide for Gene Expression Analysis Using QIAcuity Digital PCR. In *Digital PCR: Methods and Protocols* (pp. 1-10). New York, NY: Springer US. 10.1007/978-1-0716-4767-7_1
- Widyaningrum, H., Simanjutak, S. B. I., & Susatyo, P. (2017). Diferensial leukosit ikan gurami (*Osphronemus gouramy Lac.*) dengan perbedaan level suplementasi *Spirulina platensis* dalam pakan. *Scripta Biologica*, 4(1), 169256. 10.20884/1.SB.2017.4.1.383
- Won, S., Hamidoghli, A., Choi, W., Park, Y., Jang, W. J., Kong, I. S., & Bai, S. C. (2020). Effects of *Bacillus subtilis* wb60 and *Lactococcus lactis* on growth, immune responses, histology and gene expression in Nile tilapia, *Oreochromis niloticus*. *Microorganisms*, 8(1). <https://doi.org/10.3390/microorganisms8010067>
- Wongsathein, D., Raksri, S., & Urit, T. (2019). Experimental *Streptococcus agalactiae* infection in Nile tilapia (*Oreochromis niloticus*) via different routes. *Veterinary Integrative Sciences*, 17(3), 233-243.
- Xia, Y., Yu, E. M., Lu, M., & Xie, J. (2020). Effects of probiotic supplementation on gut microbiota as well as metabolite profiles within Nile tilapia, *Oreochromis niloticus*. *Aquaculture*, 527, 735428. <https://doi.org/10.1016/j.aquaculture.2020.735428>
- Xie, Y., Feng, J., Liu, C., Deng, Y., Wang, J., & Su, Y. (2019). Comparative pathological study of tilapia naturally infected with *Streptococcus agalactiae* and virulence gene profiling of isolated strains. *South China Fisheries Science*, 15(2), 47–57. <https://doi.org/10.12131/20180185>
- Yi, T., Li, Y. W., Liu, L., Xiao, X. X., & Li, A. X. (2014). Protection of Nile tilapia (*Oreochromis niloticus* L.) against *Streptococcus agalactiae* following immunization with recombinant FbsA and α -enolase. *Aquaculture*, 428, 35-40. 10.1016/j.aquaculture.2014.02.027

- Yones, A. M. A. S. M., Eissa, I. A. M. M., El-Fattah Ali Ghobashy, M. A., & Marzok, S. S. (2020). Effects of dietary inulin as prebiotic on growth performance, immuno-haematological indices and ectoparasitic infection of fingerlings Nile tilapia, *Oreochromis niloticus*. *Egyptian Journal of Histology*, 43(1), 88–103. <https://doi.org/10.21608/ejh.2019.15495.1152>
- Yustysi, D. P., Basuki, F., & Susilowati, T. (2016). Analisis Karakter Reproduksi Dan Performa Benih Pendederan Ikan Nila Pandu F6 Dengan Ikan Nila Nilasa (*Oreochromis niloticus*) Secara Resiprokal. *Journal of Aquaculture Management and Technology*, 5(1), 116–123.
- Zarai, Y., Margaliot, M., & Tuller, T. (2018). Modeling and analyzing the flow of molecular machines in gene expression. In *Systems biology* (pp. 275-300). Cham: Springer International Publishing. 10.1007/978-3-319-92967-5_14
- Zhang, D., Gao, Y., Ke, X., Yi, M., Liu, Z., Han, X., Shi, C., & Lu, M. (2019). *Bacillus velezensis* LF01: in vitro antimicrobial activity against fish pathogens, growth performance enhancement, and disease resistance against streptococcosis in Nile tilapia (*Oreochromis niloticus*). *Applied Microbiology and Biotechnology*, 103(21), 9023-9035. 10.1007/s00253-019-10176-8
- Zhang, Y., Liu, R., Song, B., Li, L., Shi, R., Ma, X., Zhang, L., & Li, X. (2024). Recent advances in inulin polysaccharides research: extraction, purification, structure, and bioactivities. In *Chemical and Biological Technologies in Agriculture*. 11(1). <https://doi.org/10.1186/s40538-024-00667-w>
- Zhou, X., Tian, Z., Wang, Y., & Li, W. (2010). Effect of treatment with probiotics as water additives on tilapia (*Oreochromis niloticus*) growth performance and immune response. *Fish Physiology and Biochemistry*, 36(3), 501–509. <https://doi.org/10.1007/s10695-009-9320-z>