

REFERENCES

- Alshalalfah, B. W. and Shalaby A. S. (2007) 'Case Study: Relationship of Walk Access Distance to Transit with Service, Travel, and Personal Characteristics', *Journal of Urban Planning and Development*, 13(2), 114 - 118. Available at: [10.1061/ASCE0733-94882007133:2114](https://doi.org/10.1061/ASCE0733-94882007133:2114)).
- Anam, K. (2023) '4 Tahun Operasi, Penumpang LRT Jakarta Ditargetkan Meningkatkan', CNBC Indonesia, 23 Oktober. Available at: <https://www.cnbcindonesia.com/news/20231013144644-4-480366/4-tahun-operasi-penumpang-lrt-jakarta-ditargetkan-meningkat> (Accessed: 01 December 2023).
- Andersen, J.L.E. and Landex, A. (2009) 'GIS-Based Approaches to Catchment Area Analyses of Mass Transit'. Available at: https://proceedings.esri.com/library/userconf/proc09/uc/papers/pap_1072.pdf (Accessed: 10 March 2025).
- Arreeras, T. *et al.* (2020) 'Factors Affecting Mode Choice in Accessing Railway Station Study in Nakhon Ratchasima', *Transportation Research Procedia*, 48, 3457-3468. Available at: <https://doi.org/10.1016/j.trpro.2020.08.107>.
- Basu, R. and Sevtsuk, A. (2022) 'How do street attributes affect willingness-to-walk? City-wide pedestrian route choice analysis using big data from Boston and San Francisco', *Transportation Research Part A: Policy and Practice*, 163, 1-19. Available at: <https://doi.org/10.1016/j.tra.2022.06.007>.
- Bleibaum, R. N., Tao, K. W. C. and Thomas, H. (2020) 'Quantitative Descriptive Analysis', University of California. USA.
- Boisjoly, G. and El-Geneidy, A. (2018) 'Measuring Performance: Accessibility Metrics in Metropolitan Regions Around the World', *Metropolitan Policy Program*. Available at: <https://www.brookings.edu/wp-content/uploads/2017/08/measuring-performance-accessibility-metrics.pdf>.
- Bornioli, A., Parkhurst, G. and Morgan, P.L. (2019) 'Affective Experiences of Built Environments and the Promotion of Urban Walking', *Transportation Research Part A*, 123, 200-215. Available at: <https://doi.org/10.1016/j.tra.2018.12.006>.
- Brons, M., Givoni, M. and Rietveld, P. (2009) 'Access to Railway Stations and its Potential in Increasing Rail Use', *Transportation Research Part A: Policy and Practice*, 43, 136-149. Available at: <https://doi.org/10.1016/j.tra.2008.08.002>.
- Canepa, B. (2007) 'Bursting the Bubble: Determining the Transit-Oriented Development's Walkable Limits', *Transportation Research Record: Journal of the Transportation Research Board*, 1. Available at: <https://doi.org/10.3141/1992-04>.
- Cheng, Y-H. and Chen, S-Y. (2015) 'Perceived Accessibility, Mobility, and Connectivity of Public Transportation Systems', *Transportation Research Part A*, vol.77, 386-403. Available at: <https://doi.org/10.1016/j.tra.2015.05.003>.



- Currie, G. (2010) 'Quantifying Spatial Gaps in Public Transport Supply Based on Social Needs', *Journal of Transport Geography*, 1(18). Available at: <https://doi.org/10.1016/j.jtrangeo.2008.12.002>.
- Dahlan, A.F. and Fraszczyk, A. (2019) 'Public Perceptions of a New MRT Service: a Pre-launch Study in Jakarta', *Urban Rail Transit*, 5(4), 278-288. Available at: <https://doi.org/10.1007/s40864-019-00116-0>.
- Daniels, R. and Mulley, C. (2013) 'Explaining Walking Distance to Public Transport: the Dominance of Public Transport Supply', *Journal of the Transport and Land Use*, 6(2), 5 - 20. Available at: <http://dx.doi.org/10.5198/jtlu.v6i1.325>.
- Department for Transport. (2014) *Accessibility planning guide*. London: UK Government.
- Distefano, N., Leonardi, S. and Liotta, N. G. (2023) 'Willingness for Sustainable Cities: Factors Affecting Users Willingness to Walk', *Sustainability*, 15(7), 5684. Available at: <https://doi.org/10.3390/su15075684>.
- El-Geneidy, A., M. *et al.* (2014) 'New Evidence on Walking Distances to Transit Stops: Identifying Redundancies and Gaps Using Variable Service Areas'. *Transportation*, 1(42), 193–210. Available at : DOI 10.1007/s11116-013-9508-z.
- Fransen, K. *et al.* (2015) 'Identifying Public Transport Gaps Using Time-Dependent Accessibility Levels', *Journal of Transport Geography*, 4, 176-187. Available at: <https://doi.org/10.1016/j.jtrangeo.2015.09.008>.
- Gidarjati, M. and Matsumoto, T. (2024) 'Dynamic Vehicle Age-Based Cohort Model to Estimate the Emission from the Transportation Sector in Jakarta', *Ecological Engineering & Environmental Technology*, 25(4), 92-103. Available at: <http://dx.doi.org/10.12912/27197050/183526>.
- Gill, J., Johnson, P. and Clark, M. (2010) 'Research Methods for Managers', SAGE.
- Givoni, M. and Rietveld, P. (2007) 'The Access Journey to the Railway Station and its Role in Passengers' Satisfaction with Rail Travel', *Transport Policy*, 357-365. Available at: <https://doi.org/10.1016/j.tranpol.2007.04.004>.
- Goransson, J. and Andersson, H. (2023) 'Factors that Make Public Transport Systems Attractive: a Review of Travel Preferences and Travel Mode Choices', *European Transport Research Review*, 15(32). Available at: <https://doi.org/10.1186/s12544-023-00609-x>.
- Guo, D. *et al.* (2012) 'Discovering Spatial Patterns in Origin-Destination Mobility Data', *Transactions in GIS*, 3(16), 411-429. Available at: <https://doi.org/10.1111/j.1467-9671.2012.01344.x>.
- Hasibuan, H. S. and Mulyani, M. (2022) 'Transit-Oriented Development: Towards Achieving Sustainable Transport and Urban Development in Jakarta Metropolitan, Indonesia', *Sustainability*, 14(9). Available at: <https://doi.org/10.3390/su14095244>.



Heljedal, M. (2013) 'Factor Influencing of the Choice Between Road and Multimodal Transportation'. Linkoping University. Available at: <https://www.proquest.com/docview/3090753636?pq-origsite=gscholar&fromopenview=true&sourcetype=Dissertations%20&%20Theses> (Accessed: 5 March 2025).

Institute for Transportation and Development Policy (ITDP) (2017) 'TOD Standard', 3rd edition. New York : Institute for Transportation and Development Policy.

Isaac, S. and Michael, W.B. (1981) Handbook in research and evaluation : a collection of principles, methods, and strategies useful in the planning, design, and evaluation of studies in education and the behavioral sciences . San Diego: EDITS Publishers.

Isradi, M. *et al* (2020) 'Customer Satisfaction Analysis of LRT Feeder Transport: A Case Study of the Jakarta Metropolitan City', *International Journal of Engineering and Natural Science*, Issue 6(1). Available at: https://www.researchgate.net/profile/Amar-Mufhidin/publication/361090026_Customer_Satisfaction_Analysis_Of_LRT_Feeder_Transport_A_Case_Study_of_the_Jakarta_Metropolitan_City/links/647c6c5fb3dfd73b77625be9/Customer-Satisfaction-Analysis-Of-LRT-Feeder-Transport-A-Case-Study-of-the-Jakarta-Metropolitan-City.pdf (Accessed: 20 March 2025).

Jinliao, H. *et al.* (2018) 'Walking Access Distance of Metro Passengers and Relationship with Demographic Characteristics: A case Study of Nanjing Metro', *Chinese Geographical Science*, 28(4), 612-623. Available at: <https://doi.org/10.1007/s11769-018-0970-6>.

Krejcie, R.V. and Morgan, D.W. (1970) 'Determining Sample Size for Research Activities', *Sage Journal: Educational and Psychological Measurement*, 3(30). Available at: <https://doi.org/10.1177/001316447003000308>.

Kweon, B.S. *et al.* (2021) 'The Effects of Pedestrian Environments on Walking Behaviors and Perception of Pedestrian Safety', *Sustainability*, 13, 8728. Available at: <https://doi.org/10.3390/su13168728>.

Landex, A., Hansen, S. and Andersen, J.L.E. (2006) 'Examination of Catchment Areas for Public Transport', The Annual Transport Conference at Aalborg University, 1(1). Available at: <https://doi.org/10.5278/utd.v1i1.3711>.

Lattman, K., Friman, M. and Olsson, L.E. (2016) 'Perceived Accessibility of Public Transport as a Potential Indicator of Social Inclusion', *Transport Policy and Social Inclusion*, 4(3). Available at: <https://doi.org/10.17645/si.v4i3.481>.

Lei, T.L. and Church, R.L. (2008) 'Mapping Transit-Based Access: Integrating GIS, Routes and Schedules', *International Journal of Geographical Information Science*, 2(24). Available at: <https://doi.org/10.1080/13658810902835404>.

Lyu, G., Bertolini, L. and Pfeffer, K. (2020) 'How Does Transit-Oriented Development Contribute to Station Area Accessibility ? A Study in Beijing', *International Journal of Sustainable Transportation*, 14(7), 533 - 543. Available at: <https://doi.org/10.1080/15568318.2019.1578841>



Ma, C. *et al.* (2024) 'Catchment-Area Delineation Approach Considering Travel Purposes for Station Level Ridership Prediction Task', *Transport Research Record*, 5(2678), 397-415. Available at: <https://doi.org/10.1177/03611981231189738>.

Ministry of Transportation of the Republic of Indonesia (2019) *Pedoman Jarak Akses Transportasi Umum di Indonesia*. Jakarta: Ministry of Transportation.

Mohammed, M. and Oke, J. (2023) 'Origin-Destination Inference in Public Transportation Systems: a Comprehensive Review', *International Journal of Transportation Science and Technology*, 12(2023), 315-328. Available at: <https://doi.org/10.1016/j.ijst.2022.03.002>.

Mowrin, A.N. *et al.* (2019) 'Identifying Key Factors of Commuter Train Service Quality: an Empirical Analysis for Dhaka City', *Malaysian Journal of Civil Engineering*, 31(2). Available at: <https://doi.org/10.11113/mjce.v31.16118>.

Moyo, T. (2016) 'The Potential of Geo-location Based Services to Delineate the Origin and Destination of Commuters of Gautrain Public Transit Operations', A Dissertation for Master of Technology in Operations Management, University of Johannesburg.

Najid. (2019) 'Mode Choice Analysis Between LRT and Car Route Kebayoran Lama - Kelapa Gading ', *IOP Conference Series: Materials Science and Engineering*. Available at: 10.1088/1757-899X/508/1/012002.

Nasiboglu, E. *et al.* (2012) 'Origin-destination Matrix Generation Using Smart Card Data : Case Study for Izmir', 2012 IV International Conference "Problems of Cybernetics and Informatics" (PCI). Available at: 10.1109/ICPCI.2012.6486315.

Oktorini, R. and Barus, L.S. (2022) 'Integration of Public Transportation in Smart Transportation System (Smart Transportation System) in Jakarta', *Konfrontasi Journal: Culture, Economy, and Social Change*, 9(2), 341-347. Available at: <https://doi.org/10.33258/konfrontasi2.v9i2.223>.

Olsson, A.L. (2003) 'Factors that Influence Choice of Travel Mode in Major Urban Areas', *Division of Transport and Logistics*. Available at : https://www.researchgate.net/profile/Shaiian-Kiumarsi/publication/295245981_Environmental_Concerns_Motivate_Intention_to_Utilize_Free_Bus_ServicesAn_Empirical_Study_in_Malaysia/links/62845ee4b2548471fee3b277/Environmental-Concerns-Motivate-Intention-to-Utilize-Free-Bus-ServicesAn-Empirical-Study-in-Malaysia.pdf.

Olszewski, P. and Wibowo, S. S. (2005) 'Using Equivalent Walking Distance to Assess Pedestrian Accessibility to Transit Stations in Singapore', *Journal of the Transportation Research Board*, 1927, 38 - 45. Available at: <https://doi.org/10.1177/0361198105192700105>.

Ortúzar, J. D. and Willumsen, L. G. (2011). *Modelling Transport*. Wiley.

Oxford University Press. (2015) *Oxford English Dictionary*. Oxford: Oxford University Press.



- Øvstedal, L. and Ryeng, E.O. (2002) *European Transport Conference Proceedings 2002: Understanding pedestrian comfort in European cities: How to improve walking conditions?*. Cambridge, UK, 28 March 2002. Henley-In-Arden, UK: Association for European Transport. Available at: https://www.researchgate.net/profile/Liv-Ovstedal/publication/268428648_UNDERSTANDING_PEDESTRIAN_COMFORT_IN_EUROPEAN_CITIES_HOW_TO_IMPROVE_WALKING_CONDITIONS/links/555dcdd408ae86c06b5dfc3f/UNDERSTANDING-PEDESTRIAN-COMFORT-IN-EUROPEAN-CITIES-HOW-TO-IMPROVE-WALKING-CONDITIONS.pdf (Accessed: 17 July 2025)
- Peterson, S. (2007) 'The challenges of conducting effective origin-destination surveys', *Journal of Transport Planning*, 31(2), pp. 45-58.
- Pramudita, W.P. and Nataadmadja, A.D. (2022) 'Analysis of the Performance of Light Rail Transit (LRT) Jakarta as a Transport Demand Management (TDM) Strategy', *IOP Conference Series: Earth and Environmental Science*, 1169. Available at: 0.1088/1755-1315/1169/1/012021.
- Ravensbergen, L. (2022) 'Accessibility by Public Transport for Older Adults: A Systematic Review', *Journal of Transport Geography*, 103. Available at: <https://doi.org/10.1016/j.jtrangeo.2022.103408>.
- Sanko, N. and Shoji, K. (2009) 'Analysis on the Structural Characteristics of the Station Catchment Area in Japan', 11th Conference on Competition and Ownership in Land Passenger Transport.
- Soest, D.V., Tight, M.R. and Rogers, C.D.F. (2019) 'Exploring Transport Perceptions Across Urban Areas Using Free Associations', *Transportation Research Part F: Traffic Psychology and Behaviour*, 65, 316-333. Available at: <https://doi.org/10.1016/j.trf.2019.08.005>.
- Sousa, N. *et al.* (2023) 'The impact of geometric and land use elements on the perceived pleasantness of urban layouts', *EPB: Urban Analytics and City Science*, 50(3), 740-756. Available at: <https://doi.org/10.1177/23998083221129879>.
- Sperry, B.R. and Collins, T. (2018) 'Improving Intercity Passenger Rail Planning Using Evidence From Passenger Survey Data', *Transportation Research Record: Journal of the Transportation Research Board*, 2673(10), 236-246. Available at: <https://doi.org/10.1177/0361198118793494>.
- Sung, H. and Oh, J.T. (2011) 'Transit-Oriented Development in a High-Density City: Identifying its Association with Transit Ridership in Seoul, Korea', *Cities*, 28(1), 70–82, Available at: <https://doi.org/10.1016/j.cities.2010.09.004>.
- Susanti, A. *et al.* (2019) 'Searching the Appropriate Minimum Sample Size Calculation Method for Commuter Train Passenger Travel Behavior Survey', *Journal of Infrastructure & Facility Asset Management*. 1(1). Available at: <https://core.ac.uk/download/pdf/290095822.pdf>.



- Susanti, F., Santoso, D., and Wijaya, H. (2019) 'Public Transport Accessibility and Connectivity Analysis Using GIS: Case Study of Jakarta LRT', *Journal of Transport Geography*, 74, pp. 21-34.
- Sutrisno, R. and Setiawan, H. (2024) 'Challenges in Jakarta's LRT implementation: A study on public transport adoption in urban areas', *Journal of Sustainable Transportation*, 15(2), 123-135.
- Taherdoost, H. (2017) 'Determining Sample Size; How to Calculate Survey Sample Size', *International Journal of Economics and Management Systems*, 2. Available at: <http://www.iaras.org/iaras/journals/ijems>.
- Tyrinopoulos, Y. and Antoniou, C. (2013) 'Factors Affecting Modal Choice in Urban Mobility', *European Transport Research Review*, 5, 27-39. Available at: DOI 10.1007/s12544-012-0088-3.
- Vallejo-Borda, J.A. *et al.* (2020) 'Forecasting the Quality of Service of Bogota's Sidewalks from Pedestrian Perceptions: An Ordered Probit MIMIC Approach', *Transportation Research Record*, 2674(1), 205-216. Available at: <https://doi.org/10.1177/0361198119896782>.
- Wachs, M. and Kumagai, T.G. (1973) 'Physical Accessibility as a Social Indicator', *Socio-Economic Planning Sciences*, 5(7). Available at: [https://doi.org/10.1016/0038-0121\(73\)90041-4](https://doi.org/10.1016/0038-0121(73)90041-4).
- Wang, Z., Chen, F. and Xu, T. (2016) 'Interchange Between Metro and Other Modes : Access Distance and Catchment Area', *Journal of Urban Planning and Development*, 142(4). Available at: [https://doi.org/10.1061/\(ASCE\)UP.1943-5444.0000330](https://doi.org/10.1061/(ASCE)UP.1943-5444.0000330).
- Wibowo, A. A. and Rahman, T. (2023) 'Analysis of Fare Structure Policy and Its Impact on the Subsidy Amount (Case Study: LRT Jakarta)', Gadjah Mada University: Yogyakarta.
- Wolf, J. *et al.* (2013) 'A Case Study: Multiple Data Collection Methods and The NY/NJ/CT Regional Travel Survey', *Transport Survey Methods: Best Practice for Decision Making*, 71-90. Available at: <https://doi.org/10.1108/9781781902882-004>.
- World Health Organization (WHO). (2013) *Global status report on road safety 2013: supporting a decade of action*. Geneva: World Health Organization. Available at: https://www.who.int/publications/i/item/9789241564564?utm_source=chatgpt.com.
- Wu, B.M. and Hine, J.P. (2003) 'A PTAL Approach to Measuring Changes in Bus Service Accessibility', *Transport Policy*, 4(10). Available at: [https://doi.org/10.1016/S0967-070X\(03\)00053-2](https://doi.org/10.1016/S0967-070X(03)00053-2).
- Wulansari, D.N. and Astari, M.D. (2018) 'Mode Choice Analysis Using Discrete Choice Model from Transport User (Case Study: Jakarta LRT, Indonesia)', *MATEC Web of Conferences*, 181. Available at: <https://doi.org/10.1051/matecconf/201818103001>.



Yang, H. *et al.* (2021) 'How Do Different Treatments of Catchment Area Affect the Station Level Demand Modelling of Urban Rail Transit?', *Journal of Advanced Transportation*, 2021(1). Available at: <https://doi.org/10.1155/2021/2763304>.

Zhu, Y. *et al.* (2019) 'Spatio-Temporal Analysis of Rail Station Ridership Determinants in the Built Environment', *Transportation*, vol.46, 2269–2289. Available at: <https://doi.org/10.1007/s11116-018-9928-x>.