

DAFTAR PUSTAKA

- Al-Jahdali, H., Al-Harbi, A., Alotaibi, N., Alshehri, A., Ahmed, A., Al-Omar, A., & Al-Hameed, F. (2020). Improved sleep quality improves blood pressure control among patients with chronic kidney disease: A pilot study. *Nephron*, *144*(1), 1–8. <https://doi.org/10.1159/000503721>
- American Psychological Association. (2015). *APA dictionary of psychology*. Washington: American Psychological Association. 2nd ed
- Amerling, G., Dubrow, A., Levin, W., Osheroff, R., (1995), *Complications during hemodialysis*. Stamford, CT: Appleton and Lange.
- Buysse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index: A new instrument for psychiatric practice and research. *Psychiatry Research*, *28*(2), 193–213. [https://doi.org/10.1016/0165-1781\(89\)90047-4](https://doi.org/10.1016/0165-1781(89)90047-4)
- Buysse, D. J., Angst, J., Gamma, A., Ajdacic, V., Eich, D., & Rössler, W. (2008). Prevalence, course, and comorbidity of insomnia and depression in young adults. *Sleep*, *31*(4), 473–480. <https://doi.org/10.1093/sleep/31.4.473>
- Chazot, C., Wabel, P., Chamney, P., Moissl, U., Wieskotten, S., Wizemann, V. (2017). Importance of normohydration for the long-term survival of haemodialysis patients. *Nephrology Dialysis Transplantation*, *27*(6), 2404–2410. <https://doi.org/10.1093/ndt/gfs518>
- Cirit M, Akcicek F, Terzioglu E, *et al* (1995). Paradoxical rise in blood pressure during ultrafiltration in dialysis patients. *Nephrol Dial Transplant*. 1417–1420.
- Creswell, J. W., & Creswell, J. D. (2018). *Research design: Qualitative, quantitative, and mixed methods approaches* (5th ed.). SAGE Publications.
- Dahlan, S., (2016). *Besar Sampel dan Cara Pengambilan Sampel*. Jakarta: Salemba Medika. Seri 2. Edisi 4.
- Dahlan, S., (2014). *Statistik Untuk Kedokteran Dan Kesehatan*. Jakarta, Salemba Medika. Seri 1. Edisi 6.

- Dewi LN., Hendrati LY. (2022). Hubungan Kualitas Tidur Dengan Depresi Pada Pasien Gagal Ginjal Kronis Yang Menjalani Hemodialisis. *Preventif: Jurnal Kesehatan Masyarakat*. Vol 13 No 2, 313 - 325.
- Divyaveer SS, Ramachandran R., *et al* (2021). International Society of Nephrology Global Kidney Health Atlas: structures, organization, and services for the management of kidney failure in South Asia. *Kidney Int Suppl*. doi: 10.1016/j.kisu.2021.01.006.
- Egede, L. E. (2007). Major depression in individuals with chronic medical disorders: prevalence, correlates and association with health resource utilization, lost productivity and functional disability. *General Hospital Psychiatry*, 29(5), 409–416.
<https://doi.org/10.1016/j.genhosppsy.2007.06.002>
- Fellner SK. Intradialytic hypertension: II. *Semin Dial*. 1993;6:371–373.
- Gangwisch, J. E. (2014). A review of evidence for the link between sleep duration and hypertension. *American Journal of Hypertension*, 27(10), 1235–1242.
<https://doi.org/10.1093/ajh/hpu071>
- Georgianos PI, Sarafidis PA, Zoccali C. (2015). Intradialysis hypertension in end-stage renal disease patients clinical epidemiology, pathogenesis, and treatment. *Hypertension*. 66:456-63.
- Gomez, J. L., Villaverde, M., Jofre, R., Benitez, P. R., Garcia, R. P., *et al*. (2005). Interdialytic weight gain as a marker of blood pressure, nutrition, and survival in hemodialysis patients. *Kidn*, 67, 63–68.
- Gotch, F. A. (1998). The current place of urea kinetic modelling with respect to different dialysis modalities. *Nephrology Dialysis Transplantation*, 13(Suppl 6), 10–14. https://doi.org/10.1093/ndt/13.suppl_6.10
- Hashmi, m., Benjamin, O., & Lappin, S. (2024). End-Stage Renal Disease. *In: StatPearls [Internet]*. diakses 27 juli, 2024, from <https://www.ncbi.nlm.nih.gov/books/NBK499861/>
- Henrique, D. M. N., Reboredo, M. de M., Chaoubah, A., & Paula, R. B. de. (2010). Treinamento aeróbico melhora a capacidade funcional de pacientes em

hemodiálise crônica. *Arquivos Brasileiros de Cardiologia*, 94(6), 823–828.
doi:10.1590/s0066-782x2010005000043

Inrig, Jula, K., Oddone, E. Z., Hasselblad, V., Gillespie, B., Patel, U. D., Reddan, D., Toto, R., Himmelfarb, J., Winchester, J. F., Stivelman, J., Lindsay, R. M., & Szczech, L. A. (2007). Association of intradialytic blood pressure changes with hospitalization and mortality rates in prevalent ESRD patients. *Kidney International*. <https://doi.org/10.1038/sj.ki.5002077>

Inrig, Jula K., Patel, U. D., Toto, R. D., & Szczech, L. A. (2009). Association of Blood Pressure Increases During Hemodialysis With 2-Year Mortality in Incident Hemodialysis Patients: A Secondary Analysis of the Dialysis Morbidity and Mortality Wave 2 Study. *American Journal of Kidney Diseases*. Diakses 10 Juli 2024 <<https://doi.org/10.1053/j.ajkd.2009.05.012>>

Inrig Jula, K., (2010) Intradialytic hypertension: a less-recognized cardiovascular complication of hemodialysis. *Am J Kidney Dis*. doi: 10.1053/j.ajkd.2009.08.013. Epub 2009 Oct 22. PMID: 19853337; PMCID: PMC2830363.

Institute of Medicine (US) Committee on Assessing Interactions Among Social, Behavioral, and Genetic Factors in Health; Hernandez LM, Blazer DG, editors (2006). *Genes, Behavior, and the Social Environment: Moving Beyond the Nature/Nurture Debate*. Washington (DC): National Academies Press (US). Available from: <https://www.ncbi.nlm.nih.gov/books/NBK19934>

IRR (*Indonesian Renal Registry*)., (2016). 9 th Report of Indonesian Renal Registry (Online). Diakses pada 2 Januari 2024

Istiroha , Sutrisno , Basri AH , Zahroh R., (2023). Gangguan Tidur dan Kualitas Hidup Pasien Penyakit ginjal Kronis yang Menjalani Hemodialisis di Wilayah kabupaten Gresik.

Istvan M, Miklos Z. Molnar, Janos R, Eszter V, Gabor C, Gyorgyi T, Szabolcs B, Adrienn M, Marta N., (2004) Sleep disorders and illness intrusiveness in patients on chronic dialysis, *Nephrology Dialysis Transplantation*, Volume

19, Issue 7, Pages 1815–1822, available in
<https://doi.org/10.1093/ndt/gfh130>

- Javaheri S, Storfer-Isser A, Rosen C., (2008) Sleep Quality and Elevated Blood Pressure in Adolescents. *Circulation*. 118(10):1034-40
- Jin DC, Yun SR, Lee SW, Han SW, Kim W, Park J, Kim YK., (2015). Lessons from 30 years' data of Korean end-stage renal disease registry, 1985-2015. *Kidney Res Clin Pract*.
- Karna B, Sankari A, Tatikonda G., (2024). Sleep Disorder. *In: StatPearls [Internet]*. Treasure Island (FL): StatPearls. PMID: 32809555.
- Kemkes, R. (2021) Tata Laksana Hipertensi Dewasa- Direktorat P2ptm. Tersedia Pada: <https://kemkes.go.id/id/pnpk-2021---tata-laksana-hipertensi-dewasa>
- Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group. (2013). Chapter 1: Definition and classification of CKD. *Kidney International Supplements*, 3(1), 19–62. <https://doi.org/10.1038/kisup.2012.64>
- Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group (2024). KDIGO 2024 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney Int Suppl*. S117-S314.
- Kellerman, Q. D., Christensen, A. J., Baldwin, A. S., & Lawton, W. J. (2010). Association between depressive symptoms and mortality risk in chronic kidney disease. *Health Psychology*, 29(6), 594–600. <https://doi.org/10.1037/a0021235>
- Kuhlmann M.K., Kotanko P., Levin N.W., (2015). Hemodialysis: Outcome and Adequacy. *Comprehensive Clinical Nephrology*. Elsevier; Philadelphia, PA, USA. 1075–1083.
- Lawes CM, Rodgers A, Bennett DA, Parag V, Suh I, Ueshima H, MacMahon S., (2003). Blood pressure and cardiovascular disease in the Asia Pacific region. *J Hypertens*. 707–16.
- Le Bon, O. (2020). Relationships between REM and NREM in the NREM–REM sleep cycle: A review on competing concepts. *Sleep Medicine*, 70, 6–16. <https://doi.org/10.1016/j.sleep.2020.02.004>

- Levin A, *et al.* Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney Int Suppl.* 2013;3(1):1–150.
- Levin NW. Intradialytic hypertension: I. *Semin Dial.* 1993;6:370–371
- Liao, R., Li, J., Xiong, Y., Lin, L., Wang, L., Sun, S., & Su, B. (2018). Association of Peridialysis Blood Pressure and Its Variability with Cardiovascular Events in Hemodialysis Patients. *Kidney and Blood Pressure Research*, 1352–1362. doi:10.1159/000492595
- Lindley, E. J. (2009). Reducing sodium intake in hemodialysis patients [Abstract]. *Seminars in Dialysis*, 22(3), 260–263. Retrieved March 20, 2012, from
- Liu, S., Zhao, J., Tian, W. S., Wang, J. C., Wang, H. W., & Zhou, B. H. (2022). Estrogen deficiency aggravates fluorine ion-induced renal fibrosis via the TGF- β 1/Smad signaling pathway in rats. *Toxicology letters*, 362, 26–37. <https://doi.org/10.1016/j.toxlet.2022.04.005>
- Mahdalena, A., & Hasibuan, M. T. D. (2023). Hubungan Kualitas Tidur dengan Tekanan Darah pada Pasien Hemodialisa di Ruang Hemodialisa Rumah Sakit Aminah Tangerang. *Indonesian Trust Health Journal*, 6(2). <https://doi.org/10.37104/ithj.v6i2.190>
- Manzoor, H., Bhatt, H., (2023), Prerenal Kidney Failure, In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing, Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560678/>
- Martini S, Roshifanni S, Marzela F. (2018). Pola Tidur yang Buruk Meningkatkan Risiko Hipertensi. *Jurnal MKMI*. Vol. 14 No. 3
- Maung SC, El Sara A, Chapman C, Cohen D, Cukor D., (2016). Sleep disorders and chronic kidney disease. *World J Nephrol.* doi: 10.5527/wjn.v5.i3.224.
- Massimo, S., Bruno, M., Anna, C., Antonio, P., Annalisa, R., Raffaella, E., Antonio, C., Bruno, C., Vittorio, E., Andreucci., (2002) Insomnia in maintenance haemodialysis patients, *Nephrology Dialysis Transplantation*, Volume 17, Issue 5, Pages 852–856, Available at: <https://doi.org/10.1093/ndt/17.5.852>

- Medic, G., Wille, M., & Hemels, M. E. H. (2017). Short- and long-term health consequences of sleep disruption. *Nature and Science of Sleep*, 9, 151–161. <https://doi.org/10.2147/NSS.S134864>
- Mees, D., Rise in blood pressure during hemodialysis-ultrafiltration: a "paradoxical" phenomenon?, *Int J Artif Organs*. 1996;19:569–570.
- Mirghaed, M. T., Sepehrian, R., Rhakshan, A., Gorji, H. A. (2019). Sleep Quality in Iranian Hemodialysis Patients: A Systematic Review and Meta-analysis. *Iranian Journal of Nursing and Midwifery Research*, 24(6), 403-409. https://doi.org/10.4103/ijnmr.IJNMR_184_18
- Mucsi, I., Molnar, M, Z., Rethelyi, J., et al. (2004) Sleep disorders and illness intrusiveness in patients on chronic dialysis, *Nephrol Dial Transplant*, vol. 19 (pg. 1815-1822).
- Murdeswar, H. N., & Anjum, F. (2023). Hemodialysis. In StatPearls. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK563296/>
- Nakashima, A., Carrero, J. J., Qureshi, A. R., Hirai, T., Takasugi, N., Ueno, T., Taniguchi, Y., Lindholm, B., & Yorioka, N. (2011). Plasma osteoprotegerin, arterial stiffness, and mortality in normoalbuminemic Japanese hemodialysis patients [Abstract]. *Osteoporosis International*, 22(6), 1. 55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20812007>.
- National Kidney Foundation. (2015). KDOQI clinical practice guideline for hemodialysis adequacy: 2015 update. *American Journal of Kidney Diseases*, 66(5), 884–930. <https://doi.org/10.1053/j.ajkd.2015.07.015>
- National Sleep Foundation, *Food and Sleep*, dilihat tanggal 21 Mei 2024.
- National Sleep Foundation, (2004) *New poll finds children have poor sleep habits, Parents paying a high price*.
- National Kidney Foundation. K/DOQI clinical practice guidelines for chronic kidney disease: evaluation classification and stratification. *Am J Kidney Dis*. 2002;39(suppl):S1-S266
- Notoatmojo, Soekidjo. (2010). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.

- Park, J., Rhee, C. M., *et al.* (2013). A comparative effectiveness research study of the change in blood pressure during hemodialysis treatment and survival. *Kidney International*, 84(4), 795–802. <https://doi.org/10.1038/ki.2013.237>
- Parvan, K., Lakdizaji, S., Roshangar, F., & Mostofi, M. (2013). Quality of sleep and its relationship to quality of life in hemodialysis patients. *Journal of Caring Sciences*, 2(4), 295–304. <https://doi.org/10.5681/jcs.2013.035>
- Pengo, M. F., Ioratti, D., Bisogni, V., Ravarotto, V., Rossi, B., Bonfante, L., *et al.*, (2017), “In Patients with Chronic Kidney Disease Short Term Blood Pressure Variability is Associated with the Presence and Severity of Sleep Disorders,” *Kidney and Blood Pressure Research*, 42(5), 804–815. doi:10.1159/000484357
- PERNEFRI. (2003). Konsensus Dialisis Perhimpunan Nefrologi Indonesia. *Report of Indonesia Renal Registry*.
- PERNEFRI. (2018). 10 th Report Of Indonesian Renal Registry 2017. *Report of Indonesia Renal Registry*.
- Rahayu RA. (2014). Gangguan Tidur pada Usia Lanjut. In: Setiati S., Alwi I., Sudoyo AW., Simadibrata M., Setiyohadi B., Syam AF. (ed). Buku Ajar Ilmu Penyakit Dalam Edisi VI. *Jakarta: Interna Publishing*. p. 3823 – 3833.
- Rajput, Aatir H, Shaikh, Maryam, Kumar, S. (2017). Downloadfull-Paper-Atir. *Annals of Psychophysiology*, 4, 7–15. www.aeirc-edu.com
- Riskesdas. (2018). Hasil Utama Riset Kesehatan Dasar. Kementerian Kesehatan Republik Indonesia.
- Scott IA, Scuffham P, Gupta D, Harch TM, Borch J, Richards B., (2020). Going digital: a narrative overview of the effects, quality and utility of mobile apps in chronic disease self-management. *Aust Health Rev*.
- Setiawati, E. M., & Kusumawati, D. A. (2024). Sleep quality among chronic kidney disease patients undergoing hemodialysis: A cross-sectional study. *International Journal of Health Science and Technology*, 5(3), 282–287. <https://doi.org/10.31101/ijhst.v5i3.3590>

- Setyowati, A., & Chung, M. (2020). Validity and reliability of the Indonesian version of the Pittsburgh Sleep Quality Index in adolescents. *International Journal of Nursing Practice*. doi:10.1111/ijn.12856.
- Sgambat K, Cheng YI, Charnaya O, Moudgil A., (2019). The prevalence and outcome of children with failure to thrive after pediatric kidney transplantation. *Pediatr Transplant*.
- Shamir, A. R., Karembekar, A., Yabes, J., Yao, Y., Miskulin, D., Gassman, J., Ploth, D., Negrea, L., Paine, S., Rahman, M., Kwong, R. Y., Zager, P., & Jhamb, M. (2018). Association of intradialytic hypertension with left ventricular mass in hypertensive hemodialysis patients enrolled in the Blood Pressure in Dialysis (BID) Study. *Kidney and Blood Pressure Research*, 43(3), 882–892. <https://doi.org/10.1159/000490336>
- Sugiyono. (2013). *Metode Penelitian Kualitatif, Kuantitatif Dan RnD*. Bandung: Alfabes
- Sugiyono. (2019). *Metode Penelitian Kuantitatif, Kualitatif & RND*. Bandung: Alfabeta.
- Sukmawati Hegard ND., Putra Widarta SGI. (2019). Reliabilitas Kuesioner Pittsburgh sleep Quality Index (PSQI) Versi Bahasa Indonesia Dalam Mengukur Kualitas Tidur Lansia. *Wicaksana, Jurnal Lingkungan & Pembangunan*. Fakultas Kedokteran dan Ilmu Kesehatan Universitas Warmadewa. Vol. 3 No. 2 : Hal. 30-38
- Sumarti AD., (2022). Mengenal Variabel Perancu Dalam Penelitian dan Cara Pengontrolannya. *Oftalmologi Komunitas*.
- Sunarti S., Helena., (2018). Gangguan Tidur pada Lanjut Usia. *Faculty of Medical and Health Sciences, Universitas Islam Negeri Maulana Malik Ibrahim*. Available from <https://ejournal.uin-malang.ac.id/index.php/jim/article/view/5009>
- Suwirta K. (2014). Penyakit Ginjal Kronik. In: Setiati S., Alwi I., Sudoyo AW., Simadibrata M., Setiyohadi B., Syam AF. (ed). *Buku Ajar Ilmu Penyakit Dalam Edisi VI*. Jakarta: Interna Publishing.

- Tan, E., Healey, D., Gray, A.R., & Galland, B.C. (2012). “Sleep hygiene intervention for youth aged 10 to 18 years with problematic sleep: a before-after pilot study,” *BMC Pediatrics*. 12: 189
- Tara J, H., Racha, N., Prashant, K., Rolf, A., Peterson., Priyanka, C., Samir, S., Patel., Paul, L., Kimmel., Pain., (2012) “sleep disturbance and survival in hemodialysis patients,” *Nephrology Dialysis Transplantation*, Volume 27, Issue 2, , Pages 758–765, available at: <https://doi.org/10.1093/ndt/gfr355>
- Tattersall, J., Dekker, F., Heimbürger, O., Jager, KJ., Lameire, N., Lindley, E., Van, Biesen, W., Vanholder, R., Zoccali, C., ERBP Advisory Board. (2011). “When to start dialysis: updated guidance following publication of the Initiating Dialysis Early and Late (IDEAL) study.” *Nephrol Dial Transplant*. (7):2082-6. doi: 10.1093/ndt/gfr168. Epub 2011 May 5. PMID: 21551086.
- Townsend, RR, *et al.*, (2020). Pathophysiology of Hypertension in Chronic Kidney Disease. *Chronic Renal Disease*. 313–322. doi:10.1016/b978-0-12-815876-0.00021-8
- Vadakedath, S., Kandi, V., (2017) “Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure.” *Cureus*. 23;9(8):e1603. doi: 10.7759/cureus.1603. PMID: 29067226; PMCID: PMC5654453.
- Vaidya, SR., Aeddula, NR. (2023), “Chronic Kidney Disease,” *In: StatPearls [Internet]. Treasure Island*. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK535404/>
- von Gall, C., Holub, L., Ali, A. A. H., & Eickhoff, S. (2024). Timing of deep and REM sleep based on Fitbit sleep staging in young healthy adults under real-life conditions. *Brain Sciences*, 14(3), 260. <https://doi.org/10.3390/brainsci14030260>
- Wang, Y., Mei, H., Jiang, Y. R., Sun, W. Q., Song, Y. J., Liu, S. J., & Jiang, F. (2015). Relationship between duration of sleep and hypertension in adults: A meta-analysis. *Journal of Clinical Sleep Medicine*, 11(9), 1047–1056. <https://doi.org/10.5664/jcsm.5024>

- Webster AC., Nagler EV., Morton RL., Masson P., (2017). Chronic Kidney Disease. *Lancet*. 25;389(10075):1238-1252.
- Yang, C. Y., Yang, W. C., & Lin, Y. P. (2012). Postdialysis blood pressure rise predicts long-term outcomes in chronic hemodialysis patients: a four-year prospective observational cohort study. *BMC nephrology*, 13, 12. <https://doi.org/10.1186/1471-2369-13-12>
- Yulianto, A., Wahyudi, Y., & Marlinda, M. (2020). Mekanisme Koping Dengan Tingkat Depresi Pada Pasien Gagal Ginjal Kronik Pre Hemodialisa. *Jurnal Wacana Kesehatan*, 4(2), 436. <https://doi.org/10.52822/jwk.v4i2.107>
- Zhang, H., Zhang, Z., Zhao, Y., *et al.* (2024). Association of the combination of obstructive sleep apnea risk and sleep duration with ideal cardiovascular health metrics in patients undergoing hemodialysis. *BMC Nephrology*, 25, 77. <https://doi.org/10.1186/s12882-024-03517-x>
- Zhang, J., Wang, C., Gong, W., Peng, H., Tang, Y., Li, C. C., Ye, Z., Lou, T., Zhao, W. (2014). Association between sleep quality and cardiovascular damage in pre-dialysis patients with chronic kidney disease. *BMC Nephrology*, 15(1). doi:10.1186/1471-2369-15-131
- Zhang, J., Wang, C., Gong, W., Ye, Z., Tang, Y., Zhao, W., Peng, H., Lou, T., (2017), "Poor sleep quality is responsible for the nondipper pattern in hypertensive but not in normotensive chronic kidney disease patients," *Nephrology (Carlton)*, (9):690-698. doi: 10.1111/nep.12839. PMID: 27283003