

## DAFTAR PUSTAKA

- Acharya, U., Choudhury, S., Sethi, D., Akinlabi, E., & Roy, B. S. (2024). Enhancing joint performance in friction stir welding through tailored double-butt-lap geometry. *Welding in the World*, 68(5), 1089–1101. <https://doi.org/10.1007/s40194-024-01737-1>
- Afrin, N., Chen, D. L., Cao, X., & Jahazi, M. (2007). Strain hardening behavior of a friction stir welded magnesium alloy. *Scripta Materialia*, 57(11), 1004–1007. <https://doi.org/10.1016/j.scriptamat.2007.08.001>
- Altenkirch, J., Steuwer, A., Withers, P. J., Williams, S. W., Poad, M., & Wen, S. W. (2009). Residual stress engineering in friction stir welds by roller tensioning. *Science and Technology of Welding and Joining*, 14(2), 185–192. <https://doi.org/10.1179/136217108X388624>
- Annete, O. B. (2007). Friction stir welding. In *AWS welding handbook part 2* (pp. 211–261). American Welding Society (AWS).
- Avedesian, M. M. ., & Baker, Hugh. (1999). *Magnesium and magnesium alloys*. ASM International.
- Baisukhan, A., & Nakkiew, W. (2019). Sequential effects of deep rolling and post-weld heat treatment on surface integrity of AA7075-T651 aluminum alloy friction stir welding. *Materials*, 12(21). <https://doi.org/10.3390/ma12213510>
- Barnett, M. R. (2007). Twinning and the ductility of magnesium alloys. *Materials Science and Engineering: A*, 464(1–2), 8–16. <https://doi.org/10.1016/j.msea.2007.02.109>
- Barsoum, Z., Ghanadi, M., & Balawi, S. (2015). Managing Welding Induced Distortion - Comparison of Different Computational Approaches. *Procedia Engineering*, 114, 70–77. <https://doi.org/10.1016/j.proeng.2015.08.043>
- Bhojan, A., Senthilkumar, N., & Deepanraj, B. (2016). Parametric Influence of Friction Stir Welding on Cast Al6061/20%SiC/2%MoS<sub>2</sub> MMC Mechanical Properties. *Applied Mechanics and Materials*, 852, 297–303. <https://doi.org/10.4028/www.scientific.net/AMM.852.297>
- Broek, D. (2012). *Elementary engineering fracture mechanics*. Springer Science & Business Media.
- BSI. (2005). *Guide to methods for assessing the acceptability of flaws in metallic structures*. BSI British Standards. <https://doi.org/10.3403/03301555>

Callister, & Rethwisch. (2009). *Material Science And Engineering An Introduction* (8th ed.).

Cavaliere, P., Campanile, G., Panella, F., & Squillace, A. (2006). Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding. *Journal of Materials Processing Technology*, 180(1–3), 263–270. <https://doi.org/10.1016/j.jmatprotec.2006.06.015>

Chai, S., Zhang, D., Pan, F., Dong, J., Guo, F., & Dong, Y. (2013). Influence of post-weld hot rolling on the microstructure and mechanical properties of AZ31 magnesium alloy sheet. *Materials Science and Engineering: A*, 588, 208–213. <https://doi.org/10.1016/j.msea.2013.09.020>

Chang, T. C., Wang, J. Y., O, C. M., & Lee, S. (2003). Grain refining of magnesium alloy AZ31 by rolling. *Journal of Materials Processing Technology*, 140(1-3 SPEC.), 588–591. [https://doi.org/10.1016/S0924-0136\(03\)00797-0](https://doi.org/10.1016/S0924-0136(03)00797-0)

Chen, P., Li, B., Culbertson, D., & Jiang, Y. (2018). Contribution of extension twinning to plastic strain at low stress stage deformation of a Mg-3Al-1Zn alloy. *Materials Science and Engineering: A*, 709, 40–45. <https://doi.org/10.1016/j.msea.2017.10.038>

Chen, Y., Zhang, R., He, C., Liu, F., Yang, K., Wang, C., Wang, Q., & Liu, Y. (2020). Effect of texture and banded structure on the crack initiation mechanism of a friction stir welded magnesium alloy joint in very high cycle fatigue regime. *International Journal of Fatigue*, 136. <https://doi.org/10.1016/j.ijfatigue.2020.105617>

Chowdhury, S. H., Chen, D. L., Bhole, S. D., Cao, X., & Wanjara, P. (2012). Lap shear strength and fatigue life of friction stir spot welded AZ31 magnesium and 5754 aluminum alloys. *Materials Science and Engineering: A*, 556, 500–509. <https://doi.org/10.1016/j.msea.2012.07.019>

Chowdhury, S. H., Chen, D. L., Bhole, S. D., Cao, X., & Wanjara, P. (2013). Friction stir welded AZ31 magnesium alloy: Microstructure, texture, and tensile properties. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, 44(1), 323–336. <https://doi.org/10.1007/s11661-012-1382-3>

Colegrove, P. A., & Shercliff, H. R. (2004). Development of Trivex friction stir welding tool Part 1 – two-dimensional flow modelling and experimental validation. *Science and Technology of Welding and Joining*, 9(4), 345–351. <https://doi.org/10.1179/136217104225021670>

Commin, L., Dumont, M., Masse, J. E., & Barrallier, L. (2009). Friction stir welding of AZ31 magnesium alloy rolled sheets: Influence of processing parameters. *Acta Materialia*, 57(2), 326–334. <https://doi.org/10.1016/j.actamat.2008.09.011>

Cozzolino, L. D., Coules, H. E., Colegrove, P. A., & Wen, S. (2017). Investigation of post-weld rolling methods to reduce residual stress and distortion. *Journal of Materials Processing Technology*, 247, 243–256. <https://doi.org/10.1016/j.jmatprotec.2017.04.018>

Dänekas, C., Heikebrügge, S., Schubnell, J., Schaumann, P., Breidenstein, B., & Bergmann, B. (2022). Influence of deep rolling on surface layer condition and fatigue life of steel welded joints. *International Journal of Fatigue*, 162, 106994. <https://doi.org/10.1016/j.ijfatigue.2022.106994>

Desai, A., Khatri, B., Rana, H., Patel, V., & Badheka, V. (2023). Numerical and experimental investigation on AZ91 friction stir welding joints: Mechanics, properties. *Materials Science and Technology*, 39(17), 2767–2781. <https://doi.org/10.1080/02670836.2023.2225902>

Desai, A. M., Khatri, B. C., Patel, V., & Rana, H. (2020). Friction stir welding of AZ31 magnesium alloy: A review. *Materials Today: Proceedings*, 47, 6576–6584. <https://doi.org/10.1016/j.matpr.2021.03.082>

Drunka, R., Iesalniece, P., Steins, I., Grase, L., Eiduks, T. V., Savkovs, K., & Blumbergs, I. (2023). Complex coating system for improving corrosion resistance of AZ31 magnesium alloy. *Journal of Physics: Conference Series*, 2423(1). <https://doi.org/10.1088/1742-6596/2423/1/012020>

Durdanovic, M. B., Mijajlovic, M. M., Milcic, D. S., & Stamenkovic, D. S. (2009). *Heat Generation During Friction Stir Welding Process*.

Ekinci, Ö., & İmak, A. (2024). Effect of Tool Tilt Angle on The Mechanical Properties of Friction Stir lap Welds of AZ31B Magnesium Alloy Sheets. *Türk Doğa ve Fen Dergisi*, 13(3), 50–56. <https://doi.org/10.46810/tdfd.1481217>

Elangovan, K., Balasubramanian, V., & Babu, S. (2008). Developing an empirical relationship to predict tensile strength of friction stir welded AA2219 aluminum alloy. *Journal of Materials Engineering and Performance*, 17(6), 820–830. <https://doi.org/10.1007/s11665-008-9240-6>

Elthalabawy, W., & Khan, T. (2011). Liquid Phase Bonding of 316L Stainless Steel to AZ31 Magnesium Alloy. In *J. Mater. Sci. Technol* (Vol. 27, Issue 1).

Ericsson, M., Jin, L. Z., & Sandström, R. (2007). Fatigue properties of friction stir overlap welds. *International Journal of Fatigue*, 29(1), 57–68. <https://doi.org/10.1016/j.ijfatigue.2006.02.052>

Ericsson, M., & Sandström, R. (2003). Influence of welding speed on the fatigue of friction stir welds, and comparison with MIG and TIG. *International Journal of Fatigue*, 25(12), 1379–1387. [https://doi.org/10.1016/S0142-1123\(03\)00059-8](https://doi.org/10.1016/S0142-1123(03)00059-8)

Esparza, J. A., Davis, W. C., Trillo, E. A., & Murr, L. E. (2002). Friction-stir welding of magnesium alloy AZ31B. *Journal of Materials Science Letters*, 21(12), 917–920. <https://doi.org/10.1023/A:1016061303955>

Fairman, M., Afrin, N., Chen, D. L., Cao, X., & Jahazi, M. (2007). Microstructural Evaluation of Friction Stir Processed AZ31B-H24 Magnesium Alloy. *Canadian Metallurgical Quarterly*, 46(4), 425–432. <https://doi.org/10.1179/cmqr.2007.46.4.425>

Griffin, I. J. (2003). MAGNESIUM. In *Encyclopedia of Food Sciences and Nutrition* (pp. 3641–3646). Elsevier. <https://doi.org/10.1016/B0-12-227055-X/00723-9>

Gziut, O., Kuczmaszewski, J., & Zagórski, I. (2015). Surface quality assessment following high performance cutting of AZ91HP magnesium alloy. *Management and Production Engineering Review*, 6(1), 4–9. <https://doi.org/10.1515/mper-2015-0001>

Hamdy Makhlof, A. S., & Gajarla, Y. (2020). Advances in smart coatings for magnesium alloys and their applications in industry. In *Advances in Smart Coatings and Thin Films for Future Industrial and Biomedical Engineering Applications* (pp. 245–261). Elsevier. <https://doi.org/10.1016/B978-0-12-849870-5.00016-1>

Hong, M., Shah, S. S. A., Wu, D., Chen, R. S., Du, X. H., Hu, N. T., & Zhang, Y. F. (2016). Ultra-high strength Mg-9Gd-4Y-0.5Zr alloy with bi-modal structure processed by traditional extrusion. *Metals and Materials International*, 22(6), 1091–1097. <https://doi.org/10.1007/s12540-016-6325-x>

Hutchinson, C.R., Nie, J.F., & Gorsse, S. (2005). Modelling the precipitation processes and strengthening mechanisms in a Mg-Al-(Zn) AZ91 alloy. *Metallurgical and Materials Transactions A*, 36(8), 2093–2105.

Hwan Park, S. C., Sato, Y. S., & Kokawa, H. (2003). *Basal Plane Texture and Flow Pattern in Friction Stir Weld of a Magnesium Alloy* (Vol. 34).

Ilman, M.N. (2024). *Ilmu dan Teknologi Pengelasan*. UGM PRESS.

Irwin, G. R. (1957). Analysis of Stresses and Strains Near the End of a Crack Traversing a Plate. *Journal of Applied Mechanics*, 24(3), 361–364. <https://doi.org/10.1115/1.4011547>

Janssen, M., Zuidema, J., & Wanhill, R. J. H. (2006). *Fracture Mechanics* (2nd ed.). VSSD.

Jasim Mahmood, S. (2013). Comparative Investigation of Friction Stir Welding and Tungsten Inert Gas of 6061T651 Aluminum Alloy on Mechanical Property and Microstructure. In *Eng. & Tech. Journal* (Vol. 31, Issue 6). [www.pdfactory.com](http://www.pdfactory.com)

Jia, Y., & Bai, Y. (2016). Experimental study on the mechanical properties of AZ31B-H24 magnesium alloy sheets under various loading conditions. *International Journal of Fracture*, 197(1), 25–48. <https://doi.org/10.1007/s10704-015-0057-7>

Kah, P., Rajan, R., Martikainen, J., & Suoranta, R. (2015). Investigation of weld defects in friction-stir welding and fusion welding of aluminium alloys. In *International Journal of Mechanical and Materials Engineering* (Vol. 10, Issue 1). Springer. <https://doi.org/10.1186/s40712-015-0053-8>

Karkhin, V. A. (2019). Energy Characteristics of Welding Heat Sources. In *Engineering Materials* (pp. 1–40). Springer Science and Business Media B.V. [https://doi.org/10.1007/978-981-13-5965-1\\_1](https://doi.org/10.1007/978-981-13-5965-1_1)

Khan, M., Anjum, N., Pasha, R., Ahmad, S., Batool, A., & Shafique, J. (2020). Mechanical Characterization of Magnesium Alloy AZ31B Processed by Friction Stir Welding and Gas Tungsten Arc Welding. *Technical Journal*, 24(Vol 24 No 04 (2019): Technical Journal), 23–29.

Khan, N., Rathee, S., & Srivastava, M. (2021). Friction stir welding: An overview on effect of tool variables. *Materials Today: Proceedings*, 47, 7196–7202. <https://doi.org/10.1016/j.matpr.2021.07.487>

Khan, S. U., Alderliesten, R. C., Rans, C. D., & Benedictus, R. (2010). Application of a modified Wheeler model to predict fatigue crack growth in Fibre Metal Laminates under variable amplitude loading. *Engineering Fracture Mechanics*, 77(9), 1400–1416. <https://doi.org/10.1016/j.engfracmech.2010.03.041>

Kosturek, R., Mierzynski, J., Wachowski, M., Torzewski, J., & Sniezek, L. (2022). The influence of tool traverse speed on the low cycle fatigue properties of AZ31 friction stir welded joints. *Procedia Structural Integrity*, 36, 153–158. <https://doi.org/10.1016/j.prostr.2022.01.017>

Kouadri-Henni, A., Barrallier, L., & Badji, R. (2016). *Residual stresses of a magnesium alloy (AZ31) welded by the friction stir welding processes*. <https://doi.org/10.1051/06003>

Kulekci, M.K. (2008). Magnesium and its alloys applications in automotive industry. *The International Journal of Advanced Manufacturing Technology*, 39(9). 851-865.

Lee, W.-B., Kim, J.-W., Yeon, Y.-M., & Jung, S.-B. (n.d.). *The Joint Characteristics of Friction Stir Welded AZ91D Magnesium Alloy*.

Li, B., Shen, Y., & Hu, W. (2011). The study on defects in aluminum 2219-T6 thick butt friction stir welds with the application of multiple non-destructive testing methods. *Materials and Design*, 32(4), 2073–2084. <https://doi.org/10.1016/j.matdes.2010.11.054>

Li, J. ming, Lu, D. min, Cai, G. wei, Zhang, K. shi, Lan, Y. ting, & Li, Q. xi. (2021). On the statistical correlation between twin deformation and grain size of magnesium alloy under combined tension-torsion cyclic deformation. *Materials Today Communications*, 27. <https://doi.org/10.1016/j.mtcomm.2021.102227>

Liu, B., Yang, J., Zhang, X., Yang, Q., Zhang, J., & Li, X. (2023). Development and application of magnesium alloy parts for automotive OEMs: A review. In *Journal of Magnesium and Alloys* (Vol. 11, Issue 1, pp. 15–47). KeAi Communications Co. <https://doi.org/10.1016/j.jma.2022.12.015>

Liu, D., Xin, R., Zhao, L., & Hu, Y. (2017). Effect of textural variation and twinning activity on fracture behavior of friction stir welded AZ31 Mg alloy in bending tests. *Journal of Alloys and Compounds*, 693, 808–815. <https://doi.org/10.1016/j.jallcom.2016.09.187>

Liu, G., Ma, L. N., Ma, Z. D., Fu, X. S., Wei, G. B., Yang, Y., Xu, T. C., Xie, W. D., & Peng, X. D. (2018). Effects of Welding Speed and Post-weld Hot Rolling on Microstructure and Mechanical Properties of Friction Stir-Welded AZ31 Magnesium Alloy. *Acta Metallurgica Sinica (English Letters)*, 31(8), 853–864. <https://doi.org/10.1007/s40195-018-0725-5>

Liu, L. (2010). *Welding and joining of magnesium alloys*. Woodhead publishing.

Liu, S., Yang, W. S., Shi, X., Li, B., Duan, S., Guo, H., & Guo, J. (2019). Influence of laser process parameters on the densification, microstructure, and mechanical properties of a selective laser melted AZ61 magnesium alloy. *Journal of Alloys and Compounds*, 808. <https://doi.org/10.1016/j.jallcom.2019.06.261>

Lohwasser, D., & Chen, Z. (2009). *Friction Stir Welding: From Basics to Applications*.

Luo, J. R., Godfrey, A., Liu, W., & Liu, Q. (2012). Twinning behavior of a strongly basal textured AZ31 Mg alloy during warm rolling. *Acta Materialia*, 60(5), 1986–1998. <https://doi.org/10.1016/j.actamat.2011.12.017>

- Ma, Z., Shang, Q., Ni, D., & Xiao, B. (2018). Friction Stir Welding of Magnesium Alloys: A Review. In *Jinshu Xuebao/Acta Metallurgica Sinica* (Vol. 54, Issue 11, pp. 1597–1617). Chinese Academy of Sciences. <https://doi.org/10.11900/0412.1961.2018.00392>
- Macdonald, K. A. (2011). *Fracture and fatigue of welded joints and structures*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857092502>
- Maddox, S. J. (1974). Assessing the significance of flaws in welds subject to fatigue. *Welding Journal*, 53(9).
- Maddox, S. J. . (2007). *Fatigue strength of welded structures*. Woodhead.
- Mahoney, M. W., Rhodes, C. G., Flintoff, J. G., Spurling, R. A., & Bingel, W. H. (1998). *Properties of Friction-Stir-Welded 7075 T651 Aluminum*.
- Marzbanrad, J., Akbari, M., Asadi, P., & Safaee, S. (2014). Characterization of the Influence of Tool Pin Profile on Microstructural and Mechanical Properties of Friction Stir Welding. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, 45(5), 1887–1894. <https://doi.org/10.1007/s11663-014-0089-9>
- Masubuchi. *Analysis of Welded Structures*. (1980). Elsevier. <https://doi.org/10.1016/C2013-0-05818-5>
- McBagonluri, F., & Soboyejo, W. (2005). Mechanical Properties: Fatigue. In *Encyclopedia of Condensed Matter Physics* (pp. 291–298). Elsevier. <https://doi.org/10.1016/B0-12-369401-9/00573-8>
- Messler, R. W., WILEY-VCH Verlag GmbH, W., & KGaA, C. (1999). *PRINCIPLES OF WELDING Processes, Physics, Chemistry, and Metallurgy*.
- Meyghani, B., & Wu, C. (2020). Progress in Thermomechanical Analysis of Friction Stir Welding. In *Chinese Journal of Mechanical Engineering (English Edition)* (Vol. 33, Issue 1). Springer. <https://doi.org/10.1186/s10033-020-0434-7>
- Mijajlovic, M., & Milcic, D. (2012). Analytical Model for Estimating the Amount of Heat Generated During Friction Stir Welding: Application on Plates Made of Aluminium Alloy 2024 T351. In *Welding Processes*. InTech. <https://doi.org/10.5772/53563>
- Mishra, R. S., & Ma, Z. Y. (2005). Friction stir welding and processing. *Materials Science and Engineering: R: Reports*, 50(1–2), 1–78. <https://doi.org/10.1016/j.mser.2005.07.001>
- Motalleb-nejad, P., Saeid, T., Heidarzadeh, A., Darzi, K., & Ashjari, M. (2014). Effect of tool pin profile on microstructure and mechanical properties of friction stir welded AZ31B

magnesium alloy. *Materials and Design*, 59, 221–226.  
<https://doi.org/10.1016/j.matdes.2014.02.068>

Othman, N. H., Ishak, M., & Shah, L. H. (2017). Effect of shoulder to pin ratio on magnesium alloy Friction Stir Welding. *IOP Conference Series: Materials Science and Engineering*, 238(1). <https://doi.org/10.1088/1757-899X/238/1/012008>

Padilla, H. A., Lambros, J., Beaudoin, A. J., & Robertson, I. M. (2012). Relating inhomogeneous deformation to local texture in zirconium through grain-scale digital image correlation strain mapping experiments. *International Journal of Solids and Structures*, 49(1), 18–31. <https://doi.org/10.1016/j.ijsolstr.2011.09.001>

Padmanaban, G., & Balasubramanian, V. (2009). Selection of FSW tool pin profile, shoulder diameter and material for joining AZ31B magnesium alloy - An experimental approach. *Materials and Design*, 30(7), 2647–2656.  
<https://doi.org/10.1016/j.matdes.2008.10.021>

Padmanaban, G., Balasubramanian, V., & Sarin Sundar, J. K. (2010). Influences of welding processes on microstructure, hardness, and tensile properties of AZ31B magnesium alloy. *Journal of Materials Engineering and Performance*, 19(2), 155–165.  
<https://doi.org/10.1007/s11665-009-9389-7>

Pan, H., Wang, F., Jin, L., Feng, M., & Dong, J. (2016). Mechanical Behavior and Microstructure Evolution of a Rolled Magnesium Alloy AZ31B Under Low Stress Triaxiality. *Journal of Materials Science and Technology*, 32(12), 1282–1288.  
<https://doi.org/10.1016/j.jmst.2016.10.006>

Pardo, A., Merino, M. C., Coy, A. E., Arrabal, R., Viejo, F., & Matykina, E. (2008). Corrosion behaviour of magnesium/aluminium alloys in 3.5 wt.% NaCl. *Corrosion Science*, 50(3), 823–834. <https://doi.org/10.1016/j.corsci.2007.11.005>

Peng, J., Zhang, Z., Huang, J., Guo, P., Zhou, W., & Wu, Y. (2020). The effect of grain size on texture evolution and mechanical properties of an AZ31 magnesium alloy during cold-rolling process. *Journal of Alloys and Compounds*, 817.  
<https://doi.org/10.1016/j.jallcom.2019.153302>

POURAHMAD, P., & ABBASI, M. (2013). Materials flow and phase transformation in friction stir welding of Al 6013/Mg. *Transactions of Nonferrous Metals Society of China*, 23(5), 1253–1261. [https://doi.org/10.1016/S1003-6326\(13\)62590-X](https://doi.org/10.1016/S1003-6326(13)62590-X)

Prabhakar, D. A. P., Korgal, A., Shettigar, A. K., Herbert, M. A., Chandrashekarappa, M. P. G., Pimenov, D. Y., & Giasin, K. (2023). A Review of Optimization and Measurement Techniques of the Friction Stir Welding (FSW) Process. In *Journal of Manufacturing and*

*Materials Processing* (Vol. 7, Issue 5). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/jmmp7050181>

Price, D. A., Williams, S. W., Wescott, A., Harrison, C. J. C., Rezai, A., Steuwer, A., Peel, M., Staron, P., & Koçak, M. (2007). Distortion control in welding by mechanical tensioning. *Science and Technology of Welding and Joining*, 12(7), 620–633. <https://doi.org/10.1179/174329307X213864>

Prihajatno, M., Ilman, M. N., Sriwijaya, R. A., Muslih, M. R., & Apriansyah, R. (2024). Tensile and fatigue properties of friction stir AZ31B-H24 magnesium alloy welded joints under the influences of pin geometry and tool rotation rate. *Journal of Advanced Joining Processes*, 9, 100202. <https://doi.org/10.1016/j.jajp.2024.100202>

Pujono, Ilman, M. N., Kusmono, Muslih, M. R., Priyanto, T. H., Apriansyah, R., & Isnaini, A. (2025). Diminishing residual stress and distortion by in-situ rolling tensioning to increase fatigue performance of friction stir welded AA2024-T3 joints. *International Journal of Fatigue*, 190. <https://doi.org/10.1016/j.ijfatigue.2024.108659>

Pujono, Ilman, M. N., Muslih, M. R., & Kusmono. (2024). Minimizing residual stress and fatigue crack propagation rate of FSW joints of AA2024-T3 by transient thermal tensioning: Effect of heater distance. *International Journal of Lightweight Materials and Manufacture*, 7(5), 668–677. <https://doi.org/10.1016/j.ijlmm.2024.03.006>

Radaj, D. (1992). Welding temperature fields. In *Heat Effects of Welding* (pp. 19–128). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-48640-1\\_2](https://doi.org/10.1007/978-3-642-48640-1_2)

RAZAL ROSE, A., MANISEKAR, K., & BALASUBRAMANIAN, V. (2011). Effect of axial force on microstructure and tensile properties of friction stir welded AZ61A magnesium alloy. *Transactions of Nonferrous Metals Society of China*, 21(5), 974–984. [https://doi.org/10.1016/S1003-6326\(11\)60809-1](https://doi.org/10.1016/S1003-6326(11)60809-1)

Richards, D. G., Prangnell, P. B., Williams, S. W., & Withers, P. J. (2008). Global mechanical tensioning for the management of residual stresses in welds. *Materials Science and Engineering: A*, 489(1–2), 351–362. <https://doi.org/10.1016/j.msea.2007.12.042>

Rosenthal, D. (1941). Mathematical Theory of Heat Distribution during Welding and Cutting. *Welding Journal*, 20, 220–234.

Sabari, K & Muniappan, A. (2024). Thermal and Mechanical Investigation of Friction Stir Welding with Disparate Materials AA6061 and AA7075. *Recent Patents on Mechanical Engineering*, 17(3), 181–195. <https://doi.org/10.2174/0122127976284835240116085109>

Sahali, M. A., Aini, A., Bouzit, L., Himed, L., & Benaissa, B. (2023). Experimental modeling and multi-objective optimization of friction stir welding parameters of AA 3004 aluminum alloy. *International Journal of Advanced Manufacturing Technology*, 124(3–4), 1229–1244. <https://doi.org/10.1007/s00170-022-10349-2>

Sarila, V., Koneru, H. P., Cheepu, M., Chigilipalli, B. K., Kantumuchu, V. C., & Shanmugam, M. (2022). Microstructural and Mechanical Properties of AZ31B to AA6061 Dissimilar Joints Fabricated by Refill Friction Stir Spot Welding. *Journal of Manufacturing and Materials Processing*, 6(5). <https://doi.org/10.3390/jmmp6050095>

Schijve, J. (Ed.). (2009). *Fatigue of Structures and Materials*. Springer Netherlands. <https://doi.org/10.1007/978-1-4020-6808-9>

Schmidt, H., Hattel, J., & Wert, J. (2004). An analytical model for the heat generation in friction stir welding. *Modelling and Simulation in Materials Science and Engineering*, 12(1), 143–157. <https://doi.org/10.1088/0965-0393/12/1/013>

Schmidt, H. N. B. (2010). Modelling thermal properties in friction stir welding. In *Friction Stir Welding* (pp. 277–313). Elsevier. <https://doi.org/10.1533/9781845697716.2.277>

Schneider, J., Beshears, R., & Nunes, A. C. (2006). Interfacial sticking and slipping in the friction stir welding process. *Materials Science and Engineering: A*, 435–436, 297–304. <https://doi.org/10.1016/j.msea.2006.07.082>

Serindag, H. T., & Kiral, B. G. (2017). Friction stir welding of AZ31 magnesium alloys – A numerical and experimental study. *Latin American Journal of Solids and Structures*, 14(1), 113–130. <https://doi.org/10.1590/1679-78253162>

Sevvel, P., & Jaiganesh, V. (2016). Impact of tool profile on mechanical properties of AZ31B Mg alloy during FSW using optimized parameters. *FME Transactions*, 44(1), 43–49. <https://doi.org/10.5937/fmet1601043J>

Shang, L., Jung, I. H., Yue, S., Verma, R., & Essadiqi, E. (2010). An investigation of formation of second phases in microalloyed, AZ31 Mg alloys with Ca, Sr and Ce. *Journal of Alloys and Compounds*, 492(1–2), 173–183. <https://doi.org/10.1016/j.jallcom.2009.11.159>

Shang, Q., Ni, D. R., Xue, P., Xiao, B. L., & Ma, Z. Y. (2017). Evolution of local texture and its effect on mechanical properties and fracture behavior of friction stir welded joint of extruded Mg-3Al-1Zn alloy. *Materials Characterization*, 128, 14–22. <https://doi.org/10.1016/j.matchar.2017.03.018>

Shi, K., Zhang, D., Ren, J., Yao, C., & Huang, X. (2016). Effect of cutting parameters on machinability characteristics in milling of magnesium alloy with carbide tool. *Advances in Mechanical Engineering*, 8(1). <https://doi.org/10.1177/1687814016628392>

Siengchin, S. (2023). A review on lightweight materials for defence applications: Present and future developments. In *Defence Technology* (Vol. 24, pp. 1–17). KeAi Communications Co. <https://doi.org/10.1016/j.dt.2023.02.025>

Sneddon, I. N. (1946). The distribution of stress in the neighbourhood of a crack in an elastic solid. *Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences*, 187(1009), 229–260. <https://doi.org/10.1098/rspa.1946.0077>

Sucharitha, M., Ravi Sankar, B., & Umamaheswarrao, P. (2020). Experimental investigations on the effect of tool rotational speed on mechanical properties and microstructure of friction stir welded AZ31 Mg alloy. *Materials Today: Proceedings*, 46, 3455–3459. <https://doi.org/10.1016/j.matpr.2020.11.788>

Sumarno, D.P. (2025). *Pengaruh Putaran dan Geometri Pin Terhadap Sifat-Sifat Mekanik Sambungan Las Pada Pengelasan FSW Logam Tak Sejenis AA2024-O dan AA6061-T6*. Universitas Gadjah Mada.

Sun, Q., Fu, X., Chen, G., Dong, H., & Zhou, W. (2022). Improving the mechanical properties of a friction stir welded AZ31 joint by adjusting the microstructure and texture. *Journal of Materials Research and Technology*, 21, 2326–2337. <https://doi.org/10.1016/j.jmrt.2022.10.063>

Tan, J. C., & Tan, M. J. (2003). Dynamic continuous recrystallization characteristics in two stage deformation of Mg–3Al–1Zn alloy sheet. *Materials Science and Engineering: A*, 339(1–2), 124–132. [https://doi.org/10.1016/S0921-5093\(02\)00096-5](https://doi.org/10.1016/S0921-5093(02)00096-5)

Taylor, G.I. (1938). Plastic Strain in Metals. *J. Inst. Metals*, 62, 307–324. <https://cir.nii.ac.jp/crid/1571135650487126144.bib?lang=en>

Thomas, W. M., Johnson, K. I., & Wiesner, C. S. (2003). Friction Stir Welding – Recent Developments in Tool and Process Technologies. *Advanced Engineering Materials*, 5(7), 485–490. <https://doi.org/10.1002/adem.200300355>

Thomas, W.M., Nicholas, E.D., Needham, J.C., Murch, M.G, Temple-Smith, P., Dawes, C.J. (1991). Improvements relating to friction stir welding. US Patent No. 5,460,317

Thomas, W. M., & Nicholas, E. D. (1997). Friction stir welding for the transportation industries. In *Materials & Design* (Vol. 18).

Thomas, W. M., Threadgill, P. L., & Nicholas, E. D. (1999). Feasibility of friction stir welding steel. *Science and Technology of Welding and Joining*, 4(6), 365–372. <https://doi.org/10.1179/136217199101538012>

Tur, E., & Öztürk, F. (2024). AZ31 Magnesium Alloy in the Aerospace Industry: A Review on the Effect of Composition, Microstructure, and Mechanical Properties on Alloy Performance. *Kocaeli Journal of Science and Engineering*, 7(2), 109–130. <https://doi.org/10.34088/kojose.1334496>

Ugender, S. (2018). Influence of tool pin profile and rotational speed on the formation of friction stir welding zone in AZ31 magnesium alloy. *Journal of Magnesium and Alloys*, 6(2), 205–213. <https://doi.org/10.1016/j.jma.2018.05.001>

Verhoeven, J. D. (1975). *Fundamentals of physical metallurgy*. Wiley. <https://cir.nii.ac.jp/crid/1971149384786848935.bib?lang=en>

Wen, S. W., Colegrove, P. A., Williams, S. W., Morgan, S. A., Wescott, A., & Poad, M. (2010). Rolling to control residual stress and distortion in friction stir welds. *Science and Technology of Welding and Joining*, 15(6), 440–447. <https://doi.org/10.1179/136217110X12785889549787>

Williams, S. W., Morgan, S., Wescott, A., Poad, M., & Wen, S. (2008). Stress engineering - Control of residual stresses and distortion in welding. *Proc. 2nd Int. Workshop on "Thermal Forming and Welding Distortion,"* 229–239.

W.J. Arbegast. (2003). Modeling friction stir joining as a metal working process. *Hot Deformation of Aluminum Alloys III*, 313–327.

Xie, G. M., Ma, Z. Y., Geng, L., & Chen, R. S. (2007). Microstructural evolution and mechanical properties of friction stir welded Mg-Zn-Y-Zr alloy. *Materials Science and Engineering: A*, 471(1–2), 63–68. <https://doi.org/10.1016/j.msea.2007.03.041>

Xin, R., Liu, D., Xu, Z., Li, B., & Liu, Q. (2013). Changes in texture and microstructure of friction stir welded Mg alloy during post-rolling and their effects on mechanical properties. *Materials Science and Engineering: A*, 582, 178–187. <https://doi.org/10.1016/j.msea.2013.06.005>

Xunhong, W., & Kuaishe, W. (2006). Microstructure and properties of friction stir butt-welded AZ31 magnesium alloy. *Materials Science and Engineering: A*, 431(1–2), 114–117. <https://doi.org/10.1016/j.msea.2006.05.128>

- Yajie, L., Fengming, Q., Cuirong, L., & Zhisheng, W. (2017). A review: Effect of friction stir welding on microstructure and mechanical properties of magnesium alloys. In *Metals* (Vol. 7, Issue 12). MDPI AG. <https://doi.org/10.3390/met7120524>
- Yin, Y. H., Sun, N., North, T. H., & Hu, S. S. (2010). Influence of tool design on mechanical properties of AZ31 friction stir spot welds. *Science and Technology of Welding and Joining*, 15(1), 81–86. <https://doi.org/10.1179/136217109X12489665059384>
- Yoo, J. T., Yoon, J. H., Min, K. J., & Lee, H. S. (2015). Effect of Friction Stir Welding Process Parameters on Mechanical Properties and Macro Structure of Al-Li Alloy. *Procedia Manufacturing*, 2, 325–330. <https://doi.org/10.1016/j.promfg.2015.07.057>
- Yuqing, M., Liming, K., Fencheng, L., Yuhua, C., & Li, X. (2017). Effect of tool pin-tip profiles on material flow and mechanical properties of friction stir welding thick AA7075-T6 alloy joints. *International Journal of Advanced Manufacturing Technology*, 88(1–4), 949–960. <https://doi.org/10.1007/s00170-016-8882-z>
- Zakaria, M. S., Mustapha, M., Azmi, A. I., & Khor, C. Y. (2023). Chip Morphology and Surface Integrity in Turning AZ31 Magnesium Alloy under Dry Machining and Submerged Convective Cooling. *Metals*, 13(3). <https://doi.org/10.3390/met13030619>
- Zhang, H., Huang, G., Wang, L., & Li, J. (2012). Improved formability of Mg-3Al-1Zn alloy by pre-stretching and annealing. *Scripta Materialia*, 67(5), 495–498. <https://doi.org/10.1016/j.scriptamat.2012.06.017>
- Zhao, Z., Liang, H., Zhao, Y., & Yan, K. (2018). Effect of Exchanging Advancing and Retreating Side Materials on Mechanical Properties and Electrochemical Corrosion Resistance of Dissimilar 6013-T4 and 7003 Aluminum Alloys FSW Joints. *Journal of Materials Engineering and Performance*, 27(4), 1777–1783. <https://doi.org/10.1007/s11665-018-3253-6>
- Zhou, J., Yang, H., Jiang, B., He, C., Dong, Z., Liu, L., Luo, X., Liu, Y., Huang, D., Xu, J., Huang, G., Zhang, D., & Pan, F. (2023). Clarifying the deformation modes and strengthening mechanisms of Mg-11Gd-5Y-2Zn-0.7Zr with outstanding high-temperature mechanical properties. *Materials Science and Engineering: A*, 866. <https://doi.org/10.1016/j.msea.2023.144638>
- Zhou, L., Nakata, K., Liao, J., & Tsumura, T. (2012). Microstructural characteristics and mechanical properties of non-combustive Mg-9Al-Zn-Ca magnesium alloy friction stir welded joints. *Materials & Design*, 42, 505–512. <https://doi.org/10.1016/j.matdes.2012.06.005>

Zi, A., & Palkowski, H. (2010). Direct strip casting and hot rolling of an AZ31 magnesium alloy. *Materials Science and Engineering: A*, 528(2), 559–565.  
<https://doi.org/10.1016/j.msea.2010.09.052>