

DAFTAR PUSTAKA

- Abdullah, A. N., Kamarudin, K., Kamarudin, L. M., Adom, A. H., Mamduh, S. M., Juffry, Z. H. M., & Bennetts, V. H. (2022). Correction Model for Metal Oxide Sensor *Drift* Caused by Ambient Temperature and Humidity. *Sensors*, 22(9). <https://doi.org/10.3390/s22093301>
- Abdullah, A. N., Kamarudin, K., Mamduh, S. M., & Adom, A. H. (2019). Development of MOX Gas Sensors Module for Indoor Air Contaminant Measurement. *IOP Conference Series: Materials Science and Engineering*, 705(1), 012029. <https://doi.org/10.1088/1757-899X/705/1/012029>
- Arnold, A., Nallapati, R., & Cohen, W. W. (2007). A comparative study of methods for transductive transfer learning. *Proceedings - IEEE International Conference on Data Mining, ICDM*. <https://doi.org/10.1109/ICDMW.2007.109>
- Arshak, K., Moore, E., Lyons, G. M., Harris, J., & Clifford, S. (2004). A review of gas sensors employed in electronic nose applications. In *Sensor Review* (Vol. 24, Issue 2, pp. 181–198). <https://doi.org/10.1108/02602280410525977>
- Artursson, T., Eklöv, T., Lundström, I., Mårtensson, P., Sjöström, M., & Holmberg, M. (2000). Drift correction for gas sensors using multivariate methods. *Journal of Chemometrics*, 14(5–6). [https://doi.org/10.1002/1099-128x\(200009/12\)14:5/6<711::aid-cem607>3.3.co;2-w](https://doi.org/10.1002/1099-128x(200009/12)14:5/6<711::aid-cem607>3.3.co;2-w)
- Ashfaq, R. A. R., & Wang, X. Z. (2017). Impact of fuzziness categorization on divide and conquer strategy for instance selection. *Journal of Intelligent and Fuzzy Systems*, 33(2). <https://doi.org/10.3233/JIFS-162297>
- Balaban, M. O., Korel, F., Odabasi, A. Z., & Folkes, G. (2000). Transportability of data between electronic noses: Mathematical methods. *Sensors and Actuators, B: Chemical*, 71(3). [https://doi.org/10.1016/S0925-4005\(00\)00617-1](https://doi.org/10.1016/S0925-4005(00)00617-1)
- Bax, C., Prudenza, S., Gaspari, G., Capelli, L., Grizzi, F., & Taverna, G. (2022). Drift compensation on electronic nose data for non-invasive diagnosis of prostate cancer by urine analysis. *IScience*, 25(1). <https://doi.org/10.1016/j.isci.2021.103622>
- Bousmalis, K., Silberman, N., Dohan, D., Erhan, D., & Krishnan, D. (2017). Unsupervised pixel-level domain adaptation with generative adversarial networks. *Proceedings - 30th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2017, 2017-January*. <https://doi.org/10.1109/CVPR.2017.18>
- Capelli, L., Sironi, S., & Del Rosso, R. (2014). Electronic noses for environmental monitoring applications. In *Sensors (Switzerland)* (Vol. 14, Issue 11). <https://doi.org/10.3390/s141119979>
- Chen, M., Weinberger, K. Q., & Blitzer, J. C. (2011). Co-training for domain adaptation. *Advances in Neural Information Processing Systems 24: 25th Annual Conference on Neural Information Processing Systems 2011, NIPS 2011*.

- Cicek, S., & Soatto, S. (2019). Unsupervised domain adaptation via regularized conditional alignment. *Proceedings of the IEEE International Conference on Computer Vision, 2019-October*. <https://doi.org/10.1109/ICCV.2019.00150>
- Cipriano, D., & Capelli, L. (2019). Evolution of electronic noses from research objects to engineered environmental odour monitoring systems: A review of standardization approaches. In *Biosensors* (Vol. 9, Issue 2). <https://doi.org/10.3390/bios9020075>
- Falascioni, M., Concina, I., Gobbi, E., Sberveglieri, V., Pulvirenti, A., & Sberveglieri, G. (2012). Electronic Nose for Microbiological Quality Control of Food Products. *International Journal of Electrochemistry*, 2012. <https://doi.org/10.1155/2012/715763>
- Figaro. (2002). *TGS 813-for the detection of Combustible Gases*.
- Figaro. (2005). *GENERAL INFORMATION FOR TGS SENSORS Technical Information on Usage of TGS Sensors for Toxic and Explosive Gas Leak Detectors*.
- Figaro. (2012). *TECHNICAL INFORMATION FOR TGS2610 Technical Information for LP Gas Sensors*.
- Fonollosa, J., Fernández, L., Gutiérrez-Gálvez, A., Huerta, R., & Marco, S. (2016). Calibration transfer and drift counteraction in chemical sensor arrays using Direct Standardization. *Sensors and Actuators, B: Chemical*, 236, 1044–1053. <https://doi.org/10.1016/j.snb.2016.05.089>
- Fonollosa, J., Neftci, E., Huerta, R., & Marco, S. (2015). Evaluation of calibration transfer strategies between Metal Oxide gas sensor arrays. *Procedia Engineering*, 120, 261–264. <https://doi.org/10.1016/j.proeng.2015.08.601>
- Ganin, Y., Ustinova, E., Ajakan, H., Germain, P., Larochelle, H., Laviolette, F., Marchand, M., & Lempitsky, V. (2016). Domain-adversarial training of neural networks. *Journal of Machine Learning Research*, 17.
- Gardner, J. W., & Bartlett, P. N. (1994). A brief history of electronic noses. *Sensors and Actuators: B. Chemical*, 18(1–3). [https://doi.org/10.1016/0925-4005\(94\)87085-3](https://doi.org/10.1016/0925-4005(94)87085-3)
- Ghosh, A., Nag, S., Gomes, A., Gosavi, A., Ghule, G., Kundu, A., Purohit, B., & Srivastava, R. (2023). Applications of Smart Material Sensors and Soft Electronics in Healthcare Wearables for Better User Compliance. In *Micromachines* (Vol. 14, Issue 1). <https://doi.org/10.3390/mi14010121>
- Hassan, G., Sajid, M., & Choi, C. (2019). Highly Sensitive and Full Range Detectable Humidity Sensor using PEDOT:PSS, Methyl Red and Graphene Oxide Materials. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-51712-w>
- Haugen, J. E., Tomic, O., & Kvaal, K. (2000). A calibration method for handling the temporal drift of solid state gas-sensors. *Analytica Chimica Acta*, 407(1–2). [https://doi.org/10.1016/S0003-2670\(99\)00784-9](https://doi.org/10.1016/S0003-2670(99)00784-9)
- Hidayat, S. N., Julian, T., Dharmawan, A. B., Puspita, M., Chandra, L., Rohman, A., Julia, M., Rianjanu, A., Nurputra, D. K., Triyana, K., & Wasisto, H. S. (2022). Hybrid

- learning method based on feature clustering and scoring for enhanced COVID-19 breath analysis by an electronic nose. *Artificial Intelligence in Medicine*, 129, 102323. <https://doi.org/10.1016/j.artmed.2022.102323>
- Holmberg, M., Winqvist, F., Lundström, I., Davide, F., Dinatale, C., & D'Amico, A. (1996). Drift counteraction for an electronic nose. *Sensors and Actuators, B: Chemical*, 36(1–3), 528–535. [https://doi.org/10.1016/S0925-4005\(97\)80124-4](https://doi.org/10.1016/S0925-4005(97)80124-4)
- Hossein-Babaei, F., & Ghafarinia, V. (2010). Compensation for the drift-like terms caused by environmental fluctuations in the responses of chemoresistive gas sensors. *Sensors and Actuators, B: Chemical*, 143(2). <https://doi.org/10.1016/j.snb.2009.10.006>
- Huang, G. Bin, Zhou, H., Ding, X., & Zhang, R. (2012). Extreme learning machine for regression and multiclass classification. *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, 42(2). <https://doi.org/10.1109/TSMCB.2011.2168604>
- Ilie-Ablachim, D. C., Dumitrescu, B., & Rusu, C. (2023). Kernel *t*-distributed stochastic neighbor embedding. <https://doi.org/https://doi.org/10.48550/arXiv.2307.07081>
- Jaeschke, C., Glöckler, J., Padilla, M., Mitrovics, J., & Mizaikoff, B. (2020). An e-nose-based method performing drift correction for online VOC detection under dry and humid conditions. *Analytical Methods*, 12(39). <https://doi.org/10.1039/d0ay01172j>
- James, D., Scott, S. M., Ali, Z., & O'Hare, W. T. (2005). Chemical sensors for electronic nose systems. In *Microchimica Acta* (Vol. 149, Issues 1–2). <https://doi.org/10.1007/s00604-004-0291-6>
- Johnson, K. J., & Rose-Pehrsson, S. L. (2015). Sensor Array Design for Complex Sensing Tasks*. In *Annual Review of Analytical Chemistry* (Vol. 8). <https://doi.org/10.1146/annurev-anchem-062011-143205>
- Jońca, J., Pawnuł, M., Arsen, A., & Sówka, I. (2022). Electronic Noses and Their Applications for Sensory and Analytical Measurements in the Waste Management Plants—A Review. *Sensors*, 22(4). <https://doi.org/10.3390/s22041510>
- Kermit, M., & Tomic, O. (2003). Independent component analysis applied on gas sensor array measurement data. *IEEE Sensors Journal*, 3(2). <https://doi.org/10.1109/JSEN.2002.807488>
- Kiselev, I., Sysoev, V., Kaikov, I., Koroncz, I., Tegin, R. A. A., Smanalieva, J., Sommer, M., Ilicali, C., & Hauptmannl, M. (2018). On the temporal stability of analyte recognition with an e-nose based on a metal oxide sensor array in practical applications. *Sensors (Switzerland)*, 18(2). <https://doi.org/10.3390/s18020550>
- Kouw, W. M., & Loog, M. (2021). A Review of Domain Adaptation without Target Labels. In *IEEE Transactions on Pattern Analysis and Machine Intelligence* (Vol. 43, Issue 3). <https://doi.org/10.1109/TPAMI.2019.2945942>
- Kumar, A., Castro, M., & Feller, J. F. (2023). Review on Sensor Array-Based Analytical Technologies for Quality Control of Food and Beverages. In *Sensors* (Vol. 23, Issue 8). <https://doi.org/10.3390/s23084017>

- Laref, R., Ahmadou, D., Losson, E., & Siadat, M. (2017). Orthogonal Signal Correction to Improve Stability Regression Model in Gas Sensor Systems. *Journal of Sensors*, 2017. <https://doi.org/10.1155/2017/9851406>
- Leon-Medina, J. X., Pineda-Munoz, W. A., & Burgos, D. A. T. (2020). Joint Distribution Adaptation for *Drift* Correction in Electronic Nose Type Sensor Arrays. *IEEE Access*, 8, 134413–134421. <https://doi.org/10.1109/ACCESS.2020.3010711>
- Liu, C., Wang, W., Wang, M., Lv, F., & Konan, M. (2017). An efficient instance selection algorithm to reconstruct training set for support vector machine. *Knowledge-Based Systems*, 116. <https://doi.org/10.1016/j.knsys.2016.10.031>
- Liu, H., Li, Q., Li, Z., & Gu, Y. (2020). A suppression method of concentration background noise by transductive transfer learning for a metal oxide semiconductor-based electronic nose. *Sensors*, 20(7). <https://doi.org/10.3390/s20071913>
- Liu, Q., Li, X., Ye, M., Ge, S. S., & Du, X. (2014). *Drift* compensation for electronic nose by semi-supervised domain adaption. *IEEE Sensors Journal*, 14(3). <https://doi.org/10.1109/JSEN.2013.2285919>
- Liu, T., Cao, J., Li, D., Chen, Y., Yang, T., & Zhu, X. (2020). Active instance selection for *drift* calibration of an electronic nose. *Sensors and Actuators, A: Physical*, 312. <https://doi.org/10.1016/j.sna.2020.112149>
- Liu, T., Li, D., Chen, J., Chen, Y., Yang, T., & Cao, J. (2018). Gas-sensor *drift* counteraction with adaptive active learning for an electronic nose. *Sensors (Switzerland)*, 18(11). <https://doi.org/10.3390/s18114028>
- Loutfi, A., Coradeschi, S., Mani, G. K., Shankar, P., & Rayappan, J. B. B. (2015). Electronic noses for food quality: A review. In *Journal of Food Engineering* (Vol. 144, pp. 103–111). Elsevier Ltd. <https://doi.org/10.1016/j.jfoodeng.2014.07.019>
- Ma, Z., Luo, G., Qin, K., Wang, N., & Niu, W. (2018). Online sensor *drift* compensation for E-nose systems using domain adaptation and extreme learning machine. *Sensors (Switzerland)*, 18(3). <https://doi.org/10.3390/s18030742>
- MacÍas-Quijas, R., Velazquez, R., Giannoccaro, N. I., & Lay-Ekuakille, A. (2021). A Novel Electronic Nose Instrument for the Detection of Volatile Hazardous Compounds: Preliminary Results. *2021 7th International Conference on Control, Instrumentation and Automation, ICCIA 2021*. <https://doi.org/10.1109/ICCIA52082.2021.9403595>
- Maibriadi, I., Ratna, R., & Munawar, A. A. (2019). Deteksi Formalin Pada Buah Tomat (*Lycopersicum esculentum* Mill) Dengan Teknologi Hidung Elektronik (Electronic Nose). *Jurnal Ilmiah Mahasiswa Pertanian*, 4(2). <https://doi.org/10.17969/jimfp.v4i2.10935>
- Maione, C., Barbosa, F., & Barbosa, R. M. (2019). Predicting the botanical and geographical origin of honey with multivariate data analysis and machine learning techniques: A review. In *Computers and Electronics in Agriculture* (Vol. 157). <https://doi.org/10.1016/j.compag.2019.01.020>

- Marco, S., & Gutierrez-Galvez, A. (2012). Signal and data processing for machine olfaction and chemical sensing: A review. In *IEEE Sensors Journal* (Vol. 12, Issue 11). <https://doi.org/10.1109/JSEN.2012.2192920>
- Martinelli, E., Magna, G., Vergara, A., & Di Natale, C. (2014). Cooperative classifiers for reconfigurable sensor arrays. *Sensors and Actuators, B: Chemical*, 199. <https://doi.org/10.1016/j.snb.2014.03.070>
- Muschelli, J. (2020). ROC and AUC with a Binary Predictor: a Potentially Misleading Metric. *Journal of Classification*, 37(3). <https://doi.org/10.1007/s00357-019-09345-1>
- Pan, S. J., & Yang, Q. (2010). A survey on transfer learning. In *IEEE Transactions on Knowledge and Data Engineering* (Vol. 22, Issue 10). <https://doi.org/10.1109/TKDE.2009.191>
- Perera, A., Papamichail, N., Bârsan, N., Weimar, U., & Marco, S. (2006). On-line novelty detection by recursive dynamic principal component analysis and gas sensor arrays under *drift* conditions. *IEEE Sensors Journal*, 6(3). <https://doi.org/10.1109/JSEN.2006.874015>
- Potyrailo, R. A., Ottikkutti, P., & Nayeri, M. (2018). Physical and Analytical Principles of Multivariable Gas and Liquid Sensors. *Proceedings of IEEE Sensors, 2018-October*. <https://doi.org/10.1109/ICSENS.2018.8589670>
- Raigar, R. K., Upadhyay, R., & Mishra, H. N. (2017). Storage quality assessment of shelled peanuts using non-destructive electronic nose combined with fuzzy logic approach. *Postharvest Biology and Technology*, 132. <https://doi.org/10.1016/j.postharvbio.2017.05.016>
- Rainio, O., Teuho, J., & Klén, R. (2024). Evaluation metrics and statistical tests for machine learning. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-56706-x>
- Romain, A. C., & Nicolas, J. (2010). Long term stability of metal oxide-based gas sensors for e-nose environmental applications: An overview. *Sensors and Actuators, B: Chemical*, 146(2), 502–506. <https://doi.org/10.1016/j.snb.2009.12.027>
- Rudnitskaya, A. (2018). Calibration update and *drift* correction for electronic noses and tongues. *Frontiers in Chemistry*, 6, 433. <https://doi.org/10.3389/fchem.2018.00433>
- Rüffer, D., Hoehne, F., & Bühler, J. (2018). New digital metal-oxide (MOx) sensor platform. *Sensors (Switzerland)*, 18(4), 1052. <https://doi.org/10.3390/s18041052>
- Sánchez, C., Santos, J. P., & Lozano, J. (2019). Use of electronic noses for diagnosis of digestive and respiratory diseases through the breath. In *Biosensors* (Vol. 9, Issue 1). <https://doi.org/10.3390/bios9010035>
- Sathyanarayanan, S., & Tantri, B. Roopashri. (2024). Confusion Matrix-Based Performance Evaluation Metrics. *African Journal of Biomedical Research*, 27(4s), 4023–4031. <https://doi.org/10.53555/ajbr.v27i4s.4345>

- Solórzano, A., Rodríguez-Pérez, R., Padilla, M., Graunke, T., Fernandez, L., Marco, S., & Fonollosa, J. (2018). Multi-unit calibration rejects inherent device variability of chemical sensor arrays. *Sensors and Actuators, B: Chemical*, 265, 142–154. <https://doi.org/10.1016/j.snb.2018.02.188>
- Sumanto, B., Triyana, K., & Kusumaatmaja, A. (2025). Optimized calibration for metal oxide gas sensor arrays to overcome tool variability. *Instrumentation Science and Technology*, 0(0), 1–18. <https://doi.org/10.1080/10739149.2025.2504478>
- Tan, J., & Xu, J. (2020). Applications of electronic nose (e-nose) and electronic tongue (e-tongue) in food quality-related properties determination: A review. *Artificial Intelligence in Agriculture*, 4. <https://doi.org/10.1016/j.aiia.2020.06.003>
- Tazi, I., Triyana, K., Siswanta, D., Veloso, A. C. A., Peres, A. M., & Dias, L. G. (2018). Dairy products discrimination according to the milk type using an electrochemical multisensor device coupled with chemometric tools. *Journal of Food Measurement and Characterization*, 12(4). <https://doi.org/10.1007/s11694-018-9855-8>
- Thaler, E. R., & Hanson, C. W. (2005). Medical applications of electronic nose technology. In *Expert Review of Medical Devices* (Vol. 2, Issue 5). <https://doi.org/10.1586/17434440.2.5.559>
- Tomic, O., Eklöv, T., Kvaal, K., & Haugen, J. E. (2004). Recalibration of a gas-sensor array system related to sensor replacement. *Analytica Chimica Acta*, 512(2). <https://doi.org/10.1016/j.aca.2004.03.001>
- Tomic, O., Ulmer, H., & Haugen, J. E. (2002). Standardization methods for handling instrument related signal shift in gas-sensor array measurement data. *Analytica Chimica Acta*, 472(1–2). [https://doi.org/10.1016/S0003-2670\(02\)00936-4](https://doi.org/10.1016/S0003-2670(02)00936-4)
- Triyana, K., Rianjanu, A., Nugroho, D. B., As'ari, A. H., Kusumaatmaja, A., Roto, R., Suryana, R., & Wasisto, H. S. (2019). A highly sensitive safrole sensor based on polyvinyl acetate (PVAc) nanofiber-coated QCM. *Scientific Reports*, 9, 15407. <https://doi.org/10.1038/s41598-019-51851-0>
- Vergara, A. (2012). Gas Sensor Array Drift Dataset [Dataset]. UCI Machine Learning Repository. <https://doi.org/10.24432/C5RP6W>
- Vergara, A., Ayhan, T., Vembu, S., Huerta, R., Ryan, M., & Homer, M. (2011). Gas sensor drift mitigation using classifier ensembles. *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. <https://doi.org/10.1145/2003653.2003655>
- Vergara, A., Vembu, S., Ayhan, T., Ryan, M. A., Homer, M. L., & Huerta, R. (2012). Chemical gas sensor drift compensation using classifier ensembles. *Sensors and Actuators, B: Chemical*, 166–167, 320–329. <https://doi.org/10.1016/j.snb.2012.01.074>
- Wang, M., & Deng, W. (2018). Deep visual domain adaptation: A survey. *Neurocomputing*, 312. <https://doi.org/10.1016/j.neucom.2018.05.083>

- Wilson, A. D., & Baietto, M. (2009). Applications and advances in electronic-nose technologies. In *Sensors* (Vol. 9, Issue 7). <https://doi.org/10.3390/s90705099>
- Wilson, A. D., & Baietto, M. (2011). Advances in electronic-nose technologies developed for biomedical applications. *Sensors*, *11*(1), 1105–1176. <https://doi.org/10.3390/s110101105>
- Xiang, Q., Zi, L., Cong, X., & Wang, Y. (2023). Concept *Drift* Adaptation Methods under the Deep Learning Framework: A Literature Review. In *Applied Sciences (Switzerland)* (Vol. 13, Issue 11). <https://doi.org/10.3390/app13116515>
- Xu, R., Chen, Z., Zuo, W., Yan, J., & Lin, L. (2018). Deep Cocktail Network: Multi-source Unsupervised Domain Adaptation with Category Shift. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*. <https://doi.org/10.1109/CVPR.2018.00417>
- Yan, K., & Zhang, D. (2016a). Calibration transfer and *drift* compensation of e-noses via coupled task learning. *Sensors and Actuators, B: Chemical*, *225*. <https://doi.org/10.1016/j.snb.2015.11.058>
- Yan, K., & Zhang, D. (2016b). Correcting instrumental variation and time-varying *drift*: A transfer learning approach with autoencoders. *IEEE Transactions on Instrumentation and Measurement*, *65*(9), 2012–2022. <https://doi.org/10.1109/TIM.2016.2573078>
- Yi, W., Bu, S., Lee, H. H., & Chan, C. H. (2024). Comparative Analysis of Manifold Learning-Based Dimension Reduction Methods: A Mathematical Perspective. *Mathematics*, *12*(15). <https://doi.org/10.3390/math12152388>
- Yi, Z. (2020). Discriminative dimensionality reduction for sensor *drift* compensation in electronic nose: A robust, low-rank, and sparse representation method. *Expert Systems with Applications*, *148*. <https://doi.org/10.1016/j.eswa.2020.113238>
- Zhai, J., Wang, X., & Pang, X. (2016). Voting-based instance selection from large data sets with MapReduce and random weight networks. *Information Sciences*, *367–368*. <https://doi.org/10.1016/j.ins.2016.07.026>
- Zhai, S., Han, M., Li, Z., Yang, S., Duan, S., & Yan, J. (2023). M2FL-CCC: Multibranch Multilayer Feature Learning and Comprehensive Classification Criterion for Gas Sensor *Drift* Compensation. *IEEE Transactions on Instrumentation and Measurement*, *72*, 1–12. <https://doi.org/10.1109/TIM.2023.3296820>
- Zhang, L., Liu, Y., He, Z., Liu, J., Deng, P., & Zhou, X. (2017). Anti-*drift* in E-nose: A subspace projection approach with *drift* reduction. *Sensors and Actuators, B: Chemical*, *253*, 407–417. <https://doi.org/10.1016/j.snb.2017.06.156>
- Zhang, L., Tian, F., Kadri, C., Xiao, B., Li, H., Pan, L., & Zhou, H. (2011). On-line sensor calibration transfer among electronic nose instruments for monitoring volatile organic chemicals in indoor air quality. *Sensors and Actuators, B: Chemical*, *160*(1), 899–909. <https://doi.org/10.1016/j.snb.2011.08.079>

- Zhang, L., Tian, F., Liu, S., Dang, L., Peng, X., & Yin, X. (2013). Chaotic time series prediction of E-nose sensor *drift* in embedded phase space. *Sensors and Actuators, B: Chemical*, 182. <https://doi.org/10.1016/j.snb.2013.03.003>
- Zhang, Y., Deng, B., Tang, H., Zhang, L., & Jia, K. (2022). Unsupervised Multi-Class Domain Adaptation: Theory, Algorithms, and Practice. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 44(5), 2775–2792. <https://doi.org/10.1109/TPAMI.2020.3036956>
- Zhao, H., Zhang, S., Wu, G., Costeira, J. P., Moura, J. M. F., & Gordon, G. J. (2018). Adversarial multiple source domain adaptation. *Advances in Neural Information Processing Systems, 2018-December*.
- Ziyatdinov, A., Marco, S., Chaudry, A., Persaud, K., Caminal, P., & Perera, A. (2010). Drift compensation of gas sensor array data by common principal component analysis. *Sensors and Actuators, B: Chemical*, 146(2). <https://doi.org/10.1016/j.snb.2009.11.034>
- Zuppa, M., Distanto, C., Siciliano, P., & Persaud, K. C. (2004). Drift counteraction with multiple self-organising maps for an electronic nose. *Sensors and Actuators, B: Chemical*, 98(2–3). <https://doi.org/10.1016/j.snb.2003.10.029>



UNIVERSITAS
GADJAH MADA

Pengembangan Multi-Class Domain Adaptation Untuk Kompensasi Drift Temporal dan Variasi Antar Perangkat Pada Sistem Enose Multi Unit

Budi Sumanto, Dr. Eng. Ahmad Kusumaatmaja, S.Si., M.Sc; Prof. Dr. Eng. Kuwat Triyana, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id/>

LAMPIRAN