

- Akerstedt, T., & Wright, K. P. (2009). Sleep loss and fatigue in *shift work* and *shift work disorder*. *Sleep Medicine Clinics*, 4(2), 257–271. <https://doi.org/10.1016/j.jsmc.2009.03.001>
- Akerstedt, T. (2003). *Shift work and disturbed sleep/wakefulness*. *Occupational Medicine (Oxford, England)*, 53(2), 89–94. <https://doi.org/10.1093/occmed/kqg046>.
- Barger, L. K., Cade, B. E., Ayas, N. T., Cronin, J. W., Rosner, B., Speizer, F. E., & Czeisler, C. A. (2006). Extended work *shifts* and the risk of motor vehicle crashes among interns. *New England Journal of Medicine*, 352, 125–134. <https://doi.org/10.1056/NEJMoa041401>.
- Baron, R. M., & Kenny, D. A. (1986). The moderator–mediator variable distinction in social psychological research. *Journal of Personality and Social Psychology*, 51(6), 1173–1182. <https://doi.org/10.1037/0022-3514.51.6.1173>.
- Di Milia, L., Smolensky, M. H., Costa, G., Howarth, H. D., Ohayon, M. M., & Philip, P. (2013). Demographic factors, fatigue, and driving accidents: An international review. *Accident Analysis & Prevention*, 43(2), 516–528. <https://doi.org/10.1016/j.aap.2010.12.004>.
- Folkard, S., & Tucker, P. (2003). *Shift work, safety and productivity*. *Occupational Medicine*, 53(2), 95–101. <https://doi.org/10.1093/occmed/kqg047>.
- Haus, E. L., & Smolensky, M. H. (2013). *Shift work and cancer risk: Potential mechanistic roles of circadian disruption, light at night, and sleep deprivation*. *Sleep Medicine Reviews*, 17(4), 273–284. <https://doi.org/10.1016/j.smr.2012.08.003>.
- International Labour Organization (ILO). (2022). *Working Time and Work-Life Balance Around the World*. Geneva: ILO.
- Jansen, N. W. H., Kant, I., & van Amelsvoort, L. G. P. M. (2020). Sleep and social jetlag in the oil and gas industry: Implications for health and safety. *Journal of Occupational and Environmental Medicine*, 62(10), e524–e529. <https://doi.org/10.1097/JOM.0000000000001982>
- Williamson, A., & Feyer, A. M. (2000). Moderate sleep deprivation produces impairments in cognitive and motor performance equivalent to legally prescribed levels of alcohol intoxication. *Occupational and Environmental Medicine*, 57(10), 649–655. <https://doi.org/10.1136/oem.57.10.649>.
- Karolinska Institute. (1997). *Karolinska Sleepiness Scale (KSS)*. Stockholm: Department of Clinical Neuroscience.
- National Institute for Occupational Safety and Health (NIOSH). (2015). *Stress at Work*. Atlanta: U.S. Department of Health and Human Services.

Preacher, K. J., & Hayes, A. F. (2004). SPSS and SAS procedures for estimating indirect effects in simple mediation models. *Behavior Research Methods, Instruments, & Computers*, 36(4), 717–731. <https://doi.org/10.3758/BF03206553>

Rosa, R. R., & Colligan, M. J. (1997). Plain language about shiftwork. DHHS (NIOSH) Publication No. 97-145. <https://www.cdc.gov/niosh/docs/97-145/>

Sadeghniaat-Haghighi, K., & Yazdi, Z. (2015). Sleep assessment instruments. *Iranian Journal of Medical Sciences*, 40(3), 182–191. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4438401/>

Suresh, R., & Anand, M. (2020). Role of fatigue and circadian rhythm in industrial accidents: An overview. *International Journal of Occupational Safety and Ergonomics*, 26(4), 642–652. <https://doi.org/10.1080/10803548.2019.1610565>

World Health Organization (WHO). (2017). *Healthy workplaces: A model for action*. Geneva: WHO Press.

Zhou, X., Ferguson, S. A., Matthews, R. W., Sargent, C., Darwent, D., Kennaway, D. J., & Roach, G. D. (2012). Sleep, wake and phase angle of circadian rhythms in offshore *shift* workers. *Chronobiology International*, 29(5), 617–625. <https://doi.org/10.3109/07420528.2012.675222>

ICAO. (2015). *Fatigue Risk Management Systems: Implementation Guide for Operators*. Montreal: ICAO.

IPIECA. (2020). *Managing fatigue in the oil and gas industry: A guide for employers*. London: IPIECA.

ISO 45001:2018. Occupational Health and Safety Management Systems – Requirements with Guidance for Use.

Ahn, Y.-S., Chang, W.-P. and Peng, Y.-X. (2021) ‘Meta-analysis of differences in sleep quality based on actigraphs between day and night *shift* workers and the moderating effect of age’, *Journal of Occupational Health*, 63(1), p. e12262. Available at: <https://doi.org/10.1002/1348-9585.12262>.

AlBuhmaid, S.A.M. *et al.*. (2025) ‘Psychometric Validation and Arabic Translation of the 11-Item Circadian Type Inventory (CTI-11A) Among *Shift* Workers’, *Clocks & Sleep*, 7(4), p. 61. Available at: <https://doi.org/10.3390/clockssleep7040061>.

Boivin, D.B., Boudreau, P. and Kosmadopoulos, A. (2022) ‘Disturbance of the Circadian System in *Shift* Work and Its Health Impact’, *Journal of Biological Rhythms*, 37(1), pp. 3–28. Available at: <https://doi.org/10.1177/074873042111064218>.

Caldwell, J.A. *et al.*. (2019) ‘Fatigue and its management in the workplace’, *Neuroscience & Biobehavioral Reviews*, 96, pp. 272–289. Available at: <https://doi.org/10.1016/j.neubiorev.2018.10.024>.

Costa, G. (2019) 'Shift work and health: Current problems and preventive actions', *Safety and Health at Work*, 10(2), pp. 109–123.

Czyż-Szypenbejl, K. and Mędrzycka-Dąbrowska, W. (2024) 'The Impact of Night Work on the Sleep and Health of Medical Staff—A Review of the Latest Scientific Reports', *Journal of Clinical Medicine*, 13(15), p. 4505. Available at: <https://doi.org/10.3390/jcm13154505>.

Dong, H. *et al.* (2020) 'Sleep quality of nurses in the emergency department of public hospitals in China and its influencing factors: a cross-sectional study', *Health and Quality of Life Outcomes*, 18(1), p. 116. Available at: <https://doi.org/10.1186/s12955-020-01374-4>.

Frazier, C. (2023) 'Working Around the Clock: The Association Between Shift Work, Sleep Health, and Depressive Symptoms Among Midlife Adults', *Social Mental Health*, 13(2), pp. 97–110. Available at: <https://doi.org/10.1177/21568693231156452>.

Getahun, G.K., Genene, A. and Tadesse, T. (2023) 'Poor sleep quality and associated determinants among textile and garment manufacturing workers in Addis Ababa, Ethiopia', *Sleep Medicine X*, 5, p. 100075. Available at: <https://doi.org/10.1016/j.sleepx.2023.100075>.

van der Grinten, T. *et al.* (2025) 'Detailed assessment of night shift work aspects and potential mediators of its health effects: the contribution of field studies', *Frontiers in Public Health*, 13, p. 1578128. Available at: <https://doi.org/10.3389/fpubh.2025.1578128>.

Hansen, J.H. and Holmen, I.M. (2011) 'Sleep disturbances among offshore fleet workers: A questionnaire-based survey', *International Maritime Health*, 62(2), pp. 123–130.

Hirotsu, C., Tufik, S. and Andersen, M.L. (2015) 'Interactions between sleep, stress, and metabolism: From physiological to pathological conditions', *Sleep Science*, 8(3), pp. 143–152. Available at: <https://doi.org/10.1016/j.slsci.2015.09.002>.

Kang, X. *et al.* (2022) 'Latent Classes of Circadian Type and Presenteeism and Work-Related Flow Differences Among Clinical Nurses: A Cross-Sectional Study', *Psychiatry Investigation*, 19(4), pp. 311–319. Available at: <https://doi.org/10.30773/pi.2021.0357>.

Lim, Y.C. *et al.* (2018) 'Association between night-shift work, sleep quality and metabolic syndrome', *Occupational and Environmental Medicine*, 75(10), pp. 716–723. Available at: <https://doi.org/10.1136/oemed-2018-105104>.

Malin, M. *et al.* (2020) 'Occupational health professionals' attitudes, knowledge, and motivation concerning smoking cessation—Cross-sectional survey', *Journal of Occupational Health*, 62(1), p. e12145. Available at: <https://doi.org/10.1002/1348-9585.12145>.

McNamara, K.A. and Robbins, W.A. (2023) 'Shift Work and Sleep Disturbance in the Oil Industry', *Workplace Health & Safety*, 71(3), pp. 118–129. Available at: <https://doi.org/10.1177/21650799221139990>.

Di Milia, L. *et al.*. (2024) 'The association between vigour and flexibility with injury and alertness during *shift work*', *Chronobiology International* [Preprint]. Available at: <https://doi.org/10.1080/07420528.2024.2431065>.

Młynarska, A. *et al.*. (2022) 'Determinants of Sleep Disorders and Occupational Burnout among Nurses: A Cross-Sectional Study', *International Journal of Environmental Research and Public Health*, 19(10), p. 6218. Available at: <https://doi.org/10.3390/ijerph19106218>.

Puttonen, S., Viitasalo, K. and Härmä, M. (2011) 'Effect of *shiftwork* on systemic markers of inflammation', *Chronobiology International*, 28(6), pp. 528–535. Available at: <https://doi.org/10.3109/07420528.2011.580869>.

Rachmawati, [FirstName] and colleagues (2024) 'Work-Related Fatigue Among Indonesian Offshore Oil and Gas Workers', *Occupational Medicine*, 74(5), pp. 364–369. Available at: <https://doi.org/10.1093/occmed/kqae040>.

Reinganum, M.I. and Thomas, J. (2025) *Shift Work Hazards*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK589670/>.

Sadeghniaat-Haghighi, K. *et al.*. (2020) 'Evaluating the quality and duration of sleep using actigraphy in petroleum industry *shift workers*', *Sleep Health*, 6(3), pp. 407–410. Available at: <https://doi.org/10.1016/j.sleh.2020.04.010>.

Uehli, K. *et al.*. (2014) 'Sleep problems and work injuries: a systematic review and meta-analysis', *Sleep Medicine Reviews*, 18(1), pp. 61–73. Available at: <https://doi.org/10.1016/j.smr.2013.01.004>.

Wu, Q.J. *et al.*. (2022) 'Shift work and health outcomes: an umbrella review of systematic reviews and meta-analyses of epidemiological studies', *Journal of Clinical Sleep Medicine*, 18(2), pp. 653–662. Available at: <https://doi.org/10.5664/jcsm.9642>.

Zhao, H. *et al.*. (2025) 'Circadian rhythm types and *shift work* demands shape sleep quality and depressive symptoms in *shift-working nurses*', *Frontiers in Public Health*, 13, p. 1667778. Available at: <https://doi.org/10.3389/fpubh.2025.1667778>.

Akerstedt, T. (2003). *Shift work and disturbed sleep/wakefulness*. *Occupational Medicine (Oxford, England)*, 53(2), 89–94. <https://doi.org/10.1093/occmed/kqg046>

Brum, M. C. B., Senger, M. B., Schnorr, C. C., Ehlert, L. R., & Rodrigues, T. da C. (2022). Effect of night-*shift work* on cortisol circadian rhythm and melatonin levels. *Sleep Science (Sao Paulo, Brazil)*, 15(2), 143–148. <https://doi.org/10.5935/1984-0063.20220034>

Ding, X., Hwang, F.-J., Silverman, D., Zhong, P., Li, B., Ma, C., Lu, L., Jiang, G., Zhang, Z., Huang, X., Tu, X., Tian, Z. M., Ding, J., & Dan, Y. (2025). Neuroendocrine circuit for sleep-dependent growth hormone release. *Cell*, 188(18), 4968-4979.e12. <https://doi.org/https://doi.org/10.1016/j.cell.2025.05.039>.

Duan, D., Kim, L. J., Jun, J. C., & Polotsky, V. Y. (2023). Connecting insufficient sleep and insomnia with metabolic dysfunction. *Annals of the New York Academy of Sciences*, 1519(1), 94–117. <https://doi.org/10.1111/nyas.14926>.

Moosavi, S., Ghalenoei, M., Amerzadeh, M., & Variani, A. S. (2025). The relationship between *shift* work, circadian rhythms, and cognitive function in ICU nursing. *BMC Nursing*, 24(1), 324. <https://doi.org/10.1186/s12912-025-02850-2>.

Thappar, H., & Saini, N. (2025). *Shift Work : Impact of Disrupted Circadian Rhythm on Health : A Review*. *Recent Advances in Pathology & Laboratory Medicine*, 11(1), 19–23.

Zimberg, I. Z., Ftouni, S., Magee, M., Ferguson, S. A., Lockley, S. W., Rajaratnam, S. M. W., & Sletten, T. L. (2024). Circadian adaptation to night *shift* work is associated with higher REM sleep duration. *Sleep Health*, 10(1, Supplement), S112–S120. <https://doi.org/https://doi.org/10.1016/j.sleh.2023.08.024>.

Harrington, J. M. (2001). *Health effects of shift work and extended hours of work*. Occupational and Environmental Medicine. <https://doi.org/10.1136/oem.58.1.68>.

European Agency for Safety and Health at Work. (2019). *Work-related stress, fatigue and occupational accidents*.

Haus, E., & Smolensky, M. (2006). Biological clocks and *shift* work: circadian dysregulation and potential long-term effects. *Cancer causes & control : CCC*, 17(4), 489–500. <https://doi.org/10.1007/s10552-005-9015-4>.

Wright KP, Lowry CA, Lebourgeois MK. Circadian and wakefulness-sleep modulation of cognition in humans. *Front Mol Neurosci*. 2012 Apr 18;5:50. doi: 10.3389/fnmol.2012.00050. PMID: 22529774; PMCID: PMC3328852.

Folkard, S., & Lombardi, D. A. (2006). Modeling the impact of the components of long work hours on injuries and "accidents". *American journal of industrial medicine*, 49(11), 953–963. <https://doi.org/10.1002/ajim.20307>.

Mohd Fuad SH, Juliana N, Mohd Azmi NAS, Mohd Fahmi Teng NI, Azmani S, Abu IF, Das S. Circadian Disruption and Occupational Toxicants Exposure Affecting the Immunity of *Shift* Workers During SARS CoV-2 Pandemic. *Front Public Health*. 2022 Mar 22;10:829013. doi: 10.3389/fpubh.2022.829013. PMID: 35392476; PMCID: PMC8980348.

### Gejala dan Keluhan Penyakit Akibat Kerja

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada Gejala	100	71.4	71.4	71.4
	Tidak Ada Gejala	40	28.6	28.6	100.0
	Total	140	100.0	100.0	

### Kategori Gangguan Ritme Sirkadian

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mengalami Gangguan	73	52.1	52.1	52.1
	Normal	67	47.9	47.9	100.0
	Total	140	100.0	100.0	

### Kategori Indeks Kualitas Tidur Pittsburgh (PSQI)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Buruk	50	35.7	35.7	35.7
	Sedang	35	25.0	25.0	60.7
	Baik	55	39.3	39.3	100.0
	Total	140	100.0	100.0	

### Kategori Flexible/Rigid (FR) dari Circadian Type Inventory (CTI)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang Fleksibel	56	40.0	40.0	40.0
	Normal	77	55.0	55.0	95.0
	Fleksibel (Adaptif)	7	5.0	5.0	100.0
	Total	140	100.0	100.0	

### Kategori Kantuk Karolinska

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tinggi	76	54.3	54.3	54.3
	Sedang	15	10.7	10.7	65.0
	Rendah	49	35.0	35.0	100.0
	Total	140	100.0	100.0	

### Kategori Languid/Vigorous (LV 1–14)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Mudah Lelah	18	12.9	12.9	12.9
	Normal	67	47.9	47.9	60.7
	Tahan Lelah	55	39.3	39.3	100.0
	Total	140	100.0	100.0	

### Crosstab

			Gejala dan Keluhan Penyakit Akibat Kerja		
			Ada Gejala	Tidak Ada Gejala	Total
Kategori Gangguan Ritme Sirkadian	Mengalami Gangguan	Count	60	13	73
		% within Kategori Gangguan Ritme Sirkadian	82.2%	17.8%	100.0%
	Normal	Count	40	27	67
		% within Kategori Gangguan Ritme Sirkadian	59.7%	40.3%	100.0%
Total	Count	100	40	140	
	% within Kategori Gangguan Ritme Sirkadian	71.4%	28.6%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.659 <sup>a</sup>	1	.003		
Continuity Correction <sup>b</sup>	7.592	1	.006		
Likelihood Ratio	8.775	1	.003		
Fisher's Exact Test				.005	.003
Linear-by-Linear Association	8.597	1	.003		
N of Valid Cases	140				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.14.

b. Computed only for a 2x2 table

### Kategori Indeks Kualitas Tidur Pittsburgh (PSQI) \* Gejala dan Keluhan Penyakit Akibat Kerja Crosstabulation

		Gejala dan Keluhan Penyakit Akibat Kerja		Total	
		Ada Gejala	Tidak Ada Gejala		
Kategori Indeks Kualitas Tidur Pittsburgh (PSQI)	Buruk	Count	43	7	50
		% within Kategori Indeks Kualitas Tidur Pittsburgh (PSQI)	86.0%	14.0%	100.0%
	Sedang	Count	22	13	35
		% within Kategori Indeks Kualitas Tidur Pittsburgh (PSQI)	62.9%	37.1%	100.0%
	Baik	Count	35	20	55
		% within Kategori Indeks Kualitas Tidur Pittsburgh (PSQI)	63.6%	36.4%	100.0%
Total	Count	100	40	140	
	% within Kategori Indeks Kualitas Tidur Pittsburgh (PSQI)	71.4%	28.6%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	8.098 <sup>a</sup>	2	.017
Likelihood Ratio	8.736	2	.013
Linear-by-Linear Association	6.215	1	.013
N of Valid Cases	140		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.00.

### Crosstab

		Gejala dan Keluhan Penyakit Akibat Kerja		Total	
		Ada Gejala	Tidak Ada Gejala		
Kategori Flexible/Rigid (FR) dari Circadian Type Inventory (CTI)	Kurang Fleksibel	Count	48	8	56
		% within Kategori Flexible/Rigid (FR) dari Circadian Type Inventory (CTI)	85.7%	14.3%	100.0%
	Normal	Count	46	31	77
		% within Kategori Flexible/Rigid (FR) dari Circadian Type Inventory (CTI)	59.7%	40.3%	100.0%
	Fleksibel (Adaptif)	Count	6	1	7
		% within Kategori Flexible/Rigid (FR) dari Circadian Type Inventory (CTI)	85.7%	14.3%	100.0%
Total	Count	100	40	140	
	% within Kategori Flexible/Rigid (FR) dari Circadian Type Inventory (CTI)	71.4%	28.6%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	11.455 <sup>a</sup>	2	.003
Likelihood Ratio	12.037	2	.002
Linear-by-Linear Association	5.199	1	.023
N of Valid Cases	140		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 2.00.

### Crosstab

		Gejala dan Keluhan Penyakit Akibat Kerja			
		Ada Gejala	Tidak Ada Gejala	Total	
Kategori Kantuk Karolinska	Tinggi	Count	73	3	76
		% within Kategori Kantuk Karolinska	96.1%	3.9%	100.0%
	Sedang	Count	12	3	15
		% within Kategori Kantuk Karolinska	80.0%	20.0%	100.0%
	Rendah	Count	15	34	49
		% within Kategori Kantuk Karolinska	30.6%	69.4%	100.0%
Total	Count	100	40	140	
	% within Kategori Kantuk Karolinska	71.4%	28.6%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	63.120 <sup>a</sup>	2	.000
Likelihood Ratio	66.866	2	.000
Linear-by-Linear Association	60.869	1	.000
N of Valid Cases	140		

a. 1 cells (16.7%) have expected count less than 5. The minimum expected count is 4.29.

### Crosstab

			Gejala dan Keluhan Penyakit Akibat Kerja		
			Ada Gejala	Tidak Ada Gejala	Total
Kategori Languid/Vigorous (LV 1-14)	Mudah Lelah	Count	18	0	18
		% within Kategori Languid/Vigorous (LV 1-14)	100.0%	0.0%	100.0%
	Normal	Count	41	26	67
		% within Kategori Languid/Vigorous (LV 1-14)	61.2%	38.8%	100.0%
	Tahan Lelah	Count	41	14	55
		% within Kategori Languid/Vigorous (LV 1-14)	74.5%	25.5%	100.0%
Total	Count	100	40	140	
	% within Kategori Languid/Vigorous (LV 1-14)	71.4%	28.6%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	10.901 <sup>a</sup>	2	.004
Likelihood Ratio	15.620	2	.000
Linear-by-Linear Association	.905	1	.342
N of Valid Cases	140		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.14.

### Test Statistics<sup>a</sup>

	Berapa rata rata jam tidur anda perhari? (jam)
Mann-Whitney U	1435.500
Wilcoxon W	6485.500
Z	-2.688
Asymp. Sig. (2-tailed)	.007

a. Grouping Variable: Gejala dan Keluhan Penyakit Akibat Kerja

### Shift Kerja \* Gejala dan Keluhan Penyakit Akibat Kerja Crosstabulation

Shift Kerja		Gejala dan Keluhan Penyakit Akibat Kerja		Total	
		Ada Gejala	Tidak Ada Gejala		
Shift Kerja	Shift Malam	Count	93	9	102
		% within Shift Kerja	91.2%	8.8%	100.0%
	Shift Pagi	Count	7	31	38
		% within Shift Kerja	18.4%	81.6%	100.0%
Total	Count	100	40	140	
	% within Shift Kerja	71.4%	28.6%	100.0%	

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	71.810 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	68.289	1	.000		
Likelihood Ratio	70.328	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	71.297	1	.000		
N of Valid Cases	140				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.86.

b. Computed only for a 2x2 table