

Daftar Pustaka

- Baehaki, S.E. (2012). Perkembangan biotipe hama wereng coklat pada tanaman padi. *IPTEK Tanaman Pangan*, 7(1), 1-17.
- Balakrishnan, D., Bateman, N., & Kariyat, R. R. (2024). Rice physical defenses and their role against insect herbivores. *Planta*, 259, 110. <https://doi.org/10.1007/s00425-024-04381-7>
- Bjorkman, C., Berggren, Å., & Bylund, H. (2011). Causes behind insect folivory patterns in latitudinal gradients. *Journal of Ecology*, 99(2), 367–369. <https://doi.org/10.1111/j.1365-2745.2010.01707.x>.
- Boottrell, D.G., & Schoenly, K.G. (2012). Resurrecting the ghost of green revolutions past: The brown planthopper as a recurring threat to high-yielding rice production in tropical Asia. *Journal of Asia - Pacific Entomology*, 15(1), 122-140. <https://doi.org/10.1016/j.aspen.2011.09.004>.
- Buzhdygan, O. Y., & Petermann, J. S. (2023). Multitrophic biodiversity enhances ecosystem functions, services and ecological intensification in agriculture. *Journal of Integrative Plant Ecology*, 16(6), rtad019. <https://doi.org/10.1093/jpe/rtad019>
- Carlo, T. A., Pérez-Rivera, R. A., & Gelditsch, J. M. (2012). Folivory by a tropical tanager: Species of plants used and the relationship between leaf consumption and fruit abundance. *Journal of Field Ornithology*, 83(1), 11–16. <https://doi.org/10.1111/j.1557-9263.2011.00350.x>
- Chi, H., Huang, Y. B., Allahyari, H., Yu, J. Z., Mou, D. F., Yang, T. C., Farhadi, R., & Gholizadeh, M. (2011). Finite predation rate: A novel parameter for the quantitative measurement of predation potential of predator at population level. *Nature Precedings*. <https://doi.org/10.10101/npre.2011.6651.1>.
- Coley, P. D., & Barone, J. A. (1996). Herbivory and plant defenses in tropical forests. *Annual Review of Ecology and Systematics*, 27, 305–335. <https://doi.org/10.1146/annurev.ecolsys.27.1.305>
- Crawford, C. L., Wiebe, R. A., Yin, H., Radeloff, V. C., & Wilcove, D. S. (2024). Biodiversity consequences of cropland abandonment. *Nature Sustainability*, 7(12), 1596–1607. <https://doi.org/10.1038/s41893-024-01452-1>.
- Cui, G., Zhang, L., Shen, W., Guo, Y., & Liang, E. (2022). Intensity, frequency and rate of insect herbivory for an alpine Rhododendron shrub: Elevational patterns and leaf-age effects. *Alpine Botany*, 132, 233–243. <https://doi.org/10.1007/s00035-021-00274-7>.
- Demis, E. (2025). Population dynamics, yield loss and management of major insect pests of rice (*Oryza sativa* L.) crop: A review. *American Journal of Entomology*, 9(1), 6–14. <https://doi.org/10.11648/j.aje.20250901.12>
- Freed, S., Lo, M. G. Y., McCartney, M., Allison, E. H., Smith, D. M., Joffre, O. M., & Sinclair, F. (2025). Water and aquatic foods in revised principles of agroecology can accelerate food systems transformation. *Nature Food*, 6, 1–11. <https://doi.org/10.1038/s43016-025-01152-9>.
- Folberth, C., Khabarov, N., Balkovič, J., Skalský, R., Visconti, P., Ciais, P., Janssens, I. A., Peñuelas, J., & Obersteiner, M. (2020). The global cropland-sparing potential of high-yield farming. *Nature Sustainability*, 3(4), 281–289. <https://doi.org/10.1038/s41893-020-0505-x>
- Halpern, B. S., Frazier, M., Verstaen, J., Rayner, P. E., Clawson, G., Blanchard, J.

- L., Cottrell, R. S., Froehlich, H. E., Gephart, J. A., Jacobsen, N. S., Kuempel, C. D., McIntyre, P. B., Metian, M., Moran, D., Nash, K. L., Többen, J., & Williams, D. R. (2022). The environmental footprint of global food production. *Nature Sustainability*, 5(12), 1027–1039. <https://doi.org/10.1038/s41893-022-00965-x>.
- Hardke, J. T. (Ed.). (2021). *Arkansas rice production handbook* (MP192). University of Arkansas Division of Agriculture, Cooperative Extension Service.
- Iqbal, S. (2020). Insect, pest and disease management in rice. In S. Iqbal (Ed.), *Rice production knowledge and practices for ensuring food security* (pp. 61–85). <https://doi.org/10.5772/intechopen.93550>
- Iswanto, E.H., Rahmini, B. Nuryanto, & Y. Baliadi. (2016). Antisipasi ledakan wereng cokelat (*Nilaparvata lugens*) dengan penerapan teknik pengendalian hama terpadu biointensif. *Penelitian Tanaman Pangan*, 11(1), 9-18.
- Khan, Z.R., Litsinger, J.A., Barrion, A.T., Villanueva, F.F.D., Fernandez, N.J., & Taylor, L.D. (1991). *world bibliography of rice stem borers 1794-1990*. International Rice Research Institute.
- Kolkert, H. L., Smith, R., Rader, R., & Reid, N. (2021). Prey removal in cotton crops next to woodland reveals periodic diurnal and nocturnal invertebrate predation gradients from the crop edge by birds and bats. *Scientific Reports*, 11(1), Article 5006. <https://doi.org/10.1038/s41598-021-84633-8>.
- Liebert, J., Benner, R., Kerr, R. B., et al. (2022). Farm size affects the use of agroecological practices on organic farms in the United States. *Nature Plants*, 8(8), 894–905. <https://doi.org/10.1038/s41477-022-01191-1>
- Liu, X., Bakshi, B. R., Rugani, B., de Souza, D. M., Bare, J., Johnston, J. M., & Verones, F. (2020). Quantification and valuation of ecosystem services in life cycle assessment: Application of the cascade framework to rice farming systems. *Science of The Total Environment*, 747, 141278. <https://doi.org/10.1016/j.scitotenv.2020.141278>.
- Muneret, L., Mitchell, M., Seufert, V., et al. (2018). Evidence that organic farming promotes pest control. *Nature Sustainability*, 1(7), 361–368. <https://doi.org/10.1038/s41893-018-0102-4>.
- Njaci, I., Waweru, B., Kamal, N., Muktar, M. S., Fisher, D., Gundlach, H., Muli, C., Muthui, L., Maranga, M., Kiambi, D., Maass, B. L., Emmrich, P. M. F., Entfellner, J. D., Spannagl, M., Chapman, M. A., Shorinola, O., & Jones, C. S. (2023). Chromosome-level genome assembly and population genomic resource to accelerate orphan crop lablab breeding. *Nature Communications*, 14, 1915. <https://doi.org/10.1038/s41467-023-37489-7>.
- O'Bryan, C. J., Braczkowski, A. R., Beyer, H. L., Carter, N. H., Watson, J. E. M., & McDonald-Madden, E. (2018). The contribution of predators and scavengers to human well-being. *Nature Ecology & Evolution*, 2(2), 229–236. <https://doi.org/10.1038/s41559-017-0421-2>.
- Pathak, M. D., & Khan, Z. R. (1994). *Insect pests of rice*. International Rice Research Institute.
- Pratimi, A., & Soesilohadi, R.C.H. (2011). Fluktuasi populasi walang sangit *Leptocorisa oratorius* F. (Hemiptera: Alydidae) pada komunitas padi di

- Dusun Kepitu, Sleman, Daerah Istimewa Yogyakarta. *BIOMA*.
- Perfecto, I., & Castiñeiras, A. (1998). Deployment of the predaceous ants and their conservation in agroecosystems. In P. Barbosa (Ed.), *Conservation Biological Control* (pp. 269–289). Academic Press. <https://doi.org/10.1016/B978-012078147-8/50057-4>.
- Paulino, J., Granadeiro, J. P., Matos, P., & Catry, T. (2025). Rice fields play a complementary role within the landscape mosaic supporting structurally and functionally distinct waterbird communities. *Hydrobiologia*, *852*, 3503–3522. <https://doi.org/10.1007/s10750-024-05709-w>
- Preiss-Bloom, S., Shamon, H., Amir, Z., Ben-Ami, D., & Dayan, T. (2025). Human disturbance thresholds determine the ecological role of an apex predator. *Scientific Reports*, *15*, 37604. <https://doi.org/10.1038/s41598-025-21402-x>.
- Rand, T. A., Tylanakis, J. M., & Tschardtke, T. (2006). Spillover edge effects: The dispersal of agriculturally subsidized insect natural enemies into adjacent natural habitats. *Ecology Letters*, *9*(5), 603–614. <https://doi.org/10.1111/j.1461-0248.2006.00911.x>.
- Rattus argentiventer* (Robinson & Kloss, 1916) in GBIF Secretariat (2023). GBIF Backbone Taxonomy. Checklist dataset <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2026-02-07.
- Rubia, E.G., Heong, K.L., Zalucki, M., Gonzales, B., & Norton, G.A. (1996). Mechanisms of compensation of rice plants to yellow stem borer *Scirpophaga incertulas* (Walker) injury. *Crop Protection*, *15*(4), 335–340. [https://doi.org/10.1016/0261-2194\(95\)00102-6](https://doi.org/10.1016/0261-2194(95)00102-6).
- Schreinemachers, P., Schad, I., Tipraqsa, P., Williams, P. M., Neef, A., Riwthong, S., Sangchan, W., & Grovermann, C. (2012). Can public GAP standards reduce agricultural pesticide use? The case of fruit and vegetable farming in northern Thailand. *Agriculture and Human Values*, *29*(4), 519–529. <https://doi.org/10.1007/s10460-012-9378-6>
- Singleton, G. R., Sudarmaji, Jacob, J., & Krebs, C. J. (1999). Integrated management to reduce rodent damage to lowland rice crops in Indonesia. *Agriculture, Ecosystems & Environment*, *107*(1), 75–82. <https://doi.org/10.1016/j.agee.2004.09.010>.
- Singleton, G. R., Belmain, S. R., Brown, P. R., & Hardy, B. (Eds.). (2010). *Rodent outbreaks: Ecology and impacts*. International Rice Research Institute.
- Siregar, H.M., Priyambodo, S., & Hindayana, D. (2020). Preferensi serangan tikus sawah (*Rattus argentiventer*) terhadap tanaman padi. *Agrovigor: Jurnal Agroekoteknologi*, *13*(1), 16–21.
- Song, D., Tariq, A., Pan, K., Chen, W., Zhang, A., Sun, X., Ran, Y., & Zeng, F. (2020). Effects of straw mulching practices on soil nematode communities under walnut plantation. *Scientific Reports*, *10*, 15351. <https://doi.org/10.1038/s41598-020-72530-5>.
- Southwood, T. R. E., & Henderson, P. A. (2000). *Ecological methods* (3rd ed.). Blackwell Science.
- Tyto alba* (Scopoli, 1769) in GBIF Secretariat (2023). GBIF Backbone Taxonomy. Checklist dataset <https://doi.org/10.15468/39omei> accessed via GBIF.org on 2026-01-22.

- Taylor, I. (1994). *Barn Owls: Predator-Prey Relationships and Conservation*. Cambridge University Press.
- Yuan, S., Stuart, A. M., Laborte, A. G., Rattalino Edreira, J. I., Dobermann, A., Kien, L. V. N., Thuy, L. T., Paothong, K., Traesang, P., Tint, K. M., San, S. S., Villafuerte II, M. Q., Quicho, E. D., Pame, A. R. P., Then, R., Flor, R. J., Thon, N., Agus, F., Agustiani, N., & Grassini, P. (2022). Southeast Asia must narrow down the yield gap to continue to be a major rice bowl. *Nature Food*, 3(3), 213–220. <https://doi.org/10.1038/s43016-022-00477-z>.
- Van Lenteren, J. C., Bolckmans, K., Köhl, J., Ravensberg, W. J., & Urbaneja, A. (2018). Biological control using invertebrates and microorganisms: Plenty of new opportunities. *BioControl*, 63(1), 39-59. <https://doi.org/10.1007/s10526-017-9801-4>.
- Wan, N. F., Fu, L., Dainese, M., Kiær, L. P., Yue, Q., Xin, F., Goulson, D., Woodcock, B. A., Vanbergen, A. J., Spurgeon, D. J., Shen, S., & Scherber, C. (2025). Pesticides have negative effects on non-target organisms. *Nature Communications*, 16(1), Article 1360. <https://doi.org/10.1038/s41467-025-56732-x>.
- Way, M.O., & Bowling, C.C. (1991). Insect pests of rice in the United States, In B. S. Luh (Ed.), *Rice* (pp.261-292). Springer. <https://doi.org/10.1007/978-1-4899-3754-4-9>.
- Widiarta, I.N., & Suharto, H. (2005). Pengendalian hama penggerek batang tanaman padi secara terpadu. Balai Penelitian Tanaman Padi.
- Wood, Z. T., Palkovacs, E. P., & Kinnison, M. T. (2018). Eco-evolutionary feedbacks from non-target species influence harvest yield and sustainability. *Scientific Reports*, 8(1), 6389. <https://doi.org/10.1038/s41598-018-24555-0>.
- Wyckhuys, K. A. G., Lu, Y., Zhou, W., Naranjo, S. E., Feretis, A., Williams, F. E., Cock, M. J. W., & Furlong, M. J. (2020). Ecological pest control fortifies agricultural growth in Asia-Pacific economies. *Nature Ecology & Evolution*, 4(11), 1522–1530. <https://doi.org/10.1038/s41559-020-01294-y>.
- Wyckhuys, K. A. G., Tang, F. H. M., & Hadi, B. A. R. (2023). Pest management science often disregards farming system complexities. *Communications Earth & Environment*, 4(1), Article 223. <https://doi.org/10.1038/s43247-023-00894-3>
- Yusriadi, Y., Cahaya, A., & Hamzah, F. (2024). Farmer adaptation strategies through local farming systems in Enrekang, Indonesia. *Scientific Reports*, 14(1), Article 21652. <https://doi.org/10.1038/s41598-024-72953-4>.
- Zarco-Tejada, P. J., Poblete, T., Camino, C., et al. (2021). Divergent abiotic spectral pathways unravel pathogen stress signals across species. *Nature Communications*, 12(1), 6088. <https://doi.org/10.1038/s41467-021-26335-3>