

DAFTAR PUSTAKA

- An, M., Kim, H., Moon, J.-M., Ko, H.-S., Clayton, P., & Lim, Y.-H. (2020). Enzyme-Treated *Zizania latifolia* Ethanol Extract Protects from UVA Irradiation-Induced Wrinkle Formation via Inhibition of Lysosome Exocytosis and Reactive Oxygen Species Generation. *Antioxidants*, *9*(10), 912. <https://doi.org/10.3390/antiox9100912>
- Bhernama, B. G., Febriani, & Iqbalsyah, T. M. (2024). The distribution of macroalgae in the Aceh north-western coastline. *IOP Conference Series: Earth and Environmental Science*, *1356*(1), 012049. <https://doi.org/10.1088/1755-1315/1356/1/012049>
- Biris-Dorhoi, E.-S., Michiu, D., Pop, C. R., Rotar, A. M., Tofana, M., Pop, O. L., Socaci, S. A., & Farcas, A. C. (2020). Macroalgae-A Sustainable Source of Chemical Compounds with Biological Activities. *Nutrients*, *12*(10), 3085. <https://doi.org/10.3390/nu12103085>
- Cai, J., & Galli, G. (2021). *Global seaweeds and microalgae production, 1950–2019*. <https://openknowledge.fao.org/server/api/core/bitstreams/97409d09-2f8e-4712-b11e-60105d89959b/content>
- Carpena, M., Garcia-Perez, P., Garcia-Oliveira, P., Chamorro, F., Otero, P., Lourenço-Lopes, C., Cao, H., Simal-Gandara, J., & Prieto, M. A. (2023). Biological properties and potential of compounds extracted from red seaweeds. *Phytochemistry Reviews*, *22*(6), 1509–1540. <https://doi.org/10.1007/s11101-022-09826-z>
- Chang, H.-H., Ko, H.-H., Lu, T.-M., Lin, J.-Y., Chang, D.-C., Chu, T. W., & Hung, C.-F. (2021). Inhibition of UVA Damage on Human Skin Dermis Fibroblasts by the Isoflavonoid Intermediate Deoxybenzoin-3A. *Chemical Research in Toxicology*, *34*(4), 1133–1139. <https://doi.org/10.1021/acs.chemrestox.1c00005>
- Chen, H., Yan, X., Zhu, P., & Lin, J. (2006). Antioxidant activity and hepatoprotective potential of agaro-oligosaccharides in vitro and in vivo. *Nutrition Journal*, *5*, 31. <https://doi.org/10.1186/1475-2891-5-31>
- Chen, H.-M., & Yan, X.-J. (2005). Antioxidant activities of agaro-oligosaccharides with different degrees of polymerization in cell-based system. *Biochimica et Biophysica Acta (BBA) - General Subjects*, *1722*(1), 103–111. <https://doi.org/10.1016/j.bbagen.2004.11.016>
- Chen, H.-M., Yan, X.-J., Mai, T.-Y., Wang, F., & Xu, W.-F. (2009). λ -Carrageenan oligosaccharides elicit reactive oxygen species production resulting in mitochondrial-dependent apoptosis in human umbilical vein

endothelial cells. *International Journal of Molecular Medicine*, 24(6), 801–806. https://doi.org/10.3892/ijmm_00000295

Cheong, K.-L., Qiu, H.-M., Du, H., Liu, Y., & Khan, B. M. (2018). Oligosaccharides Derived from Red Seaweed: Production, Properties, and Potential Health and Cosmetic Applications. *Molecules*, 23(10), 2451. <https://doi.org/10.3390/molecules23102451>

Chiang, H.-M., Chen, H.-C., Chiu, H.-H., Chen, C.-W., Wang, S.-M., & Wen, K.-C. (2013). Neonauclea reticulata (Havil.) Merr Stimulates Skin Regeneration after UVB Exposure via ROS Scavenging and Modulation of the MAPK/MMPs/Collagen Pathway. *Evidence-Based Complementary and Alternative Medicine: eCAM*, 2013, 324864. <https://doi.org/10.1155/2013/324864>

Choi, H.-J., Alam, M. B., Baek, M.-E., Kwon, Y.-G., Lim, J.-Y., & Lee, S.-H. (2020). Protection against UVB-Induced Photoaging by *Nypa fruticans* via Inhibition of MAPK/AP-1/MMP-1 Signaling. *Oxidative Medicine and Cellular Longevity*, 2020, 1–14. <https://doi.org/10.1155/2020/2905362>

Chou, Y., Alfarafisa, N. M., Ikezawa, M., & Khairani, A. F. (2023). Progress in the Development of Stem Cell-Derived Cell-Free Therapies for Skin Aging. *Clinical, Cosmetic and Investigational Dermatology*, 16, 3383–3406. <https://doi.org/10.2147/CCID.S434439>

Cruz, A. M., Gonçalves, M. C., Marques, M. S., Veiga, F., Paiva-Santos, A. C., & Pires, P. C. (2023). In Vitro Models for Anti-Aging Efficacy Assessment: A Critical Update in Dermocosmetic Research. *Cosmetics*, 10(2), 66. <https://doi.org/10.3390/cosmetics10020066>

Damasuri, A. R., Sholikhah, E. N., & Mustofa. (2020). Cytotoxicity of ((E)-1-(4-aminophenyl)-3-phenylprop-2-en-1-one)) on HeLa cell line. *Indonesian Journal of Pharmacology and Therapy*, 1(2). <https://doi.org/10.22146/ijpther.606>

Desaka, N., Nishikawa, H., Honda, Y., Matsumoto, K., Matsuzaki, C., Mizushima, K., Takagi, T., Naito, Y., & Higashimura, Y. (2022). Oligosaccharides from agar extends lifespan through activation of unfolded protein response via SIR-2.1 in *Caenorhabditis elegans*. *European Journal of Nutrition*, 61(8), 4179–4190. <https://doi.org/10.1007/s00394-022-02957-1>

Eruslanov, E., & Kusmartsev, S. (2010). Identification of ROS Using Oxidized DCFDA and Flow-Cytometry. In D. Armstrong (Ed.), *Advanced Protocols in Oxidative Stress II* (pp. 57–72). Humana Press. https://doi.org/10.1007/978-1-60761-411-1_4

- Fernandes, A., Rodrigues, P. M., Pintado, M., & Tavoria, F. K. (2023). A systematic review of natural products for skin applications: Targeting inflammation, wound healing, and photo-aging. *Phytomedicine*, *115*, 154824. <https://doi.org/10.1016/j.phymed.2023.154824>
- Fisher, G. J., Kang, S., Varani, J., Bata-Csorgo, Z., Wan, Y., Datta, S., & Voorhees, J. J. (2002). Mechanisms of photoaging and chronological skin aging. *Archives of Dermatology*, *138*(11), 1462–1470. <https://doi.org/10.1001/archderm.138.11.1462>
- Fu, X. T., & Kim, S. M. (2010). Agarase: Review of Major Sources, Categories, Purification Method, Enzyme Characteristics and Applications. *Marine Drugs*, *8*(1), 200–218. <https://doi.org/10.3390/md8010200>
- Ghasemi, M., Turnbull, T., Sebastian, S., & Kempson, I. (2021). The MTT Assay: Utility, Limitations, Pitfalls, and Interpretation in Bulk and Single-Cell Analysis. *International Journal of Molecular Sciences*, *22*(23), 12827. <https://doi.org/10.3390/ijms222312827>
- Graindorge, D., Martineau, S., Machon, C., Arnoux, P., Guitton, J., Francesconi, S., Frochet, C., Sage, E., & Girard, P.-M. (2015). Singlet Oxygen-Mediated Oxidation during UVA Radiation Alters the Dynamic of Genomic DNA Replication. *PLOS ONE*, *10*(10), e0140645. <https://doi.org/10.1371/journal.pone.0140645>
- Gui, Q., Ding, N., Yao, Z., Wu, M., Fu, R., Wang, Y., Zhao, Y., & Zhu, L. (2024). Extracellular vesicles derived from mesenchymal stem cells: The wine in Hebe's hands to treat skin aging. *Precision Clinical Medicine*, *7*(1), pbae004. <https://doi.org/10.1093/pcmedi/pbae004>
- Guo, J., Qi, M., Chen, H., Zhou, C., Ruan, R., Yan, X., & Cheng, P. (2022). Macroalgae-Derived Multifunctional Bioactive Substances: The Potential Applications for Food and Pharmaceuticals. *Foods (Basel, Switzerland)*, *11*(21), 3455. <https://doi.org/10.3390/foods11213455>
- Henderson, E., Kempf, M., Yip, C., Davenport, L., Jones, E., Kong, S., Pearson, E., Kearns, A., & Cuttle, L. (2022). The lethal heat dose for 50% primary human fibroblast cell death is 48 °C. *Archives of Dermatological Research*, *314*(8), 809–814. <https://doi.org/10.1007/s00403-021-02217-y>
- Heo, J. B., Lee, Y.-S., & Chung, C.-H. (2019). Raw plant-based biorefinery: A new paradigm shift towards biotechnological approach to sustainable manufacturing of HMF. *Biotechnology Advances*, *37*(8), 107422. <https://doi.org/10.1016/j.biotechadv.2019.107422>
- Herrmann, G., Wlaschek, M., Lange, T. S., Prenzel, K., Goerz, G., & Scharffetter-Kochanek, K. (1993). UVA irradiation stimulates the synthesis of various

matrix-metalloproteinases (MMPs) in cultured human fibroblasts. *Experimental Dermatology*, 2(2), 92–97. <https://doi.org/10.1111/j.1600-0625.1993.tb00015.x>

Iyer, S., Visse, R., Nagase, H., & Acharya, K. R. (2006). Crystal Structure of an Active Form of Human MMP-1. *Journal of Molecular Biology*, 362(1), 78–88. <https://doi.org/10.1016/j.jmb.2006.06.079>

Jang, H.-Y., Kim, G.-B., Kim, J.-M., Kang, S. Y., Youn, H.-J., Park, J., Ro, S. Y., Chung, E.-Y., Park, K.-H., & Kim, J.-S. (2023). Fisetin Inhibits UVA-Induced Expression of MMP-1 and MMP-3 through the NOX/ROS/MAPK Pathway in Human Dermal Fibroblasts and Human Epidermal Keratinocytes. *International Journal of Molecular Sciences*, 24(24), 17358. <https://doi.org/10.3390/ijms242417358>

Jiang, C., Cheng, D., Liu, Z., Sun, J., & Mao, X. (2021). Advances in agaro-oligosaccharides preparation and bioactivities for revealing the structure-function relationship. *Food Research International*, 145, 110408. <https://doi.org/10.1016/j.foodres.2021.110408>

Kang, C. H., Rhie, S. J., & Kim, Y. C. (2018). Antioxidant and Skin Anti-Aging Effects of Marigold Methanol Extract. *Toxicological Research*, 34(1), 31–39. <https://doi.org/10.5487/TR.2018.34.1.031>

Kang, O. L., Ghani, M., Hassan, O., Rahmati, S., & Ramli, N. (2014). Novel agaro-oligosaccharide production through enzymatic hydrolysis: Physicochemical properties and antioxidant activities. *Food Hydrocolloids*, 42, 304–308. <https://doi.org/10.1016/j.foodhyd.2014.04.031>

Kang, S., Kim, K., Jun, S.-H., Lee, S., Kim, J., Shin, J.-G., Kim, Y., Kim, M., Park, S.-G., & Kang, N.-G. (2021). Anti-Irritant Strategy against Retinol Based on the Genetic Analysis of Korean Population: A Genetically Guided Top-Down Approach. *Pharmaceutics*, 13(12), 2006. <https://doi.org/10.3390/pharmaceutics13122006>

Kasanah, N., Ulfah, M., Imania, O., Hanifah, A. N., & Marjan, M. I. D. (2022). Rhodophyta as Potential Sources of Photoprotectants, Antiphotoreacting Compounds, and Hydrogels for Cosmeceutical Application. *Molecules*, 27(22), 7788. <https://doi.org/10.3390/molecules27227788>

Kim, G.-Y., Kim, S., Park, K., Lim, H.-J., & Kim, W.-H. (2025). Gasoline exhaust particles induce MMP1 expression via Nox4-derived ROS-ATF3-linked pathway in human umbilical vein endothelial cells. *Toxicology*, 511, 154051. <https://doi.org/10.1016/j.tox.2025.154051>

Kim, H. K. (2016). *Adenophora remotiflora* protects human skin keratinocytes against UVB-induced photo-damage by regulating antioxidative activity

- and MMP-1 expression. *Nutrition Research and Practice*, 10(4), 371. <https://doi.org/10.4162/nrp.2016.10.4.371>
- Kim, J., Lee, C.-W., Kim, E. K., Lee, S.-J., Park, N.-H., Kim, H.-S., Kim, H.-K., Char, K., Jang, Y. P., & Kim, J.-W. (2011). Inhibition effect of *Gynura procumbens* extract on UV-B-induced matrix-metalloproteinase expression in human dermal fibroblasts. *Journal of Ethnopharmacology*, 137(1), 427–433. <https://doi.org/10.1016/j.jep.2011.04.072>
- Kim, K., Kim, C.-E., Baek, D.-J., Park, E.-Y., & Oh, Y. S. (2024). Prevention of UVB-Induced Photoaging by an Ethyl Acetate Fraction from *Allomyrina dichotoma* Larvae and Its Potential Mechanisms in Human Dermal Fibroblasts. *International Journal of Molecular Sciences*, 25(14), 7850. <https://doi.org/10.3390/ijms25147850>
- Krishna Perumal, P., Dong, C.-D., Chauhan, A. S., Anisha, G. S., Kadri, M. S., Chen, C.-W., Singhanian, R. R., & Patel, A. K. (2023). Advances in oligosaccharides production from algal sources and potential applications. *Biotechnology Advances*, 67, 108195. <https://doi.org/10.1016/j.biotechadv.2023.108195>
- Lan, Y., Wang, Y., & Lu, H. (2020). Opsin 3 is a key regulator of ultraviolet A-induced photoageing in human dermal fibroblast cells. *British Journal of Dermatology*, 182(5), 1228–1244. <https://doi.org/10.1111/bjd.18410>
- Leal, M. C., Munro, M. H. G., Blunt, J. W., Puga, J., Jesus, B., Calado, R., Rosa, R., & Madeira, C. (2013). Biogeography and biodiscovery hotspots of macroalgal marine natural products. *Natural Product Reports*, 30(11), 1380–1390. <https://doi.org/10.1039/c3np70057g>
- Lee, S., Yu, J. S., Phung, H. M., Lee, J. G., Kim, K. H., & Kang, K. S. (2020). Potential Anti-Skin Aging Effect of (-)-Catechin Isolated from the Root Bark of *Ulmus davidiana* var. *Japonica* in Tumor Necrosis Factor- α -Stimulated Normal Human Dermal Fibroblasts. *Antioxidants*, 9(10), 981. <https://doi.org/10.3390/antiox9100981>
- Lee, W.-K., Lim, Y.-Y., & Ho, C.-L. (2022). Gracilaria as the Major Source of Agar for Food, Health and Biotechnology Applications. In A. Ranga Rao & G. A. Ravishankar (Eds.), *Sustainable Global Resources of Seaweeds Volume 2* (pp. 145–161). Springer International Publishing. https://doi.org/10.1007/978-3-030-92174-3_7
- Lee, Y. I., Lee, S. G., Jung, I., Suk, J., Baeg, C., Han, S.-Y., Seo, J. Y., Jung, D., Jeon, Y., & Lee, J. H. (2023). Topical Application of Peptide Nucleic Acid Antisense Oligonucleotide for MMP-1 and Its Potential Anti-Aging Properties. *Journal of Clinical Medicine*, 12(7), 2472. <https://doi.org/10.3390/jcm12072472>

- Lephart, E. (2018). Equol's Anti-Aging Effects Protect against Environmental Assaults by Increasing Skin Antioxidant Defense and ECM Proteins While Decreasing Oxidative Stress and Inflammation. *Cosmetics*, 5(1), 16. <https://doi.org/10.3390/cosmetics5010016>
- Lin, H., Cheng, K.-C., Lin, J.-A., Hsieh, L.-P., Chou, C.-H., Wang, Y.-Y., Lai, P.-S., Chu, P.-C., & Hsieh, C.-W. (2022). Pholiota nameko Polysaccharides Protect against Ultraviolet A-Induced Photoaging by Regulating Matrix Metalloproteinases in Human Dermal Fibroblasts. *Antioxidants*, 11(4), 739. <https://doi.org/10.3390/antiox11040739>
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2⁻(Delta Delta C(T)) Method. *Methods (San Diego, Calif.)*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>
- López-García, J., Lehocký, M., Humpolíček, P., & Sába, P. (2014). HaCaT Keratinocytes Response on Antimicrobial Atelocollagen Substrates: Extent of Cytotoxicity, Cell Viability and Proliferation. *Journal of Functional Biomaterials*, 5(2), 43–57. <https://doi.org/10.3390/jfb5020043>
- Ma, C., Yang, K., Wang, Y., & Dai, X. (2019a). Anti-Aging Effect of Agar Oligosaccharide on Male *Drosophila melanogaster* and Its Preliminary Mechanism. *Marine Drugs*, 17(11), 632. <https://doi.org/10.3390/md17110632>
- Ma, C., Yang, K., Wang, Y., & Dai, X. (2019b). Anti-Aging Effect of Agar Oligosaccharide on Male *Drosophila melanogaster* and Its Preliminary Mechanism. *Marine Drugs*, 17(11), 632. <https://doi.org/10.3390/md17110632>
- Maniarasu, R. (n.d.). *A Mini-Review on CO2 Role in Cell Culture and Medicinal Applications*.
- Mehraban, F., Esfahani, F. H., Dorcheh, Z. M., Esfahani, E. H., Azadeh, M., & Salehzadeh, A. (2023). Evaluation of the cytotoxic effect of GaFe2O4@Ag magnetic nanocomposite biosynthesized by *Spirulina platensis* on breast cancer cell line and evaluation of *BAX*, *Bcl-2*, *CASP9* and *MMP1* genes expression. *Inorganic Chemistry Communications*, 157, 111307. <https://doi.org/10.1016/j.inoche.2023.111307>
- Mesdom, P., Colle, R., Lebigot, E., Trabado, S., Deflesselle, E., Fève, B., Becquemont, L., Corruble, E., & Verstuyft, C. (2020). Human Dermal Fibroblast: A Promising Cellular Model to Study Biological Mechanisms of Major Depression and Antidepressant Drug Response. *Current Neuropharmacology*, 18(4), 301–318. <https://doi.org/10.2174/1570159X17666191021141057>

- Moreira, B. R., Vega, J., Sisa, A. D. A., Bernal, J. S. B., Abdala-Díaz, R. T., Maraschin, M., Figueroa, F. L., & Bonomi-Barufi, J. (2022). Antioxidant and anti-photoaging properties of red marine macroalgae: Screening of bioactive molecules for cosmeceutical applications. *Algal Research*, 68, 102893. <https://doi.org/10.1016/j.algal.2022.102893>
- Nakyai, W., Saraphanchotiwitthaya, A., Viennet, C., Humbert, P., & Viyoch, J. (2017). An *In Vitro* Model for Fibroblast Photoaging Comparing Single and Repeated UVA Irradiations. *Photochemistry and Photobiology*, 93(6), 1462–1471. <https://doi.org/10.1111/php.12801>
- Nilforoushzhadeh, M. A., Ahmadi Ashtiani, H. R., Jaffary, F., Jahangiri, F., Nikkhah, N., Mahmoudbeyk, M., Fard, M., Ansari, Z., & Zare, S. (2017). Dermal Fibroblast Cells: Biology and Function in Skin Regeneration. *Journal of Skin and Stem Cell*, *In Press*(In Press). <https://doi.org/10.5812/jssc.69080>
- Ouyang, Q., Li, Y., Mei, S., Zhang, Q., Li, X., Luo, H., Zhu, Y., & Wu, K. (2021). Protective effects of GLHP from *Gracilaria lemaneiformis* against UVB-induced photodamage in human immortalized keratinocytes cells and BALB/c mice. *Experimental Gerontology*, 155, 111550. <https://doi.org/10.1016/j.exger.2021.111550>
- Palomero, J., Pye, D., Kabayo, T., Spiller, D. G., & Jackson, M. J. (2008). *In Situ* Detection and Measurement of Intracellular Reactive Oxygen Species in Single Isolated Mature Skeletal Muscle Fibers by Real Time Fluorescence Microscopy. *Antioxidants & Redox Signaling*, 10(8), 1463–1474. <https://doi.org/10.1089/ars.2007.2009>
- Panjaitan, T., Firison, J., Nyoman Suyasa, I., Tambunan, R., Atmoko, B., Krishna, N., Adinata, Y., & Hilmi, N. (2024). The Existence of Macroalgae in Indonesia: Unlocking the Nutritive Potential for Sustainable Beef Production. *IOP Conference Series: Earth and Environmental Science*, 1360(1), 012036. <https://doi.org/10.1088/1755-1315/1360/1/012036>
- Pittayapruek, P., Meehansan, J., Prapapan, O., Komine, M., & Ohtsuki, M. (2016). Role of Matrix Metalloproteinases in Photoaging and Photocarcinogenesis. *International Journal of Molecular Sciences*, 17(6), 868. <https://doi.org/10.3390/ijms17060868>
- Pratitis, V. E., Puspitasari, P. A., Hanbal, M. M., Tsabitah, K., Juliadmi, D., Saksono, B., & Wijayanti, N. (2024). The Cytotoxicity of Agaro-Oligosaccharides and Neoagaro-Oligosaccharides on Macrophage Cells. *Mutiara Medika: Jurnal Kedokteran Dan Kesehatan*, 24(2), 9–14. <https://doi.org/10.18196/mmjkk.v24i2.21059>

- Puspitasari, P. A. (2024). *Potensi Agaro-Oligosaccharides (AOS) Hasil Hidrolisis α -Agarase Sebagai Agen Anti-Inflamasi*. Gadjah Mada.
- Quan, T., Qin, Z., Xia, W., Shao, Y., Voorhees, J. J., & Fisher, G. J. (2009). Matrix-degrading metalloproteinases in photoaging. *The Journal of Investigative Dermatology. Symposium Proceedings*, 14(1), 20–24. <https://doi.org/10.1038/jidsymp.2009.8>
- Quiles, J., Cabrera, M., Jones, J., Tsapekos, M., & Caturla, N. (2022). In Vitro Determination of the Skin Anti-Aging Potential of Four-Component Plant-Based Ingredient. *Molecules*, 27(22), 8101. <https://doi.org/10.3390/molecules27228101>
- Ramezani, M., & Shamsara, J. (2018). An integrated structure- and pharmacophore-based MMP-12 virtual screening. *Molecular Diversity*, 22(2), 383–395. <https://doi.org/10.1007/s11030-017-9804-1>
- Rimmer, M. A., Larson, S., Lapong, I., Purnomo, A. H., Pong-Masak, P. R., Swanepoel, L., & Paul, N. A. (2021). Seaweed Aquaculture in Indonesia Contributes to Social and Economic Aspects of Livelihoods and Community Wellbeing. *Sustainability*, 13(19), 10946. <https://doi.org/10.3390/su131910946>
- Rinnerthaler, M., Bischof, J., Streubel, M., Trost, A., & Richter, K. (2015). Oxidative Stress in Aging Human Skin. *Biomolecules*, 5(2), 545–589. <https://doi.org/10.3390/biom5020545>
- Ritmaleni, Rumiya, P. E. H. S., & Febrianti, H. (2025). The Protective effect of Curcumin Analogs of PGV-5, HGV-5, THPGV-5, and THHGV-5 on UV A-Induced Human Dermal Fibroblasts. *Research Journal of Pharmacy and Technology*, 18(5), 1951–1958. <https://doi.org/10.52711/0974-360X.2025.00279>
- Saewan, N. (2022). Effect of Coffee Berry Extract on Anti-Aging for Skin and Hair—In Vitro Approach. *Cosmetics*, 9(3), 66. <https://doi.org/10.3390/cosmetics9030066>
- Salim, Z., & Ernawati, E. (Eds.). (2015). *Info komoditi rumput laut* (Cetakan pertama). Badan Pengkajian dan Pengembangan Kebijakan Perdagangan.
- Schoch, C. L., Ciuffo, S., Domrachev, M., Hotton, C. L., Kannan, S., Khovanskaya, R., Leipe, D., McVeigh, R., O'Neill, K., Robbertse, B., Sharma, S., Soussov, V., Sullivan, J. P., Sun, L., Turner, S., & Karsch-Mizrachi, I. (2020). NCBI Taxonomy: A comprehensive update on curation, resources and tools. *Database: The Journal of Biological Databases and Curation*, 2020, baaa062. <https://doi.org/10.1093/database/baaa062>

- Seedeви, P., Moovendhan, M., Viramani, S., & Shanmugam, A. (2017). Bioactive potential and structural characterization of sulfated polysaccharide from seaweed (*Gracilaria corticata*). *Carbohydrate Polymers*, *155*, 516–524. <https://doi.org/10.1016/j.carbpol.2016.09.011>
- Setia, T. M., Fadhillah, H. S., Wulandari, P., Handayani, S., Sainal, S., Praptiwi, R. A., & Sugardjito, J. (2023). Biodiversity, community structure and potential uses of seaweeds and seagrass in transition zone of Taka Bonerate Kepulauan Selayar biosphere reserve, Indonesia. *IOP Conference Series: Earth and Environmental Science*, *1255*(1), 012028. <https://doi.org/10.1088/1755-1315/1255/1/012028>
- Sotler, R., Poljšak, B., Dahmane, R., Jukić, T., Pavan Jukić, D., Rotim, C., Trebše, P., & Starc, A. (2019). PROOXIDANT ACTIVITIES OF ANTIOXIDANTS AND THEIR IMPACT ON HEALTH. *Acta Clinica Croatica*, *58*(4), 726–736. <https://doi.org/10.20471/acc.2019.58.04.20>
- Souza, B. W. S., Cerqueira, M. A., Martins, J. T., Quintas, M. A. C., Ferreira, A. C. S., Teixeira, J. A., & Vicente, A. A. (2011). Antioxidant potential of two red seaweeds from the Brazilian coasts. *Journal of Agricultural and Food Chemistry*, *59*(10), 5589–5594. <https://doi.org/10.1021/jf200999n>
- Sun, J., Jiang, Y., Amin, I., Li, Z., Prasad, K. N., Duan, X., Yang, B., & Xu, L. (2011). An exotic fruit with high nutritional value: *Kadsura coccinea* fruit. *International Food Research Journal*, *18*(2), 651–657.
- Sun, M.-T., Fan, X.-L., Zhao, X.-X., Fu, S.-F., He, S., Manasa, M. R. K., & Guo, R.-B. (2017). Effects of organic loading rate on biogas production from macroalgae: Performance and microbial community structure. *Bioresourcе Technology*, *235*, 292–300. <https://doi.org/10.1016/j.biortech.2017.03.075>
- Tewari, A., Grys, K., Kollet, J., Sarkany, R., & Young, A. R. (2014). Upregulation of MMP12 and its activity by UVA1 in human skin: Potential implications for photoaging. *The Journal of Investigative Dermatology*, *134*(10), 2598–2609. <https://doi.org/10.1038/jid.2014.173>
- Tsao, R. (2010). Chemistry and Biochemistry of Dietary Polyphenols. *Nutrients*, *2*(12), 1231–1246. <https://doi.org/10.3390/nu2121231>
- Voß, S., Behrmann, T., & Reichl, S. (2023). Development of In Vitro Dry Eye Models to Study Proliferative and Anti-Inflammatory Effects of Allogeneic Serum Eye Drops. *International Journal of Molecular Sciences*, *24*(2), 1567. <https://doi.org/10.3390/ijms24021567>
- Wang, J., Jiang, X., Mou, H., & Guan, H. (2004). Anti-oxidation of agar oligosaccharides produced by agarase from a marine bacterium. *Journal of*

Applied Phycology, 16(5), 333–340.
<https://doi.org/10.1023/B:JAPH.0000047944.40463.e6>

- Wang, L., Fu, X., Hyun, J., Xu, J., Gao, X., & Jeon, Y.-J. (2023). In Vitro and In Vivo Protective Effects of Agaro-Oligosaccharides against Hydrogen Peroxide-Stimulated Oxidative Stress. *Polymers*, 15(7), 1612. <https://doi.org/10.3390/polym15071612>
- Wang, L., Oh, J.-Y., Lee, W., & Jeon, Y.-J. (2021). Fucoidan isolated from *Hizikia fusiforme* suppresses ultraviolet B-induced photodamage by down-regulating the expressions of matrix metalloproteinases and pro-inflammatory cytokines via inhibiting NF- κ B, AP-1, and MAPK signaling pathways. *International Journal of Biological Macromolecules*, 166, 751–759. <https://doi.org/10.1016/j.ijbiomac.2020.10.232>
- Wang, L., Yang, F., Fu, X., Kim, Y.-S., Gao, X., & Jeon, Y.-J. (2025). Cosmetic potential of agar oligosaccharides: Anti-melanogenesis and photoprotective effects. *Algal Research*, 91, 104132. <https://doi.org/10.1016/j.algal.2025.104132>
- Wang, X., Zhang, Z., Zhou, H., Sun, X., Chen, X., & Xu, N. (2019). The anti-aging effects of *Gracilaria lemaneiformis* polysaccharide in *Caenorhabditis elegans*. *International Journal of Biological Macromolecules*, 140, 600–604. <https://doi.org/10.1016/j.ijbiomac.2019.08.186>
- Wei, M., He, X., Liu, N., & Deng, H. (2024). Role of reactive oxygen species in ultraviolet-induced photodamage of the skin. *Cell Division*, 19(1), 1. <https://doi.org/10.1186/s13008-024-00107-z>
- Woolcock, A. D., Serpa, P. B. S., Santos, A. P., Christian, J. A., & Moore, G. E. (2021). Development and validation of a flow cytometric assay for detecting reactive oxygen species in the erythrocytes of healthy dogs. <https://doi.org/10.2460/ajvr.82.5.343>
- Wu, S.-C., Wen, T.-N., & Pan, C.-L. (2005). Algal-oligosaccharide-lysates prepared by two bacterial agarases stepwise hydrolyzed and their anti-oxidative properties. *Fisheries Science*, 71(5), 1149–1159. <https://doi.org/10.1111/j.1444-2906.2005.01075.x>
- Xu, S.-Y., Kan, J., Hu, Z., Liu, Y., Du, H., Pang, G.-C., & Cheong, K.-L. (2018). Quantification of Neoagaro-Oligosaccharide Production through Enzymatic Hydrolysis and Its Anti-Oxidant Activities. *Molecules*, 23(6), 1354. <https://doi.org/10.3390/molecules23061354>
- Xu, X.-Q., Su, B.-M., Xie, J.-S., Li, R.-K., Yang, J., Lin, J., & Ye, X.-Y. (2018). Preparation of bioactive neoagaroligosaccharides through hydrolysis of

Gracilaria lemaneiformis agar: A comparative study. *Food Chemistry*, 240, 330–337. <https://doi.org/10.1016/j.foodchem.2017.07.036>

Yuan, H., Song, J., Zhang, W., Li, X., Li, N., & Gao, X. (2006). Antioxidant activity and cytoprotective effect of κ -carrageenan oligosaccharides and their different derivatives. *Bioorganic & Medicinal Chemistry Letters*, 16(5), 1329–1334. <https://doi.org/10.1016/j.bmcl.2005.11.057>

Yusof, W. N. S. W., & Abdullah, H. (2020). Phytochemicals and Cytotoxicity of Quercus infectoria Ethyl Acetate Extracts on Human Cancer Cells. *Tropical Life Sciences Research*, 31(1), 69–84. <https://doi.org/10.21315/tlsr2020.31.1.5>

Zhang, M., Zhang, T., Tang, Y., Ren, G., Zhang, Y., & Ren, X. (2020). Concentrated growth factor inhibits UVA-induced photoaging in human dermal fibroblasts via the MAPK/AP-1 pathway. *Bioscience Reports*, 40(7), BSR20193566. <https://doi.org/10.1042/BSR20193566>

Zou, Y., Fu, X., Liu, N., Duan, D., Wang, X., Xu, J., & Gao, X. (2019). The synergistic anti-inflammatory activities of agaro-oligosaccharides with different degrees of polymerization. *Journal of Applied Phycology*, 31(4), 2547–2558. <https://doi.org/10.1007/s10811-019-1740-2>