

- Abou-Elela, S. I., Elekhrawy, M. A., Khalil, M. T., & Hellal, M. S. (2017). Factors affecting the performance of horizontal flow constructed treatment wetland vegetated with *Cyperus papyrus* for municipal wastewater treatment. *International Journal of Phytoremediation*, 19(11), 1023–1028. <https://doi.org/10.1080/15226514.2017.1319327>
- Ahmad, A., Abdullah, S. R. S., Hasan, H. A., Othman, A. R., & Ismail, N. I. (2021). Plant-based versus metal-based coagulants in aquaculture wastewater treatment: Effect of mass ratio and settling time. *Journal of Water Process Engineering*, 43(August), 102269. <https://doi.org/10.1016/j.jwpe.2021.102269>
- Alayu, E., & Leta, S. (2020). Effectiveness of two-stage horizontal subsurface flow constructed wetland planted with *Cyperus alternifolius* and *Typha latifolia* in treating anaerobic reactor brewery effluent at different hydraulic residence times. *Environmental Systems Research*, 9(1). <https://doi.org/10.1186/s40068-020-00183-4>
- Anthonisen, A. C. (1976). *Inhibition of nitrification and nitrous acid compounds*. 48(5), 835–852.
- Arief, M., Puspitasari, I., & Kusdarwati, R. (2010). PENGARUH PEMBERIAN BEBERAPA BAKTERI TERHADAP KELANGSUNGAN HIDUP BENIH IKAN LELE DUMBO (*Clarias sp*) THE EFFECT OF BACTERIA SUPPLY TO SURVIVAL RATE JUVENILE OF AFRICAN CATFISH (*Clarias sp*). *Jurnal Ilmiah Perikanan Dan Kelautan Vol*, 2(2).
- Assefa, R., Bai, R., Leta, S., & Kloos, H. (2019). Nitrogen removal in integrated anaerobic–aerobic sequencing batch reactors and constructed wetland system: a field experimental study. *Applied Water Science*, 9(5), 1–11. <https://doi.org/10.1007/s13201-019-1015-8>
- Baggiotto, C., Terezinha, S., Alexandre, C., Beatriz, D., Friedrich, M., Jose, R., & Gonz, M. (2025). Nitrogen removal in vertical flow constructed wetlands: The influence of recirculation and partial saturation. *Ecological Engineering*, 212(2024). <https://doi.org/10.1016/j.ecoleng.2025.107519>
- Bagwell, C. E., Piceno, Y. M., Ashburne-Lucas, A. M. Y., & Lovell, C. R. (1998). Physiological diversity of the rhizosphere diazotroph assemblages of selected salt marsh grasses. *Applied and Environmental Microbiology*, 64(11), 4276–4282.
- Billah, Z., Dewi, T. U., & Mayangsari, N. E. (2023). Penurunan Kadar COD Air Limbah Industri Tempe dengan Metode Fitoremediasi Menggunakan Tanaman *Typha latifolia*. *Waste Treatment Technology*, 6(1), 271–274.
- Chang, J., Wu, S., Dai, Y., Wu, Z., & Liang, W. (2013). Nitrate removal from tail water by

Integrated vertical-flow constructed wetlands at a high hydraulic loading rate.

Desalination and Water Treatment, 51(31–33), 6031–6037.

<https://doi.org/10.1080/19443994.2012.763049>

Crites, R., & Tchobanoglous, G. (1998). *Small & Decentralized Wastewater Management Systems*. McGraw-Hill Companies, Incorporated.

<https://books.google.co.id/books?id=yx9SAAAAMAAJ>

Cui, L., Feng, J., Ouyang, Y., & Deng, P. (2012). Removal of nutrients from septic effluent with re-circulated hybrid tidal flow constructed wetland. *Ecological Engineering*, 46, 112–115. <https://doi.org/10.1016/j.ecoleng.2012.06.003>

Cui, L., Li, W., Zhang, Y., Wei, J., Lei, Y., Zhang, M., Pan, X., Zhao, X., Li, K., & Ma, W. (2016). Nitrogen removal in a horizontal subsurface flow constructed wetland estimated using the first-order kinetic model. *Water (Switzerland)*, 8(11). <https://doi.org/10.3390/w8110514>

Dagne, A., Lakew, A., Tadesse, S., & Fikadu, H. (2024). Comparative nutrient removal efficiency of three *Cyperus* species in vertical flow type of constructed wetlands, Sebeta, Ethiopia. *J. Agri. Environ. Sci.*, 9(2).

Daims, H., Lücker, S., & Wagner, M. (2019). *Europe PMC Funders Group Europe PMC Funders Author Manuscripts A New Perspective on Microbes Formerly Known as Nitrite-Oxidizing Bacteria*. 24(9), 699–712. <https://doi.org/10.1016/j.tim.2016.05.004.A>

Dong, J., & Kuang, S. (2024). Bibliometric Analysis of Nitrogen Removal in Constructed Wetlands: Current Trends and Future Research Directions. *Water (Switzerland)*, 16(10). <https://doi.org/10.3390/w16101453>

Dwijayanti, N. P. A., Suprihatin, I. E., & Dharma Putra, I. K. G. (2016). *FITOEKSTRAKSI Cu, Cr DAN Pb LIMBAH TEKSTIL DENGAN TUMBUHAN KIAMBANG (Pistia stratiotes L.)*.

Effendi, H., Amalrullah Utomo, B., Maruto Darmawangsa, G., & Elfida Karo-Karo, R. (2015). FITOREMEDIASI LIMBAH BUDIDAYA IKAN LELE (*Clarias sp.*) DENGAN KANGKUNG (*Ipomoea aquatica*) DAN PAKCOY (*Brassica rapa chinensis*) DALAM SISTEM RESIRKULASI. *Jurnal Ecolab*, 9(2), 80–92. <https://doi.org/10.20886/jklh.2015.9.2.80-92>

Effendi, H., Utomo, B. A., & Darmawangsa, G. M. (2015). Phytoremediation of freshwater crayfish (*Cherax quadricarinatus*) culture wastewater with spinach (*Ipomoea aquatica*) in aquaponic system. *Aquaculture, Aquarium, Conservation & Legislation*, 8(3), 421–430.

EPA. (2001). A Citizen's Guide to phytoremediation. *United States Environmental Protection Agency*, 95814(January), 16.

Favas, P., Pratas, J., Varun, M., DSouza, R., & S., M. (2014). Phytoremediation of Soils Contaminated with Metals and Metalloids at Mining Areas: Potential of Native Flora. *Environmental Risk Assessment of Soil Contamination*, 3. <https://doi.org/10.5772/57469>

Finzi, A. C., Abramoff, R. Z., Spiller, K. S., Brzostek, E. R., Darby, B. A., Kramer, M. A., & Phillips, R. P. (2015). Rhizosphere processes are quantitatively important components of terrestrial carbon and nutrient cycles. *Global Change Biology*, 21(5), 2082–2094. <https://doi.org/10.1111/gcb.12816>

Gaballah, M. S., Yousefyani, H., & Lammers, R. W. (2024). From Literature to Action: Analyzing How Nitrogen and Phosphorus Removal Responds to Different Design Factors in Free Water Surface Constructed Wetlands. *ACS ES and T Engineering*, 4(12), 2974–2986. <https://doi.org/10.1021/acsestengg.4c00392>

Gajewska, M., & Skrzypiec, K. (2018). *Kinetics of nitrogen removal processes in constructed wetlands*. 00001, 1–4.

Galal, T. M., Eid, E. M., Dakhil, M. A., & Hassan, L. M. (2018). Bioaccumulation and rhizofiltration potential of *Pistia stratiotes* L. for mitigating water pollution in the Egyptian wetlands. *International Journal of Phytoremediation*, 20(5), 440–447. <https://doi.org/10.1080/15226514.2017.1365343>

Gambrell, R. (1978). Chemical and microbiological properties of anaerobic soils and sediments. *Plant Life in Anaerobic Environment*.

George, T., & Franklin, L. . (2003). *Wastewater Engineering Treatment and Reuse* (4th Editio). Mc Graw Hill.

Geurts, J. J. M., Oehmke, C., Lambertini, C., Eller, F., Sorrell, B. K., Mandiola, S. R., Grootjans, A. P., Brix, H., Wichtmann, W., Lamers, L. P. M., & Fritz, C. (2020). Nutrient removal potential and biomass production by *Phragmites australis* and *Typha latifolia* on European rewetted peat and mineral soils. *Science of the Total Environment*, 747, 141102. <https://doi.org/10.1016/j.scitotenv.2020.141102>

Ghosh, M., & Singh, S. . (2016). A Review on Phytoremediation of Heavy Metals and Utilization of It's by Products. *Asian Journal on Energy & Environment*, 7(1), 214–231.

Hamad, M. T. M. H. (2020). Comparative study on the performance of *Typha latifolia* and *Cyperus Papyrus* on the removal of heavy metals and enteric bacteria from wastewater by surface constructed wetlands. *Chemosphere*, 260, 127551.

- Hanandeh, A. El, & Akrami, K. (2023). *Assessment of Nutrient Removal in Surface Flow Constructed Wetland Treating Secondary Effluent with Low Organic , Nitrogen and Phosphorus Loads.*
- Hernández, M. E., Galindo-zetina, M., & Hernández-hernández, J. C. (2018). Greenhouse gas emissions and pollutant removal in treatment wetlands with ornamental plants under subtropical conditions. *Ecological Engineering*, *114*, 88–95. <https://doi.org/10.1016/j.ecoleng.2017.06.001>
- Herrera-Melián, J. A., Guedes-Alonso, R., Tite-Lescano, J. C., Sosa-Ferrera, Z., & Santana-Rodríguez, J. J. (2023). Enhancing pharmaceutical removal in a full-scale constructed wetland with effluent recirculation. *Journal of Environmental Chemical Engineering*, *11*(6). <https://doi.org/10.1016/j.jece.2023.111167>
- Herrera-Melián, J. A., Guedes-Alonso, R., Tite-Lezcano, J. C., Santiago, D. E., Ranieri, E., & Alonso-Bilbao, I. (2023). The Effect of Effluent Recirculation in a Full-Scale Constructed Wetland System. *Sustainability (Switzerland)*, *15*(5). <https://doi.org/10.3390/su15054310>
- Hou, J., Xia, L., Ma, T., Zhang, Y., Zhou, Y., & He, X. (2017). Achieving short-cut nitrification and denitrification in modified intermittently aerated constructed wetland. *Bioresource Technology*, *232*(3), 10–17. <https://doi.org/10.1016/j.biortech.2017.02.027>
- Ibekwe, A. M., Grieve, C. M., & Lyon, S. R. (2003). Characterization of microbial communities and composition in constructed dairy wetland wastewater effluent. *Applied and Environmental Microbiology*, *69*(9), 5060–5069. <https://doi.org/10.1128/AEM.69.9.5060-5069.2003>
- Indonesia, P. R. (2021). Peraturan Pemerintah Nomor 22 Tahun 2021 tentang Pedoman Perlindungan dan Pengelolaan Lingkungan Hidup. In *Sekretariat Negara Republik Indonesia* (Issue 085459).
- Irhamni. (2020). *Efektifitas Tumbuhan Air dalam Menyerap Logam Berat (Cr, Hg, Pb) Secara Fitoremediasi pada Lindi Tempat Pembuangan Akhir Kota Banda Aceh* [Universitas Sumatera Utara]. <http://repositori.usu.ac.id/handle/123456789/29302>
- Juhriah, J., & Alam, M. (2016). *Fitoremediasi Logam Berat Merkuri (Hg) pada Tanah Dengan Tanaman Celosia Plumosa (Voss) Burv. 1*, 1–8.
- Kadlec, R. H., & Wallace, S. (2008). Treatment Wetlands. In *Treatment Wetlands*. <https://doi.org/10.1201/9781420012514>
- Kashem, A. H. M., Das, P., Hawari, A. H., Mehariya, S., Thaher, M. I., Khan, S., Abduquadir,

M., & Al-Jabri, H. (2023). Aquaculture from inland fish cultivation to wastewater treatment: a review. In *Reviews in Environmental Science and Biotechnology* (Vol. 22, Issue 4). Springer Netherlands. <https://doi.org/10.1007/s11157-023-09672-1>

Kayombo, S. (2005). Waste stabilization ponds and constructed wetlands design manual. ... *Center, (Jan. 11, ...)*, 1–59.

Khajah, M., Bydalek, F., Babatunde, A. O., Al-Matouq, A., Wenk, J., & Webster, G. (2023). Nitrogen removal performance and bacterial community analysis of a multistage step-feeding tidal flow constructed wetland. *Frontiers in Water*, 5. <https://doi.org/10.3389/frwa.2023.1128901>

Khiatuddin, M. (2003). *Melestarikan Sumberdaya Air dengan Teknologi Rawa Buatan*. Yogyakarta : Gadjah Mada University Press, 2003.

Kong, L., Wang, Y., Xiang, X., Zhou, L., Zhang, P., Wang, Q., Li, Y., Wei, J., Li, L., & Cheng, S. (2024). Study on the impact of hydraulic loading rate (HLR) on removal of nitrogen under low C/N condition by modular moving bed constructed wetland (MMB-CW) system. *Environmental Technology & Innovation*, December, 103579. <https://doi.org/10.1016/j.eti.2024.103579>

Leady, B. (1997). Constructed subsurface flow wetlands for wastewater treatment. *Purdue University*.

Lee, C. G., Fletcher, T. D., & Sun, G. (2009). Nitrogen removal in constructed wetland systems. *Engineering in Life Sciences*, 9(1), 11–22. <https://doi.org/10.1002/elsc.200800049>

Lee, E. R. (1999). SET-WET : A WETLAND SIMULATION MODEL TO OPTIMIZE NPS POLLUTION CONTROL Thesis submitted to the Faculty of the Virginia Polytechnic Institute and State University. *Change*.

Li, H., & Tao, W. (2017). Efficient ammonia removal in recirculating vertical flow constructed wetlands: complementary roles of anammox and denitrification in simultaneous nitrification, anammox and denitrification process. *Chemical Engineering Journal*, 317, 972–979.

Lin, Y., Jing, S., Lee, D., & Chang, Y. (2008). Nitrate removal from groundwater using constructed wetlands under various hydraulic loading rates. 99, 7504–7513. <https://doi.org/10.1016/j.biortech.2008.02.017>

Lindau, C. W., Patrick Jr, W. H., Delaune, R. D., Reddy, K. R., & Bollich, P. K. (1988). Entrapment of nitrogen-15 dinitrogen during soil denitrification. *Soil Science Society of America Journal*, 52(2), 538–540.

- Liu, T., Li, D., Tian, Y., Zhou, J., Qiu, Y., Li, D., Liu, G., & Feng, Y. (2024). Enhancing nitrogen removal in constructed wetlands: The role of influent substrate concentrations in integrated vertical-flow systems. *Environmental Science and Ecotechnology*, 21. <https://doi.org/10.1016/j.esec.2024.100411>
- Loretha, O., Darmayanti, L., & Handayani, Y. L. (2014). Kemampuan Constructed Wetland Jenis Aliran Bawah Permukaan (SSF-Wetland) dalam Mengolah Air Limbah Kawasan Komersial. *Jurnal Online Mahasiswa Fakultas Teknik Universitas Riau*, 1(2), 1–13.
- Lukito, A. M. (2004). Merawat dan Menata Tanaman Air. *Agro Media Pustaka*. Jakarta.
- Manthos, G., Abbaszadeh, L., & Zagklis, D. (2023). *Mathematical Modeling of Nitrification in Mixed Cultures : Insights into Nitrite-Oxidizing Bacteria Growth and Ammonia Starvation Effect*.
- Marlena, B., Yuliasni, R., & Sartamtomo, S. (2018). Removal of Ammonia on Catfish Processing Wastewater using Horizontal Sub-Surface Flow Constructed Wetland (HSSFCW). *Jurnal Riset Teknologi Pencegahan Pencemaran Industri*, 9(1), 15–21. <https://doi.org/10.21771/jrtpi.2018.v9.no1.p15-21>
- MENTERI LINGKUNGAN HIDUP REPUBLIK INDONESIA, M. (2014). Peraturan Menteri Lingkungan Hidup Republik Indonesia. In <https://jdih.maritim.go.id/>.
- Muhsinin, N. (2019). *Pengolahan Air Limbah Domestik Secara Fitoremediasi Sistem Constructed Wetland Dengan Tanaman Pandanus Amaryllifolius Dan Azolla Microphylla*. Universitas Gadjah Mada.
- Negi, D., Bhadury, P., & Daverey, A. (2025). Comparative study of *Acorus calamus* and *Cyperus alternifolius* in rice husk biochar integrated constructed wetland systems for nitrogen removal. *Applied Water Science*, 15(11), 1–16. <https://doi.org/10.1007/s13201-025-02626-8>
- Nguyen, X. C., Ly, Q. V., Li, J., Bae, H., Bui, X. T., Nguyen, T. T. H., Tran, Q. B., Vo, T. D. H., & Nghiem, L. D. (2021). Nitrogen removal in subsurface constructed wetland: Assessment of the influence and prediction by data mining and machine learning. *Environmental Technology and Innovation*, 23, 101712. <https://doi.org/10.1016/j.eti.2021.101712>
- Niu, S., Wang, X., Yu, J., & Kim, Y. (2019). Lab-scale study on recirculated subsurface flow wetlands packed with pumice for the treatment of stormwater from animal feeding-lots. *Desalination and Water Treatment*, 152, 58–65. <https://doi.org/10.5004/dwt.2019.24023>
- Novotny, V., & Olem, H. (1994). *Water Quality: Prevention, Identification, and Management*

- Nuraini, R. (2016). PENGARUH KEPADATAN BAKTERI *Bacillus subtilis* UNTUK MENDEGRADASI BAHAN ORGANIK YANG TERKANDUNG PADA LIMBAH CAIR TAHU. In *Skripsi*.
- Oktavia, L., Hidayat, A. D. N., Purnama, A. R., & Taqwanur, T. (2023). Efektifitas Kombinasi Media dalam Penyisihan BOD dan TSS Limbah Cair Rumah Makan Menggunakan Constructed Wetland dengan Tanaman *Cyperus Papyrus*. *Media Ilmiah Teknik Lingkungan*, 8(2), 74–82. <https://doi.org/10.33084/mitl.v8i2.5519>
- Parde, D., Patwa, A., Shukla, A., Vijay, R., Killedar, D. J., & Kumar, R. (2021). A review of constructed wetland on type, treatment and technology of wastewater. *Environmental Technology and Innovation*, 21, 101261. <https://doi.org/10.1016/j.eti.2020.101261>
- Paul, E., Ochoa, J. C., Pechaud, Y., Liu, Y., & Liné, A. (2012). Effect of shear stress and growth conditions on detachment and physical properties of biofilms. *Water Research*, 46(17), 5499–5508. <https://doi.org/10.1016/j.watres.2012.07.029>
- Rani, A., Chauhan, M., Kumar Sharma, P., Kumari, M., Mitra, D., & Joshi, S. (2024). Microbiological dimensions and functions in constructed wetlands: A review. *Current Research in Microbial Sciences*, 7(November), 100311. <https://doi.org/10.1016/j.crmicr.2024.100311>
- Reddy, K. R., Patrick, W. H., & Broadbent, F. E. (1984). Nitrogen transformations and loss in flooded soils and sediments. *Critical Reviews in Environmental Science and Technology*, 13(4), 273–309.
- Reed, S. C., Crites, R. W., & Middlebrooks, E. J. (1998). *Natural Systems for Waste Management and Treatment*. McGraw-Hill Professional Publishing. <https://books.google.co.id/books?id=3NMCKrWsKo8C>
- Retta, B., Coppola, E., Ciniglia, C., & Grilli, E. (2023). Constructed Wetlands for the Wastewater Treatment: A Review of Italian Case Studies. *Applied Sciences (Switzerland)*, 13(10). <https://doi.org/10.3390/app13106211>
- Risch, A. C., Zimmermann, S., Ochoa-Hueso, R., Schütz, M., Frey, B., Firn, J. L., Fay, P. A., Hagedorn, F., Borer, E. T., Seabloom, E. W., Harpole, W. S., Knops, J. M. H., McCulley, R. L., Broadbent, A. A. D., Stevens, C. J., Silveira, M. L., Adler, P. B., Báez, S., Biederman, L. A., ... Moser, B. (2019). Soil net nitrogen mineralisation across global grasslands. *Nature Communications*, 10(1), 1–10. <https://doi.org/10.1038/s41467-019-12948-2>

- Robertson, G. P., & Groffman, P. M. (2007). Nitrogen Transformations BT - Soil Microbiology, Ecology, and Biochemistry. *Soil Microbiology, Ecology, and Biochemistry*, 13, 341–364.
- Saputra, A. (2004). *Penurunan Konsentrasi BOD5, TSS, dan TN Limbah Cair Domestik dengan Constructed Wetlands Menggunakan Tanaman Padi (Oriza Sativa L.) IR-64*.
- Schlegel, H. G. (1994). *Mikrobiologi umum*. Gadjah Mada University Press.
- Sikawa, D. C., & Yakupitiyage, A. (2010). The hydroponic production of lettuce (*Lactuca sativa* L) by using hybrid catfish (*Clarias macrocephalus* × *C. gariepinus*) pond water: Potentials and constraints. *Agricultural Water Management*, 97(9), 1317–1325.
- Stottmeister, U., Wießner, A., Kusch, P., Kappelmeyer, U., Kästner, M., Bederski, O., Müller, R. A., & Moormann, H. (2003). Effects of plants and microorganisms in constructed wetlands for wastewater treatment. *Biotechnology Advances*, 22(1–2), 93–117. <https://doi.org/10.1016/j.biotechadv.2003.08.010>
- Supradata. (2005). Pengolahan Limbah Domestik Menggunakan Tanaman Hias (*Cyperus alternifolius* dalam Sistem Lahan Basah Buatan Aliran Bawah Permukaan (SSF-Wetlands). *Program Pasca Sarjana Universitas Diponegoro*, 64–67.
- Suprihatin, H. (2014). Penurunan Konsentrasi BOD Limbah Domestik Menggunakan Sistem Wetland dengan Tanaman Hias Bintang Air (*Cyperus alternifolius*). *Dinamika Lingkungan Indonesia*, 1(2), 80. <https://doi.org/10.31258/dli.1.2.p.80-87>
- Suswati, N. A. C. S. P. (2018). *Model Penerapan Teknologi Constructed Wetland (Taman Pengolah Air Limbah) Untuk Mengolah Air Limbah (Grey Water) Skala Rumah Tangga*. <http://repository.ub.ac.id/id/eprint/190139/>
- Tangahu, B. V, & Warmadewanthi, I. (2001). Pengelolaan limbah rumah tangga dengan memanfaatkan tanaman cattail (*typha angustifolia*) dalam sistem constructed wetland. *Jurnal Purifikasi*, 2(3), 127–132.
- Thalla, A. K., Devatha, C. P., Anagh, K., & Sony, E. (2019). Performance evaluation of horizontal and vertical flow constructed wetlands as tertiary treatment option for secondary effluents. *Applied Water Science*, 9(6), 1–9. <https://doi.org/10.1007/s13201-019-1014-9>
- Tilley, E., Lüthi, C., Morel, A., Zurbrügg, C., & Schertenleib, R. (2008). Compendium of Sanitation Systems and Technologies. *Development*, 158. http://www.eawag.ch/organisation/abteilungen/sandec/publikationen/publications_sesp/downloads_sesp/compendium_high.pdf



- (1998). Design Manual - Constructed Wetlands and Aquatic Plant Systems for Municipal Water Treatment. *Wetlands*, September. <https://nepis.epa.gov/Exe/ZyNET.exe/30004626.TXT?ZyActionD=ZyDocument&Client=EPA&Index=1986+Thru+1990&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=>
- Vadivelu, V. M., Keller, J., & Yuan, Z. (2007). *Free ammonia and free nitrous acid inhibition on the anabolic and catabolic processes of Nitrosomonas and Nitrobacter*. 2004, 89–97. <https://doi.org/10.2166/wst.2007.612>
- Vithanage, M., & Dabrowska, B. B. (2011). *Arsenic uptake by plants and possible phytoremediation applications : a brief overview*. <https://doi.org/10.1007/s10311-011-0349-8>
- von Sperling, M. (2007). *Wastewater Characteristics, Treatment and Disposal* (Vol 1).
- Vymazal, J. (2007). Removal of nutrients in various types of constructed wetlands. *Science of the Total Environment*, 380(1–3), 48–65. <https://doi.org/10.1016/j.scitotenv.2006.09.014>
- Vymazal, J. (2011). Constructed wetlands for wastewater treatment: Five decades of experience. *Environmental Science and Technology*, 45(1), 61–69. <https://doi.org/10.1021/es101403q>
- Vymazal, J. (2013). Emergent plants used in free water surface constructed wetlands: A review. *Ecological Engineering*. <https://doi.org/10.1016/j.ecoleng.2013.06.023>
- Vymazal, J. (2014). Constructed wetlands for treatment of industrial wastewaters : A review. *Ecological Engineering*, 73, 724–751. <https://doi.org/10.1016/j.ecoleng.2014.09.034>
- Wahyudianto, F. E., Imron, M. F., Oktavitri, N. I., Choirun, S., Alfikry, N., & Rahmatullah, L. T. (2020). *Effect of Media on Constructed Wetlands Performance with Equisetum hyemale*. 17(3), 65–69. <https://doi.org/10.3233/AJW200038>
- Walingkas, I. S., Legrans, R. R. I., & Mangangka, I. R. (2023). Penanganan Air Limbah Di Permukiman Tepi Danau Tondano Dengan Teknologi Constructed Wetland. *Tekno*, 21(85). <https://ejournal.unsrat.ac.id/index.php/tekno/article/view/50198%0Ahttps://ejournal.unsrat.ac.id/index.php/tekno/article/download/50198/43566>
- Waly, M. M., Ahmed, T., Abunada, Z., Mickovski, S. B., & Thomson, C. (2022). Constructed Wetland for Sustainable and Low-Cost Wastewater Treatment: Review Article. *Land*, 11(9), 1–17. <https://doi.org/10.3390/land11091388>

- Ward, B. B. (2013). *Nitrification ☆ Nitrifying Microorganisms. March*, 1–8.
<https://doi.org/10.1016/B978-0-12-409548-9.00697-7>
- White, S. A. (2014). *Wetland Technologies for Nursery and Greenhouse Compliance with Nutrient Regulations. May*. <https://doi.org/10.21273/HORTSCI.48.9.1103>
- Wu, Y., He, T., Chen, C., Fang, X., Wei, D., Yang, J., Zhang, R., & Han, R. (2019). Impacting microbial communities and absorbing pollutants by *Canna Indica* and *Cyperus Alternifolius* in a full-scale constructed wetland system. *International Journal of Environmental Research and Public Health*, 16(5).
<https://doi.org/10.3390/ijerph16050802>
- Xing, C., Xu, X., Xu, Z., Wang, R., & Xu, L. (2021). Study on the decontamination effect of biochar-constructed wetland under different hydraulic conditions. *Water (Switzerland)*, 13(7). <https://doi.org/10.3390/w13070893>
- Yang, Z., Zou, Y., Zhu, X., & Yu, X. (2024). Promoting Aquatic Health in Constructed Wetlands: Removal of Pathogens and Nitrogen. *Water (Switzerland)*, 16(7), 1–14.
<https://doi.org/10.3390/w16070917>
- Yanong, R. P. E. (2012). Biosecurity in aquaculture, Part 2: Recirculating aquaculture systems. Retrieved November, 29, 2018.
- Yao, Q., & Peng, D. C. (2017). Nitrite oxidizing bacteria (NOB) dominating in nitrifying community in full - scale biological nutrient removal wastewater treatment plants. *AMB Express*. <https://doi.org/10.1186/s13568-017-0328-y>
- Zhang, C. B., Wang, J., Liu, W. L., Jiang, H., Wang, M., Ge, Y., & Chang, J. (2021). Denitrifying bacterial community dominantly drove nitrogen removals in vertical flow constructed wetlands as impacted by macrophyte planting patterns. *Chemosphere*, 281, 130418. <https://doi.org/10.1016/j.chemosphere.2021.130418>
- Zhang, H., Li, R., Shi, Y., & Pan, F. (2024). Effect of Aeration and External Carbon Source on Nitrogen Removal and Distribution Patterns of Related-Microorganisms in Horizontal Subsurface Flow Constructed Wetlands. *Water (Switzerland)*, 16(5).
<https://doi.org/10.3390/w16050632>
- Zhang, N., Lu, D., Kan, P., Yangyao, J., Yao, Z., Zhu, D. Z., Gan, H., & Zhu, B. (2022). Impact analysis of hydraulic loading rate on constructed wetland: Insight into the response of bulk substrate and root-associated microbiota. *Water Research*, 216(September 2021), 118337.
<https://doi.org/10.1016/j.watres.2022.118337>
- Zhang, Q., Yu, X., Yang, Y., Ruan, J., Zou, Y., Wu, S., Chen, F., & Zhu, R. (2024). Enhanced

ammonia removal in tidal flow constructed wetland by incorporating steel slag:

Performance, microbial community, and heavy metal release. *Science of the Total Environment*, 922(December 2023), 171333.

<https://doi.org/10.1016/j.scitotenv.2024.171333>

Zhang, S. Y., Liu, X., Hao, B., Liang, Y., Ma, Y., Wang, N., Zhang, Z., & He, B. (2024).

Nitrogen removal performance and mechanisms of three aquatic plants for farmland tail water purification. *Science of the Total Environment*, 917(January).

<https://doi.org/10.1016/j.scitotenv.2024.170524>

Zhang, Y., Dong, W., Yan, G., Wang, H., Wang, H., Chang, Y., Yu, S., Chu, Z., Ling, Y., & Li, C. (2022). Plant Carbon Sources for Denitrification Enhancement and Its Mechanism

in Constructed Wetlands: A Review. *Sustainability (Switzerland)*, 14(19), 1–23.

<https://doi.org/10.3390/su141912545>

Zhao, L., Fu, G., Wu, J., Pang, W., & Hu, Z. (2021). Bioaugmented constructed wetlands for efficient saline wastewater treatment with multiple denitrification pathways. *Bioresource Technology*, 335(March), 125236. <https://doi.org/10.1016/j.biortech.2021.125236>

Zhuang, L. L., Yang, T., Zhang, J., & Li, X. (2019). The configuration, purification effect and mechanism of intensified constructed wetland for wastewater treatment from the aspect of nitrogen removal: A review. *Bioresource Technology*, 293(July).

<https://doi.org/10.1016/j.biortech.2019.122086>