

DAFTAR PUSTAKA

- Adiwiganda, Y. T., Hardjono, A., Manurung, A., Sihotang, U. T. B. D., Sudiharto, Goenadi, D. H. dan Sihombing, H. (1994) 'Teknik penyusunan rekomendasi pemupukan tanaman karet', in *Forum Komunikasi Karet*. Sembawa: Pusat Penelitian Karet, pp. 1–17.
- Angkapradipta, P., Tuti-warsito dan Nurdin, M. S. (1986) 'Pengujian dosis anjuran pupuk N, P, dan K untuk tanaman karet GT 1 produktif pada tanah Latosol', *Menara Perkebunan*, 54(5), pp. 111–119.
- Badan Standarisasi Nasional (2011) *SNI 7724:2011; Pengukuran dan penghitungan cadangan karbon - Pengukuran lapangan untuk penaksiran cadangan karbon hutan*. Jakarta: Badan Standarisasi Nasional.
- Balai Penelitian Tanah (2009) *Petunjuk Teknis Analisis Kimia Tanah, Tanaman, Air dan Pupuk*. Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian.
- Baret, F., Houlès, V. dan Guérif, M. (2007) 'Quantification of plant stress using remote sensing observations and crop models: the case of nitrogen management', *Journal of Experimental Botany*, 58, pp. 869–880.
- Basso, B., Fiorentino, C., Cammarano, D. dan Schulthess, U. (2016) 'Variable rate nitrogen fertilizer response in wheat using remote sensing', *Precision Agriculture*. 17(2), pp. 168–182. doi: 10.1007/s11119-015-9414-9.
- Bausch, W. C., Halvorson, A. D. dan Cipra, J. (2008) 'Quickbird satellite and ground-based multispectral data correlations with agronomic parameters of irrigated maize grown in small plots', *Biosystems Engineering*. Elsevier Ltd, 101(3), pp. 306–315. doi: 10.1016/j.biosystemseng.2008.09.011.
- Bausch, W. C. dan Khosla, R. (2010) 'QuickBird satellite versus ground-based multi-spectral data for estimating nitrogen status of irrigated maize', *Precision Agriculture*, 11, pp. 274–290. doi: 10.1007/s11119-009-9133-1.
- Boerhendhy, I. dan Amypalupy, K. (2011) 'Optimalisasi Produktivitas Karet Melalui Penggunaan Bahan Tanam, Pemeliharaan, Sistem Eksploitasi, dan Peremajaan Tanaman', *Jurnal Litbang Pertanian*, 30(1), pp. 23–30.
- Chavez, P. S. (1996) 'Image-based atmospheric corrections-revisited and improved', *Photogrammetric Engineering & Remote Sensing*, 62(9), pp. 1025–1036.
- Danoedoro, P. (2012) *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit Andi.

- Dash, J. dan Curran, P. J. (2004) 'The MERIS terrestrial chlorophyll index', *International Journal of Remote Sensing*, 25, pp. 5403–5413.
- Daughtry, C. S., Walthall, C. L., Kim, M. S., Brown De Colstoun, E. dan McMurtrey, J. E. (2000) 'Estimating corn leaf chlorophyll concentration from leaf and canopy reflectance', *Remote Sensing of Environment*, 74, pp. 229–239.
- Digital Globe (2010) *Radiometric Use of WorldView-2 Imagery*. Digital Globe 1601 Dry Creek Drive Suite 260. Longmont, Colorado, USA, 80503.
- Digital Globe (2013) *GeoEye-1 Orbit Raise FAQ*. Digital Globe 1601 Dry Creek Drive Suite 260. Longmont, Colorado, USA, 80503.
- Dijkman, M. J. (1951) *Hevea Thirty Years of Research in the Far East*. Coral Gables, Florida.: University of Miami Press.
- Direktorat Jenderal Perkebunan (2015) *Statistik Perkebunan Indonesia, Karet 2014-2016*. Jakarta: Direktorat Jenderal Perkebunan.
- European Space Agency (2015) *Sentinel-2 User Handbook*. Paris (FR).
- Gabungan Perusahaan Karet Indonesia (Gapkindo) (2014) 'Data ekspor karet alam Indonesia menurut jenis mutu periode Desember 2013', *Bulletin Karet*, April.
- GeoEye (2009) *GeoEye-1, Instrument/Product Description*. Thornton, Amerika Serikat: GeoEye, 12076 Grant Street.
- Gitelson, A. A., Gritz, Y. dan Merzlyak, M. N. (2003) 'Relationships between leaf chlorophyll content and spectral reflectance and algorithms for non-destructive chlorophyll assessment in higher plant leaves', *Journal of Plant Physiology*, 160(3), pp. 271–282.
- Gitelson, A. A., Kaufman, Y. J. dan Merzlyak, M. N. (1996) 'Use of a green channel in remote sensing of global vegetation from EOS-MODIS', *Remote Sensing of the Environment*, 58, pp. 289–298.
- Gitelson, A. A. dan Merzlyak, M. N. (1994) 'Spectral reflectance changes associated with autumn senescence of *Aesculus hippocastanum* L. and *Acer platanoides* L. Leaves. Spectral features and relation to chlorophyll estimation', *Journal of Plant Physiology*, 143(3), pp. 286–292.
- Haboudane, D., Miller, J. R., Tremblay, N., Zarco-Tejadad, P. J. dan Dextrazec, L. (2002) 'Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture', *Remote Sensing of Environment*, 81, pp. 416–426.

- Hardisky, M. A., Klemas, V. dan Smart, R. M. (1983) 'The influence of soil salinity, growth form, and leaf moisture on the spectral radiance of *Spartina alterniflora* canopies', *Photogrammetric Engineering and Remote Sensing*, 49, pp. 77–83.
- Hunt, J. E. R., Daughtry, C. S. T., Eitel, J. U. H. dan Long, D. S. (2011) 'Remote Sensing Leaf Chlorophyll Content Using a Visible Band Index', *Agronomy Journal*, 103(4), pp. 1090–1099.
- Hunt, J. E. R., Doraiswamy, P. C., McMurtrey, J. E., Daughtry, C. S. T. dan Perry, E. M. (2013) 'A visible band index for remote sensing leaf chlorophyll content at the canopy scale', *International Journal of Applied Earth Observation and Geoinformation*, 21, pp. 103–112.
- Indranada, H. K. (1994) *Pengelolaan kesuburan tanah*. Jakarta: Bumi Aksara.
- International Rubber Study Group (2013) *Statistical Summary of World Rubber Situation*. Singapore: International Rubber Study Group.
- International Rubber Study Group (2015) *Statistical Summary of World Rubber Situation*. Singapore: International Rubber Study Group.
- Ismail, T. (1981) *Major nutrients-their role and deficiency symptoms. RRIM training on soils, soil management and nutrion of hevea*. Rubber Research Institute of Malaysia.
- Istianto (2010) 'Teknologi pemupukan untuk meningkatkan efisiensi penggunaan pupuk di perkebunan karet', in Wijaya, T., Kuswanhadi, Hendratno, S., Susanto, R. H., and Supriadi, M. (eds) *Seminar nasional teknologi pemupukan 2010, "ansisipasi menghadapi kelangkaan dan kenaikan harga pupuk"*. Palembang: Balai Penelitian Sembawa, Pusat Penelitian Karet, pp. 41–53.
- Jia, L., Yu, Z., Li, F., Gnyp, M., Koppe, W., Bareth, G., Miao, Y., Chen, X. dan Zhang, F. (2011) 'Nitrogen status estimation of winter wheat by usingan Ikonos satellite image in the north china plain', in Li, D. and Chen, Y. (eds) *5th Computer and Computing Technologies in Agriculture (CCTA)*. Beijing, Cina: Springer, IFIP Advances in Information and Communication Technology, pp. 174–184.
- Kamal, M., Wicaksono, P., Anggara, D. W. dan Hafizt, M. (2015) 'Pengaruh Resolusi Spasial Citra Penginderaan Jauh Terhadap Estimasi Leaf Area Index Mangrove Di Kepulauan Karimunjawa Jawa Tengah', in Wicaksono, P., Kamal, M., Lestari, S., Wicaksono, I., Setiady, D., and Arundina, A. B. (eds) *Simposium Nasional Sains Geoinformasi IV 2015: Penguatan Peran Sains Informasi Geografi dalam MendukungPenanganan Isyu-Isyu Strategis Nasional*. Yogyakarta, pp. 667–674.

- Kuester, M. A. (2017) *Absolute Radiometric Calibration: 2016v0*. Digital Globe.
- Lewis, D., Phinn, S. dan Arroyo, L. (2013) 'Cost-Effectiveness of Seven Approaches to Map Vegetation Communities; A Case Study from Northern Australia's Tropical Savannas', *Remote Sensing*, 5, pp. 377–414.
- Li, F., Miao, Y., Feng, G., Yuan, F., Yue, S., Gao, X., Liu, Y., Liu, B., Ustin, S. L. dan Chen, X. (2014) 'Field Crops Research Improving estimation of summer maize nitrogen status with red edge-based spectral vegetation indices', *Field Crops Research*. Elsevier B.V., 157, pp. 111–123. doi: 10.1016/j.fcr.2013.12.018.
- Lichtenthaler, K. dan Welburn, A. R. (1983) 'Determination of Total Carotenoids and Chlorophylls A and B of Leaf Extracts in Different Solvents', *Biochemical Society Transactions*, 11, pp. 591–592.
- Magney, T. S., Eitel, J. U. H. dan Vierling, L. A. (2016) 'Mapping wheat nitrogen uptake from RapidEye vegetation indices', *Precision Agriculture*. Springer US, 17, pp. 1–23. doi: 10.1007/s11119-016-9463-8.
- Moraes, V. H. F. (1977) *Rubber In Ecophysiology of Tropical Crops*. New York: Academic Press.
- Mumby, P. J., Green, E. P., Edwards, A. J. dan Clark, C. D. (1999) 'The cost-effectiveness of remote sensing for tropical coastal resources assessment and management', *Journal of Environmental Management*, 55, pp. 157–166.
- Nazaruddin and Paimin, B. F. (1992) *Karet : Strategi Pemasaran, Budidaya, dan Pengolahan*. Jakarta: Penebar Swadaya.
- Qi, J., Huete, A. R., Moran, M. S., Chaehbouni, A. dan Jackson, R. D. (1993) 'Intepretation of Vegetation Indices Derived from Multi-Temporal SPOT Images', *Remote Sensing of Environment*, (44), pp. 89–101.
- Rock, B. N., Vogelmann, J. E., Williams, D. L., Vogelmann, A. F. and Hoshizaki, T. (1986) 'Remote Detection of Forest Damage', *BioScience*, 36, p. 439.
- Romero, H. M. (2008) 'Guidelines for the Use of Precision Agriculture for Palm Oil Sustainability and Competitiveness', *PALMAS*, 29, pp. 80–83.
- Rondeaux, G., Steven, M. dan Baret, F. (1996) 'Optimization of soil-adjusted vegetation indices', *Remote Sensing and Environment*, 58, pp. 1–12.
- Rosmarkam, A. dan Yuwono, N. W. (2002) *Ilmu Kesuburan Tanah*. Yogyakarta: Kanisius.
- Sudiharto, Susetyo, I. dan Setyawan, B. (2006) *Pedoman Pengambilan Contoh Tanah dan Daun di Perkebunan Karet*. Salatiga: Balai Penelitian Getas. Pusat

Penelitian Karet.

Sugiyono (2014) *Statistik Untuk Penelitian*. Bandung: Alfabeta.

Tambunan, D., Sihombing, H. dan Thomas. (1991) 'Pemupukan Nitrogen dan Kalium pada tanaman karet produktif klon PR 261 pada tanah podsolik merah kuning', *Buletin Perkebunan Rakyat*, 7(1), pp. 21–28.

Thomas dan Hidayati, U. (2003) 'Tinjauan Pemupukan Pada Tanaman Karet Menghasilkan', *Warta Pusat Penelitian Karet*, 22(2–3), pp. 41–50.

Tucker, C. J. (1979) 'Red dan photographic infrared linear combinations for monitoring vegetation', *Remote Sensing of Environment*, 8, pp. 127–150.

United States Geological Survey (2016) *Landsat 8 (L8) Data Users Handbook, Version 2.0*. Sioux Falls, South Dakota: Earth Resources Observation and Science (EROS) Center.

Wicaksono, P. (2017) 'Mangrove above-ground carbon stock mapping of multi-resolution passive remote-sensing systems', *International Journal of Remote Sensing*, 38(6), pp. 1551–1578.

Wicaksono, P. dan Hafizt, M. (2017) 'Dark target effectiveness for dark-object subtraction atmospheric correction method on mangrove above-ground carbon stock mapping', *IET Image Processing*. doi: 10.1049/iet-ipr.2017.0295.

Wijaya, T. (2008) 'Kesesuaian Tanah dan Iklim untuk Tanaman Karet', *Warta Perkaratan*, 30(2), pp. 33–34.

Wijaya, T., Ardika, R. dan Saputra, J. (2014) 'The Effect of Omission Fertilizer Application on Rubber Yield of PB 260', *Current Agriculture Research Journal*, 2(2), pp. 68–72.

Wójtowicz, M., Wójtowicz, A. dan Piekarczyk, J. (2016) 'Application of remote sensing methods in agriculture', *Communications in biometry and crop science*, 11(1), pp. 31–50.

Xiang, L., Yu-chun, P., Zhong-qiang, G. dan Chun-jiang, Z. (2007) 'Delineation and Scale Effect of Precision Agriculture Management Zones Using Yield Monitor Data Over Four Years', *Agricultural Science in China*, 6(2), pp. 180–188.

Yoder, B. J. dan Pettigrew-Crosby, R. E. (1995) 'Predicting nitrogen and chlorophyll content and concentrations from reflectance spectra (400–2500 nm) at leaf and canopy scales', *Remote Sensing of Environment*, 53, pp. 199–211.