

DAFTAR PUSTAKA

- Abdullah, M., Khrais, J., & Swedat, S. (2022). Transformer-based deep learning for sarcasm detection with imbalanced dataset: Resampling techniques with downsampling and augmentation. In 2022 13th International Conference on Information and Communication Systems (ICICS) (pp. 294–300). IEEE.
- Ahmad, A. (2020). Media Sosial dan Tantangan Masa Depan Generasi Milenial. *Jurnal*, 08(02), 134–148.
- Ali, R., Farhat, T., Abdullah, S., Akram, S., Alhajlah, M., Mahmood, A., & Iqbal, M. A. (2023). Deep learning for sarcasm identification in news headlines. *Applied Sciences*, 13(9), 5586.
- Alita, D., & Rahman, A. (2020). Pendeteksian sarkasme pada proses analisis sentimen menggunakan Random Forest Classifier. *Jurnal Komputasi*, 8(2). Ilmu Komputer Unila Publishing Network.
- Annur, C. M. (2024, March 1). Ini media sosial paling banyak digunakan di Indonesia awal 2024. *Katadata*. Retrieved from <https://databoks.katadata.co.id/datapublish/2024/03/01/ini-media-sosial-paling-banyak-digunakan-di-indonesia-awal-2024>
- Basari, A. S. H., Hussin, B., & Ananta, I. G. P. (2013). Opinion mining of movie review using hybrid method of support vector machine and particle swarm optimization. *Procedia Engineering*, 53, 453-462.
- Bishop, C. M. (2006). *Pattern Recognition and Machine Learning*. Springer.
- Bonifazi, G., Breve, B., Cirillo, S., Corradini, E., & Virgili, L. (2022). Investigating the COVID-19 vaccine discussions on Twitter through a multilayer network-based approach. *Information Processing & Management*, 59(6), 103095.
- Chrismanto, A. R., Afiahayati, A., Sari, Y., Sari, A. K., & Suyanto, Y. (2022). Spam comments detection on Instagram using machine learning and deep learning methods. *LONTAR KOMPUTER*, 13(1), 46. <https://doi.org/10.24843/LKJITI.2022.v13.i01.p05>
- Devlin, J., Chang, M.-W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of deep bidirectional transformers for language understanding. *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, 4171-4186. <https://doi.org/10.18653/v1/N19-1423>

- Ding, B., Qin, C., Liu, L., Chia, Y. K., Li, B., Joty, S., & Bing, L. (2023). Is GPT-3 a good data annotator?. In Proceedings of the 2023 Annual Conference of the Association for Computational Linguistics (ACL 2023).
- Eke, C. I., Norman, A. A., & Shuib, L. (2021). Context-based feature technique for sarcasm identification in benchmark datasets using deep learning and BERT model. *IEEE Access*, 9, 48501–48518.
- Fatyanosa, T. (2023). Fine-tuning pre-trained transformer-based language model.
- Ganesh, P., dkk. (2021). Compressing large-scale transformer-based models: A case study on BERT. *Transactions of the Association for Computational Linguistics*, 9, 1061-1080.
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT Press.
- Graves, A., & Schmidhuber, J. (2005). Framewise phoneme classification with bidirectional LSTM and other neural network architectures. *Neural Networks*, 18(5–6), 602–610. <https://doi.org/10.1016/j.neunet.2005.06.042>
- Hermawansyah, A., & Pratama, A. R. (2021). Analisis Profil dan Karakteristik Pengguna Media Sosial di Indonesia Dengan Metode EFA dan MCA. *Techno.Com*, 20(1), 69–82. <https://doi.org/10.33633/tc.v20i1.4289>
- Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9, 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Inderasari, E., Achسانی, F., & Lestari, B. (2019). Bahasa sarkasme netizen dalam komentar akun Instagram 'Lambe Turah'. *Semantik*, 8(1). <https://doi.org/10.22460/semantik.vXiX.XXX>
- Jain, D., Kumar, A., & Garg, G. (2020). Sarcasm detection in mash-up language using soft-attention based bi-directional LSTM and feature-rich CNN. *Applied Soft Computing*, 91, 106198.
- Jayadianti, H., Kaswidjanti, W., Utomo, A. T., Saifullah, S., Dwiyanto, F. A., & Drezewski, R. (2022). Sentiment analysis of Indonesian reviews using finetuning IndoBERT and R-CNN. *ILKOM Jurnal Ilmiah*, 14(3), 348-354. <https://doi.org/10.33096/ilkom.v14i3.1505.348-354>
- Khurana, D., Koli, A., Khatter, K., & Singh, S. (2017). Natural language processing: State of the art, current trends and challenges.
- Kingma, D. P., & Ba, J. (2015). *Adam: A Method for Stochastic Optimization*. *ICLR 2015*.

- Kotsakis, R., Vrysis, L., Vryzas, N., Saridou, T., Matsiola, M., Veglis, A., & Dimoulas, C. (2023). A web framework for information aggregation and management of multilingual hate speech. *Heliyon*, 9(5), e16084. <https://doi.org/10.1016/j.heliyon.2023.e16084>
- Koto, F., dkk. (2020). IndoLEM and IndoBERT: A benchmark dataset and pre-trained language model for Indonesian NLP. Retrieved from <https://arxiv.org/pdf/2011.00677.pdf>
- Kohavi, R. (1995). A study of cross-validation and bootstrap for accuracy estimation and model selection. *Proceedings of IJCAI*, 14(2), 1137–1145.
- Lestari, A. R. T., Perdana, R. S., & Fauzi, M. A. (2017). Analisis sentimen tentang opini Pilkada DKI 2017 pada dokumen Twitter berbahasa Indonesia menggunakan Naïve Bayes dan pembobotan emoji. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 1(12), 1718-1724. <http://j-ptiik.ub.ac.id/index.php/j-ptiik/article/view/627>
- Li, Z., Han, J., E, W., & Li, Q. (2022). Approximation and optimization theory for linear continuous-time recurrent neural networks. *Journal of Machine Learning Research*, 23(1), 1-85.
- Liu, P., Qiu, X., & Huang, X. (2016). *Recurrent neural network for text classification with multi-task learning*. *IJCAI 2016*.
- Loshchilov, I., & Hutter, F. (2019). Decoupled weight decay regularization. *International Conference on Learning Representations (ICLR)*. <https://arxiv.org/abs/1711.05101>
- Noor, I. M., & Turan, M. (2019). Sentiment analysis using Twitter dataset. *International Journal on Informatics for Development*, 9, 84-94.
- Nugraha, K. A. (2021). Analisis sentimen berbasis emotikon pada komentar Instagram Bahasa Indonesia menggunakan Naïve Bayes. *Jurnal Teknik Informatika dan Sistem Informasi*, 7(3), 715. <http://dx.doi.org/10.28932/jutisi.v7i3.4094>
- Nugraha, S. A., Palit, H. N., & Juwiantho, H. (2022). Aplikasi analisa sentimen bilingual dan emoji pada komentar media sosial Instagram menggunakan metode Support Vector Machine. *Jurnal INFRA, Program Studi Informatika Fakultas Teknologi Industri Universitas Kristen Petra*.
- Omran, T. M., Sharef, B. T., Grosan, C., & Li, Y. (2023). Transfer learning and sentiment analysis of Bahraini dialects sequential text data using multilingual deep learning approach. *Data & Knowledge Engineering*, 143, 102106.

- Pandey, R., & Singh, J. P. (2023). BERT-LSTM model for sarcasm detection in code-mixed social media post. *Journal of Intelligent Information Systems*, 60(2), 235-254. <https://doi.org/10.1007/s10844-022-00755-z>
- Patel, H., & Prajapati, P. (2018). Natural language processing. *International Journal of Computer Sciences and Engineering*, 6(10), 628–632. <https://doi.org/10.26438/ijcse/v6i1.161167>
- Pradana, L. S. (2024). Analisis sentimen masyarakat media sosial Twitter terhadap kinerja pejabat Gubernur DKI Jakarta menggunakan model IndoBERT. Skripsi, Fakultas Sains dan Teknologi, UIN Syarif Hidayatullah.
- Qiyu, B., Qi, D., Zhe, M., & Maokun, Y. (2019). A systematic review of emoji: Current research and future perspectives. *Frontiers in Psychology*, 10, Article 2221.
- Rahmawati, S. (2023). Implementasi algoritma BERT untuk analisis sentimen ulasan pengguna aplikasi PeduliLindungi.
- Ren, L., Xu, B., Lin, H., Liu, X., & Yang, L. (2020). Sarcasm detection with sentiment semantics enhanced multi-level memory network. *Neurocomputing*, 401, 320–326.
- Riloff, A., Qadir, P., Surve, L., Silva, N., Gilbert, R., & Huang, R. (2013). Sarcasm as contrast between a positive sentiment and negative situation. *Proceedings of EMNLP*, 704–714.
- Rizal, A. A., & Soraya, S. (2018). Multi steps prediction dengan recurrent neural network long short term memory. *Jurnal Matrik*, 18(1), 115-124.
- Rosid, M. A., Siahaan, D., & Saikhu, A. (2022). Pre-trained word embeddings for sarcasm detection in Indonesian tweets: A comparative study. In *2022 9th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)* (pp. 1-6). IEEE. <https://doi.org/10.1109/ICITACEE55701.2022.9924084>
- Sen, S., Sugiarto, D., & Rochman, A. (2020). Komparasi metode multilayer perception (MLP) dan long short term memory (LSTM) dalam peramalan harga beras. *ULTIMATICS*, 12(1), 35-41.
- Sharma, D. K., Singh, B., Agarwal, S., & Kim, H. (2022). Sarcasm detection over social media platforms using hybrid auto-encoder-based model. *Electronics*, 11(18), 2844.

- Sharma, D. K., Singh, B., Agarwal, S., Pachauri, N., Alhussan, A. A., & Abdallah, H. A. (2023). Sarcasm detection over social media platforms using hybrid ensemble model with fuzzy logic. *Electronics*, 12(4), 937.
- Shrivastava, M., & Kumar, S. (2021). A pragmatic and intelligent model for sarcasm detection in social media text. *Technology in Society*, 64, 101489.
- Sinapoy, M. I., Sibaroni, Y., & Prasetyowati, S. S. (2023). Comparison of LSTM and IndoBERT method in identifying hoax on Twitter. *JURNAL RESTI (Rekayasa Sistem dan Teknologi Informasi)*, 7(3), 657-662. <http://jurnal.iaii.or.id>
- Singh, M., Jakhar, A. K., & Pandey, S. (2021). Sentiment analysis on the impact of coronavirus in social life using the BERT model. *Social Network Analysis and Mining*, 11(33).
- Smagulova, K., & James, A. P. (2019). A survey on LSTM memristive neural network architectures and applications. *The European Physical Journal Special Topics*, 228(10), 2313-2324. <https://doi.org/10.1140/epjst/e2019-900046-x>.
- Suhartono, D., Wongso, W., & Handoyo, A. T. (2024). IdSarcasm: Benchmarking and Evaluating Language Models for Indonesian Sarcasm Detection. *IEEE Access*, 12. <https://doi.org/10.1109/ACCESS.2024.3416955>.
- Syukron, A. F. (2021). Komunikasi krisis Eiger dan tantangan perbaikan reputasi di era digital. *Syntax Literate: Jurnal Ilmiah Indonesia*, 6(Special Issue No. 2), 1618-1630.
- Tian, C., Ma, J., Zhang, C., & Zhan, P. (2018). A deep neural network model for short-term load forecast based on long short-term memory network and convolutional neural network. *Energies*, 11(12), 1-13.
- Vajpayee, S. (2020). Understanding BERT — (Bidirectional Encoder Representations from Transformers). *Towards Data Science*.
- Vaswani, A., et al. (2017). Attention is all you need. In *NIPS'17: Proceedings of the 31st International Conference on Neural Information Processing Systems*.
- Wandani, Fauziah, & Andrianingsih. (2021). Sentimen analisis pengguna Twitter pada event flash sale menggunakan algoritma K-NN, Random Forest, dan Naive Bayes. *Jurnal Sains Komputer & Informatika (J-SAKTI)*, 5, 651-665.
- Wang, S., Liu, Y., Xu, Y., Zhu, C., & Zeng, M. (2021). Want to reduce labeling cost? GPT-3 can help. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing (EMNLP 2021)*. Microsoft Cognitive Services Research Group.

Wikipedia. (2023). BERT (language model). Retrieved from [https://en.wikipedia.org/wiki/BERT_\(language_model\)](https://en.wikipedia.org/wiki/BERT_(language_model))

Wilie, B., dkk. (2020). IndoNLU: Benchmark and resources for evaluating Indonesian natural language understanding.

Yin, C., Zhu, Y., Fei, J., & He, X. (2017). A deep learning approach for intrusion detection using recurrent neural networks. *IEEE Access*, 5, 21954-21961.