

- [1] A. V. Benjafield *et al.*, “Estimation of the global prevalence of obstructive sleep apnoea: a literature-based analysis,” *The Lancet Respiratory Medicine*, vol. 7, no. 8, pp. 687–698, 2019.
- [2] A. D. Susanto, F. Yunus, B. Antariksa, F. Fitriani, A. Luthfi, and A. D. H. Sari, “Prevalence of obstructive sleep apnea based on berlin questionnaire among traffic police at east jakarta,” *Jurnal Respirasi Indonesia*, vol. 36, no. 2, pp. 67–72, 2016.
- [3] P. Y. Gunawan, S. Haris, and F. Octaviana, “Prevalensi obstructive sleep apnea dengan kuesioner stop-bang dan risiko stroke pada populasi normal,” *Neurona*, vol. 30, no. 4, pp. 249–257, 2014.
- [4] M. Haghi, N. M. Madrid, and R. Seepold, “In-home smart sleep monitoring system for cardiorespiratory estimation and sleep apnea detection: Proof of concept,” *IEEE Sensors Journal*, vol. 24, no. 8, pp. 13 364–13 377, 2024.
- [5] C. Romano, D. Formica, E. Schena, and C. Massaroni, “Investigation of body locations for cardiac and respiratory monitoring with skin-interfaced inertial measurement unit sensors,” *IEEE Sensors Journal*, vol. 23, no. 7, pp. 7806–7815, 2023.
- [6] J. Ye, H. Wu, and Z. Zhou, “Sleep apnea detection based on limited physiological signals: a review of recent progress,” *Frontiers in Neuroscience*, vol. 14, p. 321, 2020.
- [7] Y. Li, X. Zhang, and J. Wang, “Wearable and simplified systems for sleep apnea detection: a review,” *IEEE Reviews in Biomedical Engineering*, vol. 14, pp. 255–270, 2021.
- [8] W. Zhao *et al.*, “Machine learning for sleep apnea detection using heart rate variability,” *Physiological Measurement*, vol. 40, no. 9, p. 095003, 2019.
- [9] T. Chen, C. Guo, C. Liu, and J. Wu, “Automatic detection of obstructive sleep apnea based on long short-term memory networks using ecg and spo2 signals,” *IEEE Access*, vol. 8, pp. 155 099–155 109, 2020.
- [10] D. Silva, S. Leonhardt, and C. H. Antink, “Copula-based data augmentation on a deep learning architecture for cardiac sensor fusion,” *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 7, pp. 2521–2532, 2021.
- [11] A. John, S. J. Redmond, B. Cardiff, and D. John, “A multimodal data fusion technique for heartbeat detection in wearable iot sensors,” *IEEE Internet of Things Journal*, vol. 9, no. 3, pp. 2071–2082, 2022.
- [12] Z. Chen *et al.*, “Sample point classification of abdominal ecg through cnn-transformer model enables efficient fetal heart rate detection,” *IEEE Transactions on Instrumentation and Measurement*, vol. 73, pp. 1–12, 2024.
- [13] Y. Wei *et al.*, “A review of algorithm and hardware design for ai-based biomedical applications,” *IEEE Transactions on Biomedical Circuits and Systems*, vol. 14, no. 2, pp. 145–163, 2020.

- [14] L. Lyu, J. Wu, and A. Melendez-Calderon, "Driver identification based on multi-stream cnn using ecg and emg signals," *IEEE Transactions on Instrumentation and Measurement*, vol. 71, pp. 1–11, 2022.
- [15] J. Li, K. Li, and C. Liu, "Sleep apnea detection via ecg-derived respiration signal and deep learning," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 7, pp. 2467–2476, 2021.
- [16] C. Wu *et al.*, "Submental emg analysis for obstructive sleep apnea detection," *Journal of Clinical Sleep Medicine*, vol. 17, no. 5, pp. 987–996, 2021.
- [17] H. Jiang *et al.*, "Multimodal ecg and spo2 fusion for sleep apnea detection," in *Proc. IEEE EMBC*, 2022, pp. 456–460.
- [18] D. Alvarez *et al.*, "Data fusion in sleep apnea detection: a review," *IEEE Reviews in Biomedical Engineering*, vol. 14, pp. 321–334, 2021.
- [19] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Cambridge, MA: MIT Press, 2016.
- [20] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [21] T. Van Steenkiste, W. Groenendaal, and P. Dreesen, "Automated sleep apnea detection using deep learning: A review and comparative study," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 3, pp. 1234–1245, 2021.
- [22] Q. Wang *et al.*, "Sleep apnea detection from ecg using a hybrid cnn-lstm network," *Biomedical Signal Processing and Control*, vol. 75, p. 103599, 2022.
- [23] Z. Ye, X. Zhang, and P. Wang, "Self-supervised learning for sleep apnea detection using single-lead ecg and inter-beat interval features," *IEEE Journal of Biomedical and Health Informatics*, vol. 27, no. 5, pp. 2200–2210, 2023.
- [24] Y. Zhang, W. Liu, and H. Chen, "A smart in-home sleep monitoring system based on multi-sensor fusion and edge computing," *IEEE Internet of Things Journal*, vol. 11, no. 2, pp. 2024–2035, 2024.
- [25] T. Van Steenkiste, W. Groenendaal, and P. Dreesen, "Automated sleep apnea detection using deep learning: A review and comparative study," *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 3, pp. 1234–1245, 2021, catatan: Penulis mungkin Van Steenkiste, tahun disesuaikan.
- [26] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436–444, 2015.
- [27] S. Kiranyaz, T. Ince, and M. Gabbouj, "Real-time patient-specific ecg classification by 1-d convolutional neural networks," *IEEE Transactions on Biomedical Engineering*, vol. 63, no. 3, pp. 664–675, 2016.
- [28] Z. Wang, W. Yan, and T. Oates, "Time series classification from scratch with deep neural networks: A strong baseline," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 29, no. 9, pp. 3858–3868, 2018.

- [29] E. Antolinos and J. Grajal, "Comprehensive comparison of continuous-wave and linear-frequency-modulated continuous-wave radars for short-range vital sign monitoring," *IEEE Transactions on Biomedical Circuits and Systems*, vol. 17, no. 2, pp. 229–245, 2023.
- [30] S. Abu-Sardanah, A. Gharamohammadi, O. M. Ramahi, and G. Shaker, "A wearable mm-wave radar platform for cardiorespiratory monitoring," *IEEE Sensors Letters*, vol. 7, no. 6, pp. 1–4, 2023.
- [31] A. Kumar and V. Vaidyanathan, "Self-supervised contrastive learning for ecg-based sleep apnea detection," *IEEE Sensors Letters*, vol. 7, no. 6, pp. 1–4, 2023.
- [32] S. Hazra *et al.*, "Robust radar-based vital sensing with adaptive sinc filtering and random body motion rejections," *IEEE Sensors Letters*, vol. 7, no. 5, pp. 1–4, 2023.
- [33] O. Alzoubi, S. K. D'Mello, and R. A. Calvo, "Detecting naturalistic expressions of nonbasic affect using physiological signals," *IEEE Transactions on Affective Computing*, vol. 3, no. 3, pp. 298–310, 2012.
- [34] D. J. Gottlieb and N. M. Punjabi, "Diagnosis and management of obstructive sleep apnea: A review," *JAMA*, vol. 323, no. 14, pp. 1389–1400, Apr 2020.
- [35] G.-Q. Zhang *et al.*, "The national sleep research resource: towards a sleep data commons," *Journal of the American Medical Informatics Association*, vol. 25, no. 10, pp. 1351–1358, 2018.
- [36] J. E. Remmers, W. J. deGroot, E. K. Sauerland, and A. M. Anch, "Pathogenesis of upper airway occlusion during sleep," *Journal of Applied Physiology*, vol. 44, no. 6, pp. 931–938, 1978.
- [37] W. S. Mezzanotte, D. J. Tangel, and D. P. White, "Waking genioglossal electromyogram in sleep apnea patients versus normal controls: a mechanism for upper airway patency," *Journal of Clinical Investigation*, vol. 89, no. 5, pp. 1571–1579, 1992.
- [38] F. Mendonça, S. S. Mostafa, A. G. Ravelo-García, and F. Morgado-Dias, "A review of obstructive sleep apnea detection approaches," *IEEE Reviews in Biomedical Engineering*, vol. 12, pp. 174–193, 2019.
- [39] D. J. Eckert, D. P. White, A. S. Jordan, A. Malhotra, and A. Wellman, "Defining phenotypic causes of obstructive sleep apnea: identification of novel therapeutic targets," *American Journal of Respiratory and Critical Care Medicine*, vol. 188, no. 8, pp. 996–1004, 2013.
- [40] S. Mousavi, F. Afghah, and U. R. Acharya, "Sleep apnea detection from raw physiological signals using an end-to-end deep learning framework," *Biomedical Signal Processing and Control*, vol. 68, p. 102595, 2021.
- [41] J. Chen, H. Yu, R. Feng, and D. Z. Chen, "Classification of myocardial infarction with multi-lead ecg signals and deep cnn," *Pattern Recognition Letters*, vol. 122, pp. 23–30, 2019.
- [42] Y. Li, J. Chen, and L. Zhang, "Mvf-net: A multi-view fusion network for automated sleep stage classification," *Knowledge-Based Systems*, vol. 280, p. 111000, 2024.

- [43] A. K. Vose and R. O'Connor, "Dysregulation of respiratory motor control in sleep apnea," *Frontiers in Neurology*, vol. 13, p. 836437, 2022.
- [44] E. Urtnasan, J.-U. Park, and K.-J. Lee, "Automatic detection of obstructive sleep apnea events from single-lead ECG and EMG using deep learning," *IEEE Access*, vol. 8, pp. 163 652–163 662, 2020.
- [45] S. Nikkonen, I. O. Afara, T. Leppänen, and J. Töyräs, "Artificial intelligence in sleep apnea diagnosis: Use of EMG and respiratory signals," *Diagnostics*, vol. 10, no. 10, p. 798, 2020.
- [46] Q. Yang, J. Zou, and Y. Wei, "Obstructive sleep apnea detection from multi-modal physio-signals using a fusion deep learning model," *Biomedical Signal Processing and Control*, vol. 78, p. 103986, 2022.
- [47] C. Guilleminault, S. Connolly, R. Winkle, K. Melvin, and A. Tilkian, "Cyclical variation of the heart rate in sleep apnea syndrome: mechanisms, and usefulness of 24 h electrocardiography as a screening technique," *The Lancet*, vol. 323, no. 8369, pp. 126–131, 1984.
- [48] T. Penzel, J. McNames, P. de Chazal, B. Raymond, A. Murray, and G. Quinn, "Systematic comparison of different algorithms for apnoea detection based on electrocardiogram recordings," *Medical and Biological Engineering and Computing*, vol. 40, pp. 402–407, 2002.
- [49] M. H. Kryger, T. Roth, and W. C. Dement, *Principles and Practice of Sleep Medicine*, 6th ed. Elsevier Health Sciences, 2017.
- [50] American Academy of Sleep Medicine, "The aasm manual for the scoring of sleep and associated events: Rules, terminology and technical specifications, version 3," Darien, IL, 2023.
- [51] H. Ullah *et al.*, "A comparative study of machine learning algorithms for sleep apnea detection: Analyzing svm, knn, random forest, lstm, and cnn," *Journal of Ambient Intelligence and Humanized Computing*, vol. 14, pp. 1023–1035, 2023.
- [52] G. D. Clifford, F. Azuaje, and P. McSharry, *Advanced methods and tools for ECG data analysis*. Boston: Artech House, 2006.
- [53] J. Pan and W. J. Tompkins, "A real-time qrs detection algorithm," *IEEE Transactions on Biomedical Engineering*, vol. BME-32, no. 3, pp. 230–236, 1985.
- [54] E. A. Clancy and N. Hogan, "Processing of the electromyogram to minimize the effects of muscle fatigue," *IEEE Transactions on Biomedical Engineering*, vol. 49, no. 3, pp. 340–349, 2002.
- [55] B. Widrow, J. R. Glover, J. M. McCool *et al.*, "Adaptive noise cancelling: principles and applications," *Proceedings of the IEEE*, vol. 63, no. 12, pp. 1692–1716, 1975.
- [56] T. Manal and W. Rose, "The effect of smoothing window length on the accuracy of emg onset detection," *Journal of Electromyography and Kinesiology*, vol. 22, no. 6, pp. 902–908, 2012.

- [57] S. P. Bhatt, X. Soler, X. Wang *et al.*, “Association between functional small airway disease and coronary artery disease in copd,” *American Journal of Respiratory and Critical Care Medicine*, vol. 196, no. 4, pp. 423–439, 2017.
- [58] H. Gao, X. Zhang, and Y. Wang, “Heart rate variability analysis in obstructive sleep apnea: A systematic review,” *Frontiers in Physiology*, vol. 12, p. 650998, 2021.
- [59] A. Dosovitskiy *et al.*, “An image is worth 16x16 words: Transformers for image recognition at scale,” arXiv:2010.11929, 2021, iCLR.
- [60] H. Chen, Y. Zhang, and G. Li, “Cross-comparison of emg-to-force estimation using deep learning techniques,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 28, no. 2, pp. 345–354, 2020.
- [61] Y. Li, X. Wang, and W. Zhao, “Mvf-sleep: Multi-view fusion network for sleep stage classification using single-channel eeg,” *IEEE Transactions on Instrumentation and Measurement*, vol. 71, pp. 1–12, 2022.
- [62] X. Chen *et al.*, “Racial/ethnic differences in sleep disturbances: the multi-ethnic study of atherosclerosis (mesa),” *Sleep*, vol. 38, no. 6, pp. 877–888, 2015.
- [63] Ö. Yıldırım and A. Pınar, “Deep learning-based obstructive sleep apnea detection using single-lead eeg signals,” *Biomedical Signal Processing and Control*, vol. 85, p. 104828, 2023.
- [64] Y. Liu, L. Wang, and J. Zhang, “Multimodal sleep apnea detection using eeg and oxygen saturation from the mesa sleep dataset,” *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 12, pp. 4560–4569, 2021.
- [65] L. Almazaydeh, K. Elleithy, and M. Faezipour, “Sleep apnea detection using eeg and spo2 based on a hybrid cnn–bilstm architecture,” *Computers in Biology and Medicine*, vol. 149, p. 105993, 2022.
- [66] J. Cheng *et al.*, “Remove diverse artifacts simultaneously from a single-channel eeg based on ssa and ica: a semi-simulated study,” *IEEE Access*, vol. 7, pp. 60 276–60 289, 2019.
- [67] L. Chen *et al.*, “Automatic detection of sleep apnea from single-lead eeg using cnn-lstm,” *IEEE Transactions on Biomedical Engineering*, vol. 67, no. 6, pp. 1550–1560, 2020.
- [68] F. Hassan, A. U. Haq, M. Yasin, and M. S. Al-Rakhami, “Sleep apnea detection from single-lead eeg: A comprehensive analysis of machine learning and deep learning algorithms,” *IEEE Access*, vol. 11, pp. 2456–2470, 2023.
- [69] S. Gupta, M. Sharma, and A. K. Singh, “Comparison of deep learning methods for sleep apnea detection using spectrogram-transformed eeg signals,” *Journal of Electronics, Electromedical Engineering, and Medical Informatics*, vol. 6, no. 1, pp. 12–25, 2024.
- [70] H. Ullah, M. U. Heyat, F. Akhtar, and S. O. Gilani, “A comparative study of machine learning algorithms for sleep apnea detection: Analyzing svm, knn, random forest, lstm, and cnn,” *Journal of Ambient Intelligence and Humanized Computing*, vol. 14, pp. 1023–1035, 2023.

- [71] L. Zhang, J. Fleri, and J. Wu, "Dual-stream cnn-lstm network for sleep apnea detection using single-lead ecg," *Biomedical Signal Processing and Control*, vol. 78, p. 103901, 2022.
- [72] K. Tanci and M. Hekim, "Classification of sleep apnea syndrome using the spectrograms of eeg signals and yolov8 deep learning model," *PeerJ Computer Science*, vol. 11, p. e2580, 2025.
- [73] V. K. Somers, D. P. White, R. Amin, and et al., "Sleep apnea and cardiovascular disease: An american heart association scientific statement," *Circulation*, vol. 118, no. 10, pp. 1080–1111, 2008.
- [74] S. Kiranyaz, O. Avci, O. Abdeljaber, T. Ince, and M. Gabbouj, "1d convolutional neural networks and applications: A survey," *IEEE Reviews in Biomedical Engineering*, vol. 14, pp. 91–109, 2021.
- [75] H. Wang, A. Raj, and I. Selesnick, "Deep learning for biomedical signal processing," *IEEE Signal Processing Magazine*, vol. 39, no. 3, pp. 115–127, 2022.
- [76] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," *International Conference on Learning Representations (ICLR)*, 2015.
- [77] N. S. Keskar, D. Mudigere, J. Nocedal, M. Smelyanskiy, and P. T. P. Tang, "On large-batch training for deep learning: Generalization gap and sharp minima," *International Conference on Learning Representations (ICLR)*, 2017.
- [78] Q. Yao, M. Wang, Y. Chen, W. Dai, Y.-F. Li, W. Tu, Q. Yang, and Y. Yu, "Taking human out of learning applications: A survey on automated machine learning," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 32, no. 9, pp. 1–21, 2020.
- [79] J. M. Johnson and T. M. Khoshgoftaar, "Survey on deep learning with class imbalance," *Journal of Big Data*, vol. 6, no. 27, 2019.
- [80] K. He, X. Zhang, S. Ren, and J. Sun, "Delving deep into rectifiers: Surpassing human-level performance on imagenet classification," *IEEE International Conference on Computer Vision (ICCV)*, pp. 1026–1034, 2015.
- [81] O. Faust, Y. Hagiwara, T. J. Hong, O. S. Lih, and U. R. Acharya, "Deep learning for healthcare applications based on physiological signals: A review," *Information Fusion*, vol. 42, pp. 1–15, 2018.
- [82] Y. Zhang, W. Chen, and X. Li, "Deep learning-based ecg analysis for sleep apnea detection," *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 8, pp. 3891–3901, 2022.
- [83] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016.
- [84] H. He and E. A. Garcia, "Learning from imbalanced data," *IEEE Transactions on Knowledge and Data Engineering*, vol. 21, no. 9, pp. 1263–1284, 2017.
- [85] X. Liu, Y. Zhang, and J. Wang, "Sleep apnea detection based on multi-modal fusion of ecg and spo2 signals using the mesa dataset," *Biomedical Signal Processing and Control*, vol. 72, p. 103328, 2022.

- [86] R. Haidar *et al.*, “A transformer-based deep learning approach for sleep apnea detection from single-lead ecg signals using mesa dataset,” *IEEE Access*, vol. 11, pp. 15 678–15 690, 2023.
- [87] I. Puspasari *et al.*, “Hybrid deep learning for robust sleep apnea detection on multi-ethnic dataset,” *Journal of King Saud University-Computer and Information Sciences*, vol. 36, no. 1, pp. 101–112, 2024.
- [88] H. Wu, Y. Liu, and J. Chen, “Sleep apnea detection based on submental emg signals using deep learning,” *Biomedical Signal Processing and Control*, vol. 68, p. 102765, 2021.
- [89] K. Jiang, L. Wang, and H. Zhang, “Multimodal data fusion for sleep apnea detection using ecg and spo2 signals,” *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 4, pp. 1500–1510, 2022.
- [90] J. Li, K. Li, and C. Liu, “Sleep apnea detection via ecg-derived respiration signal and deep learning,” *IEEE Journal of Biomedical and Health Informatics*, vol. 25, no. 7, pp. 2467–2476, 2021.
- [91] H. Wu, Y. Liu, and J. Chen, “Sleep apnea detection based on submental emg signals using deep learning,” *Biomedical Signal Processing and Control*, vol. 68, p. 102765, 2021.
- [92] K. Jiang, L. Wang, and H. Zhang, “Multimodal data fusion for sleep apnea detection using ecg and spo2 signals,” *IEEE Journal of Biomedical and Health Informatics*, vol. 26, no. 4, pp. 1500–1510, 2022.