

DAFTAR PUSTAKA

- Adebayo-Gege, A. (2022). "Anti-atherogenic and cardio-protective properties of sweet melon (*Cucumis melo*. L. *Inodorus*) seed extract on high fat diet induced obesity in male wistar rats." *BMC Complementary Medicine and Therapies*, 22(1), 1-10. doi:10.1186/s12906-022-03793-w.
- Adebayo-Gege, A. (2023). "Protective functions of methanol extract of *Cucumis melo* (L. *INODOROUS*) seeds on Pyloric ligation induced gastric ulceration in male Wistar rats." *Magna Scientia Advanced Research and Reviews*, 8(1), 76-83. doi:10.30574/msarr.2023.8.1.0076
- Adithya Yudistira. (2017). Uji Aktivitas Anti Kanker Payudara Ekstrak Daun Pinang Yaki (*Areca Vestiararia* Giseke.) Terhadap Sel Kanker Payudara T47d. *jjrnal ilmiah farmasi*. 6(4), 275-281.
- Al-Dimassi, S., Abou-Antoun, T., and El- Sibai M. 2014. Cancer Cell Resistance Mechanisms: A Mini Review. *Clin Transl Oncol*, 16: 511–6.
- Al-Sayed, H.M.A. & Ahmed, A.R. 2013. Utilization of watermelon rinds and sharlyn melon peels as a natural source of dietary fiber and antioxidants in cake. *Annals of Agricultural Sciences*, 58(1):83-95.
- Almeida, L., Vaz-da-Silva, M., Falcão, A., Soares, E., Costa, R., Loureiro, A. I., Fernandes-Lopes, C., Rocha, J. F., Nunes, T., Wright, L., & Soares-da-Silva, P. (2009). Pharmacokinetic and safety profile of trans-resveratrol in a rising multiple-dose study in healthy volunteers. *Molecular nutrition & food research*, 53 Suppl 1, S7–S15.
<https://doi.org/10.1002/mnfr.200800177>

- Amorim, E. P., et al. (2016). "Morphological diversity and identification of accessions of melon." *African Journal of Agricultural Research*, 11(11), 1001-1010. doi:10.5897/ajar2016.11211.
- Anto., & Supriyadi. (2015). Identifikasi senyawa yang berkorelasi terhadap rasa pahit selama perkembangan fase buah melon (*Cucumis melo* L.) Kultivar Gama Melon Parfum. Tesis. Fakultas Biologi Universitas Gadjah Mada: Yogyakarta.
- Askari V, Shamlou S, Mostafaie A, Khaleqi S. (2019). Ethyl acetate fraction of *Teucrium polium* extract abolishes human umbilical vein endothelial cells (HUVEC) tubulogenesis in collagen bed through suppression of cell proliferation/VEGF secretion. *Iran J Allergy Asthma Immunol*;18(3):281-8. doi: 10.18502/ijaa.v18i3.1121
- Astuti. (2007). *Budidaya Melon*. Jakarta selatan: AgroMedia Pustaka.
- Bikfalvi, A., Klein, S., Pintucci, G., & Rifkin, D. B. (1997). Biological roles of fibroblast growth factor-2. *Endocrine Reviews*, 18(1), 26–45.
- Borba FKSL, Costa EVL, Polli VAB, Coelho DS, Maraschin M, (2017) Pro-angiogenic Activity Assay of Chondroitin Sulfate and Glucosamine Sulfate on Vascular Network of Mouse and of Chick Embryo Chorioallantoic Membrane. *J Glycobiol* 6: 129.
- Burggren, W., & Rojas Antich, M. (2020). Angiogenesis in the Avian Embryo Chorioallantoic Membrane: A Perspective on Research Trends and a Case Study on Toxicant Vascular Effects. *Journal of Cardiovascular Development and Disease*, 7(4), 56. <https://doi.org/10.3390/jcdd7040056>

- Cai, Y., Li, L., Shao, C., Chen, Y., & Wang, Z. (2024). Therapeutic Strategies for Angiogenesis Based on Endothelial Cell Epigenetics. *Journal of cardiovascular translational research*, 17(4), 816–827. <https://doi.org/10.1007/s12265-024-10485-y>
- Carmeliet, P. (2003). Angiogenesis in health and disease. *Nature Medicine*, 9(6), 653-66.
- Chabner, B.A. and Roberts Jr, T.G. (2006). Timeline: Chemotherapy and the War on Cancer. *Nat Rev Cancer*, 25(1): 65–72.
- Chen, L. & Kang, Y.H. (2013). In vitro inhibitory effect of oriental melon (*Cucumis melo* L. var. makuwa Makino) seed on key enzyme linked to type 2 diabetes: assessment of anti-diabetic potential of functional food. *Journal of Functional Foods*, 5(2): 981-986.
- Chen, L., Wang, S., Feng, Y., Zhang, J., Du, Y., Zhang, J., Ongeval, C. V., Ni, Y., & Li, Y. (2021). Utilisation of Chick Embryo Chorioallantoic Membrane as a Model Platform for Imaging-Navigated *Biomedical Research*. *Cells*, 10(2), 463. <https://doi.org/10.3390/cells10020463>
- Choi JY, Jang YS, Min SY, Song JY. (2011). Overexpression of MMP- 9 and HIF-1alpha in breast cancer cells under hypoxic conditions. *J Breast Cancer*;14(2):88-95. doi: 10.4048/ jbc.2011.14.2.88.
- Chui, A., Zhang, Q., Dai, Q., & Shi, S. H. (2020). Oxidative stress regulates progenitor behavior and cortical neurogenesis. *Development (Cambridge, England)*, 147(5), dev184150. <https://doi.org/10.1242/dev.184150>

- Cimpean, A.M., Ribatti, D. & Raica, M. (2008). The chick embryo chorioallantoic membrane as a model to study tumor metastasis. *Angiogenesis* 11, 311–319. <https://doi.org/10.1007/s10456-008-9117-1>
- Ciolofan, A., Crețu, O. M., Mogoantă, S. Ș., & Ciucă, E. M. (2017). The tyrosine kinase inhibitors effects on metastatic tumor graft in the chick chorioallantoic membrane assay. *Romanian journal of morphology and embryology = Revue roumaine de morphologie et embryologie*, 58(4), 1257–1262.
- Coulombre, A. J., Steinberg, S. N., & Coulombre, J. L. (1963). The role of intraocular pressure in the development of the chick eye: V. pigmented epithelium. *Investigative Ophthalmology & Visual Science*, 2(1), 83-89.
- Cummings, M.C., Simpson, P.T., Reid, L.E., Jayanthan, J., Skerman, J., Song, S., McCart Reed, A.E., Kutasovic, J.R., Morey, A.L., Marquart, L., O'Rourke, P., & Lakhani, S.R. (2014). Metastatic Progression of Breast Cancer: Insights from 50 Years of Autopsies. *Journal of Pathology*, 232(1): 23–31.
- D. H., Denison, M. S., Tachibana, H., & Yamada, K. (2002). Relationship between estrogen receptor-binding and estrogenic activities of environmental estrogens and suppression by flavonoids. *Bioscience, Biotechnology and Biochemistry*, 66(7), 1479–1487. <https://doi.org/10.1271/bbb.66.1479>
- D' ABADIA, P.L. (2022). The role of enzymes in the angiogenic activity of *Hancornia speciosa* latex. *Bioscience Journal*. 38, e38086. <https://doi.org/10.14393/BJ-v38n0a2022-61092>

- Dakeng, S., Duangmano, S., Jiratchariyakul, W., U-Pratya, Y., Bögler, O., & Patmasiriwat, P. (2012). Inhibition of Wnt signaling by cucurbitacin B in breast cancer cells: Reduction of Wnt-associated proteins and reduced translocation of galectin-3-mediated β -catenin to the nucleus. *Journal of Cellular Biochemistry*, 113(1), 49–60. <https://doi.org/10.1002/jcb.23326>
- Daryono, B. S. and Maryanto, D. S. (2018). *Keanekaragaman dan Potensi Sumber Daya Genetik Melon*. UGM Press.
- Daryono, B. S., & Maryanto, S. D. (2017). Diversity and Potential Genetic Resources of Melons. Gadjah Mada University Press, Yogyakarta.[Indonesian]
- De Jong, W., (2001). *Kanker, Apa itu? Pengobatan, Harapan Hidup dan Dukungan Keluarga*, diterjemahkan oleh Astoeti Suharto H., Penerbit Arcan, Jakarta, 159-174.
- Dempsey, E. C., Newton, A. C., Mochly-Rosen, D., Fields, A. P., Reyland, M. E., Insel, P. A., & Messing, R. O. (2000). Protein kinase C isozymes and the regulation of diverse cell responses. *American journal of physiology. Lung cellular and molecular physiology*, 279(3), L429–L438. <https://doi.org/10.1152/ajplung.2000.279.3.L429>
- Depkes RI. (2009). Pedoman Penemuan & Penatalaksanaan Penyakit Kanker Tertentu di Komunitas. Jakarta: Departemen Kesehatan.
- Deryugina, E. I., & Quigley, J. P. (2008). Chick embryo chorioallantoic membrane model systems to study and visualize human tumor cell metastasis. *Histochemistry and Cell Biology*, 130(6), 1119–1130.

- Deryugina, E.I., Quigley, J.P., (2008). Chick embryo chorioallantoic membrane model systems to study and visualize human tumor cell metastasis. *Histochem. Cell Biol.* 130, 1119–1130. <https://doi.org/10.1007/s00418-008-0536-2>
- Domenico Ribatti, (2017) The chick embryo chorioallantoic membrane (CAM) assay, *Reproductive Toxicology*, Volume 70, Pages 97-101, ISSN 0890-6238, <https://doi.org/10.1016/j.reprotox.2016.11.004>.
- Dow, J. K., & deVere White, R. W. (2000). Fibroblast growth factor 2: Its structure and property, paracrine function, tumor angiogenesis, and prostate-related mitogenic and oncogenic functions. *Urology*, 55(6), 800–806. [https://doi.org/10.1016/S0090-4295\(00\)00457-X](https://doi.org/10.1016/S0090-4295(00)00457-X)
- Dunn, B.E. (2024). Intra-allantoic injection of calcium promotes hatching of chick embryos grown in shell-less culture. *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology*, 341(5), 544–552. Available at: <https://doi.org/10.1002/jez.2805>.
- Dwi Maryanto, Sigit & Ranis, Rini & Daryono, B.. (2015). Stability Phenotypic Characters and The Scent of Gama Melon Parfum Cultivar. *IPTEK Journal of Proceedings Series*. 10.12962/j23546026.y2014i1.286.
- Eichhorn, M.E., Kleespies A., Angele M.K., Jauch K.W., dan Bruns C.J., (2007). Angiogenesis in cancer: molecular mechanisms clinical impact, *Langenbecks Arch Surg* (2007) 392:371-379.
- Experimental Cell Research*, 328 (2) (2014), pp. 314-324, [10.1016/j.yexcr.2014.06.010](https://doi.org/10.1016/j.yexcr.2014.06.010)

- Fadli Agus Triansyah, Sandi Jembar Wijaya, Rini Melani, Erna Dwi Jayanti, & Nurhuda Teapon. (2023). Bakti Sosial Untuk Meningkatkan Motivasi Pasien Penderita Kanker di Rumah Pejuang Kanker Ambu. *Cakrawala: Jurnal Pengabdian Masyarakat Global*, 2(2), 101–109. <https://doi.org/10.30640/cakrawala.v2i2.1002>
- Fitriani, F., Husmimi, H., Masyitha, D., & Akmal, M. (2021). Histologis Perkembangan Embrio Ayam pada Masa Inkubasi Satu sampai Tujuh Hari. *Jurnal Agripet*, 21(1).
- Foster, J. S., Henley, D. C., Ahamed, S., & Wimalasena, J. (2001). Estrogens and cell-cycle regulation in breast cancer. *Trends in Endocrinology and Metabolism*, 12(7), 320–327. [https://doi.org/10.1016/S1043-2760\(01\)00436-2](https://doi.org/10.1016/S1043-2760(01)00436-2)
- Gao, Y., et al. (2015). "RNA-Seq Transcriptome Profiling Reveals Differentially Expressed Genes Involved in Sex Expression in Melon." *Crop Science*, 55(5), 1-12. doi:10.2135/cropsci2014.06.0444.
- Gilbert, S. F., Opitz, J. M., & Raff, R. A. (1996). Resynthesizing evolutionary and developmental biology. *Developmental biology*, 173(2), 357-372
- Goodfellow, B.S., Mikat, E.M., 2016. A stain for the simultaneous demonstration of collagen, muscle, and elastic elements in mammalian tissue. *Lab. Med.* 19, 243–244.
- Hamburger, V., & Hamilton, H. L. (1951). A series of normal stages in the development of the chick embryo. *Journal of morphology*, 88(1), 49–92.

- Hartini, S., Winarsih, B. D., & Nugroho, E. G. Z. (2020). Peningkatan Pengetahuan Perawat Untuk Perawatan Anak Penderita Kanker. *Jurnal Pengabdian Kesehatan*, 3(2), 141–149. <https://doi.org/10.31596/jpk.v3i2.87>
- Hasbullah, U. H. A., Supriyadi. and Daryono, B. S. (2019). Aroma Volatile Compounds Profile of Melon (*Cucumis melo* L.) cv. Gama Melon Parfum. *IOP Conference Series: Earth and Environmental Science*, 292:012027.
- Hasbullah, U.H.A., & Supriyadi. (2014). Profil senyawa volatil selama fase perkembangan dan senyawa kunci aroma buah melon (*Cucumis melo* L.) kultivar Gama Melon Parfum. Tesis. Fakultas Biologi Universitas Gadjah Mada: Yogyakarta.
- Hasibuan, F.E. (2019). Mikrostruktur Jaringan Tumor dan Ekspresi p53 pada Tikus Model Kanker Payudara yang Diberi Esktrak Metanol Daun Biwa (*Eriobotrya japonica* (Thunb.) Lindl.). *Tesis*. USU. Medan.
- Hassan Rasouli, Sharham Parvaneh, Azadeh Mahnam, Mohsen Rastegari-Pouyani, Zohreh Hoseinkhani, Kamran Mansouri. (2017). Anti-angiogenic potential of trypsin inhibitor purified from *Cucumis melo* seeds: Homology modeling and molecular docking perspective, *International Journal of Biological Macromolecules*, Volume 96, Pages 118-128, ISSN 0141-8130, <https://doi.org/10.1016/j.ijbiomac.2016.12.027>.
- Hoseinkhani, Z., Norooznezhad, F., Rastegari-Pouyani, M., & Mansouri, K. (2020). Medicinal Plants Extracts with Antiangiogenic Activity: Where Is the Link?. *Advanced pharmaceutical bulletin*, 10(3), 370–378. <https://doi.org/10.34172/apb.2020.045>

Huang, S., Li, R., Zhang, Z., Li, L., Gu, X., Fan, W., Lucas, W. J., Wang, X., Xie, B., Ni, P., Ren, Y., Zhu, H., Li, J., Lin, K., Jin, W., Fei, Z., Li, G., Staub, J., Kilian, A., ... Li, S. (2009). The genome of the cucumber, *Cucumis sativus* L. *Nature Genetics*, 41(12), 1275–1281. <https://doi.org/10.1038/ng.475>

Hugo M. Pereira, Ruben B. Freitas, Marino J. Maciel, Sara Pimenta, Marta Costa, Fátima Baltazar, Carlos A. Silva, José H. Correia. (2024). The chick chorioallantoic membrane assay as an in vivo model for colon tumor analysis with optical coherence tomography, *Expert Systems with Applications*, Volume 255, Part A, 124611, ISSN 0957-4174, <https://doi.org/10.1016/j.eswa.2024.124611>.

Ibrahim, M.E. & El-Masry, H.G. (2016). Phenolic content and antioxidant activity of cantaloupe (*Cucumis melo* var. *cantalupensis*) and food application. *International Journal of Nutrition and Food Sciences*, 5(1): 16-24.

International Agency for Research on Cancer. (2022). *Global Cancer Observatory: Cancer today*. World Health Organization.

Isyraqi, N.A., Rahmawati, D. dan Sastyarina, Y., (2020). Proceeding of Mulawarman Pharmaceuticals Conferences.

Janani Rajasekar, Madan Kumar Perumal, Baskaran Vallikannan, (2019). A critical review on anti-angiogenic property of phytochemicals, *The Journal of Nutritional Biochemistry*, Volume 71, Pages 1-15, ISSN 0955-2863, <https://doi.org/10.1016/j.jnutbio.2019.04.006>

Jayaprakasam, B., Seeram, N. P., & Nair, M. G. (2003). Anticancer and antiinflammatory activities of cucurbitacins from *Cucurbita andrea*. *Cancer Letters*, 189(1), 11–16. [https://doi.org/10.1016/S0304-3835\(02\)00497-4](https://doi.org/10.1016/S0304-3835(02)00497-4)

Jih, YJ., Lien, WH., Tsai, WC. (2001). Distinct regulation of genes by bFGF and VEGF-A in endothelial cells. *Angiogenesis* 4, 313–321. <https://doi.org/10.1023/A:1016080321956>

K. Harper, A. Yatsyna, M. Charbonneau, K. Brochu Gaudreau, A. Perreault, C. Jeldres, P.P. McDonald, C.M. Dubois. (2021). The Chicken Chorioallantoic Membrane Tumor Assay as a Relevant In Vivo Model to Study the Impact of Hypoxia on Tumor Progression and Metastasis *Cancers*, 13 (5), p. 1093, [10.3390/cancers13051093](https://doi.org/10.3390/cancers13051093)

Kementrian Kesehatan Republik Indonesia. (2024). Rencana kanker nasional 2024-2034 : Strategi Indonesia dalam melawan kanker.

Kennedy, D. C., Coen, B., Wheatley, A. M., & McCullagh, K. J. A. (2022). Microvascular Experimentation in the Chick Chorioallantoic Membrane as a Model for Screening Angiogenic Agents including from Gene-Modified Cells. *International Journal of Molecular Sciences*, 23(1), 452. <https://doi.org/10.3390/ijms23010452>

Kennedy, D. C., Coen, B., Wheatley, A. M., & McCullagh, K. J. A. (2022). Microvascular Experimentation in the Chick Chorioallantoic Membrane as a Model for Screening Angiogenic Agents including from Gene-Modified

Cells. International Journal of Molecular Sciences, 23(1), 452.

<https://doi.org/10.3390/ijms23010452>

Kim, J., Harper, A., McCormack, V., Sung H., Houssami, N., Morgan, E., Mutebi, M., Garvey, G., Soerjomataram, I., M. Fidler., M. (2025). Global patterns and trends in breast cancer incidence and mortality across 185 countries. *Nat Med* 31, 1154–1162. <https://doi.org/10.1038/s41591-025-03502-3>

Koffi, K., et al. (2014). "Genetic relationships among accessions of African indigenous melons (*Cucumis melo* L. ssp. *agrestis*) using AFLP markers." *Biochemical Systematics and Ecology*, 55, 1-8. doi:10.1016/j.bse.2014.06.008. 2.

L. Chen, S. Wang, Y. Feng, J. Zhang, Y. Du, J. Zhang, C.V. Ongeval, Y. Ni, Y. L Lewis CE, De Palma M, Naldini L. (2007). Tie2-expressing monocytes and tumor angiogenesis: regulation by hypoxia and angiopoietin-2. *Cancer Res*;67(18):8429-32. doi: 10.1158/0008-5472.

Ma'at, S., 2019. Teknik dasar kultur sel. Airlangga University Press.

Malathi, M., & Vadivelu, M. (2021). "In-vitro antioxidant, anti-inflammatory and cytotoxic activity of *Cucumis melo* L. of ethanolic extract." *Biomedicine*, 41(2), 1054-1060. doi:10.51248/v41i2.1054.

Mallek-Ayadi, S., Bahloul, N. & Kechaou, N. (2016). Characterization, phenolic compounds and functional properties of *Cucumis melo* L. peels. *Food Chemistry*, 221: 1691-1697.

- Massard, C., Deutsch, E., & Soria, J.C. (2006). Tumour Stem Cell-Targeted Treatment: Elimination or Differentiation. *Annals of Oncology*, 17(11): 1620–1624.
- Maugeri, A., Lombardo, G. E., Navarra, M., Cirmi, S., & Rapisarda, A. (2022). The chorioallantoic membrane: A novel approach to extrapolate data from a well-established method. *Journal of applied toxicology : JAT*, 42(6), 995–1003. <https://doi.org/10.1002/jat.4271>
- Nelsen, O. E. (1953). *Coparative Embryology of the Vertebrates*. The Blakiston Co. Inc.: New York.
- Nugent, M. A., & Iozzo, R. V. (2000). Fibroblast growth factor-2. *International Journal of Biochemistry & Cell Biology*, 32(3), 263. [https://doi.org/10.1016/S1357-2725\(99\)00133-8](https://doi.org/10.1016/S1357-2725(99)00133-8)
- Nurhasanah, D. , Fakhrudin, N. , Retnoaji, B. and Nugroho, A. Endro. (2023). Antiangiogenic Activity of n-hexane Insoluble Fraction and Its Tylophorine Component from *Ficus septica* Leaves in Chicken Chorioallantoic Membrane Induced by bFGF. *Asian Pacific Journal of Cancer Prevention*, 24(1), 75-80. doi: 10.31557/APJCP.2023.24.1.75
- Nurhidayati, L. G., Nugroho, A. E., Retnoaji, B., Sudarsono, S., & Fakhrudin, N. (2021). Antiangiogenesis Activity Study of Awar-Awar Leaf Ethanolic Extract (*Ficus Septica* Burm. F.) By Chick Chorioallantoic Membrane Method. *Indonesian Journal of Pharmacy*, 32(1), 1-9. <https://doi.org/10.22146/ijp.607>

- Nursafitri, E., Sari, R., dan Harti, A.S. (2013). Kegunaan Daun Sirsak (*Annona muricata* L) Untuk Membunuh Sel Kanker dan Pengganti Kemoterapi.
- Okamura, N., Ohta, T., Kunimasa, K., Uto, Y., & Kumazawa, S. (2020). Antiangiogenic activity of flavonols in chorioallantoic membrane (CAM) assay. *Food Science and Technology Research*, 26(6), 891–896.
- Oktavia, S., Wijayanti, N., Retnoaji, B., (2017). Anti-angiogenic effect of *Artocarpus heterophyllus* seed methanolic extract in ex ovo chicken chorioallantoic membrane. *Asian Pac. J. Trop. Biomed.* 7, 240–244. <https://doi.org/10.1016/j.apjtb.2016.12.024>.
- Ornitz, D. M. (2000). FGFs, heparan sulfate and FGFRs: Complex interactions essential for development. *BioEssays*, 22(2), 108–112.
- Piao, X., Gao, F., Zhu, J., Wang, L., Zhao, X., Li, X. ... Zhang, Y. (2018). Cucurbitacin B inhibits tumor angiogenesis by triggering the mitochondrial signaling pathway in endothelial cells. *International Journal of Molecular Medicine*, 42, 1018-1025. <https://doi.org/10.3892/ijmm.2018.3647>
- Pluchino, N. et al. (2019). Effect of local aromatase inhibition in endometriosis using a new chick embryo chorioallantoic membrane model. *Journal of Cellular and Molecular Medicine*, 23(8), 5808–5812. Available at: <https://doi.org/10.1111/jcmm.14372>
- Potente, M., Gerhardt, H., & Carmeliet, P. (2011). Basic and therapeutic aspects of angiogenesis. *Cell*, 146(6), 873–887. <https://doi.org/10.1016/j.cell.2011.08.039>

- Qian, O. Y., Harith, S., Shahril, M. R., & Shahidan, N. (2019). Bioactive Compounds In *Cucumis Melo* L. And Its Beneficial Health Effects: A Scoping Review. *Malaysian Applied Biology* 8(4), 11–23. <https://jms.mabjournal.com/index.php/mab/article/view/1872>
- Rajabi, M., & Mousa, S. A. (2017). The Role of Angiogenesis in Cancer Treatment. *Biomedicines*, 5(2), 34. <https://doi.org/10.3390/biomedicines5020034>
- Rajasree, K., et al. (2021). "An Evaluation of the Antioxidant Activity of a Methanolic Extract of *Cucumis melo* L. Fruit (F1 Hybrid)." *Separations*, 8(1), 23. doi:10.3390/separations8080123.
- Rashidi, H., & Sottile, V. (2009). The chick embryo: hatching a model for contemporary biomedical research. *BioEssays : news and reviews in molecular, cellular and developmental biology*, 31(4), 459–465. <https://doi.org/10.1002/bies.200800168>
- Ratri, G., Indah, A., Amirah, W., Faris, A. El, Wahyuni, S., Khadijah, T., Ainun, R. (2015). Pengetahuan Ibu Tentang Pengobatan Selama Masa Kehamilan. *Jurnal Farmasi Komunitas*, 2(2), 47–51.
- Rezaei S, Azarpira N, Koohpeyma F, Yousefi R, Doaei S, Heidari M, Gholamalizadeh M, Haghshenas MR, Mazloom Z. (2022) Evaluation of morphology and angiogenesis of breast cancer in BALB/c mice using trypsin inhibitor from *Cucumis melo* seeds. *In vitro and in vivo* study. *Contemp Oncol (Pozn)*. 26(3):204-219. doi: 10.5114/wo.2022.120700. Epub 2022 Oct 24. PMID: 36381669; PMCID: PMC9641631.

- Ribatti D. (2016). The chick embryo chorioallantoic membrane (CAM). A multifaceted experimental model. *Mechanisms of development*, 141, 70–77.
<https://doi.org/10.1016/j.mod.2016.05.003>
- Ribatti, D., Annese, T., (2023). Chick embryo in experimental embryology and more. *Pathology Research and Practice*. 245, 154478.
<https://doi.org/10.1016/j.prp.2023.154478>
- Ribatti, D. (2008). *Chick embryo chorioallantoic membrane as a useful tool to study angiogenesis*. In *International Review of Cell and Molecular Biology* (Vol. 270, pp. 181–224). Elsevier Inc.
- Ribatti, D. (2008). The chick embryo chorioallantoic membrane in the study of tumor angiogenesis. *Rom J Morphol Embryol*, 49(2), 131-5.
- Ribatti, D. (2010). The Chick Embryo Chorioallantoic Membrane as an *In Vivo* Assay to Study Antiangiogenesis. *Pharmaceuticals*, 3(3), 482-513.
<https://doi.org/10.3390/ph3030482n>
- Ribatti, D. (2014). *The chick embryo chorioallantoic membrane as a model for tumor biology*. *Experimental Cell Research*, 328(2), 314–324.
[doi:10.1016/j.yexcr.2014.06.010](https://doi.org/10.1016/j.yexcr.2014.06.010)
- Ribatti, D. (2023). The chick embryo chorioallantoic membrane patient-derived xenograft (PDX) model. *Pathology - Research and Practice*, 243,
- Ribatti, D., Nico, B., Vacca, A., & Presta, M. (2006). The gelatin sponge-chorioallantoic membrane assay. *Nature protocols*, 1(1), 85–91.
<https://doi.org/10.1038/nprot.2006.13>

- Ribatti, D., Nico, B., Vacca, A., & Presta, M. (2006). The gelatin sponge–chorioallantoic membrane assay. *Nature protocols*, *1*(1), 85-91.
- Ribatti, D. (2016). The Chick embryo chorioallantoic membrane (CAM). A multifacted experimental model. *Mechanism of Development* *141*: 70-77.
- Risdayanti, R., & Herlina, N. (2020). Hubungan Antara Faktor Psikososial dan Faktor Lingkungan dengan Kualitas Hidup Pasien Kanker yang Menjalani Kemoterapi di RSUD Abdul Wahab Sjahranie Samarinda. *Borneo Student Research (BSR)*, *1*(3), 2118–2129.
- Robin Colenbier, Lenny Coppens, Tine Logghe, Eke van Zwol, Jean-Pierre Timmermans, Johannes Bogers. (2024). Protocol for xenografting of BxPC-3 pancreatic tumors using a chorioallantoic membrane model, *STAR Protocols*, Volume 5, Issue 2, 102968, ISSN 2666-1667, <https://doi.org/10.1016/j.xpro.2024.102968>.
- Rozi, A. 2012. *Ca Mammae (Kanker Payudara)*. Buku Saku Dokter. Jakarta.
- Russell WMS, Burch RL Prinsip-prinsip Teknik Eksperimental yang Manusiawi. Methuen & Co Ltd.; London, Inggris: 1959.
- S. D., Ranis, R. E., & Daryono, B. S. (2014). Stability Phenotypic Characters and The Scent of Gama Melon Parfum Cultivar. *IPTEK Journal of Proceedings Series*, (1). <https://doi.org/10.12962/j23546026.y2014i1.286>
- Saha, S., et al. (2018). "Estimates of Genetic Component of Variation in Muskmelon (*Cucumis melo* L.)." *International Journal of Current Microbiology and Applied Sciences*, *7*(7), 115-121. doi:10.20546/ijemas.2018.707.138.
3. Amaral, J., et al. (2014).

"Regeneration of cotyledonary nodes from the recalcitrant melon cultivar Gacho." *African Journal of Agricultural Research*, 9(11), 1010-1018.
doi:10.5897/ajar2014.8584.

Salamah, R., & Widiyanto, S. (2022). Chloroform Fraction of *Cucumis melo* L. 'Gama Melon Parfum' Cytotoxicity against Breast Cancer Cell T47D and MCF7. In *BIO Web of Conferences* (Vol. 49, p. 02001). EDP Sciences.
<https://doi.org/10.1051/bioconf/20224902001>

Saleem U, Ahmad B, Ahmad M, Hussain K, Bukhari NI, Ashraf M. (2015). Evaluation of anti-angiogenic activity of latex and extracts of *euphorbia helioscopia* using chorioallontoic membrane (cam) assay. *International Journal Of Agriculture & Biology*; 17 (2): 339-344.

Saputri, A. P., Wibowo, W. A. and Daryono, B. S. (2020). *Phenotypical Characters and Biochemical Compound of Cucurbitacin Melon (Cucumis melo L. 'Gama Melon Parfum') Resulted from Breeding. AIP Conference Proceedings*, 2260. <https://doi.org/10.1063/5.0017615>

Saputri, A. P., Wibowo, W. A., & Daryono, B. S. (2020). Phenotypical Characters and Biochemical Compound of Cucurbitacin Melon (*Cucumis melo* L. 'Gama Melon Parfum') Resulted from Breeding. *AIP Conference Proceedings*, 2260. <https://doi.org/10.1063/5.0017615>

Sarnella, A., Ferrara, Y., Terlizzi, C., Albanese, S., Monti, S., Licenziato, L., & Mancini, M. (2024). The Chicken Embryo: An Old but Promising Model for In Vivo Preclinical Research. *Biomedicines*, 12(12), 2835.
<https://doi.org/10.3390/biomedicines12122835>

- Siddiqui, Imtiaz & Sanna, Vanna & Ahmad, Nihal & Sechi, Mario & Mukhtar, Hasan. (2015). Resveratrol nanoformulation for cancer prevention and therapy. *Annals of the New York Academy of Sciences*. 1348. 10.1111/nyas.12811.
- Simon A, Robb K. (2021). Breast Cancer. *Cambridge Handb Psychol Heal Med* Second Ed. Aug 7;577–80.
- Sitki-Copur M. (2019). State of cancer Research around the globe. *Oncology Journal*; 33(5): 181-5.
- Smith, T. (2004). Avian Embryo. Mississippi State University. Hal : 4-10.
- Song, B., Wang, W., Tang, X., Goh, R. M. W. -J., Thuya, W. L., Ho, P. C. L., Chen, L., & Wang, L. (2023). Inhibitory Potential of Resveratrol in Cancer Metastasis: From Biology to Therapy. *Cancers*, 15(10), 2758. <https://doi.org/10.3390/cancers15102758>.
- Song, Y. S., Kim, S. H., Sa, J. H., Jin, C., Lim, C. J., & Park, E. H. (2003). Anti-angiogenic, antioxidant and xanthine oxidase inhibition activities of the mushroom *Phellinus linteus*. *Journal of ethnopharmacology*, 88(1), 113–116. [https://doi.org/10.1016/s0378-8741\(03\)00178-8](https://doi.org/10.1016/s0378-8741(03)00178-8)
- Suhail, M. (2020). "Effect of Cucumis melo Seeds and Allopurinol on Litholytic and Renal Histological Profile in Male Rats." *Proceedings of Shaikh Zayed Medical Complex Lahore*, 34(1), 1-6. doi:10.47489/p000s342z7511-6mc.
- Sunuwar, S., & Heo, Y. S. (2026). Reactive Oxygen Species in Embryo Development: Sources, Impacts, and Implications for In Vitro Culture Systems. *Life*, 16(1), 136. <https://doi.org/10.3390/life16010136>

Tannin-Spitz, T., Grossman, S., Dovrat, S., Gottlieb, H. E., & Bergman, M. (2007).

Growth inhibitory activity of cucurbitacin glucosides isolated from *Citrullus colocynthis* on human breast cancer cells. *Biochemical Pharmacology*, 73(1), 56–67. <https://doi.org/10.1016/j.bcp.2006.09.012>

Tommy Chastel, Serena Filiberti, Stefania Mitola, Roberto Ronca, Andrei Turtoi, Michela Corsini. (2025). Protocol for performing angiogenic and tumorigenic assays using the in ovo chick embryo chorioallantoic membrane model, STAR Protocols, Volume 6, Issue 1, 103663, ISSN 2666-1667, <https://doi.org/10.1016/j.xpro.2025.103663>

Utari, K., Nursafitri, E., Sari, A.I. (2013). Kegunaan Daun Sirsak (*Annona muricata* L.) Untuk Membunuh Sel Kanker dan Pengganti Kemoterapi. *Jurnal Kesmadaska*, 4(2).

Vargas, A., Zeisser-Labouèbe, M., Lange, N., Gurny, R., & Delie, F. (2007). The chick embryo and its chorioallantoic membrane (CAM) for the *in vivo* evaluation of drug delivery systems. *Advanced Drug Delivery Reviews*, 59(11), 1162–1176.

Vishwakarma, V. K., Gupta, J. K., & Upadhyay, P. K. (2017). Pharmacological importance of *Cucumis melo* L.: An overview. *Asian Journal of Pharmaceutical and Clinical Research*, 10(3), 8–12. <https://doi.org/10.22159/ajpcr.2017.v10i3.13849>.

Vu, B.T., Shahin, S.A., Croissant, J. (2018). Chick chorioallantoic membrane assay as an *in vivo* model to study the effect of nanoparticle-based anticancer

drugs in ovarian cancer. *Sci Rep* 8, 8524. <https://doi.org/10.1038/s41598-018-25573-8>

- W. A. Wibowo, M. F. Al Rasyid, S. E. Maharani, and B. S. Daryono. (2022). “Genetic Stability Analysis Based on Inter-Simple Sequence Repeat and β -Carotene Content Analysis in Melon (*Cucumis melo* L. ‘GAMA Melon Parfum’)”, *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 12, no. 4, pp. 1606–1612.
- Wachholz, G. E., Varela, A. P. M., Teixeira, T. F., de Matos, S. M. S., Rigon da Luz Soster, P., Vianna, F. S. L., de Souza, D. O. G., Roehe, P. M., Schuler-Faccini, L., & Fraga, L. R. (2021). Zika virus-induced brain malformations in chicken embryos. *Birth defects research*, 113(1), 22–31. <https://doi.org/10.1002/bdr2.1813>
- West, D.C., Thompson W.D., Sells P.G., and Burbridge M.F., (2001). *Angiogenesis Protocols: Angiogenesis Assay Using Chick Chorioallantoic Membrane*, Editor by J.C. Murray, Humana Press Inc., New Jersey, 107-129.
- Wibowo, W.A., Maryanto, S.D. & Daryono, B.S. (2021). Phenotypic characters and identification CYPs (Cyclophilin) gene in *Cucumis melo* L. cv. Gama Melon Parfum. *Biodiversitas Journal of Biological Diversity*.
- World Health Organization. (2019). *WHO global report on traditional and complementary medicine*. World Health Organization.
- Zhang, L. B., Simmons, M. P., Kocyan, A., & Renner, S. S. (2006). Phylogeny of the Cucurbitales based on DNA sequences of nine loci from three genomes: Implications for morphological and sexual system evolution. *Molecular*

Phylogenetics and Evolution, 39(2), 305–322.

<https://doi.org/10.1016/j.ympev.2005.10.002>

Zhang, R., Yao, Y., Gao, H., & Hu, X. (2024). Mechanisms of angiogenesis in tumour. *Frontiers in oncology*, 14, 1359069.

<https://doi.org/10.3389/fonc.2024.1359069>

Zhang, X., Li, N. L., Guo, C., Li, Y. D., Luo, L. L., Liu, Y. Q., Duan, Y. Y., Li, Z. D., Xie, X. R., Song, H. X., Yang, L. P., & An, F. Y. (2018). A vaccine targeting basic fibroblast growth factor elicits a protective immune response against murine melanoma. *Cancer biology & therapy*, 19(6), 518–524.

<https://doi.org/10.1080/15384047.2018.1435223>

Zulfikar, M. (2021). *Potensi antikanker ekstrak buah melon (Cucumis melo L. 'Gama Melon Parfum') terhadap sel kanker payudara T47D* (Tesis). Universitas Gadjah Mada, Yogyakarta, Indonesia.

Zulfikar, M., Widya, F. S., Wibowo, W. A., Daryono, B. S., & Widiyanto, S. (2020). Antioxidant activity of melon fruit (*Cucumis melo* L. 'GMP') Ethanolic Extract. *AIP Conference Proceedings*, 2260 (September).

<https://doi.org/10.1063/5.0015748>