

DAFTAR PUSTAKA

- Anand, A. M., Sistla, S., & Dhodapkar, R. (2016). Evaluation of NS1 Antigen Detection for Early Diagnosis of Dengue in a Tertiary Hospital in Southern India. 5–8. <https://doi.org/10.7860/JCDR/2016/15758.7562>
- Anil Kumar, Hridayesh Arya, Praveen Verma, Sanjay Singh, Vishan Kumar, Surbhi Mittal, Manish Maheshwari, Prem Sagar, Anand Pratap Singh, Sonal Singh, & Keshav Singh. (2023). A Review Of Dengue Virus Genome, Structural And Non-Structural Proteins, And Life Cycle. *J. Sci. Innov. Nat. Earth*, 06–16. <https://doi.org/10.59436/jsiane.com/archives3/2/76>
- Aryati, A., Wrahatnala, B. J., Yohan, B., Fanny, M., Hakim, F. K. N., Sunari, E. P., Zuroidah, N., Wardhani, P., Santoso, M. S., Husada, D., Rohman, A., Tarmizi, S. N., Sievers, J. T. O., & Tedjo Sasmono, R. (2020). Dengue virus serotype 4 is responsible for the outbreak of dengue in East Java City of Jember, Indonesia. *Viruses*, 12(9). <https://doi.org/10.3390/v12090913>
- Bonney, J. H. K., Pratt, D., Ofori, M., Hayashi, T., Abankwa, A., Awuku-Larbi, Y., Kumordjie, S., Agbodzi, B., Salisu, M., Mante, A. A. O., Bour, S., Eshun, M., Amaning, J. N. D. A., Ketorwoley, P., Enimil, N., Koomson, J., Stephens, G., Asiedu-Bekoe, F., Laryea, D., ... Suzuki, T. 2024. Molecular detection of dengue virus from febrile patients in Ghana. *BMC Infectious Diseases*, 24(1), 1382. <https://doi.org/10.1186/s12879-024-10289-0>
- Blacksell, S. D. (2012). Commercial dengue rapid diagnostic tests for point-of-care application: Recent evaluations and future needs? *J. Biomed. Biotechnol.* 2012: 1-12. <https://doi.org/10.1155/2012/151967>
- Cattarino L, Rodriguez-Barraquer I, Imai N, Cummings DAT, Ferguson NM. 2020 Mapping global variation in dengue transmission intensity. *Sci Transl Med*; 12
- Centers for Disease Control and Prevention. Serologic tests for dengue virus. <https://www.cdc.gov/dengue/healthcare-providers/testing/serologic-tests.html> (accessed Jan 9, 2025).
- CDC. 2024. Rapid Diagnostic Tests Yellow Book CDC 2024, Cdc, at: <https://wwwnc-cdc.gov.translate.google/travel/yellowbook/2024/posttravel-evaluation/rapid-diagnostic-tests-for-infectious-diseases>.
- Chen, X., Miao, X., Ma, T., Leng, Y., Hao, L., Duan, H., *et al.* 2021. Gold Nanobeads with Enhanced Absorbance for Improved Sensitivity in Competitive Lateral Flow Immunoassays. *Foods (Basel, Switzerland)*, 10(7):1488.
- Dayarathna, S., Kuruppu, H., Silva, T., Gomes, L., Shyamali, N. L. A., Jeewandara, C., Ariyaratne, D., Ramu, S. T., Wijewickrama, A., Ogg, G. S., & Malavige, G. N. (2024). Are viral loads in the febrile phase a predictive factor of dengue disease severity? *BMC Infect Dis*, 24(1248): 1-10. <https://doi.org/10.1186/s12879-024-10152-2>
- Delves, P. J., Martin, S. J., Burton, D. R., and Roitt, I. M. 2017. Roitt's essential immunology. *John Wiley and Sons*.

- Dussart P, Petit L, Labeau B, Bremand L, Leduc A, et al.: Evaluation of Two New Commercial Tests for the Diagnosis of Acute Dengue Virus Infection Using NS1 Antigen Detection in Human Serum. *PLoS Negl Trop Dis* 2008, 2:e280
- Fisher R, Lustig Y, Sklan EH, Schwartz E. 2023. The role of NS1 Protein in the diagnosis of flavivirus infections. *Viruses*, 15: 572.
- Gudikandula Krishna, Dasari Thrimothi, & Sreedasyam Sreedevi. (2024). Dengue Virus Infection: Etiology, Epidemiology, Pathogenesis, Diagnosis, and Prevention. *VIDA*, 89191:1–29.
<https://doi.org/DOI:10.5772/intechopen.114323>
- Guzman, M. G., Jaenisch, T., Gaczkowski, R., Hang, V. T. T., Sekaran, S. D., Kroeger, A., Vazquez, S., Ruiz, D., Martinez, E., Mercado, J. C., Balmaseda, A., Harris, E., Dimano, E., Leano, P. S. A., Yoksan, S., Villegas, E., Benduzu, H., Villalobos, I., Farrar, J., & Simmons, C. P. (2010). Multi-country evaluation of the sensitivity and specificity of two commercially-available NS1 ELISA assays for dengue diagnosis. *PLoS NTDs*, 4(8).
<https://doi.org/10.1371/journal.pntd.0000811>
- Guzman MG, Harris E. 2015. Dengue. *Lancet*, 385:453-65. doi: 10.1016/S0140-6736(14)60572-9.
- Harapan, H., Michie, A., Sasmono, R. T., & Imrie, A. (2020). Dengue: A minireview. *Viruses*, 12, (8). <https://doi.org/10.3390/v12080829>
- Harris, E. (2022). *Development of Novel Dengue NS1 Multiplex Lateral Flow Immunoassay to Differentiate Serotypes in Serum of Acute Phase Patients and Infected Mosquitoes*. 1–15. <https://doi.org/10.3389/fimmu.2022.852452>
- Hernández Bautista, P. F., Cabrera Gaytán, D. A., Santacruz Tinoco, C. E., Vallejos Parás, A., Alvarado Yaah, J. E., Martínez Miguel, B., Anguiano Hernández, Y. M., Arriaga Nieto, L., Moctezuma Paz, A., Jaimes Betancourt, L., Pérez Andrade, Y., Orozco, O. C., Valle Alvarado, G., & Rivera Mahey, M. G. (2024). Retrospective Analysis of Severe Dengue by Dengue Virus Serotypes in a Population with Social Security, Mexico 2023. *Viruses*, 16(5).
<https://doi.org/10.3390/v16050769>
- Hershan, A. A. (2023). Dengue Virus: Molecular Biology and Recent Developments in Control Strategies, Prevention, Management, and Therapeutics. *J. Pharmacol. Pharmacother*, 14(2):(107–124).
<https://doi.org/10.1177/0976500X231204401>
- Hottz, E., Tolley, N. D., Zimmerman, G. A., Weyrich, A. S., & Bozza, F. A. (2011). Platelets in dengue infection. In *Drug Discovery Today: Disease Mechanisms* 8 (1–2). Elsevier Ltd. <https://doi.org/10.1016/j.ddmec.2011.09.001>
- Hunspurger, E. A., Yoksan, S., Buchy, P., Nguyen, V. C., Sekaran, S. D., Enria, D. A., Vazquez, S., Cartozian, E., Pelegriño, J. L., Artsob, H., Guzman, M. G., Olliaro, P., Zwing, J., Guillerm, M., Kliks, S., Halstead, S., Peeling, R. W., & Margolis, H. S. (2014). Evaluation of Commercially Available Diagnostic Tests for the Detection of Dengue Virus NS1 Antigen and Anti-Dengue Virus IgM Antibody. *PLoS NTDs*, 8(10).
<https://doi.org/10.1371/journal.pntd.0003171>
- Kalra, C., Mittal, G., Gupta, P., Agarwal, R. K., & Ahmad, S. (2024). Role of IgM/IgG Ratio in Distinguishing Primary and Secondary Dengue Viral Infections:

- A Cross-Sectional Study. *Cureus*. 16(8): 1-10
<https://doi.org/10.7759/cureus.66714>
- Kementerian Kesehatan RI. 2024. Kasus Demam Berdarah (DBD) Tahun 2024. Jakarta.
- Kesuma, S. (2022). Uji Diagnosis NS1, IgG dan IgM Dengue Metode Immunokromatografi dan Elisa. *JALM*, 7(2): 72–85.
<https://doi.org/10.51544/jalm.v7i2.3374>
- Koczula, K. M., and Gallotta, A. 2016. Lateral flow assays. *Essays in biochemistry*, 60(1), 111–120.
- Khazali, A. S., Hadrawi, W. H., Ibrahim, F., Othman, S., & Nor Rashid, N. (2024). Thrombocytopenia in dengue infection: mechanisms and a potential application. *ERMN*.26: 1-9. <https://doi.org/10.1017/erm.2024.18>
- Liao, F., Chen, H., Xie, J., Zhan, S., Pan, P., Lao, Z., Fan, Y., Lin, L., Lai, Y., Lin, S., Wu, J., Liu, X., & Li, G. (2019). Molecular epidemiological characteristics of dengue virus carried by 34 patients in Guangzhou in 2018. *PLoS ONE*, 14(11). <https://doi.org/10.1371/journal.pone.0224676>
- Lim, P. Y., Ramaprabha, A., Loy, T., Rouers, A., Thein, T. L., Leo, Y. S., Burton, D. R., Fink, K., & Wang, C. I. (2023). A nonstructural protein 1 capture enzyme-linked immunosorbent assay specific for dengue viruses. *PLoS ONE*, 18. <https://doi.org/10.1371/journal.pone.0285878>
- Liu, L. T., Chen, C. H., Tsai, C. Y., Lin, P. C., Hsu, M. C., Huang, B. Y., Wang, Y. H., & Tsai, J. J. (2020). Evaluation of rapid diagnostic tests to detect dengue virus infections in Taiwan. *PLoS ONE*, 15. <https://doi.org/10.1371/journal.pone.0239710>
- Liu, L. T., Chen, P. C., Lin, C. H., Huang, S. Y., Chen, C. H., Tsai, C. Y., Lin, P. C., Yang, C. Y., & Tsai, J. J. (2025). Performance comparison of two dengue NS1 rapid diagnostic tests against RT-PCR: Sensitivity and specificity across infections and timeframes. *J. Infect Public Health*, 18(11): 1-7. <https://doi.org/10.1016/j.jiph.2025.102919>
- Luvira, V., Thawornkuno, C., Lawpoolsri, S., Thippornchai, N., Duangdee, C., Ngamprasertchai, T., & Leungwutiwong, P. (2023). Diagnostic Performance of Dengue NS1 and Antibodies by Serum Concentration Technique. *Trop. Med. Infect.*, 8(2). <https://doi.org/10.3390/tropicalmed8020117>
- Mariko, R., Alkamar, A., & Putra, A. E. (2014). Uji Diagnostik Pemeriksaan Antigen Nonstruktural I untuk Deteksi Dini Infeksi Virus Dengue pada Anak. 16(2): 121–127.
- Megariani, Andani Eka Putra, Amrin Alkamar, & Rinang Mariko. (2014). 1Sari *Pediatri, Uji diagnostik pemeriksaan antigen nonstruktural I untuk deteksi dini infeksi virus dengue*. 88 (252): 121-127.
<http://dx.doi.org/10.14238/sp16.2.2014.121-7>
- Moyano, A., Serrano-Pertierra, E., Salvador, M., Martínez-García, J. C., Rivas, M., and Blanco-López, M. C. 2020. Magnetic Lateral Flow Immunoassays. *Diagnostics (Basel, Switzerland)*, 10(5):288.
- Muller, D. A., Choo, J. J. Y., McElnea, C., Duyen, H. T. L., Wills, B., & Young, P. R. (2025). Kinetics of NS1 and anti-NS1 IgG following dengue infection reveals likely early formation of immune complexes in secondary infected

- patients. *J. Sci. Rep.*, 15(1). <https://doi.org/10.1038/s41598-025-91099-5>
- Nanaware, N., Banerjee, A., Bagchi, S. M., Bagchi, P., & Mukherjee, A. (2021). Dengue virus infection: A tale of viral exploitations and host responses. *Viruses*, 13(10). MDPI. <https://doi.org/10.3390/v13101967>
- Naz, A., Zahid, D., Murky, S. N., Nadeem, M., Sil, B. K., & Shamsi, T. S. (2014). Evaluation of efficacy of various immunochromatographic rapid tests for dengue diagnosis. *Pak. J. Med. Sci.*, 30(1):166–171. <https://doi.org/10.12669/pjms.301.4173>
- Ngwe Tun, M. M., Kapandji, M., Wada, A., Yamamoto, K., Dumre, S. P., Nwe, K. M., Lin, H., Takamatsu, Y., Thant, K. Z., Thu, H. M., Urano, T., Pandey, B. D., & Morita, K. (2024). Performance of Fujifilm Dengue NS1 Antigen Rapid Diagnosis Kit Compared to Quantitative Real-Time Polymerase Chain Reaction. *Pathogens*, 13(9). <https://doi.org/10.3390/pathogens13090818>
- Ooi, J. S. G., & Lok, S. M. (2021). How NS1 Antibodies Prevent Severe Flavivirus Disease. *Trends Biochem Sci*, 46(7): 519–521. Elsevier Ltd. <https://doi.org/10.1016/j.tibs.2021.03.005>
- Paz-Bailey, G., Adams, L. E., Deen, J., Anderson, K. B., & Katzelnick, L. C. (2024). Dengue. *Lancet*, 403(10427) : (667–682). Elsevier B.V. [https://doi.org/10.1016/S0140-6736\(23\)02576-X](https://doi.org/10.1016/S0140-6736(23)02576-X)
- Pal, S., Dauner, A. L., Mitra, I., Forshey, B. M., Garcia, P., Morrison, A. C., Halsey, E. S., Kochel, T. J., & Wu, S. L. (2014). Evaluation of Dengue NS1 Antigen Rapid Tests and ELISA Kits Using Clinical Samples. 9(6). <https://doi.org/10.1371/journal.pone.0113411>
- Paradesi, A., Saikumar, C., & Sumathi, G. (2021). *Comparison of NS1 Antigen Detection by Rapid Immunochromatography Test and ELISA for Early Diagnosis of Dengue at a Government General Hospital*, *ATP*. 33, 378–381. <https://doi.org/10.9734/JPRI/2021/v33i57B34069>
- Pavan, M. F., Malnero, C. M., Mora Alvarado, M. E., Carzoglio, M. C., Rojas, Y. P., Bruno, A., Vidakovics, L. P., Hanke, L., Castello, A., McInerney, G., García, C. C., Parreño, V., & Ibañez, L. I. (2025). Engineered Nanobodies for early and accurate diagnosis of dengue virus infection. *PLoS NTDs*, 19(10). <https://doi.org/10.1371/journal.pntd.0013168>
- Premazzi Papa, M., Mendoza-Torres, E., Sun, P., Encinales, L., Goulet, J., Defang, G., Vihasi, J., Cheng, Y., Suchowiecki, K., Rosales, W., Amdur, R., Porrás-Ramírez, A., Rico-Mendoza, A., Herrera Gomez, C., Nicholes, S., Zuluaga, I., Halstead, L., Halstead, S., Simon, G., ... Chang, A. Y. (2024). Dengue NS1 Antibodies Are Associated with Clearance of Viral Nonstructural Protein-1. *J. Infect. Dis.* 230(6): 1226–e1234. <https://doi.org/10.1093/infdis/jiae299>
- Prabowo, M. H., Chatchen, S., Rijiravanich, P., Klamkam, P., Chalermwatanachai, T., Limkittikul, K., & Surareunchai, W. (2021). Clinical evaluation of a developed paper-based Dengue NS1 rapid diagnostic test for febrile illness patients. *Int. J. Infect. Di.*, 107, 271–277. <https://doi.org/10.1016/j.ijid.2021.05.007>
- Provan, D., Arnold, D. M., Bussel, J. B., Chong, B. H., Cooper, N., Gernsheimer, T., Ghanima, W., Godeau, B., González-López, T. J., Grainger, J., Hou, M.,

- Kruse, C., McDonald, V., Michel, M., Newland, A. C., Pavord, S., Rodeghiero, F., Scully, M., Tomiyama, Y., ... Kuter, D. J. (2019). Updated international consensus report on the investigation and management of primary immune thrombocytopenia. *Blood Adv*, 3(22) :3780–3817. American Society of Hematology. <https://doi.org/10.1182/bloodadvances.2019000812>
- Putu, N., Witari, D., Fadhillah, A., Johar, E., Dewi, Y. P., Lestardini, A., Ayu, I. G., Ratnadi, A., Sriyani, I. Y., Dhenni, R., Antonjaya, U., Yudhaputri, F. A., Artika, I. M., Powers, A. M., Saw, K., & Myint, A. (2025). *Application of a Dengue NS1 antigen based rapid diagnostic test to screen dengue virus infection in clinical settings in Indonesia*. 58. <https://doi.org/10.1177/22799036251343652>
- Raihan, R., Malo, R., Mia Jewel, Y., Atiquzzaman, -, Ferdousy, F., Abdullah, S. A. H. M., Munshi, S., Khan, M., Hossain, A., Shawon, S., Ranjan, R., Yusuf, Md. A., & Mamun, K. (2025). NS1 Rapid Card Test for Dengue Detection: Insights from the 2023 Outbreak in Bangladesh. *IJGM*, 18:2047–2056. <https://doi.org/10.2147/ijgm.s514945>
- Riswari, S. F., Velies, D. S., Lukman, N., Jaya, U. A., Djauhari, H., Ma'roef, C. N., Myint, K. S. A., Widjaja, S., van der Ven, A., Alisjahbana, B., de Mast, Q., & Kosasih, H. (2023). Dengue incidence and length of viremia by RT-PCR in a prospective observational community contact cluster study from 2005–2009 in Indonesia. *PLoS NTDs*, 17(2). <https://doi.org/10.1371/journal.pntd.0011104>
- Rufasto G, K. S., Lizarbe C, M. V., Lozano Z, G. A., Lira C, W. M., Ascayo V, E. Y., Murillo C, A. G., & Diaz-O, D. (2025). Epidemiological dynamics of dengue in Peru: Temporal and spatial drivers between 2000 and 2022. *PLoS ONE*, 20. <https://doi.org/10.1371/journal.pone.0319708>
- Santoso, M. S., Yohan, B., Denis, D., Hayati, R. F., Haryanto, S., Trianty, L., Noviyanti, R., Hibberd, M. L., & Sasmono, R. T. (2020). Diagnostic accuracy of 5 different brands of dengue virus non-structural protein 1 (NS1) antigen rapid diagnostic tests (RDT) in Indonesia. *Diag Microbiol Infect Dis*. 98(2). <https://doi.org/10.1016/j.diagmicrobio.2020.115116>
- Simmons, C. P., Farrar, J. J., van Vinh Chau, N., Wills, B., Ham Tu, B., & Chi Minh City, H. (2012). Current Concepts Dengue. In *N Engl J Med*, 366.
- Sinha, S., Singh, K., Ravi Kumar, Y. S., Roy, R., Phadnis, S., Meena, V., Bhattacharyya, S., & Verma, B. (2024). Dengue virus pathogenesis and host molecular machineries. *J. Biomed. Sci.*, 31(1). BioMed Central Ltd. <https://doi.org/10.1186/s12929-024-01030-9>
- Smit, P. W., de Man, P., Brand, H., Breijer, S., van Wijk, M., Meijer, A., & Ong, D. S. Y. (2025). Comparative evaluation of five rapid PCR platforms for respiratory virus detection. *PLOS ONE*, 20(12). <https://doi.org/10.1371/journal.pone.0338716>
- Torres, M. C., Martins Karl, A. L., Müller Pereira da Silva, M., Dardenne, L. E. and Bispo de Filippis, A. M. 2021. In Silico Analysis of Dengue Virus Serotype 2 Mutations Detected at the Intrahost Level in Patients with Different Clinical Outcomes. *Microbiology Spectrum*, 9(2).
- Tenywa, F. S. C., Hälg, S., Makame, H., Moore, J., Dogan, O., Mapipi, H. I.,

- Machange, J. J., Lilolime, N. S., Hofer, L. M., Batao, L. D., Mwamlima, T. G., Müller, P., & Moore, S. J. (2025). DENV-2 Circulation and Host Preference Among Highly Anthropophilic, Outdoor-Biting *Aedes aegypti* in Dar es Salaam, Tanzania. *Viruses*, *17*(6). <https://doi.org/10.3390/v17060818>
- Triwahyuni, T., Prasetya, T., Rahmawati, R., & Ilmu Patologi Klinik RSUD Abdul Moeloek Provinsi Lampung, D. H. (2021). Perbandingan Profil Hematologi Antara Serotipe Dengue Pada Pasien Yang Terinfeksi Dengue Di RSUD H. Abdul Moeloek Provinsi Lampung. *J. Med Malahayati*, *5*(3).
- Tricou V, Vu HT, Quynh NV, et al. Comparison of two dengue NS1 rapid tests for sensitivity, specificity and relationship to viraemia and antibody responses. *BMC Infect Dis*, 2010(10): 142
- Tsuboi, I., & Iinuma, K. (2021). *Immunochromatography-Application Example and POCT Type Genetic Testing*, 69(10).
- Vongsouvath, M., Phommason, K., Sengvilapaseuth, O., Kosoltanapiwat, N., Chantratita, N., Blacksell, S. D., Lee, S. J., de Lamballerie, X., Mayxay, M., Keomany, S., Newton, P. N., & Dubot-Pères, A. (2016). Using Rapid Diagnostic Tests as a Source of Viral RNA for Dengue Serotyping by RT-PCR - A Novel Epidemiological Tool. *PLoS NTDs*, *10*(5). <https://doi.org/10.1371/journal.pntd.0004704>
- Wellekens, K., Betrains, A., De Munter, P., and Peetermans, W. 2020. Dengue: current state one year before WHO 2010–2020 goals. *Acta Clin. Belg.* doi:10.1080/17843286.2020.1837576.PMID:33090941.
- World Health Organization. 2011. *Comprehensive Guidelines for Prevention and Control of Dengue and Dengue Haemorrhagic Fever*. 2nd Edition. World Health Organization. Geneva.
- World Health Organization. 2022. *National Guidelines for Clinical Management of Dengue*. World Health Organization. Timor-Leste.
- Yerrilakshmi, K. (2023). Dengue hemorrhagic fever in children: Risk factors and dengue virus serotype distribution in Dharmavaram revenue subdivision, Sri Sathya Sai District, Andhra Pradesh, India. *IJMR*, *10*(6), 08–13. <https://doi.org/10.22271/23487941.2023.v10.i6a.711>
- Yow, K. S., Aik, J., Tan, E. Y. M., Ng, L. C., & Lai, Y. L. (2021). Rapid diagnostic tests for the detection of recent dengue infections: An evaluation of six kits on clinical specimens. *PLoS ONE*, *16*(4): 1–11 (<https://doi.org/10.1371/journal.pone.0249602>)
- Zitzmann, C., Schmid, B., Ruggieri, A., Perelson, A.S., Binder, M., Bartenschlager, R. and Kaderali, L. 2020. A coupled mathematical model of the intracellular replication of dengue virus and the host cell immune response to infection, *Front. Microbiol.* doi: 10.3389/fmicb.2020.00725.
- Zamil, M. F., Hasan, A., Trina, A. T., Hossain, M. S., Afreen, S., Kumkum, A., Ahmed, D., & Alam, M. S. (2025). Diagnostic accuracy of the OnSite Dengue Ag rapid test in symptomatic patients from Dhaka, Bangladesh. *BMC. Infect Dis*, *25*(1). <https://doi.org/10.1186/s12879-025-11411-6>