

DAFTAR PUSTAKA

<https://www.bps.go.id/id/publication/2023/11/30/160f211bfc4f91e1b77974e1/statistik-kelapa-sawit-indonesia-2022.html> (Terakhir diakses 1 Desember 2025)

<https://www.bps.go.id/id/publication/2024/11/29/d5dcb42ab730df1be4339c34/statistik-kelapa-sawit-indonesia-2023.html> (Terakhir diakses 1 Desember 2025)

<https://www.fas.usda.gov/data/production/commodity/4243000> (Terakhir diakses 16 Desember 2025)

- Abbott, A.P., Boothby, D., Capper, G., Davies, D.L., Rasheed, R.K., 2004. *Deep Eutectic Solvents* Formed between Choline Chloride and Carboxylic Acids: Versatile Alternatives to Ionic Liquids. *J. Am. Chem. Soc.* 126, 9142–9147. <https://doi.org/10.1021/ja048266j>
- Abd-Aziz, S., Gozan, M., Ibrahim, M.F., Phang, L.-Y., 2022. Demand and Sustainability of Palm Oil Plantation, in: Abd-Aziz, S., Gozan, M., Ibrahim, M.F., Phang, L.-Y. (Eds.), *Biorefinery of Oil Producing Plants for Value-Added Products: Volume 1*. Wiley, pp. 13–28. <https://doi.org/10.1002/9783527830756.ch2>
- Afandi, N.F., Tan, A.W.-Y., Mariappan, P., Mahalingam, S., Manap, A., 2024. Characterization and Absorption Test of Cellulose from Oil Palm Empty Fruit Bunch for Potential Use in Oil Spill Clean-Up, in: *Lect. Notes Electr. Eng. Presented at the Lecture Notes in Electrical Engineering*, Springer Science and Business Media Deutschland GmbH, pp. 271–280. https://doi.org/10.1007/978-981-99-9833-3_19
- Amesho, K.T.T., Lin, Y.-C., Mohan, S.V., Halder, S., Ponnusamy, V.K., Jhang, S.-R., 2023. *Deep Eutectic Solvents* in the transformation of biomass into biofuels and fine chemicals: a review. *Environ. Chem. Lett.* 21, 183–230. <https://doi.org/10.1007/s10311-022-01521-x>
- Arfat, M., Rahim, M.H.A., Roslan, R., Mustafa, A.H., 2024. Delignification of oil palm empty fruit bunches using *Deep Eutectic Solvent* in pressurized reactor. *J. Teknol.* 86, 35–42. <https://doi.org/10.11113/jurnalteknologi.v86.20812>
- Bajpai, P., 2021. Processing of Biomass by DESs, in: *SpringerBriefs in Applied Sciences and Technology*. Springer Science and Business Media Deutschland GmbH, pp. 29–54. https://doi.org/10.1007/978-981-16-4013-1_4
- Basu, M., Hassan, P.A., Shelar, S.B., 2023. Modulation of surfactant self-assembly in *Deep Eutectic Solvents* and its relevance to drug delivery-A review. *J. Mol. Liq.* 375. <https://doi.org/10.1016/j.molliq.2023.121301>
- Castano, J.D., Crespo, C.C., Torres, E., 2019. Evaluation of chemical and biological treatments to degrade oil palm empty fruit bunches (*Elaeis guineensis* Jacq.) and their potential use. *J. Oil Palm Res.* 31, 271–280. <https://doi.org/10.21894/jopr.2019.0016>
- Coral Medina, J.D., Woiciechowski, A., Zandona Filho, A., Nosedá, M.D., Kaur, B.S., Soccol, C.R., 2015. Lignin preparation from oil palm empty fruit bunches by sequential acid/alkaline treatment - A biorefinery approach. *Bioresour. Technol.* 194, 172–178. <https://doi.org/10.1016/j.biortech.2015.07.018>

- Coral Medina, J.D., Woiciechowski, A.L., Filho, A.Z., Brar, S.K., Magalhães Júnior, A.I., Soccol, C.R., 2018. Energetic and economic analysis of ethanol, xylitol and lignin production using oil palm empty fruit bunches from a Brazilian factory. *J. Clean. Prod.* 195, 44–55. <https://doi.org/10.1016/j.jclepro.2018.05.189>
- Coral Medina, J.D., Woiciechowski, A.L., Zandona Filho, A., Bissoqui, L., Nosedá, M.D., de Souza Vandenberghe, L.P., Zawadzki, S.F., Soccol, C.R., 2016. Biological activities and thermal behavior of lignin from oil palm empty fruit bunches as potential source of chemicals of added value. *Ind. Crops Prod.* 94, 630–637. <https://doi.org/10.1016/j.indcrop.2016.09.046>
- Dai, Y., van Spronsen, J., Witkamp, G.-J., Verpoorte, R., Choi, Y.H., 2013. Natural *Deep Eutectic Solvents* as new potential media for green technology. *Anal. Chim. Acta* 766, 61–68. <https://doi.org/10.1016/j.aca.2012.12.019>
- Darus, L., Susana, S., Sihombing, H., Utami, A.R.I., Mel, M., 2022. Enzymatic hydrolysis enhancement of oil palm empty fruit bunch by Peracetic-Sulfuric acid pretreatment. *Chem. Eng. J.* 429. <https://doi.org/10.1016/j.cej.2021.132452>
- Długosz, O., Banach, M., 2024. Green methods for obtaining *Deep Eutectic Solvents* (DES). *J. Clean. Prod.* 434, 139914. <https://doi.org/10.1016/j.jclepro.2023.139914>
- Duan, C., Feng, X., Tian, C., Tian, G., Nie, S., 2023. Acidic *Deep Eutectic Solvent* treatment for viscosity control and reactivity enhancement of bamboo dissolving pulp. *Cellulose* 30, 2097–2109. <https://doi.org/10.1007/s10570-023-05043-9>
- Duangwang, S., Sangwichien, C., 2013. Optimizing alkali pretreatment of oil palm empty fruit bunch for ethanol production by application of response surface methodology, in: *Adv. Mater. Res. Presented at the Advanced Materials Research*, pp. 117–121. <https://doi.org/10.4028/www.scientific.net/AMR.622-623.117>
- Grossi, E.C., Andrade, R.D.A., Suarez, P.A.Z., Brum, S.S., 2025. 2G Ethanol Production from a Cellulose Derivative. *Fermentation* 11. <https://doi.org/10.3390/fermentation11120676>
- Hamisan, A.F., Abd-Aziz, S., Kamaruddin, K., Shah, U.K.M., Shahab, N., Hassan, M.A., 2009. Delignification of Oil Palm Empty Fruit Bunch using chemical and microbial pretreatment methods. *Int. J. Agric. Res.* 4, 250–256. <https://doi.org/10.3923/ijar.2009.250.256>
- Hamzah, F., Idris, A., Sarif, M., 2020. Effect of microwave-alkali techniques on the morphology and physical changes of treated oil palm empty fruit bunches fiber, in: *Mater. Sci. Forum. Presented at the Materials Science Forum*, Trans Tech Publications Ltd, pp. 124–128.
- Hanifah, A.S., Sondari, D., Maitsaa, S.D., Budiman, I., Ermawar, R.A., Aziz, I., 2024. Preparation and characterization of cross-linked biohydrogel from oil palm empty fruit bunch, in: *AIP Conf. Proc. Presented at the AIP Conference Proceedings*, American Institute of Physics. <https://doi.org/10.1063/5.0184497>
- Hansen, B., Spittle, S., Chen, B., Poe, D., Zhang, Y., Klein, J., Horton, A., Adhikari, L., Zelovich, T., Doherty, B., Gurkan, B., Maginn, E., Ragauskas, A., Dadmun, M., Zawodzinski, T., Baker, G., Tuckerman, M., Savinell, R., Sangoro, J., 2020. *Deep Eutectic Solvents: A Review of Fundamentals and Applications*. *Chem. Rev.* 121. <https://doi.org/10.1021/acs.chemrev.0c00385>
- Hansen, B.B., Spittle, S., Chen, B., Poe, D., Zhang, Y., Klein, J.M., Horton, A., Adhikari, L., Zelovich, T., Doherty, B.W., Gurkan, B., Maginn, E.J., Ragauskas, A., Dadmun, M., Zawodzinski, T.A., Baker, G.A., Tuckerman, M.E., Savinell, R.F., Sangoro, J.R.,

2021. *Deep Eutectic Solvents: A Review of Fundamentals and Applications*. Chem. Rev. 121, 1232–1285. <https://doi.org/10.1021/acs.chemrev.0c00385>
- Hasanuzzaman, Md., Hossain, Md.F., Rahim, N.Abd., 2014. Palm oil EFB: Green energy source in Malaysia, in: Appl. Mech. Mater. Presented at the Applied Mechanics and Materials, Trans Tech Publications Ltd, pp. 376–380. <https://doi.org/10.4028/www.scientific.net/AMM.619.376>
- Hayyan, A., Ali Hashim, M., Mjalli, F.S., Hayyan, M., AlNashef, I.M., 2013a. A novel phosphonium-based deep eutectic catalyst for biodiesel production from industrial low grade crude palm oil. Chem. Eng. Sci. 92, 81–88. <https://doi.org/10.1016/j.ces.2012.12.024>
- Hayyan, A., Hashim, M., Hayyan, M., Mjalli, F., Alnashef, I., 2014. A new processing route for cleaner production of biodiesel fuel using a choline chloride based *Deep Eutectic Solvent*. J. Clean. Prod. 65, 246–251. <https://doi.org/10.1016/j.jclepro.2013.08.031>
- Hayyan, A., Hashim, M., Hayyan, M., Mjalli, F., Alnashef, I., 2013b. A novel ammonium based eutectic solvent for the treatment of free fatty acid and synthesis of biodiesel fuel. Ind. Crops Prod. 46, 392. <https://doi.org/10.1016/j.indcrop.2013.01.033>
- He, D., Liang, X., 2025. Recovery and regeneration of *Deep Eutectic Solvent* in 5-hydroxymethylfurfural production with electrically-controlled methodology. Int. J. Hydrog. Energy 177, 151595. <https://doi.org/10.1016/j.ijhydene.2025.151595>
- Hermansyah, H., Putri, D.N., Prasetyanto, A., Chairuddin, Z.B., Perdani, M.S., Sahlan, M., Yohda, M., 2019. Delignification of oil palm empty fruit bunch using peracetic acid and alkaline peroxide combined with the ultrasound. Int. J. Technol. 10, 1523–1532. <https://doi.org/10.14716/ijtech.v10i8.3464>
- Hidayah, N., Wusko, I.U., 2020. Characterization and Analysis of Oil Palm Empty Fruit Bunch (OPEFB) Waste of PT Kharisma Alam Persada South Borneo. Maj. Obat Tradis. 25, 154–160. <https://doi.org/10.22146/mot.52715>
- Hooshmand, S.E., Kumar, S., Bahadur, I., Singh, T., Varma, R.S., 2023. *Deep Eutectic Solvents* as reusable catalysts and promoter for the greener syntheses of small molecules: Recent advances. J. Mol. Liq. 371, 121013. <https://doi.org/10.1016/j.molliq.2022.121013>
- Hu, F., Ragauskas, A., 2012. Pretreatment and Lignocellulosic Chemistry. BioEnergy Res. 5, 1043–1066. <https://doi.org/10.1007/s12155-012-9208-0>
- Husseinsyah, S., Zailuddin, N.L.I., Osman, A.F., Li, C.L., Alrashdi, A.A., Alakrach, A., 2020. Methyl methacrylate (Mma) treatment of empty fruit bunch (efb) to improve the properties of regenerated cellulose biocomposite films. Polymers 12, 1–15. <https://doi.org/10.3390/polym12112618>
- Ijardar, S., Singh, V., Gardas, R., 2022. Revisiting the Physicochemical Properties and Applications of *Deep Eutectic Solvents*. Molecules 27, 1368. <https://doi.org/10.3390/molecules27041368>
- Ippolitov, V., Anugwom, I., Mänttari, M., Kallioinen-Mänttari, M., 2025a. Comparison between membrane filtration and antisolvent addition methods for the recovery and recycling of a *Deep Eutectic Solvent* after biomass pretreatment. Ind. Crops Prod. 226. <https://doi.org/10.1016/j.indcrop.2025.120755>
- Ippolitov, V., Anugwom, I., Mänttari, M., Kallioinen-Mänttari, M., 2025b. Comparison between membrane filtration and antisolvent addition methods for the recovery and recycling of a *Deep Eutectic Solvent* after biomass pretreatment. Ind. Crops Prod. 226, 120755. <https://doi.org/10.1016/j.indcrop.2025.120755>

- Isci, A., Kaltschmitt, M., 2022. Recovery and recycling of *Deep Eutectic Solvents* in biomass conversions: a review. *Biomass Convers. Biorefinery* 12, 197–226. <https://doi.org/10.1007/s13399-021-01860-9>
- Isroi, Cifriadi, A., Panji, T., Wibowo, N.A., Syamsu, K., 2017. Bioplastic production from cellulose of oil palm empty fruit bunch, in: IOP Conf. Ser. Earth Environ. Sci. Presented at the IOP Conference Series: Earth and Environmental Science, Institute of Physics Publishing. <https://doi.org/10.1088/1755-1315/65/1/012011>
- Jaafar, S.N.B.S., Haimer, E., Liebner, F., Böhmendorfer, S., Potthast, A., Rosenau, T., 2011. Empty palm fruit bunches-A CO₂-based biorefinery concept. *J. Biobased Mater. Bioenergy* 5, 225–233. <https://doi.org/10.1166/jbmb.2011.1140>
- Katon, M.A.F., Saputro, F.R., Muharto, B., Hastuti, Z.D., Syafrinaldy, A., Sanova, A., Akbar, M.I., Kismanto, A., Rachman, R.M., Mazlan, N.A., Ithnin, A.M., Sugeng, D.A., 2025. DELIGNIFICATION METHODS FOR EMPTY FRUIT BUNCH CO-SUBSTRATE IN POME ANAEROBIC DIGESTION: AN EXPERIMENTAL COMPARATIVE ANALYSIS. *J. Oil Palm Res.* 37, 492–505. <https://doi.org/10.21894/jopr.2024.0016>
- Khalid, M., Ratnam, C.T., Chuah, T.G., Ali, S., Choong, T.S.Y., 2008. Comparative study of polypropylene composites reinforced with oil palm empty fruit bunch fiber and oil palm derived cellulose. *Mater. Des.* 29, 173–178. <https://doi.org/10.1016/j.matdes.2006.11.002>
- Kivelä, H., Salomäki, M., Vainikka, P., Mäkilä, E., Poletti, F., Ruggeri, S., Terzi, F., Lukkari, J., 2022. Effect of Water on a Hydrophobic *Deep Eutectic Solvent*. *J. Phys. Chem. B* 126, 513–527. <https://doi.org/10.1021/acs.jpcc.1c08170>
- Kumar, A.K., Parikh, B.S., Pravakar, M., 2016. Natural *Deep Eutectic Solvent* mediated pretreatment of rice straw: bioanalytical characterization of lignin extract and enzymatic hydrolysis of pretreated biomass residue. *Environ. Sci. Pollut. Res. Int.* 23, 9265–9275. <https://doi.org/10.1007/s11356-015-4780-4>
- Li, C., Huang, C., Zhao, Y., Zheng, C., Su, H., Zhang, L., Luo, W., Zhao, H., Wang, S., Huang, L.-J., Li, C., Huang, C., Zhao, Y., Zheng, C., Su, H., Zhang, L., Luo, W., Zhao, H., Wang, S., Huang, L.-J., 2021. Effect of Choline-Based *Deep Eutectic Solvent* Pretreatment on the Structure of Cellulose and Lignin in Bagasse. *Processes* 9. <https://doi.org/10.3390/pr9020384>
- Li, Q., Ng, W.T., Wu, J.C., 2014. Isolation, characterization and application of a cellulose-degrading strain *Neurospora crassa* S1 from oil palm empty fruit bunch. *Microb. Cell Factories* 13. <https://doi.org/10.1186/s12934-014-0157-5>
- Liang, X., Fan, W., Zhang, Y., Guo, Y., 2024. Regional recovery and controllable regeneration of brønsted acidic *Deep Eutectic Solvent* in biomass fractionation via bipolar membrane electrodialysis. *Sep. Purif. Technol.* 348. <https://doi.org/10.1016/j.seppur.2024.127796>
- Liang, X., Fu, Y., Chang, J., 2019. Effective separation, recovery and recycling of *Deep Eutectic Solvent* after biomass fractionation with membrane-based methodology. *Sep. Purif. Technol.* 210, 409–416. <https://doi.org/10.1016/j.seppur.2018.08.021>
- Liang, X., Guo, Y., 2022. High-efficiency recovery and regeneration of choline-polyol *Deep Eutectic Solvent* for biorefinery via bipolar membrane electrodialysis and ultrafiltration. *Bioresour. Technol.* 362. <https://doi.org/10.1016/j.biortech.2022.127805>
- Liang, X., Zhang, J., Huang, Z., Guo, Y., 2023. Sustainable recovery and recycling of natural *Deep Eutectic Solvent* for biomass fractionation via industrial membrane-based

- technique. Ind. Crops Prod. 194, 116351.
<https://doi.org/10.1016/j.indcrop.2023.116351>
- Lim, Y.P., Nahar, N.S.M., So'aib, M.S., Bakar, N.F.A., Tan, H.L., 2023. Recovery of Pulp from Oil Palm Empty Fruit Bunch and Used Paper for Sustainable Paper Production. *ASM Sci. J.* 18. <https://doi.org/10.32802/ASMSCJ.2023.1419>
- Lubis, N., Gea, S., Tamrin, T., Tarigan, J.B., Piliang, A.F.R., Goei, R., 2025. Characterization and evaluation of a cellulose-based hydrogel prepared from oil palm empty fruit bunches and crosslinked with citric acid, in: *AIP Conf. Proc. Presented at the AIP Conference Proceedings, American Institute of Physics.*
<https://doi.org/10.1063/5.0286318>
- Makam, R.M.M., Wan Omar, W.N.N., Ahmad, D.A. bin J.@., Nor, N.U.M., Shamjuddin, A., Amin, N.A.S., 2024. The potential of carboxymethyl cellulose from empty fruit bunch as versatile material in food coating: A review. *Carbohydr. Polym.* 338. <https://doi.org/10.1016/j.carbpol.2024.122194>
- Mardawati, E., Nawawi, M.I.S., Caroline, V., Imanisa, T.W., Amanda, P., Mahardika, M., Masruchin, N., Fitriana, H.N., Rachmadona, N., Lani, M.N., 2023. Integrated Production of Xylitol, Ethanol, and Enzymes from Oil Palm Empty Fruit Bunch through Bioprocessing as an Application of the Biorefinery Concept. *Fermentation* 9. <https://doi.org/10.3390/fermentation9100882>
- Meng, X., Ragauskas, A., 2017. Pseudo-Lignin Formation during Dilute acid Pretreatment for Cellulosic Ethanol. *Recent Adv. Petrochem. Sci.* 1, 1–5.
<https://doi.org/10.19080/RAPSCI.2017.01.555551>
- Miao, G., Wong, J.L., Chew, J.J., Khaerudini, D.S., Sunarso, J., Xu, F., 2025. *Deep Eutectic Solvent* pretreatment of oil palm biomass: Promoted lignin pyrolysis and enzymatic digestibility of solid residues. *Int. J. Biol. Macromol.* 293, 138847.
<https://doi.org/10.1016/j.ijbiomac.2024.138847>
- Mondylaksita, K., Ferreira, J.A., Millati, R., Budhijanto, W., Niklasson, C., Taherzadeh, M.J., 2020. Recovery of high purity lignin and digestible cellulose from oil palm empty fruit bunch using low acid-catalyzed organosolv pretreatment. *Agronomy* 10. <https://doi.org/10.3390/agronomy10050674>
- Muryanto, M., Sudiyani, Y., Darmawan, M.A., Handayani, E.M., Gozan, M., 2023. Simultaneous Delignification and Furfural Production of Palm Oil Empty Fruit Bunch by Novel *Ternary Deep Eutectic Solvent*. *Arab. J. Sci. Eng.* 48, 16359–16371.
<https://doi.org/10.1007/s13369-023-08211-y>
- Natalia, D., Winarta, J.P., Soetaredjo, F.E., 2017. Delignification of oil palm empty bunch using physical and chemical combination methods. *ARNP J. Eng. Appl. Sci.* 12, 7124–7128.
- Nelson, E.S., Iyuke, S., Daramola, M.O., Okewale, A., 2023. Extraction and Characterization of Silica from Empty Palm Fruit Bunch (EPFB) Ash. *Processes* 11. <https://doi.org/10.3390/pr11061684>
- Ng, L.Y., Wong, T.J., Ng, C.Y., Amelia, C.K.M., 2021. A review on cellulose nanocrystals production and characterization methods from *Elaeis guineensis* empty fruit bunches. *Arab. J. Chem.* 14. <https://doi.org/10.1016/j.arabjc.2021.103339>
- Pairon, M.S., Ali, F., Ahmad, F., Anuar, H., Abdul Rahman, N.A., Saeed Mirghani, M.E., Suhr, J., Thomas, S., 2022. Review on Solvent Extraction Methods of Lignin from Oil Palm Empty Fruit Bunches (OPEFB). *J. Nat. Fibers* 19, 11507–11523.
<https://doi.org/10.1080/15440478.2022.2026270>

- Palamae, S., Palachum, W., Chisti, Y., Choorit, W., 2014. Retention of hemicellulose during delignification of oil palm empty fruit bunch (EFB) fiber with peracetic acid and alkaline peroxide. *Biomass Bioenergy* 66, 240–248. <https://doi.org/10.1016/j.biombioe.2014.03.045>
- Pan, X., Liu, Y., Ma, Z., Qin, Y., Lu, X., Feng, X., Shao, Q., Zhu, Y., 2024. Molecular insight into the mechanism of lignin dissolution in acid choline chloride–Based *Deep Eutectic Solvents*. *J. Mol. Liq.* 406, 125123. <https://doi.org/10.1016/j.molliq.2024.125123>
- Pancholi, M., Khristi, A., M., A., Bagchi, D., 2022. Comparative Analysis of Lignocellulose Agricultural Waste and Pre-treatment Conditions with FTIR and Machine Learning Modeling. *BioEnergy Res.* 16. <https://doi.org/10.1007/s12155-022-10444-y>
- Prasetyo, J., Dahnum, D., Murti, G.W., Sugiarto, A.T., Maryana, R., Saepurahman, Wibowo, A., Alfurqan, C., Laia, H., Ningrum, D.P., Indriyani, I., 2023. Delignification of Palm Oil Empty Fruit Bunch by Microwave Radiation under Alkaline with H₂O₂ Addition, in: AIP Conf. Proc. Presented at the AIP Conference Proceedings, American Institute of Physics Inc. <https://doi.org/10.1063/5.0173426>
- Rasid, N.S.A., Zainol, M.M., Amin, N.A.S., 2021. Synthesis and characterization of carboxymethyl cellulose derived from empty fruit bunch. *Sains Malays.* 50, 2523–2535. <https://doi.org/10.17576/jsm-2021-5009-03>
- Saber, M., Hamdaoui, L., El Moussaoui, M., Tabyaoui, M., 2022. Extraction and characterization of lignin from Moroccan thuya. Its application as adsorbent of methylene blue from aqueous solution. *Cellul. Chem. Technol.* 56, 69–81. <https://doi.org/10.35812/CelluloseChemTechnol.2022.56.06>
- Sangadji, N.L., Wijaya, C., Muharja, M., Elaine, E., Sangian, H.F., Lau, R., Widjaja, A., 2025. Two step fractionation of oil palm empty fruit bunches integrating hydrothermal-organosolv pretreatment for enhanced lignin extraction and enzymatic hydrolysis efficiency. *Case Stud. Chem. Environ. Eng.* 12. <https://doi.org/10.1016/j.cscee.2025.101275>
- Satlewal, A., Agrawal, R., Bhagia, S., Sangoro, J., Ragauskas, A.J., 2018. Natural *Deep Eutectic Solvents* for lignocellulosic biomass pretreatment: Recent developments, challenges and novel opportunities. *Biotechnol. Adv.* 36, 2032–2050. <https://doi.org/10.1016/j.biotechadv.2018.08.009>
- Smink, D., Kersten, S.R.A., Schuur, B., 2020. Process development for biomass delignification using *Deep Eutectic Solvents*. Conceptual design supported by experiments. *Chem. Eng. Res. Des.* 164, 86–101. <https://doi.org/10.1016/j.cherd.2020.09.018>
- Smith, E.L., Abbott, A.P., Ryder, K.S., 2014. *Deep Eutectic Solvents* (DESs) and Their Applications. *Chem. Rev.* 114, 11060–11082. <https://doi.org/10.1021/cr300162p>
- Stichnothe, H., Schuchardt, F., 2011. Life cycle assessment of two palm oil production systems. *Biomass Bioenergy* 35, 3976–3984. <https://doi.org/10.1016/j.biombioe.2011.06.001>
- Susi, S., Ainuri, M., Wagiman, W., Falah, M.A.F., 2022. Effect of delignification and bleaching stages on cellulose purity of oil palm empty fruit bunches, in: IOP Conf. Ser. Earth Environ. Sci. Presented at the IOP Conference Series: Earth and Environmental Science, Institute of Physics. <https://doi.org/10.1088/1755-1315/1116/1/012018>

- Tahir, A.A., Barnoh, N.F.M., Yusof, N., Said, N.N.M., Utsumi, M., Yen, A.M., Hashim, H., Noor, M.J.M.M., Akhir, F.N.M.D., Mohamad, S.E., Sugiura, N., Othman, N., Zakaria, Z., Hara, H., 2019. Microbial diversity in decaying oil palm empty fruit bunches (OPEFB) and isolation of lignin-degrading bacteria from a tropical environment. *Microbes Environ.* 34, 161–168. <https://doi.org/10.1264/jsme2.ME18117>
- Tan, J.Y., Tey, W.Y., Panpranot, J., Lim, S., Lee, K.M., 2022. Valorization of Oil Palm Empty Fruit Bunch for Cellulose Fibers: A Reinforcement Material in Polyvinyl Alcohol Biocomposites for Its Application as Detergent Capsules. *Sustain. Switz.* 14. <https://doi.org/10.3390/su141811446>
- Tan, Y.T., Ngoh, G.C., Chua, A.S.M., 2019. Effect of functional groups in acid constituent of *Deep Eutectic Solvent* for extraction of reactive lignin. *Bioresour. Technol.* 281, 359–366. <https://doi.org/10.1016/j.biortech.2019.02.010>
- Tan, Y.T., Ngoh, G.C., Chua, A.S.M., 2018. Evaluation of fractionation and delignification efficiencies of *Deep Eutectic Solvents* on oil palm empty fruit bunch. *Ind. Crops Prod.* 123, 271–277. <https://doi.org/10.1016/j.indcrop.2018.06.091>
- Wang, H., Li, J., Zeng, X., Tang, X., Sun, Y., Lei, T., Lin, L., 2020. Extraction of cellulose nanocrystals using a recyclable *Deep Eutectic Solvent*. *Cellulose* 27, 1301–1314. <https://doi.org/10.1007/s10570-019-02867-2>
- Wardhono, E., Kustiningsih, I., Yustanti, E., Kurniawan, B., Sukanto, D., Meliana, Y., Guénin, E., 2025. Enhanced cellulose extraction from delignified oil palm empty fruit bunches using sequential ultrasound-microwave processing. *South Afr. J. Chem. Eng.* 54, 179–190. <https://doi.org/10.1016/j.sajce.2025.07.015>
- Xiang, L.Y., Mohammed, M.A., Samsu Baharuddin, A., 2016. Characterisation of microcrystalline cellulose from oil palm fibres for food applications. *Carbohydr. Polym.* 148, 11–20. <https://doi.org/10.1016/j.carbpol.2016.04.055>
- Xie, J., Xu, J., Cheng, Z., Zhu, S., Wang, B., 2021. Phosphotungstic acid assisted with neutral *Deep Eutectic Solvent* boost corn straw pretreatment for enzymatic saccharification and lignin extraction. *Ind. Crops Prod.* 172, 114058. <https://doi.org/10.1016/j.indcrop.2021.114058>
- Yahaya, N., Mohamed, A.H., Sajid, M., Zain, N.N.M., Liao, P.-C., Chew, K.W., 2024. *Deep Eutectic Solvents* as sustainable extraction media for extraction of polysaccharides from natural sources: Status, challenges and prospects. *Carbohydr. Polym.* 338, 122199. <https://doi.org/10.1016/j.carbpol.2024.122199>
- Yan, G., Zhou, Y., Zhao, L., Wang, W., Yang, Y., Zhao, X., Chen, Y., Yao, X., 2022a. Recycling of *Deep Eutectic Solvent* for sustainable and efficient pretreatment of corncob. *Ind. Crops Prod.* 183, 115005. <https://doi.org/10.1016/j.indcrop.2022.115005>
- Yan, G., Zhou, Y., Zhao, L., Wang, W., Yang, Y., Zhao, X., Chen, Y., Yao, X., 2022b. Recycling of *Deep Eutectic Solvent* for sustainable and efficient pretreatment of corncob. *Ind. Crops Prod.* 183. <https://doi.org/10.1016/j.indcrop.2022.115005>
- Yang, Y., Zhao, L., Ren, J., He, B., 2022. Effect of *Ternary Deep Eutectic Solvents* on Bagasse Cellulose and Lignin Structure in Low-Temperature Pretreatment. *Processes* 10, 778. <https://doi.org/10.3390/pr10040778>
- Yao, Z., Chong, G., Guo, H., Yao, Z., Chong, G., Guo, H., 2024. *Deep Eutectic Solvent* Pretreatment and Green Separation of Lignocellulose. *Appl. Sci.* 14. <https://doi.org/10.3390/app14177662>



- Yusup, E.M., Mahzan, S., Mohammad, B., Daud, W.R.W., 2013. A novel approach for bone scaffold from Oil palm empty fruit Bunch-Cellulose Phosphate/glass material, in: *Adv. Mater. Res.* Presented at the Advanced Materials Research, pp. 180–183. <https://doi.org/10.4028/www.scientific.net/AMR.748.180>
- Zaki, Z.A.A., Francis, F., Zaini, N.A.M., 2023. Bacterial cellulose production from oil palm empty fruit bunch (OPEFB) hydrolysate using *Komagataeibacter xylinus* strain. *Biomass Convers. Biorefinery* 13, 14629–14640. <https://doi.org/10.1007/s13399-022-02950-y>
- Zevallos Torres, L.A., Lorenci Woiciechowski, A., Nishida, V.S., Valladares-Diestra, K.K., Porto de Souza Vandenberghe, L., Zandona Filho, A., Soccol, C.R., 2023. Imidazole Pretreatment of Oil Palm Empty Fruit Bunches for Ethanol and Succinic Acid Co-production by *Saccharomyces cerevisiae* and *Pichia stipitis*. *Bioenergy Res.* 16, 990–1000. <https://doi.org/10.1007/s12155-022-10512-3>
- Zhang, H., Lang, J., Lan, P., Yang, H., Lu, J., Wang, Z., Zhang, H., Lang, J., Lan, P., Yang, H., Lu, J., Wang, Z., 2020. Study on the Dissolution Mechanism of Cellulose by ChCl-Based *Deep Eutectic Solvents*. *Materials* 13. <https://doi.org/10.3390/ma13020278>
- Zhang, H., Wu, Y., Zhang, J., Wu, Z., Zhan, X., 2022. Separation cellulose nanocrystals from microcrystalline cellulose using hydrated *Deep Eutectic Solvent* and high shear force. *Ind. Crops Prod.* 189, 115781. <https://doi.org/10.1016/j.indcrop.2022.115781>
- Zhang, Y., Zhang, Z., Guo, K., Liang, X., 2022. Controllable recovery and recycling of carboxylic acid-polyalcohol *Deep Eutectic Solvent* for biomass pretreatment with electronically-controlled chemical methodology. *Bioresour. Technol.* 365. <https://doi.org/10.1016/j.biortech.2022.128175>