

## DAFTAR PUSTAKA

- Abidi, O., Haissam, M., Nahili, H., El Azhari, A., Hilmani, S. dan Barakat, A. (2018) 'Methylenetetrahydrofolate reductase gene polymorphisms (C677T and A1298C) and hemorrhagic stroke in Moroccan patients', *Journal of Stroke and Cerebrovascular Diseases*, 27(7), pp. 1837-1843.
- Adhiyanto, C., Hendarmin, L. dan Puspitaningrum, R. (2020) 'Pengenalannya dasar teknik bio-molekuler', *Jurnal Kedokteran dan Kesehatan*, 16(1), pp. 23-34.
- An, S.J., Kim, T.J. dan Yoon, B.W. (2017) 'Epidemiology, risk factors, and clinical features of intracerebral hemorrhage: an update', *Journal of Stroke*, 19(1), pp. 3-10.
- Ariesen, M.J., Claus, S.P., Rinkel, G.J. dan Algra, A. (2003) 'Risk factors for intracerebral hemorrhage in the general population: a systematic review', *Stroke*, 34(8), pp. 2060-2065.
- Atadzhanov, M., Mwaba, M.H., Mukomena, P.N., Lakhi, S., Rayaprolu, S., Ross, O.A. dan Mogi, M. (2013) 'Association of the APOE, MTHFR and ACE genes polymorphisms and stroke in Zambian patients', *Neurology International*, 5(4), p. e20.
- Battistini, S., Rocchi, R., Cerase, A., Citterio, A., Tassi, L., Lando, G. dan Antonio, A. (2007) 'Clinical, magnetic resonance imaging, and genetic study of 5 Italian families with cerebral cavernous malformation', *Archives of Neurology*, 64(6), pp. 843-848.
- Baum, L., Wong, K.S., Ng, H.K., Tomlinson, B., Rainer, T.H., Chan, D.K.Y. et al. (2004) 'Methylenetetrahydrofolate reductase gene A222V polymorphism and risk of ischemic stroke', *Clinical Chemistry and Laboratory Medicine*, 42(12), pp. 1370-1376.
- Benjamin, E.J., Virani, S.S., Callaway, C.W., Chamberlain, A.M., Chang, A.R., Cheng, S. et al. (2018) 'Heart disease and stroke statistics—2018 update: a report from the American Heart Association', *Circulation*, 137(12), pp. e67-e492.
- Biffi, A., Anderson, C.D., Battey, T.W., Ayres, A.M., Greenberg, S.M., Viswanathan, A. dan Rosand, J. (2015) 'Association between blood pressure control and risk of recurrent intracerebral hemorrhage', *JAMA*, 314(9), pp. 904-912.
- Boehme, A.K., Esenwa, C. dan Elkind, M.S. (2017) 'Stroke risk factors, genetics, and prevention', *Circulation Research*, 120(3), pp. 472-495.
- Broderick, J., Connolly, S., Feldmann, E., Hanley, D., Kase, C., Krieger, D. et al. (2007) 'Guidelines for the management of spontaneous intracerebral hemorrhage in adults: 2007 update', *Stroke*, 38(6), pp. 2001-2023.
- Cacciapuoti, F. (2018) 'Poor re-methylation of homocysteine and trans-methylation of methionine: cause and effect of hyper-homocysteinemia: which role for folic acid and vitamins B-6-12 supplementation?', *Annals of Clinical and Experimental Metabolism*, 3(1), p. 1026.

- Chakraborty, D., Dey, S., Bhaumik, S., Choudhary, A., Karan, K., Bhattacharjee, P. et al. (2022) 'Serum homocysteine in intracerebral hemorrhage', *Journal of Primary Care Specialties*, 3(2), pp. 88-92.
- Chalos, V., van der Ende, N.A.M., Lingsma, H.F., Mulder, M.J.H.L., Venema, E., Dijkland, S.A. et al. (2020) 'National Institutes of Health Stroke Scale: an alternative primary outcome measure for trials of acute treatment for ischemic stroke', *Stroke*, 51(1), pp. 282-290.
- Chen, N.Y., Liu, C.W., Du, L.L., Xiao, L.P., Ge, L., Wang, Y.Y. et al. (2014) 'Enrichment of MTHFR 677T in a Chinese long-lived cohort and its association with lipid modulation', *Lipids in Health and Disease*, 13, p. 104.
- Chen, Y.C., Chang, K.H. dan Chen, C.M. (2018) 'Genetic polymorphisms associated with spontaneous intracerebral hemorrhage', *International Journal of Molecular Sciences*, 19(12), p. 3879.
- Chen, Y.C., Ho, W.M., Lee, Y.S., Chen, H.W. dan Chen, C.M. (2015) 'Polymorphisms in the promoters of the MMP-2 and TIMP-2 genes are associated with spontaneous deep intracerebral hemorrhage in the Taiwan population', *PLoS One*, 10(11), p. e0142482.
- Chen, Y.C., Lee-Chen, G.J., Wu, Y.R., Hu, F.J., Wu, H.C., Kuo, H.C. et al. (2009) 'Analyses of interaction effect between apolipoprotein E polymorphism and alcohol use as well as cholesterol concentrations on spontaneous deep intracerebral hemorrhage in the Taiwan population', *Clinica Chimica Acta*, 408(1-2), pp. 128-132.
- Cheung, R.T. dan Zou, L.Y. (2003) 'Use of the original, modified, or new intracerebral hemorrhage score to predict mortality and morbidity after intracerebral hemorrhage', *Stroke*, 34(7), pp. 1717-1722.
- Chita, D.S., Tudor, A., Christodorescu, R., Buleu, F.N., Sosdean, R., Deme, S.M. et al. (2020) 'MTHFR gene polymorphisms prevalence and cardiovascular risk factors involved in cardioembolic stroke type and severity', *Brain Sciences*, 10(8), p. 476.
- Cummock, J.S., Wong, K.K., Volpi, J.J. dan Wong, S.T. (2023) 'Reliability of the National Institutes of Health (NIH) Stroke Scale between emergency room and neurology physicians for initial stroke severity scoring', *Cureus*, 15(4), p. e37595.
- Das, S., Roy, S., Kaul, S., Jyothy, A. dan Munshi, A. (2015) 'MTHFR gene (C677T) polymorphism in ischemic stroke, its subtypes and hemorrhagic stroke in a South Indian population', *Acta Medica International*, 2(1), pp. 28-33.
- Devan, W.J., Falcone, G.J., Anderson, C.D., Jagiella, J.M., Schmidt, H., Hansen, B.M. et al. (2013) 'Heritability estimates identify a substantial genetic contribution to risk and outcome of intracerebral hemorrhage', *Stroke*, 44(6), pp. 1578-1583.
- Dong, X., Wang, J., Wang, G., Wang, J., Wang, L. dan Du, Y. (2021) 'MTHFR A1298C gene polymorphism on stroke risk: an updated meta-analysis', *Genes and Environment*, 43(1), p. 40.

- Donkor, E.S. (2018) 'Stroke in the 21st century: a snapshot of the burden, epidemiology, and quality of life', *Stroke Research and Treatment*, 2018, p. 3238165.
- Dykstra-Aiello, C., Jickling, G.C., Ander, B.P., Zhan, X., Liu, D., Hull, H. et al. (2015) 'Intracerebral hemorrhage and ischemic stroke of different etiologies have distinct alternatively spliced mRNA profiles in the blood: a pilot RNA-seq study', *Translational Stroke Research*, 6, pp. 284-289.
- Essa, A.Y., Helmy, T.A. dan El Batch, S.A. (2011) 'Study of incidence, risk factors and outcome of acute cerebrovascular stroke patients admitted to Alexandria Main University Hospital', *Journal of American Science*, 7, pp. 316-329.
- Federico, A., Bianchi, S. dan Dotti, M.T. (2005) 'The spectrum of mutations for CADASIL diagnosis', *Neurological Sciences*, 26(2), pp. 117-124.
- Feigin, V.L., Lawes, C.M., Bennett, D.A., Barker-Collo, S.L. dan Parag, V. (2009) 'Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review', *The Lancet Neurology*, 8(4), pp. 355-369.
- Finocchi, C., Balestrino, M., Malfatto, L., Mancardi, G., Serrati, C. dan Gandolfo, C. (2018) 'National Institutes of Health Stroke Scale in patients with primary intracerebral hemorrhage', *Neurological Sciences*, 39, pp. 1751-1755.
- Flaherty, M.L., Woo, D., Haverbusch, M., Sekar, P., Khoury, J., Sauerbeck, L. et al. (2005) 'Racial variations in location and risk of intracerebral hemorrhage', *Stroke*, 36(5), pp. 934-937.
- Galati, A., King, S.L. dan Nakagawa, K. (2015) 'Gender disparities among intracerebral hemorrhage patients from a multi-ethnic population', *Hawaii'i Journal of Medicine & Public Health*, 74(9 Suppl 2), pp. 12-15.
- Ganaie, H.A., Biswas, A., Bhattacharya, A.P., Pal, S., Ray, J. dan Das, S.K. (2020) 'Association of APOE gene polymorphism with stroke patients from rural eastern India', *Annals of Indian Academy of Neurology*, 23(4), pp. 504-509.
- Hajat, C., Dundas, R., Stewart, J.A., Lawrence, E., Rudd, A.G., Howard, R. et al. (2001) 'Cerebrovascular risk factors and stroke subtypes: differences between ethnic groups', *Stroke*, 32(1), pp. 37-42.
- Hassanin, O.M., Moustafa, M. dan El Masry, T.M. (2014) 'Association of insertion-deletion polymorphism of ACE gene and Alzheimer's disease in Egyptian patients', *The Egyptian Journal of Medical Human Genetics*, 15, pp. 355-360.
- Ho, W.M., Chen, C.M., Lee, Y.S., Chang, K.H., Chen, H.W., Chen, S.T. et al. (2015) 'Association of MMP-9 haplotypes and TIMP-1 polymorphism with spontaneous deep intracerebral hemorrhage in the Taiwan population', *PLoS One*, 10(5), p. e0125397.
- Hsieh, F.I., Lien, L.M., Chen, S.T., Bai, C.H., Sun, M.C., Tseng, H.P. et al. (2010) 'Get With The Guidelines-Stroke performance indicators: surveillance of stroke care in the Taiwan Stroke Registry: Get With The Guidelines-Stroke in Taiwan', *Circulation*, 122(11), pp. 1116-1123.

- Hu, X., Tao, C., Xie, Z., Li, Y., Zheng, J., Fang, Y. et al. (2016) 'The MTHFR C677T polymorphism and risk of intracerebral hemorrhage in a Chinese Han population', *Medical Science Monitor*, 22, pp. 127-133.
- Huang, L.W., Li, L.L., Li, J., Chen, X.R. dan Yu, M. (2022) 'Association of the methylenetetrahydrofolate reductase (MTHFR) gene variant C677T with serum homocysteine levels and the severity of ischaemic stroke: a case-control study in the southwest of China', *Journal of International Medical Research*, 50(2), p. 3000605221081632.
- Kang, S., Wu, Y., Liu, L., Zhao, X. dan Zhang, D. (2014) 'Association of the A1298C polymorphism in MTHFR gene with ischemic stroke', *Journal of Clinical Neuroscience*, 21(2), pp. 198-202.
- Kang, S., Zhao, X., Liu, L., Wu, W. dan Zhang, D. (2013) 'Association of the C677T polymorphism in the MTHFR gene with hemorrhagic stroke: a meta-analysis', *Genetic Testing and Molecular Biomarkers*, 17(5), pp. 412-417.
- Karki, R., Pandya, D., Elston, R.C. dan Ferlini, C. (2015) 'Defining "mutation" and "polymorphism" in the era of personal genomics', *BMC Medical Genomics*, 8, p. 37.
- Kementerian Kesehatan RI (2019) *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/Menkes/394/2019 tentang Pedoman Nasional Pelayanan Kedokteran Tatalaksana Stroke*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kitamura, A., Nakagawa, Y., Sato, M., Iso, H., Sato, S., Imano, H. et al. (2006) 'Proportions of stroke subtypes among men and women > or =40 years of age in an urban Japanese city in 1992, 1997, and 2002', *Stroke*, 37(6), pp. 1374-1378.
- Ko, Y.L., Hsu, L.A., Hsu, T.S., Tsai, C.T., Teng, M.S., Wu, S. et al. (2006) 'Functional polymorphisms of FGA, encoding  $\alpha$  fibrinogen, are associated with susceptibility to venous thromboembolism in a Taiwanese population', *Human Genetics*, 119, pp. 84-91.
- Kogan, E., Twyman, K., Heap, J., Milentijevic, D., Lin, J.H. dan Alberts, M. (2020) 'Assessing stroke severity using electronic health record data: a machine learning approach', *BMC Medical Informatics and Decision Making*, 20(1), p. 8.
- Kojoglanian, S.A., Jorgensen, M.B., Wolde-Tsadik, G., Burchette, R.J. dan Aharonian, V.J. (2003) 'Restenosis in intervened coronaries with hyperhomocysteinemia (RICH)', *American Heart Journal*, 146(6), pp. 1077-1081.
- Krishnamurthi, R.V., Feigin, V.L., Forouzanfar, M.H., Mensah, G.A., Connor, M., Bennett, D.A. et al. (2013) 'Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990-2010: findings from the Global Burden of Disease Study 2010', *The Lancet Global Health*, 1(5), pp. e259-e281.

- Krishnamurthi, R.V., Ikeda, T. dan Feigin, V.L. (2020) 'Global, regional and country-specific burden of ischaemic stroke, intracerebral haemorrhage and subarachnoid haemorrhage: a systematic analysis of the Global Burden of Disease Study 2017', *Neuroepidemiology*, 54(2), pp. 171-179.
- Krishnan, K., Beishon, L., Berge, E., Christensen, H., Dineen, R.A., Ozturk, S. et al. (2018) 'Relationship between race and outcome in Asian, Black, and Caucasian patients with spontaneous intracerebral hemorrhage: data from the Virtual International Stroke Trials Archive and Efficacy of Nitric Oxide in Stroke trial', *International Journal of Stroke*, 13(4), pp. 362-373.
- Kumar, A., Sharma, R., Misra, S., Nath, M. dan Kumar, P. (2020) 'Relationship between methylenetetrahydrofolate reductase (MTHFR) gene (A1298C) polymorphism with the risk of stroke: a systematic review and meta-analysis', *Neurological Research*, 42(11), pp. 913-922.
- Lai, W.K. dan Kan, M.Y. (2015) 'Homocysteine-induced endothelial dysfunction', *Annals of Nutrition & Metabolism*, 67, pp. 1-12.
- Lee, J.D., Hsiao, K.M., Lee, T.H., Kuo, Y.W., Huang, Y.C., Hsu, H.L. et al. (2014) 'Genetic polymorphism of LDLR (rs688) is associated with primary intracerebral hemorrhage', *Current Neurovascular Research*, 11, pp. 10-15.
- Lee, T.H. (2024) 'Intracerebral hemorrhage', *Cerebrovascular Diseases Extra*, 14(1), pp. 1-8.
- Lee, Y.H., Choi, S.J., Ji, J.D. dan Song, G.G. (2012) 'Associations between the angiotensin-converting enzyme insertion/deletion polymorphism and susceptibility to vasculitis: a meta-analysis', *Journal of Renin-Angiotensin-Aldosterone System*, 13, pp. 196-201.
- Li, Z., Sun, L., Zhang, H., Liao, Y., Wang, D., Zhao, B. et al. (2003) 'Elevated plasma homocysteine was associated with hemorrhagic and ischemic stroke, but methylenetetrahydrofolate reductase gene C677T polymorphism was a risk factor for thrombotic stroke: a multicenter case-control study in China', *Stroke*, 34, pp. 2085-2090.
- Luo, Z., Lu, Z., Muhammad, I., Chen, Y., Chen, Q., Zhang, J. et al. (2018) 'Associations of the MTHFR rs1801133 polymorphism with coronary artery disease and lipid levels: a systematic review and updated meta-analysis', *Lipids in Health and Disease*, 17(1), p. 191.
- Lv, Q., Lu, J., Wu, W., Sun, H. dan Zhang, J. (2013) 'Association of the methylenetetrahydrofolate reductase gene A1298C polymorphism with stroke risk based on a meta-analysis', *Genetics and Molecular Research*, 12(4), pp. 6882-6894.
- Lyden, P. (2017) 'Using the National Institutes of Health Stroke Scale: a cautionary tale', *Stroke*, 48(2), pp. 513-519.
- Mahdy, M.E., Kirah, H.A.E. dan Mohamed, H.A. (2019) 'Role of MTHFR C677T gene polymorphism in stroke', *The Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 55, article no. 21.
- Maltoni, R., Ravaioli, S., Bronte, G., Mazza, M., Cerchione, C., Massa, I. et al. (2022) 'Chronological age or biological age: what drives the choice of adjuvant treatment in elderly breast cancer patients?', *Translational Oncology*, 15(1), p. 101300.

- Martin, M.M. (2010) 'Culture Summary: Javanese', *Human Relations Area Files (eHRAF) World Cultures*. Tersedia di: <https://ehrafworldcultures.yale.edu/document?id=oe05-000> (Diakses: 15 Februari 2024).
- McNulty, H., Strain, J.J., Hughes, C.F. dan Ward, M. (2017) 'Riboflavin, MTHFR genotype and blood pressure: a personalized approach to prevention and treatment of hypertension', *Molecular Aspects of Medicine*, 53, pp. 2-9.
- Munshi, A., Sultana, S., Kaul, S., Reddy, B.P., Alladi, S. dan Jyothy, A. (2008) 'Angiotensin-converting enzyme insertion/deletion polymorphism and the risk of ischemic stroke in a South Indian population', *Journal of the Neurological Sciences*, 272(1-2), pp. 132-135.
- Munshi, M.N., Stone, A., Fink, L. dan Fonseca, V. (1996) 'Hyperhomocysteinemia following a methionine load in patients with non-insulin-dependent diabetes mellitus and macrovascular disease', *Metabolism*, 45, pp. 133-135.
- Navarro-Nunez, L., Lozano, M.L., Rivera, J., Corral, J., Roldan, V., Gonzalez-Conejero, R. et al. (2007) 'The association of the  $\beta$ 1 tubulin Q43P polymorphism with intracerebral hemorrhage in men', *Haematologica*, 92, pp. 513-518.
- Nuttall, F.Q. (2015) 'Body mass index: obesity, BMI, and health: a critical review', *Nutrition Today*, 50(3), pp. 117-128.
- O'Donnell, M.J., Chin, S.L., Rangarajan, S., Xavier, D., Liu, L., Zhang, H. et al. (2016) 'Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study', *The Lancet*, 388(10046), pp. 761-775.
- Ogino, S. dan Wilson, R.B. (2003) 'Genotype and haplotype distributions of MTHFR677C>T and 1298A>C single nucleotide polymorphisms: a meta-analysis', *Journal of Human Genetics*, 48(1), pp. 1-7.
- Parry-Jones, A.R., Abid, K.A., Di Napoli, M., Smith, C.J., Vail, A., Patel, H.C. et al. (2013) 'Accuracy and clinical usefulness of intracerebral hemorrhage grading scores: a direct comparison in a UK population', *Stroke*, 44(7), pp. 1840-1845.
- Passos, G.F., Kilday, K., Gillen, D.L., Cribbs, D.H. dan Vasilevko, V. (2016) 'Experimental hypertension increases spontaneous intracerebral hemorrhages in a mouse model of cerebral amyloidosis', *Journal of Cerebral Blood Flow and Metabolism*, 36, pp. 399-404.
- Pathak, D., Shrivastav, D., Verma, A.K., Alsayegh, A.A., Yadav, P., Khan, N.H. et al. (2022) 'Role of metabolizing MTHFR gene polymorphism (rs1801133) and its mRNA expression among Type 2 Diabetes', *Journal of Diabetes & Metabolic Disorders*, 21(1), pp. 511-516.
- Pizzorno, J. (2014) 'Homocysteine: friend or foe?', *Integrative Medicine: A Clinician's Journal*, 13(4), pp. 8-14.
- Qureshi, A.I., Tuhim, S., Broderick, J.P., Batjer, H.H., Hondo, H. dan Hanley, D.F. (2001) 'Spontaneous intracerebral hemorrhage', *New England Journal of Medicine*, 344(19), pp. 1450-1460.

- Raghubeer, S. dan Matsha, T.E. (2021) 'Methylenetetrahydrofolate (MTHFR), the one-carbon cycle, and cardiovascular risks', *Nutrients*, 13(12), p. 4562.
- Ramachandran, V., Ismail, P., Stanslas, J., Shamsudin, N., Moin, S., Jas, R.M. et al. (2008) 'Association of insertion/ deletion polymorphism of angiotensin-converting enzyme gene with essential hypertension and type 2 diabetes mellitus in Malaysian subjects', *Journal of Renin-Angiotensin-Aldosterone System*, 9, pp. 208-214.
- Sagar, R., Kumar, A., Yadav, A.K., Raj, R., Misra, S., Shukla, G. et al. (2018) 'Association between methylenetetrahydrofolate reductase (MTHFR) gene polymorphism and risk of intracerebral hemorrhage (ICH) in north Indian population: a case control study', *International Journal of Stroke*, 13(2), Supplement 1, pp. 100-101.
- Sazci, A., Ergul, E., Tuncer, N., Akpınar, G. dan Kara, I. (2006) 'Methylenetetrahydrofolate reductase gene polymorphisms are associated with ischemic and hemorrhagic stroke: dual effect of MTHFR polymorphisms C677T and A1298C', *Brain Research Bulletin*, 71(1-3), pp. 45-49.
- Shafaat, O. dan Sotoudeh, H. (2023) *Stroke Imaging*. StatPearls [Internet]. Tersedia di: <https://www.ncbi.nlm.nih.gov/books/NBK546635/> (Diakses: 15 Februari 2024).
- Short, S.E., Yang, Y.C. dan Jenkins, T.M. (2013) 'Sex, gender, genetics, and health', *American Journal of Public Health*, 103(Suppl 1), pp. S93-S101.
- Soriente, L., Coppola, A., Madonna, P., Cerbone, A.M., Di Minno, G. dan D'Angelo, A. (1998) 'Homozygous C677T mutation of the 5,10 methylenetetrahydrofolate reductase gene and hyperhomocysteinemia in Italian patients with a history of early-onset ischemic stroke', *Stroke*, 29(4), pp. 869-871.
- Sun, L., Li, Z., Zhang, H., Ma, A., Liao, Y., Wang, D. et al. (2003) 'Pentanucleotide TTTTA repeat polymorphism of apolipoprotein (a) gene and plasma lipoprotein (a) are associated with ischemic and hemorrhagic stroke in Chinese: a multicenter case-control study in China', *Stroke*, 34, pp. 1617-1622.
- Unnithan, A.K.A., M Das, J. dan Mehta, P. (2023) *Hemorrhagic Stroke*. StatPearls [Internet]. Tersedia di: <https://www.ncbi.nlm.nih.gov/books/NBK559173/> (Diakses: 15 Februari 2024).
- Vacek, T.P., Rehman, S., Neamtu, D., Yu, S., Givimani, S. dan Tyagi, S.C. (2015) 'Matrix metalloproteinases in atherosclerosis: role of nitric oxide, hydrogen sulfide, homocysteine, and polymorphisms', *Vascular Health and Risk Management*, 11, pp. 173-183.
- van Asch, C.J., Luitse, M.J., Rinkel, G.J., van der Tweel, I., Algra, A. dan Klijn, C.J. (2010) 'Incidence, case fatality, and functional outcome of intracerebral haemorrhage over time, according to age, sex, and ethnic origin: a systematic review and meta-analysis', *The Lancet Neurology*, 9(2), pp. 167-176.

- Veeranna, V., Zalawadiya, S.K., Niraj, A., Pradhan, J., Ference, B., Burack, R.C. et al. (2011) 'Homocysteine and reclassification of cardiovascular disease risk', *Journal of the American College of Cardiology*, 58(10), pp. 1025-1033.
- Wahab, K.W., Tiwari, H.K., Ovbiagele, B., Sarfo, F., Akinyemi, R., Traylor, M. et al. (2019) 'Genetic risk of spontaneous intracerebral hemorrhage: systematic review and future directions', *Journal of the Neurological Sciences*, 407, p. 116526.
- Wan, L., Li, Y., Zhang, Z., Sun, Z., He, Y. dan Li, R. (2018) 'Methylenetetrahydrofolate reductase and psychiatric diseases', *Translational Psychiatry*, 8(1), p. 1.
- Wang, D., Cao, Z., Li, Z., Gu, H., Zhou, Q., Zhao, X. dan Wang, Y. (2022) 'Homocysteine and clinical outcomes in intracerebral hemorrhage patients: results from the China Stroke Center Alliance', *Neuropsychiatric Disease and Treatment*, 18, pp. 2837-2846.
- Wang, F., Xu, Z., Jiao, H., Wang, A. dan Jing, Y. (2021) 'Associations between MTHFR gene polymorphisms and the risk of intracranial hemorrhage: evidence from a meta-analysis', *Brain and Behavior*, 11(1), p. e01840.
- Wang, G., Woo, C.W., Sung, F.L., Siow, Y.L. dan Karmin, O. (2002) 'Increased monocyte adhesion to aortic endothelium in rats with hyperhomocysteinemia: role of chemokine and adhesion molecules', *Arteriosclerosis, Thrombosis, and Vascular Biology*, 22, pp. 1777-1783.
- Woo, D., Sauerbeck, L.R., Kissela, B.M., Khoury, J.C., Szaflarski, J.P., Gebel, J. et al. (2002) 'Genetic and environmental risk factors for intracerebral hemorrhage: preliminary results of a population-based study', *Stroke*, 33(5), pp. 1190-1195.
- Wu, Q., Liu, J., Wang, Y., Cheng, Y. dan Liu, M. (2023) 'Higher serum homocysteine levels are associated with an increased risk of hemorrhagic transformation in patients with acute ischemic stroke', *BMC Neurology*, 23(1), p. 103.
- Yang, H., Chen, Y., Wang, J., Wei, H., Chen, Y. dan Jin, J. (2021) 'Activities of daily living measurement after ischemic stroke: Rasch analysis of the modified Barthel Index', *Medicine (Baltimore)*, 100(9), p. e24926.
- Yoshida, T., Kato, K., Yokoi, K., Oguri, M., Watanabe, S., Metoki, N. et al. (2010) 'Association of genetic variants with hemorrhagic stroke in Japanese individuals', *International Journal of Molecular Medicine*, 25, pp. 649-656.
- Yuan, D., Chu, J., Lin, H., Zhu, G., Qian, J., Yu, Y. et al. (2023) 'Mechanism of homocysteine-mediated endothelial injury and its consequences for atherosclerosis', *Frontiers in Cardiovascular Medicine*, 9, p. 1109445.
- Zaremska, E., Ślusarczyk, K. dan Wrzosek, M. (2023) 'The implication of a polymorphism in the methylenetetrahydrofolate reductase gene in homocysteine metabolism and related civilisation diseases', *International Journal of Molecular Sciences*, 25(1), p. 193.

- Zerem, A., Yosovich, K., Rappaport, Y.C., Libzon, S., Blumkin, L., Ben-Sira, L. et al. (2019) 'Metabolic stroke in a patient with bi-allelic OPA1 mutations', *Metabolic Brain Disease*, 34(4), pp. 1043-1048.
- Zhang, M.J., Hu, Z.C., Yin, Y.W., Li, B.H., Liu, Y., Liao, S.Q. et al. (2014) 'A meta-analysis of the relationship between MTHFR gene A1298C polymorphism and the risk of adult stroke', *Cerebrovascular Diseases*, 38(6), pp. 425-432.
- Zhang, S., Luo, W., Pan, T., Xie, J., Xu, Z. dan Fang, Y. (2023) 'ALDH2 rs671 polymorphism likely a risk factor for hemorrhagic stroke: a hospital-based study', *International Journal of General Medicine*, 16, pp. 1471-1478.
- Zhou, Z., Liang, Y., Qu, H., Zhao, M., Guo, F., Zhao, C. et al. (2018) 'Plasma homocysteine concentrations and risk of intracerebral hemorrhage: a systematic review and meta-analysis', *Scientific Reports*, 8(1), p. 2568.
- Zhu, X.Y., Hou, R.Y., Pan, X.D., Wang, Y.C., Zhang, Z.S. dan Guo, R.Y. (2015) 'Association between the methylenetetrahydrofolate reductase (MTHFR) gene C677T polymorphism and ischemic stroke in the Chinese population: a meta-analysis', *International Journal of Neuroscience*, 125(12), pp. 885-894.
- Zou, X.L., Yao, T.X., Deng, L., Chen, L., Li, Y. dan Zhang, L. (2022) 'A systematic review and meta-analysis expounding the relationship between methylene tetrahydrofolate reductase gene polymorphism and the risk of intracerebral hemorrhage among populations', *Frontiers in Genetics*, 13, p. 829672.