

DAFTAR PUSTAKA

- Al-Dhalimy, A. M. B., Salim, H. M., Shather, A. H., Naser, I. H., Hizam, M. M. and Alshujery, M. K. (2023). The pathological and therapeutically role of mesenchymal stem cell (MSC)-derived exosome in degenerative diseases; Particular focus on LncRNA and microRNA. *Pathology Research and Practice*, 250: 154778.
- Allinson, C. S., Pollock, C. A. and Chen, X. (2023). Mesenchymal Stem Cells in the Treatment of Acute Kidney Injury (AKI), Chronic Kidney Disease (CKD) and the AKI-to-CKD Transition. *Integrative Medicine in Nephrology and Andrology*, 10: 1–11.
- Andrianova, N. V., Buyan, M. I., Zorova, L. D., Pevzner, I. B., Popkov, V. A., Babenko, V. A. *et al.*, (2019). Kidney cells regeneration: Dedifferentiation of tubular epithelium, resident stem cells and possible niches for renal progenitors. *International Journal of Molecular Sciences*, 20.
- Andrzejewska, A., Lukomska, B. and Janowski, M. (2019). Concise Review: Mesenchymal Stem Cells: From Roots to Boost. *Stem Cells*, 37: 855–864.
- Apelt, K., Bijkerk, R., Lebrin, F. and Rabelink, T. J. (2021). Imaging the renal microcirculation in cell therapy. *Cells*, 10: 1–22.
- Arfian, N., Budiharjo, S., Wibisono, D. P., Setyaningsih, W. A. W., Romi, M. M., Saputri, R. L. A. A. N. W. *et al.* (2019). Vitamin D ameliorates kidney ischemia reperfusion injury via reduction of inflammation and myofibroblast expansion. *Kobe Journal of Medical Sciences*, 65: E138–E143.
- Ball, O., Robinson, S., Bure, K., Brindley, D. A. and McCall, D. (2018). Bioprocessing automation in cell therapy manufacturing: Outcomes of special interest group automation workshop. *Cytotherapy*, 20: 592–599.
- Barakat, M., Hussein, A. M., Salama, M. F., Awadalla, A., Barakat, N., Serria, M. *et al.* (2022). Possible Underlying Mechanisms for the Renoprotective Effect of Retinoic Acid-Pretreated Wharton's Jelly Mesenchymal Stem Cells against Renal Ischemia/Reperfusion Injury. *Cells*, 11.
- Birtwistle, L., Chen, X. M. and Pollock, C. (2021). Mesenchymal stem cell-derived extracellular vesicles to the rescue of renal injury. *International Journal of Molecular Sciences*, 22.
- Bondi, C. D., Rush, B. M., Hartman, H. L., Wang, J., Al-Bataineh, M. M., Hughey, R. P. *et al.* (2022). Suppression of NRF2 Activity by HIF-1 α Promotes Fibrosis after Ischemic Acute Kidney Injury. *Antioxidants*, 11.
- Bonventre, J. V and Yang, L. (2011). Cellular pathophysiology of ischemic acute kidney injury. *The Journal of Clinical Investigation*, 121: 4210–4221.
- Borkan, S. C. (2016). The Role of BCL-2 Family Members in Acute Kidney Injury. *Seminars in Nephrology*, 36: 237–250.
- Brigelius-Flohé, R. and Maiorino, M. (2013). Glutathione peroxidases. *Biochimica et Biophysica Acta - General Subjects*, 1830: 3289–3303.

- Calabrese, E.J. & Mattson, M.P. (2017). How does hormesis impact biology, toxicology, and medicine? *npj Aging and Mechanisms of Disease*, 3:13.
- Candelario-Jalil, E., Mhadu, N. H., Al-Dalain, S. M., Martínez, G. and León, O. S. (2001). Time course of oxidative damage in different brain regions following transient cerebral ischemia in gerbils. *Neuroscience Research*, 41: 233–241.
- Cantaluppi, V., Gatti, S., Medica, D., Figliolini, F., Bruno, S., Deregibus, M. C. *et al.* (2012). Microvesicles derived from endothelial progenitor cells protect the kidney from ischemia-reperfusion injury by microRNA-dependent reprogramming of resident renal cells. *Kidney International*, 82: 412–427.
- Cao, J. Y., Wang, B., Tang, T. T., Wen, Y., Li, Z. L., Feng, S. T., *et al.* (2021). Exosomal miR-125b-5p deriving from mesenchymal stem cells promotes tubular repair by suppression of p53 in ischemic acute kidney injury. *Theranostics*, 11: 5248–5266.
- Castaneda, M. P., Swiatecka-Urban, A., Mitsnefes, M. M., Feuerstein, D., Kaskel, F. J., Tellis, V. *et al.* (2003). Activation of mitochondrial apoptotic pathways in human renal allografts after ischemia-reperfusion injury. *Transplantation*, 76: 50–54.
- Chawla, L. S., Davison, D. L., Brasha-Mitchell, E., Koyner, J. L., Arthur, J. M., Shaw, A. D., Tumlin, J. A. *et al.* (2013). Development and standardization of a furosemide stress test to predict the severity of acute kidney injury. *Critical Care*, 17: R207.
- Chen, B. L., Sheu, M. L., Tsai, K. S., Lan, K. C., Guan, S. S., Wu, C. T., *et al.* (2015). CCAAT-Enhancer-Binding Protein Homologous Protein Deficiency Attenuates Oxidative Stress and Renal Ischemia-Reperfusion Injury. *Antioxidant & Redox Signaling*, 23: 1233–1245.
- Chen, G., Wang, M., Ruan, Z., Zhu, L. and Tang, C. (2021). Mesenchymal stem cell-derived exosomal miR-143-3p suppresses myocardial ischemia-reperfusion injury by regulating autophagy. *Life Sciences*, 280.
- Chien, C. T., Chang, T. C., Tsai, C. Y., Shyue, S. K. and Lai, M. K. (2005). Adenovirus-mediated bcl-2 gene transfer inhibits renal ischemia/reperfusion induced tubular oxidative stress and apoptosis. *American Journal of Transplantation*, 5: 1194–1203.
- Chiu, Y. S., Wu, K. J., Yu, S. J., Wu, K. L., Hsieh, C. Y., Chou, Y. S. *et al.* (2024). Transplantation of Exosomes Derived From Human Wharton's Jelly Mesenchymal Stromal Cells Enhances Functional Improvement in Stroke Rats. *Cell Transplantation*, 33.
- Choi, H., Choi, Y., Yim, H. Y., Mirzaaghasi, A., Yoo, J. K. and Choi, C. (2021). Biodistribution of Exosomes and Engineering Strategies for Targeted Delivery of Therapeutic Exosomes. *Tissue Engineering and Regenerative Medicine*, 18: 499–511.
- Chopra, N., Dutt Arya, B., Jain, N., Yadav, P., Wajid, S., Singh, S. P. *et al.* (2019). Biophysical Characterization and Drug Delivery Potential of Exosomes from

- Human Wharton's Jelly-Derived Mesenchymal Stem Cells. *ACS Omega*, 4: 13143–13152.
- Coca, S. G., Vasquez-Rios, G., Mansour, S. G., Moledina, D. G., Thiessen-Philbrook, H., Wurfel, M. M. *et al.* (2023). Plasma Soluble Tumor Necrosis Factor Receptor Concentrations and Clinical Events After Hospitalization: Findings From the ASSESS-AKI and ARID Studies. *American Journal of Kidney Diseases*, 81: 190–200.
- Colombo, M., Raposo, G. and Théry, C. (2014). Biogenesis, secretion, and intercellular interactions of exosomes and other extracellular vesicles. *Annual review of cell and developmental biology*, 30: 255–289.
- Cory, S. and Adams, J. M. (2002). The BCL2 family: Regulators of the cellular life-or-death switch. *Nature Reviews Cancer*, 2: 647–656.
- Cui, X., Lin, L., Sun, X., Wang, L. and Shen, R. (2021). Curcumin Protects against Renal Ischemia/Reperfusion Injury by Regulating Oxidative Stress and Inflammatory Response. *Evidence-based Complementary and Alternative Medicine*, 2021.
- Daemen, M. A. R. C., Van't Veer, C., Denecker, G., Heemskerk, V. H., Wolfs, T. G. A. M., Clauss, M. *et al.* (1999). Inhibition of apoptosis induced by ischemia-reperfusion prevents inflammation. *Journal of Clinical Investigation*, 104: 541–549.
- Dalal, R., Bruss, Z. S. and Sehdev, J. S. (2023). Physiology, Renal Blood Flow and Filtration. *StatPearls* (on-line). <https://www.ncbi.nlm.nih.gov/books/NBK482248/>. Accessed 1 October 2025.
- Dobashi, K., Ghosh, B., Orak, J. K., Singh, I. and Singh, A. K. (2000). Kidney ischemia-reperfusion: Modulation of antioxidant defenses. *Molecular and Cellular Biochemistry*, 205: 1–11.
- Dong, J., Liu, M., Bian, Y., Zhang, W., Yuan, C., Wang, D. *et al.* (2024). MicroRNA-204-5p Ameliorates Renal Injury via Regulating Keap1/Nrf2 Pathway in Diabetic Kidney Disease. *Diabetes, Metabolic Syndrome and Obesity*, 17: 75–92.
- Du, T., Cheng, J., Zhong, L., Zhao, X. F., Zhu, J., Zhu, Y. J. and Liu, G. H. (2012). The alleviation of acute and chronic kidney injury by human Wharton's jelly-derived mesenchymal stromal cells triggered by ischemia-reperfusion injury via an endocrine mechanism. *Cytotherapy*, 14: 1215–1227.
- Fan, M., Zhang, J., Xin, H., He, X. and Zhang, X. (2018). Current perspectives on role of MSC in renal pathophysiology. *Frontiers in Physiology*, 9: 1–8.
- Fatima, F., Ekstrom, K., Nazarenko, I., Maugeri, M., Valadi, H., Hill, A. F. *et al.* (2017). Non-coding RNAs in mesenchymal stem cell-derived extracellular vesicles: Deciphering regulatory roles in stem cell potency, inflammatory resolve, and tissue regeneration. *Frontiers in Genetics*, 8.
- Fattah, H. and Vallon, V. (2018). Tubular recovery after acute kidney injury. *Nephron*, 140: 140–143.

- Federer, W. Theodore. (1991). *Statistics and society: data collection and interpretation.* : 578.
- Festing, S. and Wilkinson, R. (2007). The ethics of animal research. Talking Point on the use of animals in scientific research. *EMBO Reports*, 8: 526–530.
- Finsa, T. S., Arfian, N. and Sari, D. C. R. (2020). Effect of kidney ischemia/reperfusion injury on proliferation, apoptosis, and cellular senescence in acute kidney injury in mice. *Medical Journal of Malaysia*, 75: 19–23.
- Forcados, G. E., James, D. B., Sallau, A. B., Muhammad, A. and Mabeta, P. (2017). Oxidative Stress and Carcinogenesis: Potential of Phytochemicals in Breast Cancer Therapy. *Nutrition and Cancer*, 69: 365–374.
- Gao, G., Miller, B. A., Reeves, W. B., Gao, G., Wang, W., Tadagavadi, R. K. *et al.* (2014). TRPM2 mediates ischemic kidney injury and oxidant stress through RAC1. *The Journal of Clinical Investigation*, 124: 4989–5001.
- Garner, J. P. (2014). The significance of meaning: Why do over 90% of behavioral neuroscience results fail to translate to humans, and what can we do to fix it? *ILAR Journal*, 55: 438–456.
- Gatti, S., Bruno, S., Deregibus, M. C., Sordi, A., Cantaluppi, V., Tetta, C. *et al.* (2011). Microvesicles derived from human adult mesenchymal stem cells protect against ischaemia–reperfusion-induced acute and chronic kidney injury. *Nephrology Dialysis Transplantation*, 26: 1474–1483.
- Gautam, S. C., Lim, J. and Jaar, B. G. (2022). Complications Associated with Continuous RRT. *Kidney360*, 3: 1980–1990.
- Goldstein, S. L., Krallman, K. A., Roy, J. P., Collins, M., Chima, R. S., Basu, R. K. *et al.* (2023). Real-Time Acute Kidney Injury Risk Stratification–Biomarker Directed Fluid Management Improves Outcomes in Critically Ill Children and Young Adults. *Kidney International Reports*, 8: 2690–2700.
- González-Soria, I., Soto-Valadez, A. D., Martínez-Rojas, M. A., Ortega-Trejo, J. A., Pérez-Villalva, R., Gamba, G. *et al.* (2023). SerpinA3K Deficiency Reduces Oxidative Stress in Acute Kidney Injury. *International Journal of Molecular Sciences*, 24.
- Gounden, V., Bhatt, H. and Jialal, I. (2024). Renal Function Tests. *StatPearls* (online). <https://www.ncbi.nlm.nih.gov/books/NBK507821/>. Accessed 1 October 2025.
- Goyal, A., Daneshpajouhnejad, P., Hashmi, M. F. and Bashir, K. (2023). Acute Kidney Injury. *Critical Care Nurse*, 36: 75–76.
- Grilli, B. A. and Webb, T. G. (2023). Scope of Work KDIGO Clinical Practice Guideline for Acute Kidney Injury (AKI) and Acute Kidney Disease (AKD) Update 2023. *Strategic Sourcing in the Public Sector*: 75–88.
- Grujicic, J. and Allen, A. R. (2025). Manganese Superoxide Dismutase: Structure, Function, and Implications in Human Disease. *Antioxidants*, 14: 1–27.
- Gu, D., Zou, X., Ju, G., Zhang, G., Bao, E. and Zhu, Y. (2016). Mesenchymal Stromal Cells Derived Extracellular Vesicles Ameliorate Acute Renal

- Ischemia Reperfusion Injury by Inhibition of Mitochondrial Fission through MIR-30. *Stem Cells International*, 2016.
- Hall, J. E. and Hall, M. E. (2021). *Guyton and Hall Textbook of Medical Physiology* (14th ed.). Philadelphia: Elsevier.
- Han, S. J. and Lee, H. T. (2019). Mechanisms and therapeutic targets of ischemic acute kidney injury. *Kidney Research and Clinical Practice*, 38: 427–440.
- Havasi, A. and Borkan, S. C. (2011). Apoptosis and acute kidney injury. *Kidney International*, 80: 29–40.
- Himanshu, Gunjan, Pandey, R. P., Mukherjee, R. and Chang, C. M. (2025). Meta-analysis study of the therapeutic impact of Mesenchymal stem cells derived exosomes for chronic kidney diseases. *Biochemistry and Biophysics Reports*, 43.
- Hoehn, B., Yenari, M. A., Sapolsky, R. M. and Steinberg, G. K. (2003). Glutathione peroxidase overexpression inhibits cytochrome c release and proapoptotic mediators to protect neurons from experimental stroke. *Stroke*, 34: 2489–2494.
- Hoste, E., Bihorac, A., Al-Khafaji, A., Ortega, L. M., Ostermann, M., Haase, M. *et al.* (2020). Identification and validation of biomarkers of persistent acute kidney injury: the RUBY study. *Intensive Care Medicine*, 46: 943–953.
- Huang, J., Cao, H., Cui, B., Ma, X., Gao, L., Yu, C. *et al.* (2022). Mesenchymal Stem Cells-Derived Exosomes Ameliorate Ischemia/Reperfusion Induced Acute Kidney Injury in a Porcine Model. *Frontiers in Cell and Developmental Biology*, 10: 1–17.
- Huang, J., Shi, L., Yang, Y., Zhao, F., Chen, R., Liao, W. *et al.* (2025). Mesenchymal cell-derived exosomes and miR-29a-3p mitigate renal fibrosis and vascular rarefaction after renal ischemia reperfusion injury. *Stem Cell Research and Therapy*, 16.
- Ichimura, T., Hung, C. C., Yang, S. A., Stevens, J. L. and Bonventre, J. V. (2004). Kidney injury molecule-1: A tissue and urinary biomarker for nephrotoxicant-induced renal injury. *American Journal of Physiology - Renal Physiology*, 286: 552–563.
- Itskovich, S. Z., Sova, M., Abu-Hamad, R., Frage, N., Esawi, S., Stark, M. *et al.* (2025). Effects of Small Extracellular Vesicles Derived From Mesenchymal Stromal Cells on Acute Kidney Injury: A Rat Ischemia-Reperfusion Model. *Cureus*, 17.
- Jang, H. R. and Rabb, H. (2015). Immune cells in experimental acute kidney injury. *Nature Reviews Nephrology*, 11: 88–101.
- Jiang, W., Wang, X., Geng, X., Gu, Y., Guo, M., Ding, X. *et al.* (2021). Novel predictive biomarkers for acute injury superimposed on chronic kidney disease. *Nefrología*, 41: 165–173.
- Jomova, K., Raptova, R., Alomar, S. Y., Alwasel, S. H., Nepovimova, E., Kuca, K. *et al.* (2023). Reactive oxygen species, toxicity, oxidative stress, and antioxidants: chronic diseases and aging. *Archives of Toxicology*, 97: 2499–2574.

- Jones, D. P. (2006). Redefining oxidative stress. *Antioxidants and Redox Signaling*, 8: 1865–1879.
- Kalluri, R. and LeBleu, V. S. (2020). The biology, function, and biomedical applications of exosomes. *Science*, 367.
- Kalogeris, T., Baines, C. P., Krenz, M. and Korthuis, R. J. (2016). Ischemia/reperfusion. *Comprehensive Physiology*, 7: 113–170.
- Kalogeris, T., Bao, Y. and Korthuis, R. J. (2014). Mitochondrial reactive oxygen species: A double edged sword in ischemia/reperfusion vs preconditioning. *Redox Biology*, 2: 702–714.
- Kaushal, G. P., Basnakian, A. G. and Shah, S. V. (2004). Apoptotic pathways in ischemic acute renal failure. *Kidney International*, 66: 500–506.
- KDIGO (2012). Official Journal Of The International Society Of Nephrology KDIGO Clinical Practice Guideline for Anemia in Chronic Kidney Disease *Kdigo*, 2: 279–335.
- Kensler, T.W., Wakabayashi, N. & Biswal, S. (2007). Cell Survival Responses to Environmental Stresses Via the Keap1-Nrf2-ARE Pathway. *Annual Review of Pharmacology and Toxicology*. 47(1):89–116.
- Kiernan, J. A. (2015). Histological and Histochemical Methods Theory and Practice. *Scion Publishing*: United Kingdom.
- Kim, D. W., Staples, M., Shinozuka, K., Pantcheva, P., Kang, S. D. and Borlongan, C. V. (2013). Wharton's jelly-derived mesenchymal stem cells: Phenotypic characterization and Optimizing their therapeutic potential for clinical applications. *International Journal of Molecular Sciences*, 14: 11692–11712.
- Kim, M. J., Oh, C. J., Hong, C. W. and Jeon, J. H. (2024). Comprehensive overview of the role of mitochondrial dysfunction in the pathogenesis of acute kidney ischemia-reperfusion injury: a narrative review. *Journal of Yeungnam Medical Science*, 41: 61–73.
- Kirchmair, J., Göller, A. H., Lang, D., Kunze, J., Testa, B., Wilson, I. D. *et al.* (2015). Predicting drug metabolism: experiment and/or computation? *Nature Reviews Drug Discovery* 2015 14:6, 14: 387–404.
- Kraińska, M. M., Pietrkowska, N., Turlej, E., Zongjin, L. and Marycz, K. (2021). Extracellular vesicles derived from mesenchymal stem cells as a potential therapeutic agent in acute kidney injury (AKI) in felines: review and perspectives. *Stem Cell Research and Therapy*, 12: 1–16.
- Krzywonos-Zawadzka, A., Franczak, A., Moser, M. A. J., Olejnik, A., Sawicki, G. and Bil-Lula, I. (2019). Pharmacological Protection of Kidney Grafts from Cold Perfusion-Induced Injury. *BioMed Research International*, 2019.
- Kuang, M. J., Huang, Y., Zhao, X. G., Zhang, R., Ma, J. X., Wang, D. C. *et al.* (2019). Exosomes derived from wharton's jelly of human umbilical cord mesenchymal stem cells reduce osteocyte apoptosis in glucocorticoid-induced osteonecrosis of the femoral head in rats via the miR-21–PTEN–AKT signalling pathway. *International Journal of Biological Sciences*, 15: 1861–1871.

- Kurniawan, D. A. (2025). Pengaruh Pemberian Eksosom Human Wharton's Jelly Umbilical Cord Mesenchymal Stem Cell (hWJ UCMSc) Terhadap Tikus Model Iskemik Serebral Global Transien. Yogyakarta: Program Studi Magister Ilmu Biomedik Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan.
- Latifah, Y. (2025). Pengaruh Pemberian Eksosom Turunan dari Human Wharton's Jelly Umbilical Cord Mesenchymal Stem Cells Terhadap Vascular Remodeling pada Lobus Frontal Tikus Model Iskemia Serebral Global Transien. Yogyakarta: Program Studi Magister Ilmu Biomedik, Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada.
- Lee, P. W., Wu, B. S., Yang, C. Y. and Lee, O. K. S. (2021). Molecular mechanisms of mesenchymal stem cell-based therapy in acute kidney injury. *International Journal of Molecular Sciences*, 22.
- Lener, T., Gimona, M., Aigner, L., Börger, V., Buzas, E., Camussi, G. *et al.* (2015). Applying extracellular vesicles based therapeutics in clinical trials - An ISEV position paper. *Journal of Extracellular Vesicles*, 4.
- Li, C. and Jackson, R. M. (2002). Reactive species mechanisms of cellular hypoxia-reoxygenation injury. *The American Journal of Physiology-Cell Physiology*, 282: 227–247.
- Li, J. K., Yang, C., Su, Y., Luo, J. C., Luo, M. H., Huang, D. L. *et al.* (2021). Mesenchymal Stem Cell-Derived Extracellular Vesicles: A Potential Therapeutic Strategy for Acute Kidney Injury. *Frontiers in Immunology*, 12.
- Li, L., Wang, R., Jia, Y., Rong, R., Xu, M. and Zhu, T. (2019). Exosomes Derived From Mesenchymal Stem Cells Ameliorate Renal Ischemic-Reperfusion Injury Through Inhibiting Inflammation and Cell Apoptosis. *Frontiers in Medicine*, 6.
- Li, X., Yuan, F., Xiong, Y., Tang, Y., Li, Z., Ai, J. *et al.* (2024). FAM3A plays a key role in protecting against tubular cell pyroptosis and acute kidney injury. *Redox Biology*, 74: 103225.
- Li, Z., Liu, Y., Tian, Y., Li, Q., Shi, W., Zhang, J. *et al.* (2023). Human umbilical cord mesenchymal stem cell-derived exosomes improve ovarian function in natural aging by inhibiting apoptosis. *International Journal of Molecular Medicine*, 52: 94.
- Liang, L., Ruan, Y., Yu, X., Tan, W., Xu, X., Jia, J. *et al.* (2025). DKS26 Alleviates Ischemia-Reperfusion Injury-Induced Acute Kidney Injury by Stabilizing Vitamin D Receptors to Inhibit the Inflammatory Pathway of NF- κ B P65. *International Journal of Molecular Sciences*, 26.
- Lim, S. W., Kim, K. W., Kim, B. M., Shin, Y. J., Luo, K., Quan, Y. *et al.* (2022). Alleviation of renal ischemia/reperfusion injury by exosomes from induced pluripotent stem cell-derived mesenchymal stem cells. *Korean Journal of Internal Medicine*, 37: 411–424.

- Ling, X. C. and Kuo, K. L. (2018). Oxidative stress in chronic kidney disease. *Renal Replacement Therapy*, 4: 975–991.
- Liu, D., Lun, L., Huang, Q., Ning, Y., Zhang, Ying *et al.* (2018). Youthful systemic milieu alleviates renal ischemia-reperfusion injury in elderly mice. *Kidney International*, 94: 268–279.
- Liu, H., Li, Y. and Xiong, J. (2022). The Role of Hypoxia-Inducible Factor-1 Alpha in Renal Disease. *Molecules*, 27.
- Loscalzo, J., Fauci, A., Kasper, D., Hauser, S., Longo, D. and Jameson, J. L. (2022). *Harrison's Principles of Internal Medicine, Twenty-First Edition (Vol.1 & Vol.2)*. McGraw Hill / Medical.
- Lucas, A. (2025). Efek Pemberian Eksosom Human Wharton's Jelly-derived Mesenchymal Stem Cell (hWJMSC) Terhadap Remodeling Vaskular pada Tikus dengan Cedera Iskemia/Reperfusion Ginjal: Kajian Ekspresi mRNA eNOS, ET-1, dan Morfologi Vasa. Yogyakarta: Program Studi Magister Ilmu Biomedik, Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada.
- Lushchak, V. I. (2014). Free radicals, reactive oxygen species, oxidative stress and its classification. *Chemico-Biological Interactions*, 224: 164–175.
- Madrazo-Ibarra, A. and Vaitla, P. (2023). Histology, Nephron. *StatPearls* (on-line). <https://www.ncbi.nlm.nih.gov/books/NBK554411/>. Accessed 1 October 2025.
- Malek, M. and Nematbakhsh, M. (2015). Renal ischemia/reperfusion injury; from pathophysiology to treatment. *Journal of renal injury prevention*, 4: 20–7.
- Ma, Q. (2013). Role of Nrf2 in Oxidative Stress and Toxicity. *Annual Review of Pharmacology and Toxicology*. 53(1):401–426.
- Mao, C., Zhang, J., Lin, S., Jing, L., Xiang, J., Wang, M. *et al.* (2014). MiRNA-30a inhibits AECs-II apoptosis by blocking mitochondrial fission dependent on Drp-1. *Journal of Cellular and Molecular Medicine*, 18: 2404–2416.
- Marino, L., Castaldi, M. A., Rosamilio, R., Ragni, E., Vitolo, R., Fulgione, C. *et al.* (2019). Mesenchymal stem cells from the Wharton's jelly of the human umbilical cord: Biological properties and therapeutic potential. *International Journal of Stem Cells*, 12: 218–226.
- Meena, J., Kumar, J., Kocharlakota, J. P., Gupta, H., Mittal, P., Kumar, A. *et al.* (2024). Acute Kidney Injury in Neonates: A Meta-Analysis. *Pediatrics*, 154.
- Mehta, R. L., Cerdá, J., Burdmann, E. A., Tonelli, M., García-García, G., Jha, V. *et al.* (2015). International Society of Nephrology's 0by25 initiative for acute kidney injury (zero preventable deaths by 2025): A human rights case for nephrology. *The Lancet*, 385: 2616–2643.
- Menez, S., Wen, Y., Xu, L., Moledina, D. G., Thiessen-Philbrook, H., Hu, D. *et al.* (2023). The ASSESS-AKI Study found urinary epidermal growth factor is associated with reduced risk of major adverse kidney events. *Kidney International*, 104: 1194–1205.
- Mirabdollahi, M., Sadeghi-Aliabadi, H. and Javanmard, S. H. (2020). Human Wharton's jelly mesenchymal stem cells-derived secretome could inhibit

- breast cancer growth in vitro and in vivo. *Iranian Journal of Basic Medical Sciences*, 23: 945–953.
- Moledina, D. G., Obeid, W., Smith, R. N., Rosales, I., Sise, M. E., Moeckel, G. *et al.* (2024). Identification and validation of urinary CXCL9 as a biomarker for diagnosis of acute interstitial nephritis. *The Journal of clinical investigation*, 134: 1–11.
- Moledina, D. G., Wilson, F. P., Kukova, L., Obeid, W., Luciano, R., Kuperman, M. *et al.* (2021). Urine interleukin-9 and tumor necrosis factor- α for prognosis of human acute interstitial nephritis. *Nephrology Dialysis Transplantation*, 36: 1851–1858.
- Moore, K. L., Dalley, A. F. and Agur, A. M. R. (2018). *Clinically Oriented Anatomy Eighth Edition, Wolters Kluwer: Wolters Kluwer Health*. Wolters Kluwer Health.
- Mukherjee, P., Roy, S., Ghosh, D. and Nandi, S. K. (2022). Role of animal models in biomedical research: a review. *Laboratory Animal Research*, 38: 1–17.
- Mustafa, M., Ahmad, R., Tantry, I. Q., Ahmad, W., Siddiqui, S., Alam, M. *et al.* (2024). Apoptosis : A Comprehensive Overview of Signaling Pathways, Morphological Changes, and Physiological Significance and Therapeutic Implications. : 1–29.
- Nargesi, A. A., Lerman, L. O. and Eirin, A. (2017). Mesenchymal stem cell-derived extracellular vesicles for kidney repair: Current status and looming challenges. *Stem Cell Research and Therapy*, 8: 1–12.
- Nawaz, M., Fatima, F., Vallabhaneni, K. C., Penfornis, P., Valadi, H., Ekström, K. *et al.* (2016). Extracellular Vesicles: Evolving Factors in Stem Cell Biology. *Stem Cells International*, 2016.
- Netter, F. H. . (2023). Netter atlas of human anatomy : classic regional approach.
- Ogobuiro, I. and Tuma, F. (2023). Physiology, Renal. *StatPearls* (on-line). <https://www.ncbi.nlm.nih.gov/books/NBK538339/>. Accessed 1 October 2025.
- Ortega-Trejo, J. A., Pérez-Villalva, R., Sánchez-Navarro, A., Marquina, B., Rodríguez-Iturbe, B. and Bobadilla, N. A. (2022). Repeated Episodes of Ischemia/Reperfusion Induce Heme-Oxygenase-1 (HO-1) and Anti-Inflammatory Responses and Protects against Chronic Kidney Disease. *International Journal of Molecular Sciences*, 23: 1–16.
- Ostermann, M., Legrand, M., Meersch, M., Srisawat, N., Zarbock, A. and Kellum, J. A. (2024). Biomarkers in acute kidney injury. *Annals of Intensive Care*, 14.
- Ostermann, M., Liu, K. and Kashani, K. (2019). Fluid Management in Acute Kidney Injury. *Chest*, 156: 594–603.
- Ostermann, M., Lumlertgul, N., Jeong, R., See, E., Joannidis, M. and James, M. (2025). Acute kidney injury. *The Lancet*, 405: 241–256.
- Patel, A. A., Mohamed, A. H., Rizaev, J., Mallick, A. K., Qasim, M. T., Abdulmonem, W. *et al.* (2024). Application of mesenchymal stem cells derived from the umbilical cord or Wharton's jelly and their extracellular vesicles in the treatment of various diseases. *Tissue and Cell*, 89.

- Pavlaou, P., Liakopoulos, V., Eleftheriadis, T., Mitsis, M. and Dounousi, E. (2017). Oxidative Stress and Acute Kidney Injury in Critical Illness: Pathophysiologic Mechanisms - Biomarkers - Interventions, and Future Perspectives. *Oxidative Medicine and Cellular Longevity*, 2017.
- Pawluk, H., Tafelska-Kaczmarek, A., Sopońska, M., Porzych, M., Modrzejewska, M., Pawluk, M. *et al.* (2024). The Influence of Oxidative Stress Markers in Patients with Ischemic Stroke. *Biomolecules*, 14.
- Pefanis, A., Ierino, F. L., Murphy, J. M. and Cowan, P. J. (2019). Regulated necrosis in kidney ischemia-reperfusion injury. *Kidney International*, 96: 291–301.
- Peluso, I., Palmery, M., Pérez-Jiménez, J. and Drummen, G. (2016). Biomarkers of Oxidative Stress in Experimental Models and Human Studies with Nutraceuticals: Measurement, Interpretation, and Significance. *Oxidative Medicine and Cellular Longevity*, 2016: 2–3.
- Perel, P., Roberts, I., Sena, E., Wheble, P., Briscoe, C., Sandercock, P. *et al.* (2007). Comparison of treatment effects between animal experiments and clinical trials: Systematic review. *British Medical Journal*, 334: 197–200.
- Phinney, D. G. and Pittenger, M. F. (2017). Concise Review: MSC-Derived Exosomes for Cell-Free Therapy DONALD. *Stem Cells Express*: 8–11.
- Putri, G. P. (2025). Efek Pemberian Eksosom Human Wharton's Jelly-Derived Mesenchymal Stem Cell (hWJMSC) Terhadap Proses Inflamasi Pada Tikus Model Cedera Iskemia/Reperfusi Ginjal: Kajian Ekspresi mRNA TLR4, MCP-1, CD68, iNOS. Yogyakarta: Program Studi Magister Ilmu Biomedik, Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada.
- Qian, S., Wei, Z., Yang, W., Huang, J., Yang, Y. and Wang, J. (2022). The role of BCL-2 family proteins in regulating apoptosis and cancer therapy. *Frontiers in Oncology*, 12: 1–16.
- Rani, S., Ryan, A. E., Griffin, M. D. and Ritter, T. (2015). Mesenchymal stem cell-derived extracellular vesicles: Toward cell-free therapeutic applications. *Molecular Therapy*, 23: 812–823.
- Ratliff, B. B., Abdulmahdi, W., Pawar, R. and Wolin, M. S. (2016). Oxidant mechanisms in renal injury and disease. *Antioxidants and Redox Signaling*, 25: 119–146.
- Russell, W. M. S. and Burch, R. L. (1959). *The Principles of Humane Experimental Technique*. Methuen, London: Scientific Research Publishing.
- Sanz, A. B., Sanchez-Niño, M. D., Ramos, A. M. and Ortiz, A. (2023). Regulated cell death pathways in kidney disease. *Nature Reviews Nephrology* 2023 19:5, 19: 281–299.
- Sarvestani, F. S., Zare, M. A., Saki, F., Koohpeyma, F., Al-Abdullah, I. H. and Azarpira, N. (2020). The effect of human wharton's jelly-derived mesenchymal stem cells on MC4R, NPY, and LEPR gene expression levels in rats with streptozotocin-induced diabetes. *Iranian Journal of Basic Medical Sciences*, 23: 214–223.

- Schmidt, E. A., De Rosa, S., Müller, J., Hüsing, P., Daniels, R., Theile, P. *et al.* (2024). Acute kidney injury predicts mortality in very elderly critically-ill patients. *European Journal of Internal Medicine*, 127: 119–125.
- See, E. J., Toussaint, N. D., Bailey, M., Johnson, D. W., Polkinghorne, K. R., Robbins, R. *et al.* (2021). Risk factors for major adverse kidney events in the first year after acute kidney injury. *Clinical Kidney Journal*, 14: 556–563.
- Segar, J. and Jetton, J. G. (2020). Diuretic use, acute kidney injury, and premature infants: the call for evidence-based guidelines. *Pediatric Nephrology*, 36: 3807–3811.
- Shahsavandi, Y., Banaeian, F., Jafarina, M., Nasri, F. and Shapoori, S. (2025). miRNAs from mesenchymal-stem-cell-derived extracellular vesicles: Emerging players in regenerative medicine and disease therapy. *Molecular Therapy Nucleic Acids*, 36.
- Shen, Y., Shen, Z., Miao, L., Xin, X., Lin, S., Zhu, Y. *et al.* (2015). MiRNA-30 family inhibition protects against cardiac ischemic injury by regulating cystathionine- γ -lyase expression. *Antioxidants and Redox Signaling*, 22: 224–240.
- Sherwood, L. (2013). Introduction To human Physiology. *Angewandte Chemie International Edition*, 6(11), 951–952.: 422.
- Shi, L., Zhang, Y., Xia, Y., Li, C., Song, Z. and Zhu, J. (2021). MiR-150-5p protects against septic acute kidney injury via repressing the MEKK3/JNK pathway. *Cellular Signalling*, 86.
- Smith, T., Zaidi, A., Brown, C. V. M., Pino-Chavez, G., Bowen, T., Meran, S. *et al.* (2024). Robust Rat and Mouse Models of Bilateral Renal Ischemia Reperfusion Injury. *In Vivo*, 38: 1049–1057.
- Soriano, R. M., Penfold, D. and Leslie, S. W. (2023). Anatomy, Abdomen and Pelvis: Kidneys. *StatPearls*.
- Susantitaphong, P., Cruz, D. N., Cerda, J., Abulfaraj, M., Alqahtani, F., Koulouridis, I. *et al.* (2013). World incidence of AKI: A meta-analysis. *Clinical Journal of the American Society of Nephrology*, 8: 1482–1493.
- Suvarna, S. K., Layton, C. and Bancroft, J. D. (2013). *Bancroft's Theory and Practice of Histological Techniques*.
- Suzuki, C., Isaka, Y., Shimizu, S., Tsujimoto, Y., Takabatake, Y., Ito, T. *et al.* (2008). Bcl-2 Protects Tubular Epithelial Cells From Ischemia Reperfusion Injury by Inhibiting Apoptosis. *Cell Transplantation*, 17: 223–229.
- Syahirah, S. (2025). Pengaruh Pemberian Exosome dari Human Wharton's Jelly Umbilical Cord Mesenchymal Stem Cells Terhadap Marker Apoptosis pada Lobus Frontal Tikus Model Iskemia Serebral Global Transien. Yogyakarta: Program Studi Magister Ilmu Biomedik, Fakultas Kedokteran, Kesehatan Masyarakat, dan Keperawatan Universitas Gadjah Mada.
- Tejchman, K., Kotfis, K. and Sieńko, J. (2021). Biomarkers and mechanisms of oxidative stress—last 20 years of research with an emphasis on kidney damage and renal transplantation. *International Journal of Molecular Sciences*, 22.

- Thadhani, R., Pascual, M. and Bonventre, J. V. (1996). Acute Renal Failure. *The New England Journal of Medicine*, 334: 1448–1460.
- Thomas, K., Zondler, L., Ludwig, N., Kardell, M., Lüneburg, C., Henke, K. *et al.* (2022). Glutamine prevents acute kidney injury by modulating oxidative stress and apoptosis in tubular epithelial cells. *JCI Insight*, 7.
- Torkaman, M., Ghollasi, M., Mohammadnia-Afrouzi, M., Salimi, A. and Amari, A. (2017). The effect of transplanted human Wharton's jelly mesenchymal stem cells treated with IFN- γ on experimental autoimmune encephalomyelitis mice. *Cellular Immunology*, 311: 1–12.
- Tracz, M. J., Juncos, J. P., Croatt, A. J., Ackerman, A. W., Grande, J. P., Knutson, K. L. *et al.* (2007). Deficiency of heme oxygenase-1 impairs renal hemodynamics and exaggerates systemic inflammatory responses to renal ischemia. *Kidney International*, 72: 1073–1080.
- Tsuji, K., Nakanoh, H., Fukushima, K., Kitamura, S. and Wada, J. (2023). MicroRNAs as Biomarkers and Therapeutic Targets for Acute Kidney Injury. *Diagnostics*, 13: 1–21.
- Walters, E. M., Wells, K. D., Bryda, E. C., Schommer, S. and Prather, R. S. (2017). Swine models, genomic tools and services to enhance our understanding of human health and diseases. *Lab Animal*, 46: 167–172.
- Wang, B., Yao, K., Huuskes, B. M., Shen, H. H., Zhuang, J., Godson, C. *et al.* (2016). Mesenchymal stem cells deliver exogenous MicroRNA-let7c via exosomes to attenuate renal fibrosis. *Molecular Therapy*, 24: 1290–1301.
- Wang, S. Y., Hong, Q., Zhang, C. Y., Yang, Y. J., Cai, G. Y. and Chen, X. M. (2019). MiRNAs in stem cell-derived extracellular vesicles for acute kidney injury treatment: Comprehensive review of preclinical studies. *Stem Cell Research and Therapy*, 10: 1–7.
- Wang, Y., Fu, B., Sun, X., Li, D., Huang, Q., Zhao, W. *et al.* (2015). Differentially expressed microRNAs in bone marrow mesenchymal stem cell-derived microvesicles in young and older rats and their effect on tumor growth factor- β 1-mediated epithelial-mesenchymal transition in HK2 cells. *Stem Cell Research and Therapy*, 6.
- Wei, Q. and Dong, Z. (2012). Mouse model of ischemic acute kidney injury: Technical notes and tricks. *American Journal of Physiology - Renal Physiology*, 303.
- Williams, T. M., Wise, A. F., Layton, D. S. and Ricardo, S. D. (2018). Phenotype and influx kinetics of leukocytes and inflammatory cytokine production in kidney ischemia/reperfusion injury. *Nephrology*, 23: 75–85.
- Worp, H. B. van der, Howells, D. W., Sena, E. S., Porritt, M. J., Rewell, S. *et al.* (2010). Can Animal Models of Disease Reliably Inform Human Studies? *PLOS Medicine*, 7.
- Wu, Xiaoqiang, Wu, Xuan, Wang, Z., Tian, X. *et al.* (2025). Delivery of exogenous miR-19b by Wharton's Jelly Mesenchymal Stem Cells attenuates transplanted

- kidney ischemia/reperfusion injury by regulating cellular metabolism. *Drug Delivery and Translational Research*, 15: 925–938.
- Yan, M., Shu, S., Guo, C., Tang, C. and Dong, Z. (2018). Endoplasmic reticulum stress in ischemic and nephrotoxic acute kidney injury. *Annals of Medicine*, 50: 381–390.
- Yang, F., Zhou, Q., Li, X. and Xing, N. (2019). The methods and techniques of identifying renal pedicle vessels during retroperitoneal laparoscopic radical and partial nephrectomy. *World Journal of Surgical Oncology*, 17: 1–8.
- Youle, R. J. and Strasser, A. (2008). The BCL-2 protein family: Opposing activities that mediate cell death. *Nature Reviews Molecular Cell Biology*, 9: 47–59.
- Yu, Y., Chen, M., Guo, Q., Shen, L., Liu, X., Pan, J. *et al.* (2023). Human umbilical cord mesenchymal stem cell exosome-derived miR-874-3p targeting RIPK1/PGAM5 attenuates kidney tubular epithelial cell damage. *Cellular and Molecular Biology Letters*, 28.
- Zhang, G., Zou, X., Huang, Y., Wang, F., Miao, S., Liu, G. *et al.* (2016). Mesenchymal stromal cell-derived extracellular vesicles protect against acute kidney injury through anti-oxidation by enhancing Nrf2/ARE activation in rats. *Kidney and Blood Pressure Research*, 41: 119–128.
- Zhang, G., Zou, X., Miao, S., Chen, J., Du, T., Zhong, L. *et al.* (2014). The anti-oxidative role of micro-vesicles derived from human wharton-jelly mesenchymal stromal cells through NOX2/gp91(phox) suppression in alleviating renal ischemia-reperfusion injury in rats. *PLoS ONE*, 9: 1–11.
- Zhang, W., Guo, C., Li, Y., Wang, Hao, Wang *et al.* (2024). Mitophagy mediated by HIF-1 α /FUNDC1 signaling in tubular cells protects against renal ischemia/reperfusion injury. *Renal Failure*, 46: 1–13.
- Zhang, Y., Liu, J., Su, M., Wang, X. and Xie, C. (2021). Exosomal microRNA-22-3p alleviates cerebral ischemic injury by modulating KDM6B/BMP2/BMF axis. *Stem Cell Research and Therapy*, 12.
- Zhang, Z., She, L. and Bai, M. (2025). Efficacy of exosomes in acute kidney injury treatment and the associated mechanism (Review). *Molecular Medicine Reports*, 31: 1–11.
- Zhao, X., Li, Y., Wu, S., Wang, Y., Liu, B., Zhou, H. *et al.* (2023). Role of extracellular vesicles in pathogenesis and therapy of renal ischemia-reperfusion injury. *Biomedicine and Pharmacotherapy*, 165: 115229.
- Zhou, J., Zhang, J., Xu, F., Gao, H., Wang, L., Zhao, Y. *et al.* (2024). AST-120 alleviates renal ischemia-reperfusion injury by inhibiting HK2-mediated glycolysis. *Molecular Medicine*, 30.
- Zhu, G., Pei, L., Lin, F., Yin, H., Li, X., He, W. *et al.* (2019). Exosomes from human-bone-marrow-derived mesenchymal stem cells protect against renal ischemia/reperfusion injury via transferring miR-199a-3p. *Journal of Cellular Physiology*, 234: 23736–23749.
- Zou, X., Zhang, G., Cheng, Z., Yin, D., Du, T., Ju, G. *et al.* (2014). Microvesicles derived from human Wharton's Jelly mesenchymal stromal cells ameliorate

renal ischemia-reperfusion injury in rats by suppressing CX3CL1. *Stem Cell Research and Therapy*, 5: 1–13.

Zubair, M. and Bokhari, S. R. A. (2025). Apoptosis. *StatPearls*.

Zuk, A. and Bonventre, J. V. (2016). Acute kidney injury. *Annual Review of Medicine*, 67: 293–307.

Zuo, L., Chen, Y. R., Reyes, L. A., Lee, H. L., Chen, C. L., Villamena, F. A. *et al.* (2009). The radical Trap 5,5-dimethyl-1-pyrroline N/-oxide exerts dose-dependent protection against myocardial ischemia-reperfusion injury through preservation of mitochondrial electron transport. *Journal of Pharmacology and Experimental Therapeutics*, 329: 515–523.

Zuo, Z., Luo, M., Liu, Z., Liu, T., Wang, X., Huang, X. *et al.* (2024). Selenium nanoparticles alleviate renal ischemia/reperfusion injury by inhibiting ferritinophagy via the XBP1/NCOA4 pathway. *Cell Communication and Signaling*, 22: 1–18.