

DAFTAR PUSTAKA

- Arifvianto, B., Wibisono, S. K. A., & Mahardika, M. (2012). Influence of grit blasting treatment using steel slag balls on the subsurface microhardness, surface characteristics and chemical composition of medical grade 316L stainless steel. *Surface and Coatings Technology*, *210*, 176–182. <https://doi.org/10.1016/j.surfcoat.2012.09.014>
- Arjunwadkar, A., Basu, P., & Acharya, B. (2016). A review of some operation and maintenance issues of CFBC boilers. In *Applied Thermal Engineering* (Vol. 102, pp. 672–694). Elsevier Ltd. <https://doi.org/10.1016/j.applthermaleng.2016.04.008>
- Basu, P. (2015). *Circulating Fluidized Bed Boilers: Design, Operation and Maintenance*. Springer International Publishing. https://books.google.co.id/books?id=_0EBCAAAQBAJ
- Chiu, K. Y., Cheng, F. T., & Man, H. C. (2005). Evolution of surface roughness of some metallic materials in cavitation erosion. *Ultrasonics*, *43*(9), 713–716. <https://doi.org/10.1016/j.ultras.2005.03.009>
- Cordero, Z. C., Knight, B. E., & Schuh, C. A. (2016). Six decades of the Hall–Petch effect – a survey of grain-size strengthening studies on pure metals. In *International Materials Reviews* (Vol. 61, Issue 8, pp. 495–512). Taylor and Francis Ltd. <https://doi.org/10.1080/09506608.2016.1191808>
- Dai, W., Zhang, C., Guo, C., Li, Z., Yue, H., Li, Q., Zhang, J., & Shang, Z. (2024). Effect of grit blasting on fatigue behavior of 2024-T3 aero Al alloy. *Journal of Materials Research and Technology*, *32*, 519–529. <https://doi.org/10.1016/j.jmrt.2024.07.184>
- Derrick Quarles, C., Brumaghim, J. L., & Marcus, R. K. (2010). Simultaneous multiple element detection by particle beam/hollow cathode-optical emission spectroscopy as a tool for metallomic studies: Determinations of metal binding with apo-transferrin. *Metallomics*, *2*(2), 154–161. <https://doi.org/10.1039/b916073f>

- Desale, G. R., Gandhi, B. K., & Jain, S. C. (2006). Effect of erodent properties on erosion wear of ductile type materials. *Wear*, 261(7–8), 914–921. <https://doi.org/10.1016/J.WEAR.2006.01.035>
- Finger, C., Stiesch, M., Eisenburger, M., Breidenstein, B., Busemann, S., & Greuling, A. (2020). Effect of sandblasting on the surface roughness and residual stress of 3Y-TZP (zirconia). *SN Applied Sciences*, 2(10). <https://doi.org/10.1007/s42452-020-03492-6>
- Finnie, I. (1960). Erosion of surfaces by solid particles. *Wear*, 3(2), 87–103. [https://doi.org/10.1016/0043-1648\(60\)90055-7](https://doi.org/10.1016/0043-1648(60)90055-7)
- Francisco, R., Mondelli, L., Wang, L., Cristina, F., Garcia, P., Prakki, A., Mondelli, J., Franco, E. B., & Ishikiriyama, A. (2005). EVALUATION OF WEIGHT LOSS AND SURFACE ROUGHNESS OF COMPOMERS AFTER SIMULATED TOOTHBRUSHING ABRASION TEST AVALIAÇÃO DA PERDA DE MASSA E RUGOSIDADE SUPERFICIAL DE COMPÔMEROS APÓS TESTE DE ABRASÃO POR ESCOVAÇÃO SIMULADA. In *J Appl Oral Sci* (Vol. 13, Issue 2). www.scielo.br/jaos
- Hansen, N. (2004). Hall-petch relation and boundary strengthening. *Scripta Materialia*, 51(8 SPEC. ISS.), 801–806. <https://doi.org/10.1016/j.scriptamat.2004.06.002>
- Jiang, F., Shen, Y., Qi, G., Jing, W., Li, X., Yare, S., & Li, X. (2021). Hydrodynamics characteristics and particle distribution in a liquid–solid circulating fluidized bed boiler. *Powder Technology*, 377, 41–54. <https://doi.org/10.1016/j.powtec.2020.08.076>
- Krawczyk, J., Bembenek, M., Frocisz, Ł., Śleboda, T., & Paćko, M. (2021). The effect of sandblasting on properties and structures of the dc03/1.0347, dc04/1.0338, dc05/1.0312, and dd14/1.0389 steels for deep drawing. *Materials*, 14(13). <https://doi.org/10.3390/ma14133540>
- Li, X., Wang, H., Zhou, Q., Qi, T., Liu, G., & Peng, Z. (2019). Efficient separation of silica and alumina in simulated CFB slag by reduction roasting-alkaline leaching process. *Waste Management*, 87, 798–804. <https://doi.org/10.1016/j.wasman.2019.03.020>

- Liu, R., Jin, B., Zhong, Z., & Zhao, J. (2007). Reduction of bed agglomeration in CFB combustion biomass with aluminium-contain bed material. *Process Safety and Environmental Protection*, 85(5 B), 441–445. <https://doi.org/10.1205/psep07010>
- Patowari, P., Saha, P., & Mishra, P. (2015). An experimental investigation of surface modification of C-40 steel using W–Cu powder metallurgy sintered compact tools in EDM. *The International Journal of Advanced Manufacturing Technology*, 80. <https://doi.org/10.1007/s00170-015-7004-7>
- Pradana, R. B., & Kromodiharjo, S. (2016). Studi Eksperimen Pengaruh Tekanan dan Waktu Sandblasting Terhadap Kekasaran Permukaan, Biaya, dan Kebersihan pada Pelat Baja Karbon Rendah di PT. Swadaya Graha. *JURNAL TEKNIK ITS*. <https://doi.org/10.12962/j23373539.v5i2.20575>
- Senthur Prabu, S., Choudhary, A., Mittal, N., Gupta, S., Ramkumar, D., & Natarajan, A. (2019). Failure evaluation of SA 210C riffle water wall tubes in 70 MW CFBC boiler. *Engineering Failure Analysis*, 95, 239–247. <https://doi.org/10.1016/j.engfailanal.2018.09.028>
- Setyarini, P. H., & Sulisty, E. (2011). Optimasi Proses Sand Blasting Terhadap Laju Korosi Hasil Pengecatan Baja Aisi 430. In *Jurnal Rekayasa Mesin* (Vol. 2, Issue 2).
- Stack, M. M., & Pungwiwat, N. (2004). Erosion-corrosion mapping of Fe in aqueous slurries: Some views on a new rationale for defining the erosion-corrosion interaction. *Wear*, 256(5), 565–576. [https://doi.org/10.1016/S0043-1648\(03\)00566-0](https://doi.org/10.1016/S0043-1648(03)00566-0)
- Sundararajan, G., & Roy, M. (1997). Solid particle erosion behaviour of metallic materials at room and elevated temperatures. In *Triholog~ International* (Vol. 30, Issue 5).
- Wang, J., Sun, Z., Shao, Y., & Zhu, J. (2021). Operating regimes in circulating fluidized bed combustors: fast fluidization or bubbling-entrained bed? *Fuel*, 297. <https://doi.org/10.1016/j.fuel.2021.120727>
- Yue, G., Cai, R., Lu, J., & Zhang, H. (2017). From a CFB reactor to a CFB boiler – The review of R&D progress of CFB coal combustion technology in China.

Powder Technology, 316, 18–28.

<https://doi.org/10.1016/j.powtec.2016.10.062>

Zhang, Q., Sun, F., & Chen, C. (2019). Research on the three-dimensional wall temperature distribution and low-temperature corrosion of quad-sectional air preheater in larger power plant boilers. In *International Journal of Heat and Mass Transfer* (Vol. 128, pp. 739–747). Elsevier Ltd.
<https://doi.org/10.1016/j.ijheatmasstransfer.2018.09.006>

Zheng, H., Li, Y. J., Wang, L. J., Liu, S. H., & Dou, Q. R. (2010). Abrasion-Resistant Technology and its Prospect for CFB Boilers. In G. Yue, H. Zhang, C. Zhao, & Z. Luo (Eds.), *Proceedings of the 20th International Conference on Fluidized Bed Combustion* (pp. 250–255). Springer Berlin Heidelberg.