

REFERENCES

- Abdallah, E. S. H., Metwally, W. G. M., Abdel-Rahman, M. A. M., Albano, M., & Mahmoud, M. M. (2024). *Streptococcus agalactiae* Infection in Nile tilapia (*Oreochromis niloticus*): A review. *Biology*, 13(11), 914. <https://doi.org/10.3390/biology13110914>
- Abdel-Ghany, H. M., Salem, M. E.-S., Abouelkhier, S. S., & Helal, A. M. (2020). Effect of a cocktail of enzymes and probiotics on the growth and the bacterial enumeration in gut and effluents of red tilapia (*Oreochromis niloticus* × *O. mossambicus*). *Egyptian Journal of Aquatic Research*, 46(3), 289–294. <https://doi.org/10.1016/j.ejar.2020.07.001>
- Abdel-Latif, H. M. R., Dawood, M. A. O., Menanteau-Ledouble, S., & El-Matbouli, M. (2020). The nature and consequences of co-infections in tilapia: A review. *Journal of Fish Diseases*, 43(6), 651–664. <https://doi.org/10.1111/jfd.13164>
- Abdel-Tawwab, M., Hagrass, A. E., Elbaghdady, H. A. M., & Monier, M. N. (2014). Dissolved oxygen level and stocking density effects on growth, feed utilization, physiology, and innate immunity of Nile tilapia, *Oreochromis niloticus*. *Journal of Applied Aquaculture*, 26(4), 340–355. <https://doi.org/10.1080/10454438.2014.959830>
- Addo, S., Carrias, A. A., Williams, M. A., Liles, M. R., Terhune, J. S., & Davis, D. A. (2017). Effects of *Bacillus subtilis* strains on growth, immune parameters, and *Streptococcus iniae* susceptibility in Nile tilapia, *Oreochromis niloticus*. *Journal of the World Aquaculture Society*, 48(2), 257–267. <https://doi.org/10.1111/jwas.12380>
- Adeoye, A. A., Yomla, R., Jaramillo-Torres, A., Rodiles, A., Merrifield, D. L., & Davies, S. J. (2016). Combined effects of exogenous enzymes and probiotic on Nile tilapia (*Oreochromis niloticus*) growth, intestinal morphology and microbiome. *Aquaculture*, 463, 61–70. <https://doi.org/10.1016/j.aquaculture.2016.05.028>
- Adorian, T. J., Jamali, H., Farsani, H. G., Darvishi, P., Hasanpour, S., Bagheri, T., & Roozbehfar, R. (2019). Effects of probiotic bacteria *Bacillus* on growth performance, digestive enzyme activity, and hematological parameters of Asian sea bass, *Lateolabrax niloticus* (Bloch). *Probiotics and Antimicrobial Proteins*, 11(1), 248–255. <https://doi.org/10.1007/s12602-018-9393-z>
- Aisyah, I., Istiqomah, I., & Isnansetyo, A. (2020). Effect of dietary probiotics SEAL on growth performance of red tilapia (*Oreochromis* sp.) nilasa strain. *IOP Conference Series: Earth and Environmental Science*, 584(1), 012042. <https://doi.org/10.1088/1755-1315/584/1/012042>
- Al-Deriny, S. H., Dawood, M. A. O., Zaid, A. A. A., El-Tras, W. F., Paray, B. A., Van Doan, H., & Mohamed, R. A. (2020). The synergistic effects of *Spirulina platensis* and *Bacillus amyloliquefaciens* on the growth performance, intestinal histomorphology, and immune response of Nile tilapia (*Oreochromis niloticus*). *Aquaculture Reports*, 17, 100390. <https://doi.org/10.1016/j.aqrep.2020.100390>
- Alfiah Hayati, A. H., Manikya Pramudya, M. P., Hari Soepriandono, H. S., Listijani Suhargo, L. S., Firlir Rahmah Primula Dewi, F. R. P. D., Bayyinatul Muchtaromah, B. M., & Adamu Ayubu Mwendolwa, A. A. M. (2023). Supplementary feed potential on histology and immune response of tilapia (*Oreochromis niloticus* L.) exposed to microplastics. *Sains Malaysiana*, 52(6), 1607–1617. <https://doi.org/10.17576/jsm-2023-5206-01>



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Ali, S. E., Mahana, O., Mohan, C. V., Delamare-Deboutteville, J., & Egeny, M. Y. (2022). Genetic characterization and antimicrobial profiling of bacterial isolates collected from Nile tilapia (*Oreochromis niloticus*) affected by summer mortality syndrome. *Journal of Fish Diseases*, 45(12), 1857–1871. <https://doi.org/10.1111/jfd.13710>

Alvanou, M. V., Feidantsis, K., Staikou, A., Apostolidis, A. P., Michaelidis, B., & Giantsis, I. A. (2023). Probiotics, prebiotics, and synbiotics utilization in crayfish aquaculture and factors affecting gut microbiota. *Microorganisms*, 11(5), 1232. <https://doi.org/10.3390/microorganisms11051232>

Amal, M. N. A., & Zamri-Saad, M. (2011). Streptococcosis in tilapia (*Oreochromis niloticus*): a review. *Pertanika Journal of Tropical Agricultural Science*, 34(2).

Amin, A., El Asely, A., Abd El-Naby, A. S., Samir, F., El-Ashram, A., Sudhakaran, R., & Dawood, M. A. O. (2019). Growth performance, intestinal histomorphology and growth-related gene expression in response to dietary ziziphus mauritiana in Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 512. <https://doi.org/10.1016/j.aquaculture.2019.734301>

Artika, I. M., Dewi, Y. P., Nainggolan, I. M., Siregar, J. E., & Antonjaya, U. (2022). Real-Time polymerase chain reaction: current techniques, applications, and role in COVID-19 diagnosis. *Genes*, 13(12), 2387. <https://doi.org/10.3390/genes13122387>

Aryati, Y., Farastuti, E., Sholichah, L., Koesharyani, I., Gardenia, L., Septiningsih, E., Yamin, M., Oryzanti, P., Puspaningsih, D., & Sugiani, D. (2025). Effects of honey saccharide supplementation on growth performance, amylase enzyme activity, gut microvilli, and microbiome in *Cyprinus carpio*. *Veterinary World*, 228–237. <https://doi.org/10.14202/vetworld.2025.228-237>

Aryati, Y., Widanarni, W., Wahjuningrum, D., Rusmana, I., & Lusiastuti, A. M. (2021). The effect of dietary honey prebiotic on microbiota diversity in the digestive tract of Nile tilapia (*Oreochromis niloticus*) and its growth performance. *Aquaculture Research*, 52(3), 1215–1226. <https://doi.org/10.1111/are.14980>

Assan, D., Kuebutornye, F. K. A., Hlordzi, V., Chen, H., Mraz, J., Mustapha, U. F., & Abarike, E. D. (2022). Effects of probiotics on digestive enzymes of fish (finfish and shellfish); status and prospects: a mini review. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 257, 110653. <https://doi.org/10.1016/j.cbpb.2021.110653>

Baba, Y., Tsuge, D., & Aoki, R. (2025). Enhancement of carbohydrate metabolism by probiotic and prebiotic intake promotes short-chain fatty acid production in the gut microbiome: a randomized, double-blind, placebo-controlled crossover trial. *Bioscience, Biotechnology, and Biochemistry*, 89(8), 1191–1202. <https://doi.org/10.1093/bbb/zbaf071>

Baroiller, J. F., Chourrout, D., Fostier, A., & Jalabert, B. (1995). Temperature and sex chromosomes govern sex ratios of the mouthbrooding Cichlid fish *Oreochromis niloticus*. *Journal of Experimental Zoology*, 273(3), 216–223. <https://doi.org/10.1002/jez.1402730306>

Beato, M. C., Caraan, G. H., Domingo, A. J. L., Galdo, E. L. M., Tarrosa, J. M. A., & Niega, J. O. (2025). Design and implementation of smart fish farm management system for Nile tilapia. *2025 First International Conference on Advances in Computer Science*,

- Bera, K. K., Karmakar, S., & Jana, P. (2018). *Biosecurity in aquaculture: an overview*. www.aquainternational.in
- Bezerra, R. S., Lins, E. J. F., Alencar, R. B., Paiva, P. M. G., Chaves, M. E. C., Coelho, L. C. B. B., & Carvalho, L. B. (2005). Alkaline proteinase from intestine of Nile tilapia (*Oreochromis niloticus*). *Process Biochemistry*, 40(5), 1829–1834. <https://doi.org/10.1016/j.procbio.2004.06.066>
- Boonanuntanasarn, S., Tiengtam, N., Pitaksong, T., Piromyou, P., & Teaumroong, N. (2018). Effects of dietary inulin and Jerusalem artichoke (*Helianthus tuberosus*) on intestinal microbiota community and morphology of Nile tilapia (*Oreochromis niloticus*) fingerlings. *Aquaculture Nutrition*, 24(2), 712–722. <https://doi.org/10.1111/anu.12600>
- Busti, S., Bonaldo, A., Dondi, F., Cavallini, D., Yúfera, M., Gilannejad, N., Moyano, F. J., Gatta, P. P., & Parma, L. (2020). Effects of different feeding frequencies on growth, feed utilisation, digestive enzyme activities and plasma biochemistry of gilthead sea bream (*Sparus aurata*) fed with different fishmeal and fish oil dietary levels. *Aquaculture*, 529, 735616. <https://doi.org/10.1016/j.aquaculture.2020.735616>
- Cahyani, R., Satyantini, W. H., Nindarwi, D. D., & Cahyoko, Y. (2021). Addition of turmeric in feed on growth and survival rate of Nilasa red tilapia (*Oreochromis* sp.). *IOP Conference Series: Earth and Environmental Science*, 679(1). <https://doi.org/10.1088/1755-1315/679/1/012042>
- Caipang, C. M. A., Suharman, I., Avillanosa, A. L., & Bargoyo, V. T. (2020). Host-derived probiotics for finfish aquaculture. *IOP Conference Series: Earth and Environmental Science*, 430(1), 012026. <https://doi.org/10.1088/1755-1315/430/1/012026>
- Cano-Lozano, J. A., Villamil Diaz, L. M., Melo Bolivar, J. F., Hume, M. E., & Ruiz Pardo, R. Y. (2022). Probiotics in tilapia (*Oreochromis niloticus*) culture: potential probiotic *Lactococcus lactis* culture conditions. *Journal of Bioscience and Bioengineering*, 133(3), 187–194. <https://doi.org/10.1016/j.jbiosc.2021.11.004>
- Carolan, M. (2016). *The sociology of food and agriculture*. Routledge. <https://doi.org/10.4324/9781315670935>
- Castro, M. P., Claudiano, G. S., Petrillo, T. R., Shimada, M. T., Belo, M. A. A., Marzocchi-Machado, C. M., Moraes, J. R. E., Manrique, G. W., & Moraes, F. R. (2014). Acute aerocystitis in Nile tilapia bred in net cages and supplemented with chromium carbochelate and *Saccharomyces cerevisiae*. *Fish & Shellfish Immunology*, 36(1), 284–290. <https://doi.org/10.1016/j.fsi.2013.11.012>
- Celandroni, F., Vecchione, A., Cara, A., Mazzantini, D., Lupetti, A., & Ghelardi, E. (2019). Identification of *Bacillus* species: Implication on the quality of probiotic formulations. *PLOS ONE*, 14(5), e0217021. <https://doi.org/10.1371/journal.pone.0217021>
- Chen, O. L. (2019). The big picture: future global seafood markets. In *Predicting Future Oceans* (pp. 241–248). Elsevier. <https://doi.org/10.1016/B978-0-12-817945-1.00022-8>
- Clements, K. D., & Raubenheimer, D. (2005). *Feeding and nutrition. The physiology of fishes* (David H. Evans & James B. Claiborne, Eds.; 3rd ed.). CRC Press.



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Dawood, M. A. O., Koshio, S., & Esteban, M. A. (2018). Beneficial roles of feed additives as immunostimulants in aquaculture: a review. In *Reviews in Aquaculture* (Vol. 10, Number 4, pp. 950–974). Wiley-Blackwell. <https://doi.org/10.1111/raq.12209>

De, B. C., Meena, D. K., Behera, B. K., Das, P., Das Mohapatra, P. K., & Sharma, A. P. (2014). Probiotics in fish and shellfish culture: Immunomodulatory and ecophysiological responses. In *Fish Physiology and Biochemistry* (Vol. 40, Number 3, pp. 921–971). Kluwer Academic Publishers. <https://doi.org/10.1007/s10695-013-9897-0>

Defaix, R., Lokesh, J., Frohn, L., Le Behec, M., Pigot, T., Véron, V., Surget, A., Biasutti, S., Terrier, F., Skiba-Cassy, S., Roy, J., Panserat, S., & Ricaud, K. (2024). Exploring the effects of dietary inulin in rainbow trout fed a high-starch, 100% plant-based diet. *Journal of Animal Science and Biotechnology*, 15(1), 6. <https://doi.org/10.1186/s40104-023-00951-z>

Dewanti, A. R., Putri, A. O., Istiqomah, I., & Isnansetyo, A. (2022). Safety, adherence, enzymatic activities, and application effects of oral probiotic candidates for shortfin eel (*Anguilla bicolor*). *Jurnal Ilmiah Perikanan Dan Kelautan*, 14(2), 203–213. <https://doi.org/10.20473/jipk.v14i2.34315>

El-Kady, A. A., Magouz, F. I., Mahmoud, S. A., & Abdel-Rahim, M. M. (2022). The effects of some commercial probiotics as water additive on water quality, fish performance, blood biochemical parameters, expression of growth and immune-related genes, and histology of Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 546, 737249. <https://doi.org/10.1016/j.aquaculture.2021.737249>

El-Saadony, M. T., Alagawany, M., Patra, A. K., Kar, I., Tiwari, R., Dawood, M. A. O., Dhama, K., & Abdel-Latif, H. M. R. (2021). The functionality of probiotics in aquaculture: An overview. In *Fish and Shellfish Immunology* (Vol. 117, pp. 36–52). Academic Press. <https://doi.org/10.1016/j.fsi.2021.07.007>

Elsabagh, M., Mohamed, R., Moustafa, E. M., Hamza, A., Farrag, F., Decamp, O., Dawood, M. A. O., & Eltholth, M. (2018). Assessing the impact of *Bacillus* strains mixture probiotic on water quality, growth performance, blood profile and intestinal morphology of Nile tilapia, *Oreochromis niloticus*. *Aquaculture Nutrition*, 24(6), 1613–1622. <https://doi.org/10.1111/anu.12797>

El-Sayed, A. F. M. (2006). Tilapia culture. In *Tilapia Culture*. CABI Publishing. <https://doi.org/10.1079/9780851990149.0000>

FAO. (2016). *Probiotics in animal nutrition – production, impact and regulation*. <https://openknowledge.fao.org/server/api/core/bitstreams/2fda2226-b000-4cee-8186-8cacab86316b/content>

Faudzi, N. M., Shah, M. D., Mazlan, N., & Raehanah Muhamad Shaleh, S. (2024). *Essentials of aquaculture practices* (N. M. Faudzi, M. D. Shah, N. Mazlan, & S. Raehanah Muhamad Shaleh, Eds.). Springer Nature Singapore. <https://doi.org/10.1007/978-981-97-6699-4>

Fitri, H., Indah Istiqomah, Triyanto, Murwantoko, Alim Isnansetyo, Hamdan Syakuri, & Tharangani Herath. (2025). *The role of prebiotic inulin and probiotic lactococcus-bacillus in modifying gut microbiota and promoting growth in red hybrid tilapia (*Oreochromis* sp.) juveniles*.



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Fitriadi, R., Numanid, M., palupi, mustika, Riady, R., Amin, M., & Sukardi, P. (2025). Isolation and screening of probiotics candidates from the intestinal tracts of Nile tilapia (*Oreochromis niloticus*). *Iraqi Journal of Veterinary Sciences*, 0(0), 0–0. <https://doi.org/10.33899/ijvs.2025.155405.4039>

Flores-Méndez, L. C., Gómez-Gil, B., Guerrero, A., & Hernández, C. (2024). Effects of dietary agavin on the gut microbiota of the Nile tilapia (*Oreochromis niloticus*) reared at high densities. *Current Microbiology*, 81(11), 386. <https://doi.org/10.1007/s00284-024-03919-y>

Gong, L., He, H., Li, D., Cao, L., Khan, T. A., Li, Y., Pan, L., Yan, L., Ding, X., Sun, Y., Zhang, Y., Yi, G., Hu, S., & Xia, L. (2019). A new isolate of *pediococcus pentosaceus* (SL001) with antibacterial activity against fish pathogens and potency in facilitating the immunity and growth performance of grass carps. *Frontiers in Microbiology*, 10(JUN). <https://doi.org/10.3389/fmicb.2019.01384>

Gruskiene, R., Lavelli, V., & Sereikaite, J. (2024). Application of inulin for the formulation and delivery of bioactive molecules and live cells. *Carbohydrate Polymers*, 327, 121670. <https://doi.org/10.1016/j.carbpol.2023.121670>

Guerreiro, I., Oliva-Teles, A., & Enes, P. (2018). Prebiotics as functional ingredients: focus on mediterranean fish aquaculture. *Reviews in Aquaculture*, 10(4), 800–832. <https://doi.org/10.1111/raq.12201>

Guerrero M., G. G. (2023). Sporulation, structure assembly, and germination in the soil bacterium *Bacillus thuringiensis*: Survival and success in the environment and the insect host. *Microbiology Research*, 14(2), 466–491. <https://doi.org/10.3390/microbiolres14020035>

Guglani, A., Shukla, S., & Tripathi, R. (2025). Therapeutic role of inulin in disease management. In *Inulin for Pharmaceutical Applications* (pp. 303–323). Springer Nature Singapore. https://doi.org/10.1007/978-981-97-9056-2_14

Haenen, O. L. M., Dong, H. T., Hoai, T. D., Crumlish, M., Karunasagar, I., Barkham, T., Chen, S. L., Zadoks, R., Kiermeier, A., Wang, B., Gamarro, E. G., Takeuchi, M., Azmai, M. N. A., Fouz, B., Pakingking, R., Wei, Z. W., & Bondad-Reantaso, M. G. (2023). Bacterial diseases of tilapia, their zoonotic potential and risk of antimicrobial resistance. *Reviews in Aquaculture*, 15(S1), 154–185. <https://doi.org/10.1111/raq.12743>

Halimah, H. (2018). *Ta: Pendederan ikan nila merah nilasausceptibility in nile tilapia, (Oreochromis sp.)* [Thesis (Diploma), Politeknik Negeri Lampung]. <http://repository.polinela.ac.id/id/eprint/1535>

Haraz, Y. G., Shourbela, R. M., El-Hawarry, W. N., Mansour, A. M., & Elblehi, S. S. (2023). Performance of juvenile *Oreochromis niloticus* (Nile tilapia) raised in conventional and biofloc technology systems as influenced by probiotic water supplementation. *Aquaculture*, 566. <https://doi.org/10.1016/j.aquaculture.2022.739180>

Harikrishnan, R., Devi, G., Van Doan, H., Gatphayak, K., Balasundaram, C., El-Haroun, E., & Soltani, M. (2022). Immunomodulation effect of alginic acid and chitooligosaccharides in silver carp (*Hypophthalmichthys molitrix*). *Fish & Shellfish Immunology*, 128, 592–603. <https://doi.org/10.1016/j.fsi.2022.08.009>



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Harvey, V. L., Keating, J. N., & Buckley, M. (2021). Phylogenetic analyses of ray-finned fishes (Actinopterygii) using collagen type I protein sequences. *Royal Society Open Science*, 8(8), 201955. <https://doi.org/10.1098/rsos.201955>

Hassan, B., El-Salhia, M., Khalifa, A., Assem, H., Al Basomy, A., & El-Sayed, M. (2013). Environmental isotonicity improves cold tolerance of nile tilapia, *Oreochromis niloticus*, in Egypt. *Egyptian Journal of Aquatic Research*, 39(1), 59–65. <https://doi.org/10.1016/j.ejar.2013.03.004>

Hassan, H. U., Ali, A., Wattoo, J., Sohail, M., Raza, M. A., Hassan, S. A., Kanwal, R., Kabir, M., Rafiq, N., Manoharadas, S., Khan, M. R., & Arai, T. (2025). Effects of stocking density on growth performance, digestive enzyme activity, biochemical composition, and economic efficiency of a new strain of *Oreochromis niloticus* reared in cage culture system at Sindh Pakistan. *Food Science & Nutrition*, 13(1). <https://doi.org/10.1002/fsn3.4238>

Hassouna, R., Labarthe, A., & Tolle, V. (2016). Hypothalamic regulation of body growth and appetite by ghrelin-derived peptides during balanced nutrition or undernutrition. *Molecular and Cellular Endocrinology*, 438, 42–51. <https://doi.org/10.1016/j.mce.2016.09.027>

He, S., Zhang, Y., Xu, L., Yang, Y., Marubashi, T., Zhou, Z., & Yao, B. (2013). Effects of dietary *Bacillus subtilis* C-3102 on the production, intestinal cytokine expression and autochthonous bacteria of hybrid tilapia *Oreochromis niloticus* ♀×*Oreochromis aureus* ♂. *Aquaculture*, 412–413, 125–130. <https://doi.org/10.1016/j.aquaculture.2013.06.028>

Hendam, B. M., Munir, M. B., Eissa, M. E. H., El-Haroun, E., Doan, H. van, Chung, T. H., & Eissa, E.-S. H. (2023). Effects of water additive probiotic, *Pediococcus acidilactici* on growth performance, feed utilization, hematology, gene expression and disease resistance against *Aspergillus flavus* of nile tilapia (*Oreochromis niloticus*). *Animal Feed Science and Technology*, 303, 115696. <https://doi.org/10.1016/j.anifeedsci.2023.115696>

Heriyati, E., Rustadi, R., Isnansetyo, A., Triyatmo, B., Istiqomah, I., Deendarlianto, D., & Budhijanto, W. (2022). Microbubble aeration in a recirculating aquaculture system (RAS) increased dissolved oxygen, fish culture performance, and stress resistance of red tilapia (*Oreochromis* sp.). *Trends in Sciences*, 19(20). <https://doi.org/10.48048/tis.2022.6251>

Hersi, M. A., Genc, E., Pipilos, A., & Keskin, E. (2023). Effects of dietary synbiotics and biofloc meal on the growth, tissue histomorphology, whole-body composition and intestinal microbiota profile of nile tilapia (*Oreochromis niloticus*) cultured at different salinities. *Aquaculture*, 570. <https://doi.org/10.1016/j.aquaculture.2023.739391>

Hidayati, D., Nurtjahyani, S. D., Oktafitria, D., Ashuri, N. M., & Kurniallah, W. (2019). Short communication: Evaluation of water quality and survival rate of red tilapia (*Oreochromis niloticus*) by using rice-fish culture system in quarry land of clay. *Biodiversitas*, 20(2), 589–594. <https://doi.org/10.13057/biodiv/d200240>

Hilbert, J.-L., & Rambaud, C. (2025). *Industrial Chicory and Its Specialized Metabolites: Diversification of Uses and Varietal Selection* (pp. 273–306). https://doi.org/10.1007/978-3-031-38663-3_134

Hong-bo Lü, Zhi-yong Zhang, Mei-ling Zhang, Li-qiao Chen, Zhen-yu Du, & Fang Qiao. (2022). Influences of water salinity and dietary fat content on growth, nutrient composition and

- Hoseinifar, S. H., Sun, Y. Z., Wang, A., & Zhou, Z. (2018). Probiotics as means of diseases control in aquaculture, a review of current knowledge and future perspectives. In *Frontiers in Microbiology* (Vol. 9, Number OCT). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2018.02429>
- Ibrahem, M. D., Fathi, M., Mesalhy, S., & Abd El-Aty, A. M. (2010). Effect of dietary supplementation of inulin and vitamin C on the growth, hematology, innate immunity, and resistance of Nile tilapia (*Oreochromis niloticus*). *Fish & Shellfish Immunology*, 29(2), 241–246. <https://doi.org/10.1016/j.fsi.2010.03.004>
- Ilievskaa, N., Pavlova, V., Kirovska, V., Ilievskaa, J., & Pavlovskaa, M. (2019). *Nutritional and health benefits of inulin as functional food and prebiotic*.
- Inaba, N. (2024). *Toward the establishment of nature-based solution (NbS) using seagrasses and macroalgae to control harmful algal bloom* (pp. 91–106). https://doi.org/10.1007/978-981-97-2371-3_5
- Kalaiselvan, P., Malarvizhi, K., & Ranjan, A. (2025). Probing into the impacts of endogenous and exogenous short-chain fatty acids (SCFAS) in fish health and growth – a review. *Annals of Animal Science*, 25(1), 119–137. <https://doi.org/10.2478/aoas-2024-0050>
- Kaleem, O., & Bio Singou Sabi, A.-F. (2021). Overview of aquaculture systems in Egypt and Nigeria, prospects, potentials, and constraints. *Aquaculture and Fisheries*, 6(6), 535–547. <https://doi.org/10.1016/j.aaf.2020.07.017>
- Khunrang, T., Pooljun, C., Wutisutimeethavee, S., & Direkbusarakom, S. (2021). Effects of mixed probiotic (*Lactobacillus* sp. and *Saccharomyces cerevisiae*) on the growth performance and immune gene expression of tilapia (*Oreochromis niloticus*) after *Streptococcus agalactiae* vaccination. *Aquaculture Research*, 52(8), 3882–3889. <https://doi.org/10.1111/are.15232>
- Kombat, E. O., Abakari, G., Salifu, A., Alhassan, E. H., & Zhao, J. (2024). Proteolytic enzyme activity and mRNA expressions of amino acid and peptide transporter genes in tissues of Nile tilapia (*Oreochromis niloticus*) exposed to different salinities. *Aquaculture, Fish and Fisheries*, 4(6). <https://doi.org/10.1002/aff2.70024>
- Latifah, N., Indah Istiqomah, & Alim Isnansetyo. (2024). *Pengaruh probiotik terhadap mikrobiom bakteri dan ekspresi gen di usus nila merah Oreochromis sp.) yang diberi pakan maggot bsf (Hermetia Illucens) [Thesis]*. Universitas Gadjah Mada.
- Li, M., Zhang, M., Jiang, H., & Qin, C. (2023). Comparison of dietary arginine or/and inulin supplementation on growth, digestive ability and ammonia tolerance of juvenile yellow catfish *Pelteobagrus fulvidraco*. *Aquaculture Reports*, 30, 101543. <https://doi.org/10.1016/j.aqrep.2023.101543>
- Li, Z., Tran, N. T., Ji, P., Sun, Z., Wen, X., & Li, S. (2019). Effects of prebiotic mixtures on growth performance, intestinal microbiota and immune response in juvenile chu's croaker, nibeaa coibor. *Fish & Shellfish Immunology*, 89, 564–573. <https://doi.org/10.1016/j.fsi.2019.04.025>
- Liao, Q., Jiang, Q., Qin, Y., Jiang, Y., Wang, Z., Tang, M., Huang, L., & Shen, P. (2023). Improvements in the growth performance, morphology, gut microbiota, hepatic health,

- Madhulika, Ngasotter, S., Meitei, M. M., Kara, T., Meinam, M., Sharma, S., Rathod, S. K., Singh, S. B., Singh, S. K., & Bhat, R. A. H. (2025). Multifaceted role of probiotics in enhancing health and growth of aquatic animals: Mechanisms, benefits, and applications in sustainable aquaculture-A review and bibliometric analysis. *Aquaculture Nutrition*, 2025(1). <https://doi.org/10.1155/anu/5746972>
- Magouz, F. I., Radwan, I. A., Soltan, H. O., & El-Keredy, A. (2023a). Synbiotic lactic dry ® enhanced the growth performance, growth-related genes, intestinal health, and immunity of Nile tilapia reared in inland brackish ground water. *Annals of Animal Science*, 23(2), 495–504. <https://doi.org/10.2478/aoas-2022-0066>
- Magouz, F. I., Radwan, I. A., Soltan, H. O., & El-Keredy, A. (2023b). Synbiotic lactic dry ® enhanced the growth performance, growth-related genes, intestinal health, and immunity of Nile tilapia reared in inland brackish groundwater. *Annals of Animal Science*, 23(2), 495–504. <https://doi.org/10.2478/aoas-2022-0066>
- Magouz, F. I., Radwan, I. A., Soltan, H. O., & El-Keredy, A. (2023c). Synbiotic lactic dry enhanced the growth performance, growth-related genes, intestinal health, and immunity of Nile tilapia reared in inland brackish groundwater. *Annals of Animal Science*, 23(2), 495–504. <https://doi.org/10.2478/aoas-2022-0066>
- Mandadzhieva, T., Ignatova-Ivanova, T., Kambarev, S., Iliev, I., & Ivanova, I. (2011). Utilization of different prebiotics by *Lactobacillus* Spp. and *Lactococcus* Spp. *Biotechnology & Biotechnological Equipment*, 25(sup1), 117–120. <https://doi.org/10.5504/BBEQ.2011.0132>
- Massadi, O., Lear, P., Muller, T., Lopez, M., Dieguez, C., Tschop, M., & Nogueiras, R. (2014). Review of novel aspects of the regulation of ghrelin secretion. *Current Drug Metabolism*, 15(4), 398–413. <https://doi.org/10.2174/1389200215666140505153723>
- Mekonnen, E., Deng, Y., Sun, Y., Wang, L., Fu, J., Luo, M., Dong, Z., & Zhu, W. (2025). Effects of temperature on growth performance, gonad development, immunity, and antioxidant response of hybrid red tilapia (*Oreochromis niloticus* ♂ × *Oreochromis aureus* ♀). *Aquaculture International*, 33(4), 265. <https://doi.org/10.1007/s10499-025-01930-z>
- Melo-Bolívar, J. F., Ruiz Pardo, R. Y., Hume, M. E., & Villamil Díaz, L. M. (2021). Multistrain probiotics use in main commercially cultured freshwater fish: a systematic review of evidence. *Reviews in Aquaculture*, 13(4), 1758–1780. <https://doi.org/10.1111/raq.12543>
- Michael, A., & Mramba, R. P. (2024). Comparative growth performance of Nile tilapia (*Oreochromis niloticus*) sex groups in tank culture: A hormone-free approach for sustainable aquaculture in Dodoma, Tanzania. *Davao Research Journal*, 15(4), 6–21. <https://doi.org/10.59120/drj.v15i4.267>
- Mittal, V., Sharma, A., & Sharma, D. (2025). Inulin as a pharmaceutical excipient. In *Inulin for Pharmaceutical Applications* (pp. 147–167). Springer Nature Singapore. https://doi.org/10.1007/978-981-97-9056-2_8
- Monsees, H., Klatt, L., Kloas, W., & Wuertz, S. (2017). Chronic exposure to nitrate significantly reduces growth and affects the health status of juvenile Nile tilapia (*Oreochromis*

- Mudannayake, D. C., Meegahawaththa, W. K., Illippangama, A. U., Pitawala, H. M. J. C., Wimalasiri, K. M. S., & Silva, K. F. S. T. (2025). Extraction, purification and structural characterization of inulin-type fructans from different selected *Asparagus* species. *Bioactive Carbohydrates and Dietary Fibre*, 34, 100486. <https://doi.org/10.1016/j.bcdf.2025.100486>
- Mugwanya, M., Dawood, M. A. O., Kimera, F., & Sewilam, H. (2022). Updating the role of probiotics, prebiotics, and synbiotics for tilapia aquaculture as leading candidates for food sustainability: a review. In *Probiotics and Antimicrobial Proteins* (Vol. 14, Number 1, pp. 130–157). Springer. <https://doi.org/10.1007/s12602-021-09852-x>
- Muhamamad Dailami, Aulia Rahmawati, Dandi Saleky, & A.H.A.Toha. (2021). *Ikan Nila*. Penerbit Brainy Bee.
- Murtia, F. A., Nurul Latifah, M., Istiqomah, I., Helmiati, S., Isnansetyo, A., Novriadi, R., & Kamarudin, A. S. (2023). Intestinal enzymes and lactic acid bacteria of red tilapia (*Oreochromis* sp.) fed black soldier fly (*Hermetia illucens*) larvae and probiotics. *Aquacultura Indonesiana*, 24(1), 20–29. <https://doi.org/10.21534/ai.v24i1.5>
- Musa, S., Aura, C. M., Tomasson, T., Sigurgeirsson, Ó., Kubiriza, G. K., & Thorarensen, H. (2025). The influence of various feeding and pond fertilization strategies on Nile tilapia (*Oreochromis niloticus* L.) production and the selectivity for natural versus supplementary diet in semi-intensive aquaculture systems. *Aquaculture, Fish and Fisheries*, 5(1). <https://doi.org/10.1002/aff2.70031>
- Mustafa, Sanaa Abdulaziz, Al-Faragi, & Jamal Khalaf. (2020). Supplementation of feed additives on aquaculture feeds: A review. *International Journal of Pharmaceutical Research*, 13(01). <https://doi.org/10.31838/ijpr/2021.13.01.097>
- Nascimento, R. de P. do, & Marostica Junior, M. R. (2021). Emerging prebiotics: Nutritional and technological considerations. In *Probiotics and Prebiotics in Foods* (pp. 13–46). Elsevier. <https://doi.org/10.1016/B978-0-12-819662-5.00016-1>
- Nathanailides, C., Kolygas, M., Choremi, K., Mavraganis, T., Gouva, E., Vidalis, K., & Athanassopoulou, F. (2021). Probiotics have the potential to significantly mitigate the environmental impact of freshwater fish farms. In *Fishes* (Vol. 6, Number 4). MDPI. <https://doi.org/10.3390/fishes6040076>
- Nayak, S. K. (2010). Probiotics and immunity: A fish perspective. In *Fish and Shellfish Immunology* (Vol. 29, Number 1, pp. 2–14). Academic Press. <https://doi.org/10.1016/j.fsi.2010.02.017>
- Nelson, J. S., Grande, T. C., & Wilson, M. V. H. (2016). *Fishes of the world*. Wiley. <https://doi.org/10.1002/9781119174844>
- Ng, W., & Romano, N. (2013). A review of the nutrition and feeding management of farmed tilapia throughout the culture cycle. *Reviews in Aquaculture*, 5(4), 220–254. <https://doi.org/10.1111/raq.12014>
- Nizioł-Łukaszewska, Z., Bujak, T., Wasilewski, T., & Szmuc, E. (2019). Inulin as an effectiveness and safe ingredient in cosmetics. *Polish Journal of Chemical Technology*, 21(1), 44–49. <https://doi.org/10.2478/pjct-2019-0008>



UNIVERSITAS
GADJAH MADA

THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Ntakirutimana, R., Mubeep Kahimian, K. M., & Neethu, K. V. (2025). Probiotic effects of *Arthrobacter nicotianae* and *Bacillus cereus* on the growth, health, and microbiota of red tilapia (*Oreochromis* sp.). *Aquaculture Nutrition*, 2025(1).
<https://doi.org/10.1155/anu/6074225>

- Nugroho, K. C., Rizky, P. N., Harijono, T., Halim, A. M., Nasuki, & Ritonga, L. B. (2024). Comparative study of growth performance of three tilapia strain in intensive culture system. *IOP Conference Series: Earth and Environmental Science*, 1328(1), 012011. <https://doi.org/10.1088/1755-1315/1328/1/012011>
- Nuryanto, N., Afifah, D. N., Sulchan, M., Martosuyono, P., Ihsani, K., & Kurniastuti, P. L. (2022). Potential of nile tilapia (*Oreochromis niloticus*) as an alternative complementary food ingredient for stunting children. *Open Access Macedonian Journal of Medical Sciences*, 10(A), 1170–1177. <https://doi.org/10.3889/oamjms.2022.9650>
- Okuthe, G. E., & Bhomela, B. (2020). Morphology, histology and histochemistry of the digestive tract of the banded tilapia, tilapia sparrmanii (Perciformes: Cichlidae). *Zoologia*, 37, 1–14. <https://doi.org/10.3897/zoologia.37.e51043>
- Orozco, Z. G. A., Soma, S., Kaneko, T., & Watanabe, S. (2018). Spatial mRNA expression and response to fasting and refeeding of neutral amino acid transporters slc6a18 and slc6a19a in the intestinal epithelium of mozambique tilapia. *Frontiers in Physiology*, 9. <https://doi.org/10.3389/fphys.2018.00212>
- Ortiz, L. T., Rebolé, A., Velasco, S., Rodríguez, M. L., Treviño, J., Tejedor, J. L., & Alzueta, C. (2013). Effects of inulin and fructo oligosaccharides on growth performance, body chemical composition and intestinal microbiota of farmed rainbow trout (*Oncorhynchus mykiss*). *Aquaculture Nutrition*, 19(4), 475–482. <https://doi.org/10.1111/j.1365-2095.2012.00981.x>
- Özlüer Hunt, A., Çetinkaya, M., Özkan Yılmaz, F., Yıldırım, M., Berkoz, M., & Yalın, S. (2019). Effect of dietary supplementation of inulin on growth performance, digestion enzyme activities and antioxidant status of rainbow trout (*Oncorhynchus mykiss*). *Turkish Journal of Agriculture - Food Science and Technology*, 7(9), 1344–1353. <https://doi.org/10.24925/turjaf.v7i9.1344-1353.2581>
- Palladino, A., De Felice, E., Attanasio, C., Barone, C. M. A., Crasto, A., D'Angelo, L., Giaquinto, D., Lambiase, C., Scocco, P., Serrapica, F., & Maruccio, L. (2023). A morphological and ultrastructural study of the anterior digestive tract of adult nile tilapia *Oreochromis niloticus*. *Animals*, 13(3), 420. <https://doi.org/10.3390/ani13030420>
- Pallaya-Baletta, L. J., Nuestro Baleta, F., Magistrado-Candelaria, P., Cezar Plantado, L., Bondad Baldo, D. E., Concina Navarro, M., & Lara Encinas, J. (2022). Growth performance and economic viability of dietary inclusion of *Ipomoea batatas* L. shoot powder and extracts in the practical diets of *Oreochromis niloticus* L. *Egyptian Journal of Aquatic Research*, 48(3), 273–279. <https://doi.org/10.1016/j.ejar.2021.11.005>
- Panase, A., Thirabunyanon, M., Promya, J., Palić, D., & Chitmanat, C. (2023). Synergistic effects of fructooligosaccharide and *Bacillus subtilis* dietary supplementation on growth, innate immune responses, and protection against *Streptococcus agalactiae* in juvenile nile tilapia (*Oreochromis niloticus*). *Chiang Mai Journal of Science*, 50(5), 1–13. <https://doi.org/10.12982/CMJS.2023.050>



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Park, S. J. (2022). Physiological function of the small intestine. In *Small Intestine Disease* (pp. 7–11). Springer Singapore. https://doi.org/10.1007/978-981-16-7239-2_2

- Pérez-Sánchez, T., Balcázar, J. L., Merrifield, D. L., Carnevali, O., Gioacchini, G., de Blas, I., & Ruiz-Zarzuela, I. (2011). Expression of immune-related genes in rainbow trout (*Oncorhynchus mykiss*) induced by probiotic bacteria during *Lactococcus garvieae* infection. *Fish and Shellfish Immunology*, 31(2), 196–201. <https://doi.org/10.1016/j.fsi.2011.05.005>
- Petro-Sakuma, C., Celino-Brady, F. T., Breves, J. P., & Seale, A. P. (2020). Growth hormone regulates intestinal gene expression of nutrient transporters in tilapia (*Oreochromis mossambicus*). *General and Comparative Endocrinology*, 292, 113464. <https://doi.org/10.1016/j.ygcen.2020.113464>
- Prabu, E., Rajagopalsamy, C. B. T., Ahilan, B., Jeevagan, I. J. M. A., & Renuhadevi, M. (2019). Tilapia – an excellent candidate species for world aquaculture: A review. *Annual Research & Review in Biology*, 1–14. <https://doi.org/10.9734/arrb/2019/v3i1330052>
- Prasad, P. D., Gurav, A., Zhu, H., Martin, P. M., Vijay-Kumar, M., & Singh, N. (2017). The relationship between probiotics and Dietary fiber consumption and cardiovascular health. In *Dietary Fiber for the Prevention of Cardiovascular Disease* (pp. 73–90). Elsevier. <https://doi.org/10.1016/B978-0-12-805130-6.00005-7>
- Purnamasari, D. N., Dhani, I. R., Laksono, D. T., Ulum, M., Hardiwansyah, M., & Alfita, R. (2023). Enhancing tilapia fish farming through IoT-driven monitoring and automatic feeding technology. *2023 IEEE 9th Information Technology International Seminar (ITIS)*, 1–5. <https://doi.org/10.1109/ITIS59651.2023.10420369>
- Qin, Y.-Q., Wang, L.-Y., Yang, X.-Y., Xu, Y.-J., Fan, G., Fan, Y.-G., Ren, J.-N., An, Q., & Li, X. (2023). Inulin: properties and health benefits. *Food & Function*, 14(7), 2948–2968. <https://doi.org/10.1039/D2FO01096H>
- Rai, N., Kachore, A., Julka, J. M., Panigrahi, A., Das, S. P., & Nan, F.-H. (2025). Symbiotic strategies: deciphering the role of gut microbiota in the nutrition and metabolism of fish and shellfish. *Frontiers in Cellular and Infection Microbiology*, 15. <https://doi.org/10.3389/fcimb.2025.1639426>
- Ramos, M. A., Batista, S., Pires, M. A., Silva, A. P., Pereira, L. F., Saavedra, M. J., Ozório, R. O. A., & Rema, P. (2017). Dietary probiotic supplementation improves growth and the intestinal morphology of Nile tilapia. *Animal*, 11(8), 1259–1269. <https://doi.org/10.1017/S1751731116002792>
- Rebouças, V. T., Lima, F. R. dos S., Cavalcante, D. D. H., & Sá, M. V. do C. e. (2016). Reassessment of the suitable range of water pH for culture of Nile tilapia *Oreochromis niloticus* L. in eutrophic water. *Acta Scientiarum. Animal Sciences*, 38(4), 361. <https://doi.org/10.4025/actascianimsci.v38i4.32051>
- Reque, V. R., de Moraes, J. R. E., de Andrade Belo, M. A., & de Moraes, F. R. (2010). Inflammation induced by inactivated *Aeromonas hydrophila* in Nile tilapia fed diets supplemented with *Saccharomyces cerevisiae*. *Aquaculture*, 300(1–4), 37–42. <https://doi.org/10.1016/j.aquaculture.2009.12.014>
- Ridha, M. T., & Azad, I. S. (2016). Effect of autochthonous and commercial probiotic bacteria on growth, persistence, immunity and disease resistance in juvenile and adult Nile

- RINGØ, E., OLSEN, R. E., GIFSTAD, T. Ø., DALMO, R. A., AMLUND, H., HEMRE, G.-I., & BAKKE, A. M. (2010). Prebiotics in aquaculture: A review. *Aquaculture Nutrition*, 16(2), 117–136. <https://doi.org/10.1111/j.1365-2095.2009.00731.x>
- Ringø, E., Zhou, Z., Vecino, J. L. G., Wadsworth, S., Romero, J., Kroghdahl, Olsen, R. E., Dimitroglou, A., Foey, A., Davies, S., Owen, M., Lauzon, H. L., Martinsen, L. L., De Schryver, P., Bossier, P., Sperstad, S., & Merrifield, D. L. (2016). Effect of dietary components on the gut microbiota of aquatic animals. A never-ending story? *Aquaculture Nutrition*, 22(2), 219–282. <https://doi.org/10.1111/anu.12346>
- Rodríguez-Hernández, M. E., Martínez-Castellanos, G., López-Méndez, M. C., Reyes-Gonzalez, D., & González-Moreno, H. R. (2025). Production costs and growth performance of tilapia (*Oreochromis niloticus*) in intensive production systems: A review. *Sustainability*, 17(4), 1745. <https://doi.org/10.3390/su17041745>
- Rohani, M. F., Islam, S. M., Hossain, M. K., Ferdous, Z., Siddik, M. A., Nuruzzaman, M., Padeniya, U., Brown, C., & Shahjahan, M. (2022). Probiotics, prebiotics and synbiotics improved the functionality of aquafeed: Upgrading growth, reproduction, immunity and disease resistance in fish. In *Fish and Shellfish Immunology* (Vol. 120, pp. 569–589). Academic Press. <https://doi.org/10.1016/j.fsi.2021.12.037>
- Saba, A. O., Yasin, I. S. M., & Azmai, M. N. A. (2024). Meta-analyses indicate that dietary probiotics significantly improve growth, immune response, and disease resistance in tilapia. *Aquaculture International*, 32(4), 4841–4867. <https://doi.org/10.1007/s10499-024-01404-8>
- Safrida. (2022). *Zoologi vertebrata: Memuat riset terkini*. Syiah Kuala University Press.
- Schmittgen, T. D., & Livak, K. J. (2008). Analyzing real-time PCR data by the comparative CT method. *Nature Protocols*, 3(6), 1101–1108. <https://doi.org/10.1038/nprot.2008.73>
- Seale, A. P., Cao, K., Chang, R. J. A., Goodearly, T. R., Malintha, G. H. T., Merlo, R. S., Peterson, T. L., & Reighard, J. R. (2024). Salinity tolerance of fishes: Experimental approaches and implications for aquaculture production. *Reviews in Aquaculture*, 16(3), 1351–1373. <https://doi.org/10.1111/raq.12900>
- Sharma, H., Bajwa, J., Manhas, S., & Sarwan, J. (2020). Probiotics: A short review. *Annals of Tropical Medicine and Public Health*, 23(15). <https://doi.org/10.36295/ASRO.2020.231543>
- Shinn, A. P., Avenant-Oldewage, A., Bondad-Reantaso, M. G., Cruz-Laufer, A. J., García-Vásquez, A., Hernández-Orts, J. S., Kuchta, R., Longshaw, M., Metselaar, M., Pariselle, A., Pérez-Ponce de León, G., Pradhan, P. K., Rubio-Godoy, M., Sood, N., Vanhove, M. P. M., & Deveney, M. R. (2023). A global review of problematic and pathogenic parasites of farmed tilapia. In *Reviews in Aquaculture* (Vol. 15, Number S1, pp. 92–153). John Wiley and Sons Inc. <https://doi.org/10.1111/raq.12742>
- Singha, K. P., Shamna, N., Sahu, N. P., Sardar, P., Harikrishna, V., Thirunavukkarasar, R., Chowdhury, D. K., Maiti, M. K., & Krishna, G. (2021). Optimum dietary crude protein for culture of genetically improved farmed tilapia (GIFT), *Oreochromis niloticus* (Linnaeus, 1758) juveniles in low inland saline water: Effects on growth, metabolism

- Song, S. K., Beck, B. R., Kim, D., Park, J., Kim, J., Kim, H. D., & Ringø, E. (2014). Prebiotics as immunostimulants in aquaculture: A review. *Fish & Shellfish Immunology*, 40(1), 40–48. <https://doi.org/10.1016/j.fsi.2014.06.016>
- Soto-Alcalá, J., Álvarez-Ruiz, P., Audelo-Naranjo, J. M., Esparza-Leal, H. M., Luis-Villaseñor, I. E., Estrada-Godínez, J. A., Luna-González, A., Gámez-Jiménez, C., & Diarte-Plata, G. (2019). Transcriptional response of immune-related genes in *Litopenaeus vannamei* post-larvae cultured in recirculating aquaculture systems with and without biofloc. *Aquaculture International*, 27(1), 209–225. <https://doi.org/10.1007/s10499-018-0317-4>
- Stankus, A. (2021, May). State of world aquaculture 2020 and regional reviews: FAO webinar series. *FAO Aquaculture Newsletter*, 17–18.
- Subrahmanyam, M. N. V. (2013). *Marine ichthyology academic publication*. <https://www.researchgate.net/publication/260012333>
- Thompson, K. D., Rodkhum, C., Bunnoy, A., Thangsunan, P., Kitiyodom, S., Sukkarun, P., Yostawornkul, J., Yata, T., & Pirarat, N. (2023). Addressing nanovaccine strategies for tilapia. *Vaccines*, 11(8), 1356. <https://doi.org/10.3390/vaccines11081356>
- Thompson, K., Shoemaker, C., & Little, D. C. (2025). Tilapia: Aquaculture, biology and health management. In *Tilapia: Aquaculture, Biology and Health Management*. CABI International. <https://doi.org/10.1079/9781800629455.0000>
- Tientgam, N., Khempaka, S., Paengkoum, P., & Boonanuntanasarn, S. (2015). Effects of inulin and jerusalem artichoke (*Helianthus tuberosus*) as prebiotic ingredients in the diet of juvenile Nile tilapia (*Oreochromis niloticus*). *Animal Feed Science and Technology*, 207, 120–129. <https://doi.org/10.1016/j.anifeedsci.2015.05.008>
- Tran, N. T., & Li, S. (2022). Potential role of prebiotics and probiotics in conferring health benefits in economically important crabs. In *Fish and Shellfish Immunology Reports* (Vol. 3). Elsevier Ltd. <https://doi.org/10.1016/j.fsirep.2021.100041>
- Triantaphyllopoulos, K. A., Cartas, D., & Miliou, H. (2020). Factors influencing *GH* and *IGF-I* gene expression on growth in teleost fish: How can aquaculture industry benefit? *Reviews in Aquaculture*, 12(3), 1637–1662. <https://doi.org/10.1111/raq.12402>
- Uddin, Md. T., Rasel, M. H., Dhar, A. R., Badiuzzaman, Mr., & Hoque, Md. S. (2019). Factors determining consumer preferences for pangas and tilapia fish in Bangladesh: Consumers' perception and consumption habit perspective. *Journal of Aquatic Food Product Technology*, 28(4), 438–449. <https://doi.org/10.1080/10498850.2019.1597004>
- Vanhauwaert, S., Lefever, S., Coucke, P., Speleman, F., De Paepe, A., Vandesompele, J., & Willaert, A. (2016). *RT-qPCR gene expression analysis in zebrafish* (pp. 329–342). <https://doi.org/10.1016/bs.mcb.2016.02.002>
- Wallimann, A. (2025). Microbial production of dietary short-chain fatty acids. In *Microbial Nutraceuticals* (pp. 45–54). Wiley. <https://doi.org/10.1002/9781394241538.ch3>



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Wang, H.-T., Li, D.-L., Zhu, R., Yang, Z.-Y., Li, L., Wei, X.-F., Liu, S.-Y., Meng, S.-T., Wang, Y.-T., Shang, G.-J., & Wu, L.-F. (2025). Protective effects of inulin on high-fat feed-induced growth inhibition, oxidative stress and lipid metabolism disorders in common carp (*Cyprinus carpio*). *Aquaculture Reports*, 45, 103157. <https://doi.org/10.1016/j.aqrep.2025.103157>

Wang, T., Zhang, N., Yu, X.-B., Qiao, F., Chen, L.-Q., Du, Z.-Y., & Zhang, M.-L. (2021). Inulin alleviates adverse metabolic syndrome and regulates intestinal microbiota composition in Nile tilapia (*Oreochromis niloticus*) fed with high-carbohydrate diet. *British Journal of Nutrition*, 126(2), 161–171. <https://doi.org/10.1017/S000711452000402X>

Wangkahart, E., Nontasan, S., Phudkliang, J., Pholchamat, S., Sunthamala, P., Taesuk, N., Chantiratikul, A., Xu, H., Qi, Z., Somsoros, W., Gufe, C., Rattanarojpong, T., & Khunrae, P. (2024). New insights into the effect of xylooligosaccharide derived from agricultural waste, single or combined dietary supplementation with mixed probiotics on growth, flesh quality, health condition and disease resistance in Nile tilapia (*Oreochromis niloticus*). *Carbohydrate Polymer Technologies and Applications*, 7. <https://doi.org/10.1016/j.carpta.2024.100471>

Wisastra, S. R., Wulandari, D., B. Setiarto, R. H., Budiharjo, A., Soowannayan, C., Lani, M. N., & Haditomo, A. H. C. (2025). The application of prebiotics, probiotics, synbiotics, postbiotics and parabiotics in aquaculture. *Reviews in Agricultural Science*, 13(3), 15–44. https://doi.org/10.7831/ras.13.3_15

Witzel, K., & Matros, A. (2020). Fructans are differentially distributed in root tissues of asparagus. *Cells*, 9(9), 1943. <https://doi.org/10.3390/cells9091943>

Won, S., Hamidoghli, A., Choi, W., Park, Y., Jang, W. J., Kong, I. S., & Bai, S. C. (2020). Effects of *Bacillus subtilis* wb60 and *Lactococcus lactis* on growth, immune responses, histology and gene expression in Nile tilapia, *Oreochromis niloticus*. *Microorganisms*, 8(1). <https://doi.org/10.3390/microorganisms8010067>

Wu, F., Xie, X., Du, T., Jiang, X., Miao, W., & Wang, T. (2023). *Lactococcus lactis*, a bacterium with probiotic functions and pathogenicity. *World Journal of Microbiology and Biotechnology*, 39(12), 325. <https://doi.org/10.1007/s11274-023-03771-5>

Wuertz, S., Schroeder, A., & Wanka, K. M. (2021). Probiotics in fish nutrition-long-standing household remedy or native nutraceuticals? *Water*, 13(10), 1348. <https://doi.org/10.3390/w13101348>

Xu, W., Lutz, C. G., Taylor, C. M., & Ortega, M. C. (2022). Improvement of fish growth and metabolism by oligosaccharide prebiotic supplement. *Aquaculture Nutrition*, 2022, 1–13. <https://doi.org/10.1155/2022/5715649>

Xu, Y., Li, Y., Xue, M., Yang, T., Luo, X., Fan, Y., Meng, Y., Liu, W., Lin, G., Li, B., Zeng, L., & Zhou, Y. (2021). Effects of dietary *Saccharomyces cerevisiae* yfi-sc2 on the growth performance, intestinal morphology, immune parameters, intestinal microbiota, and disease resistance of crayfish (*Procambarus clarkia*). *Animals*, 11(7). <https://doi.org/10.3390/ani11071963>

Yada, T., Mekuchi, M., & Ojima, N. (2018). Molecular biology and functional genomics of immune-endocrine interactions in the Japanese eel, *Anguilla japonica*. *General and Comparative Endocrinology*, 257, 272–279. <https://doi.org/10.1016/j.ygcen.2017.11.001>



UNIVERSITAS
GADJAH MADA

**THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED**

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Yalcintas, Y. M., Bolfo, M. J., Duman, H., Santas, S., Pekdemir, B., Kalkan, A. E., Canbolat, A. A., Bolat, E., Eker, F., Miguel Rocha, J., Frese, S. A., & Karav, S. (2025). Prebiotics: Types, selectivity and utilization by gut microbes. *International Journal of Food Sciences and Nutrition*, 76(8), 798–824. <https://doi.org/10.1080/09637486.2025.2582557>

Yasmin, R., Saharia, P. K., Hussain, I. A., Talukdar, A., Baishya, S., Bhagawati, K., Sarma, D. kr, Patowary, A. N., Kalita, K., Das, U. K., & Singh, A. (2025). Probiotic Strain *Lactobacillus plantarum* GCLP4 derived from the Gut of *Ctenopharyngodon idella* modulates growth, digestive enzymes and immune-biochemical parameters of *Labeo rohita* fingerlings. *Journal of Animal Physiology and Animal Nutrition*, 109(2), 268–279. <https://doi.org/10.1111/jpn.14054>

Ye, Y., Yu, D., Liu, Q., Ma, S., Zhang, M., Zhao, M., Xu, J., & Yu, J. (2023). Nutritional composition of fresh carcass of turbot fed with *Bacillus subtilis* SMF1, *B. licheniformis* LMF1 and *B. siamensis* DL3 and its relationship with intestinal flora. *Animal Feed Science and Technology*, 300, 115627. <https://doi.org/10.1016/j.anifeeds.2023.115627>

Yones, A. M. A. S. M., Eissa, I. A. M. M., El-Fattah Ali Ghobashy, M. A., & Marzok, S. S. (2020). Effects of dietary inulin as prebiotic on growth performance, immuno-haematological indices and ectoparasitic infection of fingerlings Nile tilapia, *Oreochromis niloticus*. *Egyptian Journal of Histology*, 43(1), 88–103. <https://doi.org/10.21608/ejh.2019.15495.1152>

Yones, A.-M. (2019). Effects of dietary inulin as prebiotic on growth performance, immuno-haematological indices and ectoparasitic infection of fingerlings Nile tilapia, *Oreochromis niloticus*. *Egyptian Journal of Histology*, 0(0), 0–0. <https://doi.org/10.21608/ejh.2019.15495.1152>

You, S., Ma, Y., Yan, B., Pei, W., Wu, Q., Ding, C., & Huang, C. (2022). The promotion mechanism of prebiotics for probiotics: A review. *Frontiers in Nutrition*, 9. <https://doi.org/10.3389/fnut.2022.1000517>

Youssef, M., Saleem, A., Ahmed, F., Said, E., hamid, S., & Gharib, H. (2024). The impact of dietary probiotic supplementation on welfare and growth performance of Nile tilapia (*Oreochromis niloticus*). *Open Veterinary Journal*, 14((1) (Zagazig Veterinary Confer), 361. <https://doi.org/10.5455/OVJ.2024.v14.i1.33>

Zhang, K., Ye, Z., Qi, M., Cai, W., Saraiva, J. L., Wen, Y., Liu, G., Zhu, Z., Zhu, S., & Zhao, J. (2025). Water quality impact on fish behavior: A review from an aquaculture perspective. *Reviews in Aquaculture*, 17(1). <https://doi.org/10.1111/raq.12985>

Zhang, M., Wang, S., Qin, C., & Li, M. (2023). Dietary inulin benefits on growth, digestive ability and intestinal microbiota in yellow catfish exposed to ammonia. *Aquaculture Reports*, 32, 101724. <https://doi.org/10.1016/j.aqrep.2023.101724>

Zhang, Y., Liu, R., Song, B., Li, L., Shi, R., Ma, X., Zhang, L., & Li, X. (2024). Recent advances in inulin polysaccharides research: extraction, purification, structure, and bioactivities. In *Chemical and Biological Technologies in Agriculture* (Vol. 11, Number 1). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1186/s40538-024-00667-w>

Zhou, L. (2015). *Investigations of ammonia nitrogen in aquaculture: The methodology, concentrations, removal, and pond fertilization*.



UNIVERSITAS
GADJAH MADA

THE INFLUENCE OF INULIN PREBIOTICS AND A *Bacillus* "Lactococcus" PROBIOTIC COCKTAIL IN
FEED ON
INTESTINAL DIGESTIVE ENZYME ACTIVITY, GENE EXPRESSION, HISTOLOGY, AND GROWTH
PERFORMANCE OF RED

TILAPIA (NILASA FISH) (*Oreochromis* sp.)

Joas Iradukunda, Indah Istiqomah, S.Pi., M.Si., Ph.D.; Dr. Senny Helmiati, S.Pi., M.Sc.
Zhou, L., Zhang, J., Yan, M., Tang, S., Wang, X., Qin, J. G., Chen, L., & Li, E. (2020). Inulin
alleviates hypersaline-stress induced oxidative stress and dysbiosis of gut microbiota
in Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 529, 735681.
<https://doi.org/10.1016/j.aquaculture.2020.735681>