

DAFTAR PUSTAKA

- Alvarez, B. and G. Martí'nez-Drets. 1995. Metabolic characterization of *Acetobacter diazotrophicus*. Can J Microbiol. 41(10): 918–924.
- Amarowicz, R., R.B Pegg, G. A Dykes, A. Troszynska, and F. Shahidi. 2005. Phenolic compounds in foods and natural health products. ACS Symposium Series. American Chemical Society: Washington, DC.
- AOAC. 1995. Official Methods of Analysis. Washington: Association of Official Analytical Chemists.
- Assadi, M. M., F. Abdolmeki, and R.R. Mokarrame. 2008. Application of whey in fermented beverage production using kefir starter culture. Nutrition & Food Science. 38(2): 121 – 127.
- Balentine, D. A. 1997. Special issue: tea and health. Crit Rev Food Sci and Nutr. 8: 691-692.
- Belloso-Morales, G. and H. Hernandez-Sanchez. 2003. Manufacture of a beverage from cheese whey using tea fungus fermentation. Rev Latinoam Microbiol. 45(1-2): 5-11.
- Blanc, P. J. 1996. Characterization of the tea fungus metabolites. Biotechnol Lett. 18 (2): 139-142.
- Bode, A. M. and Z. Dong. 2003. Signal transduction pathways: targets for green and black tea polyphenols. J. Biochem. Mol. Biol. 36(1) : 66-77.
- Bounous, G. 2000. Whey protein concentrate (WPC) and glutathione modulation in cancer treatment. Anticancer Res. 20(6C): 4785-4792.
- Bourne, M. 2002. Food texture and viscosity: concept and measurement. Academic Press, New York.
- Burdall, S. E., A.M. Hanby., M. RJ. Lansdown. And V. Speirs. 2003. Breast cancer cell lines: friend or foe ?. Breast Cancer Res 2003. 5: 89-95.
- Cancer Chemoprevention Research Center. 2013. Protokol uji ditotoksik metode MTT. Fakultas Farmasi Universitas Gadjah Mada. <http://ccrc.farmasi.ugm.ac.id>.
- Cetojevic-Simin, D.D., J.M. Canadanovic-Brunet, G.M. Bogdanovic, S. M. Djilas, G.S. Cetkovic, V.T. Tumbas, B.T. Stojiljkovic. 2010. Antioxidative and antiproliferative activities of different horsetail (*Equisetum arvense* L.) extracts. J. Med. Food. 13(2): 452-459.
- Chen, C. and B. Y. Liu. 2000. Changes in major components of tea fungus metabolites during prolonged fermentation. J Appl Microbiol. 89(5): 834-839.

- Chen, X., Y. Li., Q. Lin., Y. Wang., H. Sun., J. Wang., G. Cui., L. Cai and X. Dong. 2014. Tea polyphenols induced apoptosis of breast cancer cells by supressing the expression of survivin. *Sci. Rep.* 4: 4416.
- Chu, S. and C. Chen. 2006. Effects origins and fermentation time on the antioxidant activities of kombucha. *Food Chem.* 98(2006): 502–507.
- Cooper, G.M. 2000. *The cell, 2nd edition: a molecular approach.* Sinauer Associates: Sunderland. <https://www.ncbi.nlm.nih.gov/books/NBK9839/>.
- Deghrigue, M., J. Chriaa, H. Battikh, K. Abid, and A. Bakhrouf. 2013. Antiproliferative and antimicrobial activities of kombucha tea. *Afr. J. Microbiol Res.* 7(27): 3466-3470.
- Djajanegara, Ira., dan Wahyudi, Prio. 2009. Pemakaian Sel HeLa dalam Uji Sitotoksitas Fraksi Kloroform dan Etanol Ekstrak Daun. *Jurnal Ilmu Kefarmasian Indonesia.* 7: 7-11.
- Dufresne, C and E. Farnworth. 2000. Tea, kombucha, and health: a review. *Food Res Int.* 33(6): 409–421.
- Elmore, S. 2007. Apoptosis: a review of programmed cell death. *Toxicol Pathol.* 35: 495-516.
- Ettayebi, K., F. Errachidi, L. Jamaï, M. A. Tahri-Jouti, K. Sendide, and M. Ettayebi. 2003. Biodegradation of polyphenol with immobilized *Candida tropicalis* under metabolic induction. *FEMS Microbiol Lett.* 223(2): 215-219.
- Fardiaz, S. 1993. *Analisis mikrobiologi pangan edisi pertama.* Cetakan Pertama. Raja Grafindo Persada, Jakarta.
- Fatma, F., S. Soeparno., N. Nurliyani., C. Hidayat, dan T. Muhammad. 2012. Karakteristik whey limbah dangke dan potensinya sebagai produk minuman dengan menggunakan *Lactobacillus acidophilus* FNCC 005. *Agritech.* 32(4): 352-961.
- Freshney, R.I. 1987. *Culture of animal cell: a manual of basic technique.* Alan R. Liss, Inc, New York.
- Fu, C., F. Yan, Z. Cao, F. Xie, and J. Lin. 2014. Antioxidant activities of kombucha prepared from three different substrates and changes in content of probiotics during storage. *Food Sci and Technol (Campinas).* 34(1): 123-126.
- Gauthier, S.F., Y. Pouliot, and J.L. Maubois. 2006. Growth factors from bovine milk and colostrum: composition, extraction and biological activities. *Lait.* 86(2): 99–125.
- Greenwalt. C.J., K.H. Steinkraus, and R.A. Ledford. 2000. Kombucha, the fermented tea: microbiology, composition, and claimed health effect. *J. Food Prot.* 63(7): 976-981.

- Hamid, A.A., O.O. Aiyelaagbe, L.A. Usman, O.M. Ameen, and A. Lawal. 2010. Antioxidants: Its medicinal and pharmacological applications. *Afr. J. Pure Appl. Chem.* 4(8): 142-151.
- Haryati, Sari., dan Katno. 2011. Aktivitas sitotoksik *Ocimum sanctum L* pada sel kanker kolon WIDR. Simposium Nasional XV PERHIPBA, Solo, 9-10 November 2011. 1-7.
- Hashimoto, F., G. Nonaka, and I. Nishioka. 1987. Tannins and related compounds. LVI. Isolation of four new acylated flavan-3-ols from oolong tea. *Chem. Pharm. Bull.* 35(2): 611 – 616.
- Hernandez-Ledesma, B., B. Miralles, L. Amigo, M. Ramos, and I. Recio. 2005. Identification of antioxidant and ACE inhibitory peptides in fermented milk. *J. Sci. Food Agric.* 85(6): 1041–1048.
- Hilal, Y. and U. Engelhardt, U. 2007. Characterisation of white tea – comparison to green and black tea. *J. Verbr. Lebensm.* 2: 414 – 421.
- Hoffman, J.R. and M. J. Falvo. 2004. Protein- which is best ?. *J Sport Sci and Med.* 3(3): 118-130.
- Horton, B.S. 1995. Commercial utilization of minor milk components in the health and food industries . *J. Dairy Sci.* 78 : 2584 – 2589 .
- Hrnjez, D., Ž. Vaštag, S. Milanovic´, V. Vukic´, M. Ilic´ic´, Lj. Popovic´ and K. Kanuric. 2014. The biological activity of fermented dairy products obtained by kombucha and conventional starter cultures during storage. *J. Funct Foods.* 10: 336-345.
- Ilicic, M., K. Kanuric, S. Milanovic, E.S. Loncar, M.S. Djuric, and R. V. Malbasa. 2012. Lactose fermentation by kombucha-a process to obtain new milk-based beverages. *Rom Biotech Lett.* 17: 7013-7021.
- Jayabalan, R., S. Marimuthu and K. Swaminathan. 2007. Changes in content of organic acids and tea polyphenols during kombucha fermentation. *Food Chem.* 102: 392-398.
- Jayabalan, R., P. Subathradevi, S. Marimuthu, M. Satishkumar, and K. Swaminathan. 2008. Changes in free-radical scavenging ability of kombucha tea during fermentation. *Food Chem.* 109: 227–234.
- Jayabalan, R., R.V. Malbaša, E. S. Lončar, J.S. Vitas, and M. Sathishkumar. 2014. A review on kombucha tea- microbiology, composition, fermentation, beneficial effects, toxicity and tea fungus. *Comp Rev Food Sci Food Safety.ens.* 13: 538-550.
- Jovanović, S., B. Miroljub Barać, and O. Mačej. 2005. Whey proteins-properties and possibility of application. *Mljekarstvo* 55(3): 215-233.

- Karyantina, M. dan N. Suhartanti. 2008. Kombucha dengan variasi kadar gula kelapa sebagai sumber karbon. *J. Teknol. dan Industri Pangan*. 19.
- Kemendes RI. 2015. Infodatin (pusat data dan informasi kesehatan RI) : stop kanker.
- Korhonen, H.J. 2009. Bioactive milk proteins and peptides: from science to functional applications. *Aust J Dairy Tech*. 64: 16-25.
- Kumar, N., Vandna., and S. Hati. 2015. Fermented and non fermented whey beverages. *Beverage & Food World*. 42(4): 28-31.
- Kumar, V. and V. K. Joshi. 2015. 'Kombucha': Technology, microbiology, production, composition and therapeutic value. *Int. J. Food. Ferment Technol*. 6(1): 13-24.
- La Vecchia, C., E. Negri, B. D'Avanzo, P. Boyle, and S. Franceschi. 1991. Dietary indicators of oral and pharyngeal cancer. *Intl J Epidemiol*. 20:39-44.
- Laroix, M., R-A. Toillon., and G. Leclercq. 2006. p53 and breast cancer, an update. *Endocr. Relat. Cancer*. 13: 293-325.
- Liu, C.H., W. H Hsu, F.L Lee, and C.C. Liao. 1996. The isolation and identification of microbes from a fermented tea beverage, Haipao, and their interactions during Haipao fermentation. *Food Microbiol*. 13: 407-415.
- Malbašić R, S. D. Milanović, E. S. Lončar, M. Đurić, M. Carić, M. Ilić, L. Kolarov. 2009. Milk-based beverages obtained by kombucha application. *Food Chem* 12:178-84.
- Malbaša, R., V. Jasmina, E. S. Lončar, M. Jasna, and Candanovic-Brunet. 2011. Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chem*. 127: 1727-1731.
- Malbaša, R., V. Jasmina, E. S. Lončar, Vitas, M. Jasna, and S. D. Milanovic. 2012. Physical and textural characteristics of fermented milk products obtained by kombucha inoculums with herbal teas. *APTEFF*. 43: 1-342.
- Malbaša, R., V. Jasmina, E. S. Lončar, J. Grahovac, and S. Milanović. 2014. Optimisation of the antioxidant activity of kombucha fermented milk products. *Czech J. Food Sci*. 32: 477-484.
- Mann, B., A. Kumari, R. Kumar, R. Sharma, K. Prajapati, S. Mahboob, and S. Athira. 2014. Antioxidant activity of protein whey hydrolysates in milk beverage system. *J Food Sci Technol*. 52(6): 3235-3241.
- Markov, S.L., D.D. Cvetkovic, and A. S. Velicanski. 2012. The Availability of a Lactose medium for tea fungus culture and kombucha fermentation. *Arch. Biol. Sci., Belgrade*. 64(4): 1439-1447.

- Marsh, A.J., O. O'Sullivan, C. Hill, R. P. Ross, and P.D. Cotter. 2014. Sequence-based analysis of the bacterial and fungal compositions of multiple kombucha (tea fungus) samples. *Food Microbiol.* 38: 171–178.
- McCrae, C. H., A. J. R. Law, and J. Leaver. 1999. Emulsification properties of whey proteins in their natural environment: effect of whey protein concentration at 4 and 18% milk fat. *Food Hydrocoll.* 13(5): 389-399.
- Milanović, D. S., E. S. Lončar, M. S. Đurić, R. V. Malbaša, M. N. Tekić, M. D. Ilić, and K. G. Duraković. 2008. Low energy kombucha fermented milk- based beverages. *Acta Periodica Technologica.* 39: 37-46.
- Milanovic, S., K. Katarina, V. Vladimir, H. Dajana, I. Mirela, R. Marjanm, and M. Maja. 2012. Physicochemical and textural properties of kombucha fermented dairy products. *Afr. J.of Biotechnol.* 11: 2320-2327.
- Mullvihill, D. M., and M. Donovan. 1987. Whey proteins and their thermal denaturation-A review. *Irish J. Food Sci. Techn.* 11: 43-75.
- Norbury, C.J. and Hickson. 2001. Cellular responses to DNA damage. *Annu Rev Pharmacol Toxicol.* 41: 367-401.
- Oliveira, P. A., A. Calaco, R. Chaves, H. Guedes-Pinto, L.F. De-La-Cruz P, and C. Lopes. 2007. Chemical carcinogenesis. *An. Acad. Bras. Cienc.* 79(4): 593-616.
- Panesar, P.S. 2011. Fermented dairy products: starter cultures and potential nutritional benefits. *Food and Nutrition Sciences.* 2(1): 47-51.
- Papadimitriou, C. G., A. Vafopoulou-Mastrogiannaki, S.S. Vieira, A. M. Gomes, M. X. Francisco and E. Alichanidis. 2007. Identification of peptides in traditional and probiotic sheep milk yoghurt with angiotensin I-converting enzyme (ACE)-inhibitory activity. *Food Chem.* 105(2): 647–656.
- Parodi, P.W. 1998. A role for milk proteins in cancer prevention. *Aust. J. Dairy Technol.* 38: 144-148.
- Phillips, S. M. 2004. Protein requirements and supplementation in strength sports. *Nutrition.* 20(7-8):689–695.
- Plummer, D. T. 1987. An introduction to practical biochemistry. Tata Mc-Graw Hill Publishing Company LTD, Bombay- New Delhi.
- Puspa, D. H. P. 2009. Senyawa antikanker dan insektisida dari genus *Aglaia*. Bandung: Unpad Press.
- Rasidic, M. and K. Sodic. 2012. Investigation of the potential usage of tea fungus kombucha in the profuction of fermented dairy products. *Journal on Processing and Energy in Agriculture.* 16(3): 106-108.

- Reiss, J. 1994. Influence of different sugars on the metabolism of the tea fungus. *Z Lebensm Unters Forsch.* 198: 258-261.
- Roche, J. 1998. The history and spread of Kombucha. <http://w3.trib.comkombu/roche.html>
- Roussin, M. 1996. Kombucha research.com. <http://www.kombucharesearch.com>
- Roy, M.K., Y. Kuwabara, K. Hara, Y. Watanabe, and Y. Tamai. 2002. Peptides from the N-terminal end of bovine lactoferrin induce apoptosis in human leukemic (HL-60) cells. *J Dairy Sci.* 85(9): 2065–2074.
- Sah, B.N.P., T. Vasilijevic, McKechnie, and O. N. Donkor. 2015. Identification of anticancer peptides from bovine milk proteins and their potential roles in management of cancer: a critical review. *Comp Rev Food Sci Food Safety.ens.* 14.
- Sanghoon, K. and K. Hae - Soo. 2009. Bioactive components in whey products bioactive components in milk and dairy products. Young W. Park. Wiley-Blackwell. <http://onlinelibrary.wiley.com/book/10.1002/9780813821504>.
- Schafer, J.M., E. S. Lee., R. M. O'Regan., K. Yao., and V. C. Jordan. 2000. Rapid development of tamoxifen-stimulated mutant p53 breast tumors (T47D) in athymic mice. *Clin. Cancer. Res.* 6: 4373-4380.
- Shahidi, F. and Y. Zhong. 2008. Bioactive peptides. *J. AOAC Int.* 91.
- Sharafi, S.M., I. Rasooli, and K. Beheshti-Maal. 2010. Isolation, characterization and optimization of indigenous acetic acid bacteria and evaluation of their preservation methods. *Iran J Microbiol.* 2: 38-45.
- Shiby V. K. and H. N. Mishra. 2013. Fermented milks and milk products as functional foods--a review. *Crit Rev Food Sci Nutr.* 53: 482-96.
- Sies H. 1997. Oxidative stress: oxidants and antioxidants. *Exp. Physiol.* 82(2): 291–295.
- Siregar, Ch. J. P. Dan L. Amalia. 2004. *Farmasi rumah sakit, teori dan penerapan.* EGC, Jakarta.
- Siswandono. dan B. Soekardjo. 1995. *Kimia medisinal.* University Airlangga Press, Surabaya.
- Smith, L., M.B. Watson., S.L. O’Kane., P.J. Drew., M. J. Lind., and L. Cawkwell. 2006. The analysis of doxorubicin resistance in human breast cancer cells using antibody microarrays. *Mol Cancer Ther.* 5(8): 2115-2120.
- Smithers, G. W. 2008. Whey and whey proteins—From ‘gutter-to-gold. *Int Dairy J.* 18: 695– 704.

- Srihari, T. and U. Satyanarayana. 2012. Changes in free radical scavenging activity of kombucha during fermentation. *J. Pharm. Sci. & Res.* 4: 1978-1981.
- Srihari T, R. Arunkumar, J. Arunakaran, and U. Satyanarayana. 2013. Downregulation of signalling molecules involved in angiogenesis of prostate cancer cell line (PC-3) by Kombucha (lyophilized). *Biomed. Prev. Nutr.* 3:53-58.
- Stoner, G.D, and H. Mukhtar. 1995. Polyphenols as cancer chemopreventive agents. *J. Cell. Biochem. Suppl.* 22: 169-180.
- Sudarmadji. S., B. Haryono, dan Suhardi. 1997. Analisa bahan makanan dan pertanian. Liberty Yogyakarta. Yogyakarta.
- Suhardini, P. N, dan E. Zubaidah. 2016. Studi aktivitas antioksidan kombucha dari berbagai jenis daun selama fermentasi. *Jurnal Pangan dan Agroindustri.* 4(1): 221-229.
- Sunter, G., W.E. Gardiner, and D. M. Bisaro. 1989. Identification of tomato golden mosaic. *Virol J.* 170: 243-250.
- Tamime, A.Y. 2006. Fermented milks. Backwell Science Ltd, Oxford, UK.
- Teoh, A.L., G. Heard, and J. Cox. 2004. Yeast ecology of Kombucha fermentation. *Int J Food Microbiol.* 95: 119-26.
- Vijayaraghavan, R., M. Singh, P. V. Rao, R. Bhattacharya, P. Kumar, K. Sugendran, O. Kumar, S.C. Pant, and R. Singh. 2000. Subacute (90 days) oral toxicity studies of kombucha tea. *Biomed Environ Sci.* 13: 293-299.
- Vitas, J. S., R. V Malbaša., J.A. Grahovac., and E.S. Lončar. 2013. The antioxidant activity of kombucha fermented milk products with stinging nettle and winter savory. *Chem Ind Chem Eng Q.* 9: 129-139.
- Watawana, I. M., N. Jayawardena, Gunawardhana, B. Chaminie, and V. Y. Waisuda. 2015. Health, wellness, and safety aspects of the consumption of kombucha. *J. Chem.* 2015: 1-11.
- Wistiana, D. dan Zubaidah, E. 2015. Karakteristik kimiawi dan mikrobiologis kombucha dari berbagai daun tinggi fenol selama fermentasi. *Jurnal Pangan dan Agroindustri.* 3: 1446-1457.
- Yen, G.C. and H.Y. Chen. 1995. Antioxidant activity of various tea extracts in relation to their antimutagenicity. *J. Agric. Food Chem.* 46: 849-854.
- Zhang, G., J. Zhang., X. Wang., W. Yang., Z. Sun., C. N. Kumar., H. Guan., and J. Guan. 2014. Apoptosis of human tongue squamous cell carcinoma cell (CAL-27) incuded by *Lactobacillus* sp. A-2 metabolites. *J. Appl. Oral. Sci.* 22(4): 282-286.