

DAFTAR PUSTAKA

Altamirano-Diaz, L. *et al.* (2018) “Does obesity affect the non-invasive measurement of cardiac output performed by electrical cardiometry in children and adolescents?,” *Journal of Clinical Monitoring and Computing*, 32(1), pp. 45–52. Available at: <https://doi.org/10.1007/s10877-017-9994-1>.

Amin, S.R. *et al.* (2025) “Comparing the non-invasive cardiometry with ultrasound-guided inferior vena cava collapsibility for evaluation of fluid responsiveness in septic patient: a randomized clinical trial,” *The Egyptian Journal of Critical Care Medicine*, 12(1), p. 13. Available at: <https://doi.org/10.1007/s44349-025-00024-2>.

Attalla, R.A. *et al.* (2025) “Circulatory system changes by electrical cardiometry in neonates with unconjugated hyper-bilirubinemia before versus after phototherapy,” *Alexandria Journal of Pediatrics*, 38(1), pp. 9–16. Available at: https://doi.org/10.4103/ajop.ajop_42_24.

Awadhare, P. *et al.* (2022) “Non-invasive Cardiac Output Monitoring and Assessment of Fluid Responsiveness in Children With Shock in the Emergency Department,” *Frontiers in Pediatrics*, 10, p. 857106. Available at: <https://doi.org/10.3389/fped.2022.857106>.

Barile, L. *et al.* (2013) “Cardiac Index Assessment by the Pressure Recording Analytic Method in Critically Ill Unstable Patients After Cardiac Surgery,” *Journal of Cardiothoracic and Vascular Anesthesia*, 27(6), pp. 1108–1113. Available at: <https://doi.org/10.1053/j.jvca.2013.02.016>.

Cox, P.B.W. *et al.* (2017) “Accuracy, Precision, and Trending Ability of Electrical Cardiometry Cardiac Index versus Continuous Pulmonary Artery Thermodilution Method: A Prospective, Observational Study,” *BioMed Research International*, 2017, pp. 1–8. Available at: <https://doi.org/10.1155/2017/2635151>.

Dahlan, M.S. (2009) *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*. Jakarta: Salemba Medika.

Daniswara, Wisudarti, C.F.R. and Kurniawaty, J. (2023) “Pebandingan Pengukuran Cardiac Output, Cardiac Index, dan Systemic Vascular Resistance antara Menggunakan Non-Invasive Cardiometry (ICONA®) dan Pressure-Recording Analytic Method (Most- Care®) pada Pasien Pasca Operasi Mayor di RSUP Dr. Sardjito Yogyakarta,” *Jurnal Komplikasi Anestesi*, 8(3), pp. 29–38. Available at: <https://doi.org/10.22146/jka.v8i3.837>

Elsayed Afandy, M., El Sharkawy, S.I. and Omara, A.F. (2020) “Transthoracic echocardiographic versus cardiometry derived indices in management of septic patients,” *Egyptian Journal of Anaesthesia*, 36(1), pp. 312–318. Available at: <https://doi.org/10.1080/11101849.2020.1854597>.

Evans, L. *et al.* (2021) “Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021,” *Intensive Care Medicine*, 47(11), pp. 1181–1247. Available at: <https://doi.org/10.1007/s00134-021-06506-y>.

Franchi, F. *et al.* (2011) “Comparison between an uncalibrated pulse contour method and thermodilution technique for cardiac output estimation in septic patients,” *British Journal of Anaesthesia*, 107(2), pp. 202–208. Available at: <https://doi.org/10.1093/bja/aer123>.

Hadian, M. and Pinsky, M.R. (2006) “Evidence-based review of the use of the pulmonary artery catheter: impact data and complications,” 10, p. 11.

Huygh, J. *et al.* (2016) “Hemodynamic monitoring in the critically ill: an overview of current cardiac output monitoring methods,” *F1000Research*, 5, p. 2855. Available at: <https://doi.org/10.12688/f1000research.8991.1>.

Kazimierczyk, R. *et al.* (2017) “The pilot study of role of electrical cardiometry in non-invasive assessment of hemodynamic parameters in patients with pulmonary arterial hypertension (RCD code: II-1A.1),” *Journal of Rare Cardiovascular Diseases*, 3(2). Available at: <https://doi.org/10.20418/jrcd.vol3no2.270>.

Klabunde, R.E. (2012) “Cardiovascular Physiology Concepts,” p. 257.

Kubicek, W.G. *et al.* (1966) “Development and evaluation of an impedance cardiac output system,” *Aerospace Medicine*, 37(12), pp. 1208–1212.

La Via, L. *et al.* (2024) “The Global Burden of Sepsis and Septic Shock,” *Epidemiologia*, 5(3), pp. 456–478. Available at: <https://doi.org/10.3390/epidemiologia5030032>.

Lalitha, A. *et al.* (2021) “Electrocardiometry for Hemodynamic Categorization and Assessment of Fluid Responsiveness in Pediatric Septic Shock: A Pilot Observational Study,” *Indian Journal of Critical Care Medicine*, 25(2), pp. 185–192. Available at: <https://doi.org/10.5005/jp-journals-10071-23730>.

Lamarche-Fontaneto, R. *et al.* (2025a) “Cardiac output monitors in septic shock: do they deliver what matters? A systematic review and meta-analysis,” *Critical Care*, 29(1), p. 299. Available at: <https://doi.org/10.1186/s13054-025-05547-9>.

Lamarche-Fontaneto, R. *et al.* (2025b) “Cardiac output monitors in septic shock: do they deliver what matters? A systematic review and meta-analysis,” *Critical Care*, 29(1), p. 299. Available at: <https://doi.org/10.1186/s13054-025-05547-9>.

Li, F. and Dong, W. (2023) “Research Progress of Noninvasive Cardiac Output Monitor (NICOTM) and Hemodynamic Monitor in Neonates,” *Clinical and Experimental Obstetrics & Gynecology*, 50(10), p. 211. Available at: <https://doi.org/10.31083/j.ceog5010211>.

Madhuri, M.R. *et al.* (2023) “Comparison of Cardiac Output Measured by Transthoracic Echocardiography with Continuous Cardiac Output Measured by Pressure Recording Analytical Method,” *Annals of Cardiac Anaesthesia*, 26(2), pp. 155–159. Available at: https://doi.org/10.4103/aca.aca_41_22.

Mahmoud, K.H. *et al.* (2016) “Non invasive adjustment of fluid status in critically ill patients on renal replacement therapy. Role of Electrical Cardiometry,” *The Egyptian Journal of Critical Care Medicine*, 4(2), pp. 57–65. Available at: <https://doi.org/10.1016/j.ejccm.2016.06.001>.

Melo, J. and Peters, J.I. (1999) “Low systemic vascular resistance: differential diagnosis and outcome,” *Critical Care*, 3(3), p. 71. Available at: <https://doi.org/10.1186/cc343>.

Mercado, P. *et al.* (2017) “Transthoracic echocardiography: an accurate and precise method for estimating cardiac output in the critically ill patient,” *Critical Care*, 21(1). Available at: <https://doi.org/10.1186/s13054-017-1737-7>.

Miller, R.D. (ed.) (2015) *Miller’s anesthesia*. Eighth edition. Philadelphia, PA: Elsevier/Saunders.

Mittnacht, A.J.C. *et al.* (2018) “Monitoring of the Heart and Vascular System,” in *Kaplan’s Essentials of Cardiac Anesthesia*. Elsevier, pp. 203–225. Available at: <https://doi.org/10.1016/B978-0-323-49798-5.00010-3>.

Narula, J. *et al.* (2013) “Electrical Cardiometry in Patients undergoing Cardiac Catheterisation,” *International Journal of Perioperative Ultrasound and Applied Technologies*. Edited by R.K. Pandey, 2, pp. 102–107. Available at: <https://doi.org/10.5005/jp-journals-10027-1045>.

Narula, J. *et al.* (2017) “Electrical Cardiometry: A Reliable Solution to Cardiac Output Estimation in Children With Structural Heart Disease,” *Journal of Cardiothoracic and Vascular Anesthesia*, 31(3), pp. 912–917. Available at: <https://doi.org/10.1053/j.jvca.2016.12.009>.

Osyпка, M. (2009) “An Introduction to Electrical Cardiometry™,” p. 10.

Patel, N. and Makaryus, A.N. (2019) “Physiology, Cardiac Index,” in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK539905/> (Accessed: January 5, 2020).

Persona, P. *et al.* (2021a) “Cardiac Output Evaluation on Septic Shock Patients: Comparison between Calibrated and Uncalibrated Devices during Vasopressor Therapy,” *Journal of Clinical Medicine*, 10(2), p. 213. Available at: <https://doi.org/10.3390/jcm10020213>.

Persona, P. *et al.* (2021b) “Cardiac Output Evaluation on Septic Shock Patients: Comparison between Calibrated and Uncalibrated Devices during Vasopressor Therapy,” *Journal of Clinical Medicine*, 10(2), p. 213. Available at: <https://doi.org/10.3390/jcm10020213>.

Purba, A.K.R. *et al.* (2020) “The burden and costs of sepsis and reimbursement of its treatment in a developing country: An observational study on focal infections in Indonesia,” *International Journal of Infectious Diseases*, 96, pp. 211–218. Available at: <https://doi.org/10.1016/j.ijid.2020.04.075>.

Rajput, R.S. *et al.* (2014) “Comparison of Cardiac Output Measurement by Noninvasive Method with Electrical Cardiometry and Invasive Method with Thermodilution Technique in Patients Undergoing Coronary Artery Bypass Grafting,” *World Journal of Cardiovascular Surgery*, 04(07), pp. 123–130. Available at: <https://doi.org/10.4236/wjcs.2014.47019>.

Rauch, R. *et al.* (2013) “Non-invasive measurement of cardiac output in obese children and adolescents: comparison of electrical cardiometry and transthoracic Doppler echocardiography,” *Journal of Clinical Monitoring and Computing*, 27(2), pp. 187–193. Available at: <https://doi.org/10.1007/s10877-012-9412-7>.

Romagnoli, S. *et al.* (2009) “20 Most Care®: a minimally invasive,” p. 8.

Romagnoli, S. *et al.* (2017) “The Pressure Recording Analytical Method (PRAM): Technical Concepts and Literature Review,” *Journal of Cardiothoracic and Vascular Anesthesia*, 31(4), pp. 1460–1470. Available at: <https://doi.org/10.1053/j.jvca.2016.09.004>.

Sakka, S.G. and Saugel, B. (eds.) (2018) *Less and Non-invasive Hemodynamic Monitoring Techniques*. Frontiers Media SA (Frontiers Research Topics). Available at: <https://doi.org/10.3389/978-2-88945-685-7>.

Samir, M. *et al.* (2024) “Electrical cardiometry significance in postoperative cardiac ICU; a single center study,” *Egyptian Pediatric Association Gazette*, 72(1), p. 92. Available at: <https://doi.org/10.1186/s43054-024-00334-7>.

Sandham, J.D. *et al.* (2003) “A Randomized, Controlled Trial of the Use of Pulmonary-Artery Catheters in High-Risk Surgical Patients,” *The New England Journal of Medicine*, p. 10.

Saugel, B. and Khanna, A.K. (2019) “Managing hemodynamic instability – If you want to know cardiac output, you need to measure it!,” *Journal of Critical Care*, 49, pp. 185–186. Available at: <https://doi.org/10.1016/j.jcrc.2018.10.011>.

Singer, M. *et al.* (2016) “The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3),” *JAMA*, 315(8), p. 801. Available at: <https://doi.org/10.1001/jama.2016.0287>.

Song, Y., Xu, S. and Parlak, O. (2025) “Bilirubin Sensing Using Organic Electrochemical Transistors: Role of Gate Materials and Operational Parameters,” *Advanced Healthcare Materials*, p. e02481. Available at: <https://doi.org/10.1002/adhm.202502481>.

Su, Y.-J., Tan, S.-T. and Nassef, Y. (2025) “Noninvasive cardiac output monitoring in septic shock patients: A retrospective study on hemodynamic status and outcomes,” *Medicine*, 104(34), p. e43990. Available at: <https://doi.org/10.1097/MD.00000000000043990>.

Suh, G.J. *et al.* (2023) “Hemodynamic management of septic shock: beyond the Surviving Sepsis Campaign guidelines,” *Clinical and Experimental Emergency Medicine*, 10(3), pp. 255–264. Available at: <https://doi.org/10.15441/ceem.23.065>.

Teefy, P. *et al.* (2018) “Impact of Obesity on Noninvasive Cardiac Hemodynamic Measurement by Electrical Cardiometry in Adults With Aortic Stenosis,” *Journal of Cardiothoracic and Vascular Anesthesia*, 32(6), pp. 2505–2511. Available at: <https://doi.org/10.1053/j.jvca.2018.04.040>.

Tibby, S.M. (2003) “Monitoring cardiac function in intensive care,” *Archives of Disease in Childhood*, 88(1), pp. 46–52. Available at: <https://doi.org/10.1136/adc.88.1.46>.

Valeanu, L. *et al.* (2021) “Hemodynamic Monitoring in Sepsis—A Conceptual Framework of Macro- and Microcirculatory Alterations,” *Diagnostics*, 11(9), p. 1559. Available at: <https://doi.org/10.3390/diagnostics11091559>.

Vincent, J.-L. *et al.* (1996) “The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure: On behalf of the Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine (see contributors to the project in the appendix),” *Intensive Care Medicine*, 22(7), pp. 707–710. Available at: <https://doi.org/10.1007/BF01709751>.

Vincent, J.-L. *et al.* (2015) “Perioperative cardiovascular monitoring of high-risk patients: a consensus of 12,” *Critical Care*, 19(1). Available at: <https://doi.org/10.1186/s13054-015-0932-7>.