

DAFTAR PUSTAKA

- Adenan, M. N. H., Moosa, S., Muhammad, S. A., Abraham, A., Jandric, Z., Islam, M., Rodionova, O., Pomerantsev, A., Perston, B., Cannavan, A., Kelly, S. D., Othman, Z., Abdullah Salim, N. A., Sharif, Z., & Ismail, F. (2020). Screening Malaysian edible bird's nests for structural adulterants and geographical origin using Mid-Infrared – Attenuated Total Reflectance (MIR-ATR) spectroscopy combined with chemometric analysis by Data-Driven – Soft Independent Modelling of Class Analogy (DD-SIMCA). *Forensic Chemistry*, 17. <https://doi.org/10.1016/j.forc.2019.100197>
- Amanah, H. Z., Joshi, R., Masithoh, R. E., Choung, M. G., Kim, K. H., Kim, G., & Cho, B. K. (2020). Nondestructive measurement of anthocyanin in intact soybean seed using Fourier Transform Near-Infrared (FT-NIR) and Fourier Transform Infrared (FT-IR) spectroscopy. *Infrared Physics and Technology*, 111(June). <https://doi.org/10.1016/j.infrared.2020.103477>
- Amanah, H. Z., Rahmannisa, Y. F., Hernanda, R. A. P., Lee, H., Nisa, N. H., Maftukhah, R., & Masithoh, R. E. (2025). Support Vector Machine Coupled with Modular Visible-Near Infrared Spectroscopy for Chili (*Capsicum annum*) Seed Viability Discrimination. *Trends in Sciences*, 22(5). <https://doi.org/10.48048/tis.2025.9546>
- Ambrose, A., & Cho, B.-K. (2014). A Review of Technologies for Detection and Measurement of Adulterants in Cereals and Cereal Products. *J. of Biosystems Eng*, 39(4), 12. <https://doi.org/10.5307/JBE.2014.39.4.357>
- Amnestiya, P., Putra, A. Y., Sari, Y., Kimia, P., & Riau, U. I. (2023). Review : Identifikasi Senyawa Metabolit Sekunder Dan Uji Aktivitas Antioksidan Pada Limbah Kulit Buah Indonesia. *Jurnal Kimia Mulawarman*, 20(2), 98–104.
- Amsaraj, R., Ranjan, R., Rachaiah, B. P., & Mutturi, S. (2024). Multi-instrument spectroscopic study for authentication of curcumin content in commercial turmeric powders using machine learning algorithms. *Journal of Food Composition and Analysis*, 134, 106543. <https://doi.org/10.1016/J.JFCA.2024.106543>
- Appaw, W., Zaukuu, J.-L. Z., Aouadi, B., Mensah, E. T., Oduro, I. N., & Kovacs, Z. (2025). Predicting Aflatoxin contamination in white and yellow maize using Vis/NIR spectroscopy combined with PCA-LDA and PLSR Models through Aquaphotomics Approaches. *Applied Food Research*, 100841. <https://doi.org/10.1016/j.afres.2025.100841>
- Arvand, M., Pourhabib, A., & Asadi, M. (2018). Template-based synthesis of uniform bimetallic nickel-tin oxide hollow nanospheres as a new sensing platform for detection of erythrosine in food products. *Sensors and Actuators, B: Chemical*, 255. <https://doi.org/10.1016/j.snb.2017.08.189>
- Asadi, O., Hajhosseini, M., Shirzadi, S., Einalou, Z., & Dadgostar, M. (2025). Improvement of classification accuracy of functional near-infrared

- spectroscopy signals for hand motion and motor imagery using a common spatial pattern algorithm. *Intelligent Medicine*, 5(2), 123–131. <https://doi.org/10.1016/J.IMED.2024.05.004>
- Ayu, P. C., Rindang, A., & W Sebayang, N. U. (2024). NIR Spectroscopy application to determine the carbohydrate and lipid content in green bean coffee. *IOP Conference Series: Earth and Environmental Science*, 1302(1), 012114. <https://doi.org/10.1088/1755-1315/1302/1/012114>
- Balabin, R. M., & Lomakina, E. I. (2011). Support vector machine regression (SVR/LS-SVM)—an alternative to neural networks (ANN) for analytical chemistry? Comparison of nonlinear methods on near infrared (NIR) spectroscopy data. *Analyst*, 136(8), 1703–1712. <https://doi.org/10.1039/C0AN00387E>
- Balabin, R. M., & Smirnov, S. V. (2011). Melamine detection by mid- and near-infrared (MIR/NIR) spectroscopy: A quick and sensitive method for dairy products analysis including liquid milk, infant formula, and milk powder. *Talanta*, 85(1), 562–568. <https://doi.org/10.1016/j.talanta.2011.04.026>
- Batistela, V. R., Pellosi, D. S., De Souza, F. D., Da Costa, W. F., De Oliveira Santin, S. M., De Souza, V. R., Caetano, W., De Oliveira, H. P. M., Scarminio, I. S., & Hioka, N. (2011). pKa determinations of xanthene derivatives in aqueous solutions by multivariate analysis applied to UV–Vis spectrophotometric data. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 79(5), 889–897. <https://doi.org/10.1016/J.SAA.2011.03.027>
- Bazar, G., Eles, V., Kovacs, Z., Romvari, R., & Szabo, A. (2016). Multicomponent blood lipid analysis by means of near infrared spectroscopy, in geese. *Talanta*, 155, 202–211. <https://doi.org/10.1016/J.TALANTA.2016.04.039>
- Behera, A. R., Suresh, H., Kumar, A., Selvaraja, S. K., & Pratap, R. (2020). Detection of spent turmeric adulteration in powdered *Curcuma longa* using Vis-NIR spectroscopy and machine learning. *2020 5th IEEE International Conference on Emerging Electronics, ICEE 2020*. <https://doi.org/10.1109/ICEE50728.2020.9776996>
- Benar, P., Gonçalves, A. R., Mandelli, D., Ferreira, M. M. C., & Schuchardt, U. (1999). Principal component analysis of the hydroxymethylation of sugarcane lignin: a time-depending study by FTIR. *Journal of Wood Chemistry and Technology*, 19(1). <https://doi.org/10.1080/02773819909349605>
- BPOM RI. (2019). Peraturan BPOM NO 11 Tahun 2019 tentang Bahan Tambahan Pangan. *Badan Pengawasan Obat Dan Makanan Republik Indonesia*, 1–1156.
- BPOM RI. (2023). *Badan Pengawas Obat dan Makanan (BPOM) RI*.
- Badan Pusat Statistik Indonesia. (2025). *Rata-rata Konsumsi Perkapita Seminggu*

Menurut Kelompok Buah-Buahan Per Kabupaten/Kota-Komoditas 2025. Diakses pada 26 Januari 2026, dari <https://www.bps.go.id/id/statistics-table/2/MjU1OCMy/rata-rata-konsumsi-perkapita-seminggu-menurut-kelompok-buah-buahan-per-kabupaten-kota-komoditas-2025.html>

Bunghez, I. R., Raduly, M., Doncea, S., Aksahin, I., & Ion, R. M. (2011). Lycopene determination in tomatoes by different spectral techniques (UV-VIS, FTIR and HPLC). *Digest Journal of Nanomaterials and Biostructures*, 6(3).

Büning-Pfaue, H. (2003). Analysis of water in food by near infrared spectroscopy. *Food Chemistry*, 82(1), 107–115. [https://doi.org/10.1016/S0308-8146\(02\)00583-6](https://doi.org/10.1016/S0308-8146(02)00583-6)

Caporaso, N., Whitworth, M. B., Grebby, S., & Fisk, I. D. (2018). Non-destructive analysis of sucrose, caffeine and trigonelline on single green coffee beans by hyperspectral imaging. *Food Research International*, 106, 193–203. <https://doi.org/10.1016/J.FOODRES.2017.12.031>

Chairuniza, H. C., Jumeri, Masithoh, R. E., Supartono, W., & Khuriyati, N. (2023). Prediction of Rhodamine B Dye Content in Chilies Paste Using VIS-NIR Spectroscopy. In *Key Engineering Materials* (Vol. 949). <https://doi.org/10.4028/p-xX02kf>

Chatterjee, D., Patnam, V. R., Sikdar, A., Joshi, P., Misra, R., & Rao, N. N. (2008). Kinetics of the decoloration of reactive dyes over visible light-irradiated TiO₂ semiconductor photocatalyst. *Journal of Hazardous Materials*, 156(1–3), 435–441. <https://doi.org/10.1016/j.jhazmat.2007.12.038>

Chen, Z., Zhong, B., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. (2021). Identification of phenolic compounds in Australian grown dragon fruits by LC-ESI-QTOF-MS/MS and determination of their antioxidant potential. *Arabian Journal of Chemistry*, 14(6). <https://doi.org/10.1016/j.arabjc.2021.103151>

Chumroenvidhayakul, S., Thilavech, T., Abeywardena, M., & Adisakwattana, S. (2023). Dragon Fruit Peel Waste (*Hylocereus undatus*) as a Potential Ingredient for Reducing Lipid Peroxidation, Dietary Advanced Glycation End Products, and Starch Digestibility in Cookies. *Antioxidants*, 12(5). <https://doi.org/10.3390/antiox12051002>

Cruz-Tirado, J. P., Haughey, S. A., Elliott, C. T., & Barbin, D. F. (2026). Portable NIR spectrometer and FTIR and soft modelling to authenticate edible cricket, mealworm and buffalo worm flour. *Food Control*, 179, 111567. <https://doi.org/10.1016/J.FOODCONT.2025.111567>

Davey, M. W., Saeys, W., Hof, E., Ramon, H., Swennen, R. L., & Keulemans, J. (2009). Application of visible and near-infrared reflectance spectroscopy (vis/NIRS) to determine carotenoid contents in banana (*musa spp.*) fruit pulp. *Journal of Agricultural and Food Chemistry*, 57(5). <https://doi.org/10.1021/jf803137d>

- Durrani, S., Zhang, J., Durrani, F., Wang, Z., Mukramin, Xu, K. F., Wang, H., Khan, H., Wu, F. G., & Lin, F. (2025). Triple channel fluorescence Na-Ca-Cl-doped carbon dots for erythrosine detection in food samples and living cells. *Journal of Molecular Structure*, 1321. <https://doi.org/10.1016/j.molstruc.2024.139934>
- ElMasry, G., Sun, D. W., & Allen, P. (2011). Non-destructive determination of water-holding capacity in fresh beef by using NIR hyperspectral imaging. *Food Research International*, 44(9). <https://doi.org/10.1016/j.foodres.2011.05.001>
- Emiroğlu, E., Yuvali, D., Sarp, G., Yilmaz, E., & Narin, İ. (2021). Magnetic solid phase extraction of erythrosine (E127) in pharmaceutical samples with Fe₃O₄/C-nanodots hybrid material prior to spectrophotometric analysis. *Microchemical Journal*, 170. <https://doi.org/10.1016/j.microc.2021.106766>
- Fan, S., Wang, Q., Tian, X., Yang, G., Xia, Y., Li, J., & Huang, W. (2020). Non-destructive evaluation of soluble solids content of apples using a developed portable Vis/NIR device. *Biosystems Engineering*, 193. <https://doi.org/10.1016/j.biosystemseng.2020.02.017>
- Florena Măruțoiu, O., Gogoasă, I., Măruțoiu, C., Tofană, M., Moigrădean, D., & Gergen, I. (2011). *Separation and identification of some synthetic food colorants from foods through thin-layer chromatography-"UV-VIS" Spectrometry* (Vol. 17, Issue 1). <http://>
- Garber, E. A. E., Parker, C. H., Handy, S. M., Cho, C. Y., Panda, R., Samadpour, M., Reynaud, D. H., & Ziobro, G. C. (2016). Presence of undeclared food allergens in cumin: The need for multiplex methods. *Journal of Agricultural and Food Chemistry*, 64(5). <https://doi.org/10.1021/acs.jafc.5b05497>
- Genis, H. E., Durna, S., & Boyaci, I. H. (2021). Determination of green pea and spinach adulteration in pistachio nuts using NIR spectroscopy. *LWT*, 136. <https://doi.org/10.1016/j.lwt.2020.110008>
- Gokcen, I., & Peng, J. (2002). Comparing linear discriminant analysis and support vector machines. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2457, 104–113. https://doi.org/10.1007/3-540-36077-8_10
- Guo, Z., Huang, W., Peng, Y., Chen, Q., Ouyang, Q., & Zhao, J. (2016). Color compensation and comparison of shortwave near infrared and long wave near infrared spectroscopy for determination of soluble solids content of “Fuji” apple. *Postharvest Biology and Technology*, 115. <https://doi.org/10.1016/j.postharvbio.2015.12.027>
- Hassan, H., Fan, M., Zhang, T., & Yang, K. (2015). Prediction of total phenolics and flavonoids contents in Chinese wild rice (*Zizania latifolia*) using FT-NIR spectroscopy. *American Journal of Food Technology*, 10(3). <https://doi.org/10.3923/ajft.2015.109.117>

- Haughey, S. A., Galvin-King, P., Ho, Y. C., Bell, S. E. J., & Elliott, C. T. (2015). The feasibility of using near infrared and Raman spectroscopic techniques to detect fraudulent adulteration of chili powders with Sudan dye. *Food Control*, 48. <https://doi.org/10.1016/j.foodcont.2014.03.047>
- Hernández-Ramos, L., del Rosario García-Mateos, M., Castillo-González, A. M., Ybarra-Moncada, C., & Nieto-Ángel, R. (2020). Fruits of the pitahaya *Hylocereus undatus* and *H. Ocamponis*: Nutritional components and antioxidants. *Journal of Applied Botany and Food Quality*, 93. <https://doi.org/10.5073/JABFQ.2020.093.024>
- Hotmaida, Y., & Sutrisno, S. (2020). Non-destructive determination of the main chemical components of red dragon fruit peel flour by using Near-Infrared Reflectance Spectroscopy (NIRS). *IOP Conference Series: Earth and Environmental Science*, 542(1). <https://doi.org/10.1088/1755-1315/542/1/012007>
- Huang, C. J., Han, L. J., Liu, X., & Ma, L. J. (2009). Rapid measurement for moisture and calorific value of straw based on near infrared spectroscopy and local algorithm. *Hongwai Yu Haomibo Xuebao/Journal of Infrared and Millimeter Waves*, 28(3). <https://doi.org/10.3724/SP.J.1010.2009.00184>
- Huang, T. H., Ning, X., Wang, X., Murthy, N., Tzeng, Y. L., & Dickson, R. M. (2015). Rapid cytometric antibiotic susceptibility testing utilizing adaptive multidimensional statistical metrics. *Analytical Chemistry*, 87(3). <https://doi.org/10.1021/ac504241x>
- Iqbal, A., Sun, D. W., & Allen, P. (2013). Prediction of moisture, color and pH in cooked, pre-sliced turkey hams by NIR hyperspectral imaging system. *Journal of Food Engineering*, 117(1). <https://doi.org/10.1016/j.jfoodeng.2013.02.001>
- Izenman, A. J. (2008). *Modern Multivariate Statistical Techniques*. Springer New York. <https://doi.org/10.1007/978-0-387-78189-1>
- Kamal, T., Cheng, S., Khan, I. A., Nawab, K., Zhang, T., Song, Y., Wang, S., Nadeem, M., Riaz, M., Khan, M. A. U., Zhu, B. W., & Tan, M. (2019). Potential uses of LF-NMR and MRI in the study of water dynamics and quality measurement of fruits and vegetables. *Journal of Food Processing and Preservation*, 43(11). <https://doi.org/10.1111/jfpp.14202>
- Kandpal, L. M., Lee, H., Kim, M. S., Mo, C., & Cho, B. K. (2013). Hyperspectral reflectance imaging technique for visualization of moisture distribution in cooked chicken breast. *Sensors (Switzerland)*, 13(10). <https://doi.org/10.3390/s131013289>
- Kementerian Kesehatan Republik Indonesia. (1985). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 239/Men.Kes/Per/V/85 tentang zat warna tertentu yang dinyatakan sebagai bahan berbahaya*. Jakarta: Republik Indonesia.

- Kementerian Perdagangan Republik Indonesia. (2009). *Peraturan Menteri Perdagangan Republik Indonesia Nomor 44/M-DAG/PER/9/2009 tentang pengadaan, distribusi, dan pengawasan bahan berbahaya*. Jakarta: Republik Indonesia.
- Kharbach, M., Alaoui Mansouri, M., Taabouz, M., & Yu, H. (2023). Current Application of Advancing Spectroscopy Techniques in Food Analysis: Data Handling with Chemometric Approaches. In *Foods* (Vol. 12, Issue 14). <https://doi.org/10.3390/foods12142753>
- Khodabakhshian, R., Bayati, M. R., & Emadi, B. (2022). Adulteration detection of Sudan Red and metanil yellow in turmeric powder by NIR spectroscopy and chemometrics: The role of preprocessing methods in analysis. *Vibrational Spectroscopy*, 120. <https://doi.org/10.1016/j.vibspec.2022.103372>
- Kusumiyati, K., Hadiwijaya, Y., Putri, I. E., & Munawar, A. A. (2021). Enhanced visible/near-infrared spectroscopic data for prediction of quality attributes in Cucurbitaceae commodities. *Data in Brief*, 39. <https://doi.org/10.1016/j.dib.2021.107458>
- Kusumiyati, K., & Putri, I. E. (2023). Comparison of color spectrophotometer and Vis/NIR spectroscopy on assessing natural pigments of cucumber applied with different ethephon concentrations. *Heliyon*, 9(12). <https://doi.org/10.1016/j.heliyon.2023.e22564>
- Kusumiyati, K., Putri, I. E., Hamdani, J. S., & Suhandy, D. (2022). Real-Time Detection of the Nutritional Compounds in Green ‘Ratuni UNPAD’ Cayenne Pepper. *Horticulturae*, 8(6). <https://doi.org/10.3390/horticulturae8060554>
- Kusumiyati, K., Putri, I. E., Munawar, A. A., & Suhandy, D. (2022). A data fusion model to merge the spectra data of intact and powdered cayenne pepper for the fast inspection of antioxidant properties. *Sustainability (Switzerland)*, 14(1). <https://doi.org/10.3390/su14010201>
- Lanjewar, M. G., Morajkar, P. P., & Parab, J. S. (2023). Hybrid method for accurate starch estimation in adulterated turmeric using Vis-NIR spectroscopy. *Food Additives and Contaminants - Part A*, 40(9). <https://doi.org/10.1080/19440049.2023.2241557>
- Lanjewar, M. G., Parate, R. K., Wakodikar, R., & Parab, J. S. (2023). Detection of Starch in Turmeric Using Machine Learning Methods. In *Lecture Notes in Networks and Systems: Vol. 613 LNNS*. https://doi.org/10.1007/978-981-19-9379-4_10
- Le, N. L. (2022). Functional compounds in dragon fruit peels and their potential health benefits: a review. *International Journal of Food Science & Technology*, 57(5), 2571–2580. <https://doi.org/https://doi.org/10.1111/ijfs.15111>
- Lee, S., Sarkar, S., Park, Y., Yang, J., & Kweon, G. (2019). Feasibility Study for

- an Optical Sensing System for Hardy Kiwi (*Actinidia arguta*) Sugar Content Estimation. *Journal of Agriculture & Life Science*, 53(3). <https://doi.org/10.14397/jals.2019.53.3.147>
- Li, L., Zhao, Y. L., Li, Z. M., & Wang, Y. Z. (2022). A strategy of fast evaluation for the raw material of Tiepi Fengdou using FT-NIR and ATR-FTIR spectroscopy coupled with chemometrics tools. *Vibrational Spectroscopy*, 123. <https://doi.org/10.1016/j.vibspec.2022.103429>
- Lima, A. B. S. de, Batista, A. S., Jesus, J. C. de, Silva, J. de J., Araújo, A. C. M. de, & Santos, L. S. (2020). Fast quantitative detection of black pepper and cumin adulterations by near-infrared spectroscopy and multivariate modeling. *Food Control*, 107. <https://doi.org/10.1016/j.foodcont.2019.106802>
- Lohumi, S., Lee, H., Kim, M. S., Qin, J., & Cho, B. K. (2018). Raman imaging for the detection of adulterants in paprika powder: A comparison of data analysis methods. *Applied Sciences (Switzerland)*, 8(4). <https://doi.org/10.3390/app8040485>
- Lohumi, S., Lee, S., Lee, W. H., Kim, M. S., Mo, C., Bae, H., & Cho, B. K. (2014). Detection of starch adulteration in onion powder by FT-NIR and FT-IR spectroscopy. *Journal of Agricultural and Food Chemistry*, 62(38). <https://doi.org/10.1021/jf500574m>
- López-Montes, A. M., Dupont, A. L., Desmazières, B., & Lavédrine, B. (2013). Identification of synthetic dyes in early colour photographs using capillary electrophoresis and electrospray ionisation-mass spectrometry. *Talanta*, 114. <https://doi.org/10.1016/j.talanta.2013.04.020>
- Lukacs, M., Vitalis, F., Bardos, A., Tormási, J., Bec, K. B., Grabska, J., Gillay, Z., Tömösközi-Farkas, R. A., Abrankó, L., Albanese, D., Malvano, F., Huck, C. W., & Kovacs, Z. (2024). Comparison of Multiple NIR Instruments for the Quantitative Evaluation of Grape Seed and Other Polyphenolic Extracts with High Chemical Similarities. *Foods (Basel, Switzerland)*, 13(24). <https://doi.org/10.3390/foods13244164>
- Macavilca, E. A., & Condezo-Hoyos, L. (2020). Assessment of total antioxidant capacity of altiplano colored quinoa (*Chenopodium quinoa willd*) by visible and near-infrared diffuse reflectance spectroscopy and chemometrics. *LWT*, 134. <https://doi.org/10.1016/J.LWT.2020.110182>
- Martin, D., Gonzalvez, A. G., Medina, R. M., & González Ureña, A. (2017). Modeling Tomato Ripening Based on Carotenoid Raman Spectroscopy: Experimental Versus Kinetic Model. *Applied Spectroscopy*, 71(6). <https://doi.org/10.1177/0003702816681012>
- Masithoh, R. E., Pahlawan, M. F. R., Arifani, E. N., Amanah, H. Z., & Cho, B. K. (2024). Determination of the Betacyanin and Betaxanthin Contents of Red Beet (*Beta Vulgaris*) Powder Using Partial Least Square Regression Based on Visible-Near Infrared Spectra. *Trends in Sciences*, 21(5).

<https://doi.org/10.48048/tis.2024.7639>

- Mathanker, S. K., Weckler, P. R., & Bowser, T. J. (2013). X-ray applications in food and agriculture: A review. *Transactions of the ASABE*, *56*(3). <https://doi.org/10.13031/trans.56.9785>
- Merzlyak, M. N., Solovchenko, A. E., & Gitelson, A. A. (2003). Reflectance spectral features and non-destructive estimation of chlorophyll, carotenoid and anthocyanin content in apple fruit. *Postharvest Biology and Technology*, *27*(2), 197–211. [https://doi.org/10.1016/S0925-5214\(02\)00066-2](https://doi.org/10.1016/S0925-5214(02)00066-2)
- Millatina, N. R. N., Calle, J. L. P., Barea-Sepúlveda, M., Setyaningsih, W., & Palma, M. (2024). Detection and quantification of cocoa powder adulteration using Vis-NIR spectroscopy with chemometrics approach. *Food Chemistry*, *449*. <https://doi.org/10.1016/j.foodchem.2024.139212>
- Mohseni-Shahri, F. S., Moeinpour, F., & Verdian, A. (2023). Quantitative analysis of molecular interactions between erythrosine B and cationic surfactants: liquid crystal-based sensor design for the efficient determination of erythrosine B. *Liquid Crystals*, *50*(4). <https://doi.org/10.1080/02678292.2022.2161019>
- Monago-Maraña, O., Eskildsen, C. E., Galeano-Díaz, T., Muñoz de la Peña, A., & Wold, J. P. (2021). Untargeted classification for paprika powder authentication using visible – Near infrared spectroscopy (VIS-NIRS). *Food Control*, *121*. <https://doi.org/10.1016/j.foodcont.2020.107564>
- Nangare, D. D., Taware, P. B., Singh, Y., Kumar, P. S., Bal, S. K., Ali, S., & Pathak, H. (2020). Dragon fruit: A potential crop for abiotic stressed areas. *Technical Bulletin*, *46*, 24
- Nawar, S., & Mouazen, A. M. (2017). Comparison between Random Forests, Artificial Neural Networks and Gradient Boosted Machines Methods of On-Line Vis-NIR Spectroscopy Measurements of Soil Total Nitrogen and Total Carbon. *Sensors* *2017*, Vol. *17*, Page 2428, *17*(10), 2428. <https://doi.org/10.3390/S17102428>
- Ndlovu, P. F., Magwaza, L. S., Tesfay, S. Z., & Mphahlele, R. R. (2019). Rapid visible–near infrared (Vis–NIR) spectroscopic detection and quantification of unripe banana flour adulteration with wheat flour. *Journal of Food Science and Technology*, *56*(12), 5484. <https://doi.org/10.1007/S13197-019-04020-0>
- Nisa, N. H., Masithoh, R. E., Pahlawan, M. F. R., & Wati, A. T. (2025). Application of machine learning and deep learning to detect adulteration in food flour based on spectroscopy data : a systematic review. *EDP Sciences*, *192*(BIO Web Conf.), 01005. <https://doi.org/https://doi.org/10.1051/bioconf/202519201005>
- NSF. (2014). *Risk Modelling Of Food Fraud Motivation-"NSF Fraud Protection Model" Intelligent Risk Model Scoping Project FS 246004 NSF Safety and*

Quality UK Ltd.

- Oliveira, M. M., Cruz-Tirado, J. P., Roque, J. V., Teófilo, R. F., & Barbin, D. F. (2020). Portable near-infrared spectroscopy for rapid authentication of adulterated paprika powder. *Journal of Food Composition and Analysis*, 87. <https://doi.org/10.1016/j.jfca.2019.103403>
- Parvathy, V. A., Swetha, V. P., Sheeja, T. E., & Sasikumar, B. (2015). Detection of plant-based adulterants in turmeric powder using DNA barcoding. *Pharmaceutical Biology*, 53(12). <https://doi.org/10.3109/13880209.2015.1005756>
- Pavlostathis, S. G. (2001). Biological Decolorization and Reuse of Spent Reactive Dyebaths. *Annual Report FY 1*.
- Pellosi, D. S., Estevão, B. M., Freitas, C. F., Tsubone, T. M., Caetano, W., & Hioka, N. (2013). Photophysical properties of erythrosin ester derivatives in ionic and non-ionic micelles. *Dyes and Pigments*, 99(3), 705–712. <https://doi.org/10.1016/J.DYEPIG.2013.06.026>
- Peng, C., Zhong, L., Gao, L., Li, L., Nie, L., Wu, A., Huang, R., Tian, W., Yin, W., Wang, H., Miao, Q., Zhang, Y., & Zang, H. (2024). Implementation of near-infrared spectroscopy and convolutional neural networks for predicting particle size distribution in fluidized bed granulation. *International Journal of Pharmaceutics*, 655. <https://doi.org/10.1016/j.ijpharm.2024.124001>
- Pratap, R., Das, A., Mishra, A., Chaudhary, S., & Singh Parmar, A. (2024). Developing a Rapid and Sensitive Colorimetric Sensor for Detection of Food Adulterant Rhodamine-B in Real Samples. *ChemistrySelect*, 9(1). <https://doi.org/10.1002/slct.202302748>
- Puspita, D., Harini, N., & Winarsih, S. (2021). Karakteristik Kimia dan Organoleptik Biskuit dengan Penambahan Tepung Kacang Kedelai (Glycine max) dan Tepung Kulit Buah Naga Merah (Hylocereus costaricensis). *Food Technology and Halal Science Journal*, 4(1). <https://doi.org/10.22219/fths.v4i1.15627>
- Qalbi, R., Giovani, S., Guo, Q., & Adelina, N. M. (2024). Effect of Drying Time on Physicochemical Characteristics of Dragon Fruit Peels Powder (Hylocereus polyrhizus). *Journal of Agri-Food Science and Technology*, 4(2). <https://doi.org/10.12928/jafost.v4i2.9294>
- Qin, J., Chao, K., Kim, M. S., & Cho, B. K. (2016). Line-Scan Macro-scale Raman Chemical Imaging for Authentication of Powdered Foods and Ingredients. *Food and Bioprocess Technology*, 9(1). <https://doi.org/10.1007/s11947-015-1605-x>
- Quelal-Vásconez, M. A., Pérez-Esteve, É., Arnau-Bonachera, A., Barat, J. M., & Talens, P. (2018). Rapid fraud detection of cocoa powder with carob flour using near infrared spectroscopy. *Food Control*, 92.

<https://doi.org/10.1016/j.foodcont.2018.05.001>

- Rahmawati, L., & Hariadi, H. (2023). Evaluasi non-destruktif pada pemalsuan tepung kacang merah (*Phaseolus vulgaris* L.) menggunakan spektroskopi visible-near infrared (VIS-NIR). *Agrointek: Jurnal Teknologi Industri Pertanian*, 17(4), 844–853. <https://doi.org/10.21107/agrointek.v17i4.17968>
- Rinnan, Å., Berg, F. van den, & Engelsen, S. B. (2009). Review of the most common pre-processing techniques for near-infrared spectra. *TrAC Trends in Analytical Chemistry*, 28(10), 1201–1222. <https://doi.org/10.1016/J.TRAC.2009.07.007>
- Roger, J. M., Mallet, A., & Marini, F. (2022). Preprocessing NIR Spectra for Aquaphotomics. *Molecules* 2022, Vol. 27, Page 6795, 27(20), 6795. <https://doi.org/10.3390/MOLECULES27206795>
- Saad, A., Jha, S. N., Jaiswal, P., Srivastava, N., & Helyes, L. (2016). Non-destructive quality monitoring of stored tomatoes using VIS-NIR spectroscopy. *Engineering in Agriculture, Environment and Food*, 9(2). <https://doi.org/10.1016/j.eaef.2015.10.004>
- Sadeghi, A., Khani, S., Sabourian, R., Hajimahmoodi, M., & Ghasemi, J. B. (2025). Integrating CNNs and chemometrics for analyzing NIR spectra and RGB images in turmeric adulterant detection. *Journal of Food Composition and Analysis*, 141, 107324. <https://doi.org/10.1016/J.JFCA.2025.107324>
- Saenjum, C., Pattananandecha, T., & Nakagawa, K. (2021). Antioxidative and anti-inflammatory phytochemicals and related stable paramagnetic species in different parts of dragon fruit. *Molecules*, 26(12). <https://doi.org/10.3390/molecules26123565>
- Sans, S., Ferré, J., Boqué, R., Sabaté, J., Casals, J., & Simó, J. (2018). Determination of chemical properties in ‘calçot’ (*Allium cepa* L.) by near infrared spectroscopy and multivariate calibration. *Food Chemistry*, 262. <https://doi.org/10.1016/j.foodchem.2018.04.102>
- Sarkar, S., Basak, J. K., Moon, B. E., & Kim, H. T. (2020). A Comparative Study of PLSR and SVM-R with Various Preprocessing Techniques for the Quantitative Determination of Soluble Solids Content of Hardy Kiwi Fruit by a Portable Vis/NIR Spectrometer. *Foods*, 9(8), 1078. <https://doi.org/10.3390/FOODS9081078>
- Sarofatin, A., & Wahyono, A. (2018). *Pengaruh Suhu Pengeringan Terhadap Karakteristik Kimia dan Aktivitas Antioksidan Bubuk Kulit Buah Naga Merah*. <https://doi.org/10.25047/agropross.2018.66>
- Savitzky, A., & Golay, M. J. E. (1964). Smoothing and Differentiation of Data by Simplified Least Squares Procedures. *Analytical Chemistry*, 36(8). <https://doi.org/10.1021/ac60214a047>
- Scientific Opinion on the re-evaluation of Erythrosine (E 127) as a food additive.

- (2011). *EFSA Journal*, 9(1). <https://doi.org/10.2903/j.efsa.2011.1854>
- Silaturahmi, Zaidiyah, Rahmiati, T. M., & Yuslinaini. (2020). The Utilization of Red Dragon Fruit Peel Extract (*Hylocereus costaricensis*) as A Natural Colorant of Dried Noodle. *Serambi Journal of Agricultural Technology*, 2(1), 37–41.
- Suasono, Z. S., Setiawardhana, S., Gunawan, A. I., & Winarno, I. (2026). Performance evaluation of water quality for shrimp farming using deep learning classification. *Aquacultural Engineering*, 112, 102648. <https://doi.org/10.1016/J.AQUAENG.2025.102648>
- Tan, J., Liu, J. Y., Su, H., Yang, X. H., & Li, H. F. (2024). Detection of adulteration of cumin powder by front-face synchronous fluorescence spectroscopy: The influence of the natural variation of adulterants. *Food Control*, 158. <https://doi.org/10.1016/j.foodcont.2023.110228>
- Teye, E., Anyidoho, E., Agbemafla, R., Sam-Amoah, L. K., & Elliott, C. (2020). Cocoa bean and cocoa bean products quality evaluation by NIR spectroscopy and chemometrics: A review. In *Infrared Physics and Technology* (Vol. 104). <https://doi.org/10.1016/j.infrared.2019.103127>
- Thalhamer, B., & Buchberger, W. (2019). Adulteration of beetroot red and paprika extract based food colorant with *Monascus* red pigments and their detection by HPLC-QToF MS analyses. *Food Control*, 105, 58–63. <https://doi.org/10.1016/j.foodcont.2019.05.020>
- Thissen, U., Pepers, M., Üstün, B., Melssen, W. J., & Buydens, L. M. C. (2004). Comparing support vector machines to PLS for spectral regression applications. *Chemometrics and Intelligent Laboratory Systems*, 73(2), 169–179. <https://doi.org/10.1016/J.CHEMOLAB.2004.01.002>
- Tian, Z., Tan, Z., Li, Y., & Yang, Z. (2022). Rapid monitoring of flavonoid content in sweet tea (*Lithocarpus litseifolius* (Hance) Chun) leaves using NIR spectroscopy. *Plant Methods*, 18(1). <https://doi.org/10.1186/s13007-022-00878-y>
- Tristanto, N. A., Cao, W., Chen, N., Suryoprabowo, S., Soetaredjo, F. E., Ismadji, S., & Hua, X. (2024). Pectin extracted from red dragon fruit (*Hylocereus polyrhizus*) peel and its usage in edible film. *International Journal of Biological Macromolecules*, 276(P1), 133804. <https://doi.org/10.1016/j.ijbiomac.2024.133804>
- Vera, W., Salvador-reyes, R., & Quispe-santivañez, G. (2025). *Detection of Adulterants in Powdered Foods Using Near- Infrared Spectroscopy and Chemometrics : Recent Advances , Challenges , and Future Perspectives. 2023*, 1–44.
- Wang, J., Shen, X., Zhong, P., Li, Z., Tang, Q., Huang, X., Zherdev, A. V., Dzantiev, B. B., Eremin, S. A., Xiao, Z., Lei, H., & Li, X. (2021).

Heterologous immunoassay strategy for enhancing detection sensitivity of banned dye rhodamine B in fraudulent food. *Chemical and Biological Technologies in Agriculture*, 8(1). <https://doi.org/10.1186/s40538-021-00211-0>

- Wei, X., Li, S., Zhu, S., Zheng, W., Zhou, S., Wu, W., & Xie, Z. (2021). Quantitative analysis of soybean protein content by terahertz spectroscopy and chemometrics. *Chemometrics and Intelligent Laboratory Systems*, 208, 104199. <https://doi.org/10.1016/J.CHEMOLAB.2020.104199>
- Wu, X. Y., Zhu, S. P., Huang, H., & Xu, D. (2017). Quantitative identification of adulterated sichuan pepper powder by near-infrared spectroscopy coupled with chemometrics. *Journal of Food Quality*, 2017. <https://doi.org/10.1155/2017/5019816>
- Xiaowei, H., Liuzi, D., Zhihua, L., Jin, X., Jiyong, S., Xiaodong, Z., Junjun, Z., Ning, Z., Holmes, M., & Xiaobo, Z. (2023). Fabrication and characterization of colorimetric indicator for Salmon freshness monitoring using agar/polyvinyl alcohol gel and anthocyanin from different plant sources. *International Journal of Biological Macromolecules*, 239. <https://doi.org/10.1016/j.ijbiomac.2023.124198>
- Yang, M., Xu, D., Chen, S., Li, H., & Shi, Z. (2019). Evaluation of Machine Learning Approaches to Predict Soil Organic Matter and pH Using vis-NIR Spectra. *Sensors* 2019, Vol. 19, Page 263, 19(2), 263. <https://doi.org/10.3390/S19020263>
- Zhang, D., Xu, L., Wang, Q., Tian, X., & Li, J. (2019). The Optimal Local Model Selection for Robust and Fast Evaluation of Soluble Solid Content in Melon with Thick Peel and Large Size by Vis-NIR Spectroscopy. *Food Analytical Methods*, 12(1). <https://doi.org/10.1007/s12161-018-1346-3>
- Zhang, M., Zhao, C., Shao, Q., Yang, Z., Zhang, X., Xu, X., & Hassan, M. (2019). Determination of water content in corn stover silage using near-infrared spectroscopy. *International Journal of Agricultural and Biological Engineering*, 12(6). <https://doi.org/10.25165/j.ijabe.20191206.4914>