

DAFTAR PUSTAKA

- Aburas, M.M., Ho, Y.M., Ramli, M.F., & Ash'aari, Z.H., (2016). The simulation and prediction of spatio-temporal urban growth trends using cellular automata models: a review, *Int. J. Appl. Earth Obs. Geoinf*, Vol. 52. <https://doi.org/10.1016/j.jag.2016.07.007>
- Aburas, M.M., Ho, Y.M., Ramli, M.F., & Ash'aari, Z.H., (2017). Improving the capability of an integrated CA-Markov model to simulate spatio-temporal urban growth trends using an analytical hierarchy process and frequency ratio, *Int. J. Appl. Earth Obs. Geoinf*, 59. <https://doi.org/10.1016/j.jag.2017.03.006>
- Alie, M. E. R. (2015). Kajian Erosi Lahan pada DAS Dawas Kabupaten Musi Banyuasin – Sumatera Selatan. *Jurnal Teknik Sipil Dan Lingkungan*, 3, 749–754.
- Arifin, M. (2010). Kajian Sifat Fisik Tanah dan Berbagai Penggunaan Lahan dalam Hubungannya dengan Pendugaan Erosi Tanah. *Jurnal Pertanian MAPETA*, 12(2), 111–115.
- Arsyad, S. (2012). *Konservasi Tanah dan Air*, IPB Press, Bogor.
- Asdak, C., (2010), Hidrologi dan Pengelolaan Daerah Aliran Sungai, Gadjah Mada University Press, Yogyakarta.
- Asfari, A., & Supriatna, NR., (2017). Spatial Dynamics Model of Population Growth Relationship with Land Availability in Northern Cianjur Regency, West Java Province, *Prosiding Industrial Research Workshop and National Seminar*, Vol. 8. <https://doi.org/10.35313/irwns.v8i3.732>
- Belay, T., & Mengistu, D. A. (2021). Impacts of land use/land cover and climate changes on soil erosion in Muga watershed, Upper Blue Nile basin (Abay), Ethiopia. *Ecological Processes*, 10(1), 68. <https://doi.org/10.1186/s13717-021-00339-9>
- Borrelli, P., Robinson, D. A., Fleischer, L. R., Lugato, E., Ballabio, C., Alewell, C., Meusburger, K., Modugno, S., Schütt, B., Ferro, V., Bagarello, V., Oost, K. Van, Montanarella, L., & Panagos, P. (2017). An assessment of the global impact of 21st century land use change on soil erosion. *Nature Communications*, 8(1), 2013. <https://doi.org/10.1038/s41467-017-02142-7>

- Buraka, T., Elias, E., Suryabhagavan, K. V., & Lelago, A. (2024). Assessment of soil erosion risks in response to land-use and land-cover changes in Coka watershed, Southern Ethiopia. *Geology, Ecology, and Landscapes*, 8(2), 140–153. <https://doi.org/10.1080/24749508.2022.2109825>
- BPS. (2025). Jumlah Penduduk Menurut Kabupaten/Kota di Jawa Tengah (Jiwa), Badan Pusat Statistik Jawa tengah. [Online]. Available: <https://jateng.bps.go.id/>. [accessed on August 13, 2025].
- Breiman, L. (2001). Random Forests, *Machine Learning*, 45, 5-32. <https://doi.org/10.1023/A:1010933404324>
- Chaves, M.E.D., Picoli, M.C.A., & Sanches, I.D., (2020). Recent Applications of Landsat 8/OLI and Sentinel-2/MSI for Land-use and Land Cover Mapping: A Systematic Review. *Remote Sensing*, 12. <https://doi.org/10.3390/rs12183062>
- Cheng, Z., Lu, D., Li, G., Huang, J., Sinha, N., Zhi, J., & Li, S. (2018). A random forest-based approach to map soil erosion risk distribution in hickory plantations in Western Zhejiang Province, China. *Remote Sensing*, 10(12). <https://doi.org/10.3390/rs10121899>
- Couclelis, H. (1997). From cellular automata to urban models: new principles for model development and implementation, *Environ. Plann. Plann. Des*, 24. <https://doi.org/10.1068/b240165>
- Czapla-Myers, J., McCorkel, J., Anderson, N., Thome, K., Biggar, S., Helder, D., Aaron, D., Leigh, L., & Mishra, N. (2015). The Ground-based Absolute Radiometric Calibration of Landsat 8 OLI. *Remote Sensing*, 7(1), 600-626. <https://doi.org/10.3390/rs70100600>
- Danoedoro, P. (2012), *Pengantar Penginderaan Jauh Digital*, Penerbit Andi, Yogyakarta.
- Danoedoro, P., Widayani, P., Hidayati, I. N., Arjasakusuma, S., Gupita, D. D., & Salsabila, H. N. (2023). Vegetation structural composition mapping of a complex landscape using forest cover density transformation and random decision forest classifier: a comparison. *Geocarto International*, 38(1). <https://doi.org/10.1080/10106049.2023.2220289>

- Danoedoro, P., Widayani, P., Hidayati, I. N., Kartika, C. S. D., & Alfani, F. (2024). Incorporating landscape ecological approach in machine learning classification for agricultural land-use mapping based on a single date imagery. *Geocarto International*, 39(1). <https://doi.org/10.1080/10106049.2024.2356844>
- Devi, M.K., Gorman, Y.H. & Hidayati, S.R., (2020). Spatial Transformation in Urban Periphery: the Case Study of Yogyakarta, *IOP Conf. Series: Earth and Environmental Science*, 592. <https://doi.org/10.1088/1755-1315/592/1/012022>
- Dewi, E.K., & Trisakti, B. (2016). Comparing Atmospheric Correction Methods for Landsat OLI Data, *International Journal of Remote Sensing and Earth Sciences (IJReSES)*, 13(2), 105-120. <https://doi.org/10.30536/j.ijreses.2016.v13.a2472>
- Donkor, E., Jnr, E. M. O., Adu-Bredu, S., Andam-Akorful, S. A., Kwarteng, E. V. S., & Yevugah, L. L. (2022). Application of Parametric and Non Parametric Classifiers for Assessing Land Use/Land Cover Categories in Cocoa Landscape of Juaboso and Bia West Districts of Ghana. *Journal of Geoscience and Environment Protection*, 10(11), 265-281. <https://doi.org/10.4236/gep.2022.1011018>
- Ekawati, N.L., Danoedoro, P., & Wibowo, S.B., (2026). Erosion Rate Estimates in Relation to Land-use Change: A Case Study in Samin Watershed, Central Java, Indonesia. *International Journal of Geoinformatics*, 22(2), 80–96. <https://doi.org/10.52939/ijg.v22i2.4789>
- European Space Agency. (2020), Landsat-4 and Landsat-5, *The European Space Agency*, <<https://earth.esa.int/eogateway/missions/landsat-4-and-landsat-5>> diakses pada 19 Oktober 2024.
- Fadhilla, S., Kusumandari, A., & Senawi. (2021). Soil erosion prediction using USLE model in Cangkringan micro watershed model, Yogyakarta. *IOP Conference Series: Earth and Environmental Science*, 912(1), 012092. <https://doi.org/10.1088/1755-1315/912/1/012092>
- FAO, (2017), *Watershed Management in Action: Lessons Learned from FAO Field Projects*, Food & Agriculture Organization: Rome, Italy.

- Fitri, Nl., Damayanti, A., Indra, TLL., & Dimyati, M., (2021). Cellular automata and markov chain spatial modeling for residential area carrying capacity in Samarinda City, East Kalimantan Province, *IOP Conference Series: Earth and Environmental Science*, 673. <https://doi.org/10.1088/1755-1315/673/1/012051>
- Friedl, M. A., & Brodley, C. E., (1997). Decision Tree Classification of Land Cover Form Remotely Sensed Data, *Remote Sensing of Environment*, Vol. 61. [https://doi.org/10.1016/S0034-4257\(97\)00049-7](https://doi.org/10.1016/S0034-4257(97)00049-7)
- Ghandi, G.M., Parthiban, S., Thummalu, N., & Christy, A., (2015), Ndvi: Vegetation Change Detection Using Remote Sensing and Gis – A Case Study of Vellore District, *Procedia Computer Science*, 57, 1199-1210. <https://doi.org/10.1016/j.procs.2015.07.415>
- Gharaibeh, A., Shaamala, A., Obeidat, R., & Al-Kofahi, S. (2020). Improving land-use change modeling by integrating ANN with Cellular Automata-Markov Chain model, *ELSEVIER: Heliyon*, 6(9), e05092. <https://doi.org/10.1016/j.heliyon.2020.e05092>
- Ghimere, B., Rogan, J., Galiano, C.R., Panday, P., & Neeti, N. (2012). An Evaluation of Bagging, Boosting, and Random Forest for Land-Cover Classification in Cape Cod, Massachusetts, USA, *Taylor & Francis: GIScience & Remote Sensing*, 49(5), 623-643. <https://doi.org/10.2747/1548-1603.49.5.623>
- Govil, H., Kumar, M., & Farooq, S., (2012), Comparative evaluation of fuzzy based object-oriented image classification method with parameteric and non-parametric classifiers, *India Geospatial Forum*, 1-15.
- Guan, D., Li, H., Inohae, T., Su, W., Nagaie, T., & Hokao, K., (2011). Modeling urban land-use change by the integration of cellular Automaton and Markov model, *Ecol. Model*, Vol. 222. <https://doi.org/10.1016/j.ecolmodel.2011.09.009>
- Gunawan, A. R. M. P., Suharyanto, S., Sriyana, I., & Nuramini, T. M. (2024). Effect of changes on land use and erosivity on erosion hazards and the reservoir lifespan of Tukul Dam, using USLE method. *E3S Web of Conferences*, 576, 02003. <https://doi.org/10.1051/e3sconf/202457602003>

- Hansen, M., Dubayah, R., & DeFries, R., (1996), Classification Trees: An Alternative to Traditional Land Cover Classifiers, *International Journal of Remote Sensing*, Vol. 17. <https://doi.org/10.1080/01431169608949069>
- Hansen, M. C., & Reed, B., (2000), A Comparison of the IGBP DISCover and University of Maryland 1 Km Global Land-Cover Products, *International Journal of Remote Sensing*, Vol. 21. <https://doi.org/10.1080/014311600210218>
- Haregeweyn, N., Tesfaye, S., Tsunekawa, A., Tsubo, M., Meshesha, D.T., Adgo, E., & Elias, A., (2014), Dynamics of Land Use and Land Cover and Its Effects on Hydrologic Responses: Case Study of the Gilgel Tekeze Catchment in The Highlands of Northern Ethiopia, *Environ. Monit. Assess*, 187. <http://dx.doi.org/10.1007/s10661-014-4090-1>
- Heung, B., Bakker, L., Schmidt, M.G., & Dragičević, S. (2013). Modelling the dynamics of soil redistribution induced by sheet erosion using the Universal Soil Loss Equation and cellular automata. *ELSEVIER: Geoderma*, 202-203, 112-125. <https://doi.org/10.1016/j.geoderma.2013.03.019>
- Homer, C., Huang, C., Yuang, L., Wylie, B., & Coan, M., (2004), Development of a 2001 National Land-Cover Database for the United States, *Photogrammetric Engineering & Remote Sensing*, Vol. 70. <https://doi.org/10.14358/PERS.70.7.829>
- Huang, C., Davis L. S., & Townshend, J. R. G., (2002), An Assessment of Support Vector Machines for Land Cover Classification, *International Journal of Remote Sensing*, Vol. 23. <https://doi.org/10.1080/01431160110040323>
- Hudson, N.W., (1976), Soil Conservation, *Batsford Ltd*, London.
- Hurni, K., Zeleke, G., Kassie, M., Tegegne, B., Kassawmar, T., Teferi, E., Moges, A., Tadesse, D., Ahmed, M., Degu, Y. (2015). Soil Degradation and Sustainable Land Management in the Rainfed Agricultural Areas of Ethiopia: An Assessment of the Economic Implications. Report for the Economics of Land Degradation Initiative. [E-book] Available: https://www.eld-initiative.org/fileadmin/pdf/ELD-ethiopia_i_06_72dpi-D.pdf

- Jansen, L. J. M., & Gregorio, A. Di. (2002). Parametric land cover and land-use classifications as tools for environmental change detection. *Agriculture, Ecosystems & Environment*, 91(1–3), 89–100. [https://doi.org/10.1016/S0167-8809\(01\)00243-2](https://doi.org/10.1016/S0167-8809(01)00243-2)
- Juniyanti, L., Prasetya, L. B., Aprianto, D. P., Purnomo, H., & Kartodihardjo, H. (2020). Perubahan Penggunaan dan Tutupan Lahan, serta Faktor Penyebabnya di Pulau Bengkalis, Provinsi Riau (Periode 1990-2019), *Journal of Natural Resources and Environmental Management*, 10(3), 419-435. <https://doi.org/10.29244/jpsl.10.3.419-435>
- Kavzoglu, T., & Reis, S. (2008). Performance analysis of maximum likelihood and artificial neural network classifiers for training sets with mixed pixels. *GIScience and Remote Sensing*, 45(3), 330–342. <https://doi.org/10.2747/1548-1603.45.3.330>
- Ke, Y., Im, J., Lee, J., Gong, H., dan Ryu, Y. (2015). Characteristics of Landsat 8 OLI-derived NDVI by comparison with multiple satellite sensors and in-situ observations, *Remote Sensing of Environment*, 164, 298-313. <https://doi.org/10.1016/j.rse.2015.04.004>
- Khassaf, S., & Al Rammahi, A. (2021). Estimation of Slope Length Factor (L) and Slope Steepness Factor (S) of RUSLE Equation in the Euphrates River Watershed by GIS Modeling. *Kufa Journal of Engineering*, 9(3), 81-91. <https://doi.org/10.30572/2018/KJE/090307>
- Kironoto, B.A., Yulistiyanto, B., & Olii, M.R. (2020), *Erosi dan Konservasi Lahan*, Gadjah Mada University Press, Yogyakarta.
- Kovalskyy, V., & Roy, D. P. (2013). The global availability of Landsat 5 TM and Landsat 7 ETM+ land surface observations and implications for global 30m Landsat data product generation. *Remote Sensing of Environment*, 130, 280–293. <https://doi.org/10.1016/j.rse.2012.12.003>
- Krivoguz, D., Chernyi, S.G., Zichenko, E., Silkin, A., & Zichenko, A., (2023), Using Landsat-5 for Accurate Historical LULC Classification: A Comparison of Machine Learning Models, *MDPI: Data*, 8(9), 138. <https://doi.org/10.3390/data8090138>

- Leta, M.K., Demissie, T.A., Tränckner, J., (2021), Modeling and Prediction of Land Use Land Cover Change Dynamics Based on Land Change Modeler (LCM) in Nashe Watershed, Upper Blue Nile Basin, Ethiopia, *MDPI: Sustainability*, 13(7), 3740. <https://doi.org/10.3390/su13073740>
- Lillesand, T.M., Kiefer, R.W., and Chipman, J. W. (2015). Remote Sensing and Image Interpretation (7th ed.). Wiley.
- Lukiawan, R., Purwanto, E. H., & Ayundyahrini, M. (2019). Analisis Pentingnya Standar Koreksi Geometrik Citra Satelit Resolusi Menengah Dan Manfaat Bagi Pengguna. *Jurnal Standardisasi*, 21(1), 45. <https://doi.org/10.31153/js.v21i1.735>
- Lukyanchuk, K. A., Kovalchuk, I. P., & Pidkova, O. M. (2020). Application of A Remote Sensing in Monitoring of Erosion Processes. *Geoinformatics: Theoretical and Applied Aspects 2020*, 1–5. <https://doi.org/10.3997/2214-4609.2020geo131>
- Ma, T., Zhou, C. H., & Cai, Q. G. (2009). Modeling of Hillslope Runoff and Soil Erosion at Rainfall Events Using Cellular Automata Approach. *Pedosphere*, 19(6), 711–718. [https://doi.org/10.1016/S1002-0160\(09\)60166-1](https://doi.org/10.1016/S1002-0160(09)60166-1)
- Maitima, J.M., Mugatha, S.M., Reid, R.S., Gachimbi, L.N., Majule, A., Lyaruu, H., & Mugisha, S., (2009), The Linkages Between Land Use Change, Land Degradation and Biodiversity Across East Africa. *Afr. J. Environ. Sci. Technol*, 3, 310-325.
- Mancino, G., Falciano, A., Console, R., & Trivigno, M. L. (2023). Comparison between Parametric and Non-Parametric Supervised Land Cover Classifications of Sentinel-2 MSI and Landsat-8 OLI Data. *Geographies*, 3(1), 82–109. <https://doi.org/10.3390/geographies3010005>
- Mariye, M., Mariyo, M., Changming, Y., Teffera, Z.L., & Weldegebrial, B., (2020), Effects of Land Use and Land Cover Change on Soil Erosion Potential in Berhe District: A Case Study of Legedadi Watershed, Ethiopia, *Int. J. River Basin Manag.* <https://doi.org/10.1080/15715124.2020.1767636>
- Marondedze, A. K., & Schütt, B. (2021). Predicting the impact of future land use and climate change on potential soil erosion risk in an urban district of the

harare metropolitan province, Zimbabwe. *Remote Sensing*, 13(21).
<https://doi.org/10.3390/rs13214360>

Maxwell, A. E., Warner, T. A., & Fang, F. (2018). Implementation of machine-learning classification in remote sensing: an applied review. *International Journal of Remote Sensing*, 39(9), 2784–2817.
<https://doi.org/10.1080/01431161.2018.1433343>

McIver, D. K., & Friedl, M. A. (2001). Estimating pixel-scale land cover classification confidence using nonparametric machine learning methods. *IEEE Transactions on Geoscience and Remote Sensing*, 39(9), 1959–1968.
<https://doi.org/10.1109/36.951086>

Menteri Pertanian. (1980). Surat Keputusan Menteri Pertanian Nomor 837/Kpts//Um/11/1980 Tentang Kriteria dan Tata Cara Penetapan Hutan Lindung.

Mitchell, T. M., (1997), Machine Learning. Boston, MA: McGraw-Hill.

Mmbaga, N.E., Munishi, L.K., & Treydte, A.C., (2017), How Dynamics and Drivers of Land Use/Land Cover Change Impact Elephant Conservation and Agricultural Livelihood Development in Rombo, Tanzania, *J. Land Use Sci*, 12, 168-181. <https://doi.org/10.1080/1747423X.2017.1313324>

Mohammady, S., Delavar, M. R., & Pahlavani, P. (2014). Urban growth modeling using an Artificial Neural Network a case study of Sanandaj city, Iran. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 40, 203–208.
<https://doi.org/10.5194/isprsarchives-XL-2-W3-203-2014>

Mondal, A., Chandniha, D. K., Shukla, R., Kundu, S., Chandniha, S. K., & Mishra, P. K. (2012). Comparison of support vector machine and maximum likelihood classification technique using satellite imagery. *International Journal of Remote Sensing and GIS*, 1(2), 116–123.

Nadoushan, M., Soffianian, A., & Alebrahim, A. (2015). Modeling Land Use/Cover Changes by the Combination of Markov Chain and Cellular Automata Markov (CA-Markov) Models. *Journal of Earth, Environment and Health Sciences*, 1(1), 16. <https://doi.org/10.4103/2423-7752.159922>

NASA. (2013), Landsat 5, *NASA: Landsat Science*, < <https://landsat.gsfc.nasa.gov/satellites/landsat-5/>> diakses pada 19 Oktober 2024.

Nearing, M. A., Yin, S., Borrelli, P., & Polyakov, V. O. (2017). Rainfall erosivity: An historical review. *CATENA*, 157, 357–362. <https://doi.org/10.1016/j.catena.2017.06.004>

Niipele, J.N., & Chen, J. (2019). The usefulness of alos-palsar dem data for drainage extraction in semi-arid environments in The Iishana sub-basin. *Journal of Hydrology: Regional Studies*, 21, 57–67. <https://doi.org/10.1016/j.ejrh.2018.11.003>

Nitheshnirmal, S., Thilagaraj, P., Rahaman, S. A., & Jegankumar, R. (2019). Erosion risk assessment through morphometric indices for prioritisation of Arjuna watershed using ALOS-PALSAR DEM. *Modeling Earth Systems and Environment*, 5(3), 907–924. <https://doi.org/10.1007/s40808-019-00578-y>

Nouri, J., Gharagozlou, A., Arjmandi, R., Faryadi, S., & Adl, M., (2014). Predicting urban land-use changes using a CA–Markov model, *Arabian J. Sci. Eng*, 39. <https://doi.org/10.1007/s13369-014-1119-2>

Nurlina, Kadir, S., Kurnain, A., Ilham, W., & Ridwan, I. (2022). Analysis of soil erosion and its relationships with land use/cover in Tabunio watershed. *IOP Conference Series: Earth and Environmental Science*, 976(1), 012027. <https://doi.org/10.1088/1755-1315/976/1/012027>

Pal, M., & Mather, P. M., (2005), Support Vector Machines for Classification in Remote Sensing, *International Journal of Remote Sensing*, Vol. 26. <https://doi.org/10.1080/01431160512331314083>

Park, S., Oh, C., Jeon, S., Jung, H., & Choi, C. (2011). Soil erosion risk in Korean watersheds, assessed using the revised universal soil loss equation. *Journal of Hydrology*, 399(3–4), 263–273. <https://doi.org/10.1016/j.jhydrol.2011.01.004>

Paul, S. S., Li, J., Li, Y., & Shen, L. (2021). Assessing land use–land cover change and soil erosion potential using a combined approach through remote sensing, RUSLE and random forest algorithm. *Geocarto International*, 36(4), 361–375. <https://doi.org/10.1080/10106049.2019.1614099>

Peraturan Menteri Kehutanan Nomor: P.32/MENHUT-II/2009 Tentang Tata Cara
Penyusunan Rencana Teknik Rehabilitasi Hutan dan Lahan Daerah Aliran
Sungai (RTkRHL-DAS)

Peraturan Pemerintah Republik Indonesia Tahun 37 Tahun 2012 Tentang
Pengelolaan Daerah Aliran Sungai

Pratami, M., Susiloningtyas, D., & Supriatna, (2019). Modelling cellular automata
for the development of settlement area Bengkulu City, *IOP Conference
Series: Earth and Environmental Science*, 311.
<https://doi.org/10.1088/1755-1315/311/1/012073>

Primajaya, A. & Sari, B.N. (2018), Random Forest Algorithm for Prediction of
Precipitation. *Indonesian Journal of Artificial Intelligence and Data Mining*,
1(1), 27. <https://doi.org/10.24014/ijaidm.v1i1.4903>

Qiao, X., Li, Z., Lin, J., Wang, H., Zheng, S., & Yang, S. (2024). Assessing current
and future soil erosion under changing land use based on InVEST and FLUS
models in the Yihe River Basin, North China. *International Soil and Water
Conservation Research*, 12(2), 298–312.
<https://doi.org/10.1016/j.iswcr.2023.07.001>

Rahayu & Candra, D.S., (2014). Koreksi Radiometrik Citra Landsat-8 Kanal
Multispektral menggunakan Top of Atmosphere (TOA) untuk Mendukung
Klasifikasi Penutup Lahan. *Seminar Nasional Penginderaan Jauh 2014*,
762-768.

Regasa, M., Nones, M., & Adeba, D. (2021). A Review on Land Use and Land
Cover Change in Ethiopian Basins. *Land*, 10(6), 585.
<https://doi.org/10.3390/land10060585>

Rennard, K. G., Foster, G. R., Weesies, G. A., McCool, D. K., & Yoder, D. C.
(1997). Predicting Soil Erosion by Water: A Guide to Conservation
Planning with the Revised Universal Soil Loss Equation
(RUSLE). *Agriculture Handbook No.573*, Washington DC, USA.

Rodriguez-Galiano, V. F., Ghimire, B., Rogan, J., Chica-Olmo, M., & Rigol-
Sanchez, J. P. (2012). An assessment of the effectiveness of a random forest
classifier for land-cover classification. *ISPRS Journal of Photogrammetry
and Remote Sensing*, 67(1), 93–104.

<https://doi.org/10.1016/j.isprsjprs.2011.11.002>

Rogan, J., Miller, J., Stow, D., Franklin, J., Levien, L., & Fischer, C., (2003), Land-Cover Change Monitoring with Classification Trees Using Landsat TM and Ancillary Data, *Photogrammetric Engineering & Remote Sensing*, Vol. 69.

<https://doi.org/10.14358/PERS.69.7.793>

Romdania, Y., & Herison, A. (2023). Analysis of Rainfall Erosivity Index Using the Bols and Lenvain Methods. *Malaysian Journal of Civil Engineering*, 35(2), 27–34. <https://doi.org/10.11113/mjce.v35.19780>

Roy, D. P., Kovalsky, V., Zhang, H. K., Vermote, E. F., Yan, L., Kumar, S. S., & Egorov, A. (2016). Characterization of Landsat-7 to Landsat-8 reflective wavelength and normalized difference vegetation index continuity. *Remote Sensing of Environment*, 185, 57–70.

<https://doi.org/10.1016/j.rse.2015.12.024>

Salakory, M., & Rakuasa, H. (2019). Modelling of Cellular Automata Markov Chain for predicting the carrying capacity of Ambon City. *Journal of Natural Resources and Environmental Management*, 12(2), 372-387.

<https://doi.org/10.29244/jpsl.12.2.372-387>

Schonlau, M., & Zou, R. Y. (2020). The random forest algorithm for statistical learning. *The Stata Journal: Promoting Communications on Statistics and Stata*, 20(1), 3–29. <https://doi.org/10.1177/1536867X20909688>

Syah, A. F. (2010). Penginderaan Jauh dan Aplikasinya di Wilayah Pesisir dan Lautan. *Jurnal Kelautan*, 3(1), 18-28.

Sulistyo, B., Gunawan, T., Hartono and Danoedoro, P. (2009). Towards a Fully and Absolutely Raster-based Erosion Modeling by using RS and GIS. *Indonesian Journal of Geography*, 41, 149–170.

Sulistyo, B., Gunawan, T., Hartono and Danoedoro, P. (2011). Pemetaan Faktor C yang diturunkan dari berbagai Indeks Vegetasi Data Penginderaan Jauh sebagai Masukan Pemodelan Erosi di DAS Merawu. *Jurnal Manusia Dan Lingkungan*, 18, 68–78.

Sulistyo, B., Gunawan, T., Hartono, Danoedoro, P. dan Listyaningrum, N. (2017). Absolute Accuracy of the Erosion Model of DEM-NDVI and it's Modification. *International Journal of Geoinformatics*, 13, 23–34.

- Sun, L., Wu, S., Zhang, B., & Lei, Q. (2020). Development of rill erosion and its simulation with Cellular Automata-Rill model in Chinese Loess Plateau. *Archives of Agronomy and Soil Science*, 1-37. <https://doi.org/10.1080/03650340.2020.1856819>
- Spaeth, K. E., Pierson, F. B., Weltz, M. A., & Blackburn, W. H. (2003). Evaluation of USLE and RUSLE estimated soil loss on rangeland. *Journal of Range Management*, 56(3), 234–246. <https://doi.org/10.2307/4003812>
- Svoboda, J., Štych, P., Laštovička, J., Paluba, D., & Kobliuk, N. (2022). Random Forest Classification of Land Use, Land-Use Change and Forestry (LULUCF) Using Sentinel-2 Data—A Case Study of Czechia. *Remote Sensing*, 14(5). <https://doi.org/10.3390/rs14051189>
- Titing, D., Pudjiwati, E.H., & Mansyur, N.I. (2025). Tingkat Bahaya Erosi Berbasis USLE, MUSLE, dan RUSLE dengan Penerapan SIG pada Lahan Pertanian di Provinsi Kalimantan Utara, *Jurnal Pertanian Berkelanjutan*, 13(2), 142-152. <https://doi.org/10.30605/perbal.v13i2.6370>
- Utomo, W.H. (1994). *Erosi dan Konservasi Tanah*, IKIP Malang, Malang.
- USGS. (2019, November), Landsat 8 (L8) Data Users Handbook Versions 5.0, *Department of the Interior U.S. Geological Survey, LSDS-1574*.
- USGS. (2024). Landsat 5, *USGS: science for a changing world*, <<https://www.usgs.gov/landsat-missions/landsat-5>> diakses pada 18 Oktober 2024.
- Vapnik, V., (2013) *The nature of statistical learning theory*. Springer, Berlin.
- Verma, P., Raghubanshi, A., Srivastava, P. K., & Raghubanshi, A. S. (2020). Appraisal of kappa-based metrics and disagreement indices of accuracy assessment for parametric and nonparametric techniques used in LULC classification and change detection. *Modeling Earth Systems and Environment*, 6, 1045-1059.
- Wang, D., Ma, R., Xue, K., & Loiselle, S. A. (2019). The assessment of landsat-8 OLI atmospheric correction algorithms for inland waters. *Remote Sensing*, 11(2). <https://doi.org/10.3390/rs11020169>
- Wang, S.W., Gebru, B.M., Lamchin, M., Kayastha, R.B., & Lee, W.K. (2020). Land Use and Land Cover Change Detection and Prediction in the

- Kathmandu District of Nepal Using Remote Sensing and GIS, *MDPI: Sustainability*, 12(9), 3925. <https://doi.org/10.3390/su12093925>
- Watson, R.T., Noble, I.R., Bolin, B., Ravindranath, N.H., Verardo, D.J., & Dokken, D.J., Eds., (2000), IPCC. Land Use, Land-Use Change, and Forestry, Cambridge University Press: Cambridge, UK.
- White, R., & Engelen, G., (2000). High-resolution integrated modelling of the spatial dynamics of urban and regional systems, *Comput. Environ. Urban Syst*, 24. [https://doi.org/10.1016/S0198-9715\(00\)00012-0](https://doi.org/10.1016/S0198-9715(00)00012-0)
- Winarno, J., Ariyanto, D.P., Hartati, S., & Rosariastuti, R. (2008). Kajian Bahaya Erosi pada Lahan Kering di Sub-DAS Samin Kabupaten Karanganyar, *Jurnal Ilmu Tanah dan Agriklimatologi*, 5(2), 101-106.
- Xie, Y., Sha, Z., & Yu, M. (2008). Remote sensing imagery in vegetation mapping: a review, *Journal of Plant Ecology*, 1(1), pp.9-23. <https://doi.org/10.1093/jpe/rtm005>
- Xu, H., Hu, X., Guan, H., Zhang, B., Wang, M., Chen, S., & Chen, M. (2019). A Remote Sensing Based Method to Detect Soil Erosion in Forests, *MDPI: Remote Sensing*, 11(5), 513. <https://doi.org/10.3390/rs11050513>
- Yanti, D., Arlius, F. (2014). Analisis Spasial Konversi Lahan Pertanian Kota Padang tahun 2003-2012. *Jurnal Teknologi Pertanian Andalas*, 18,25-33.
- Yaseen, U., Devnita, R., Nurbaity, A., Fitriatin, B. N., Siswanto, S. Y., & Dristiarini, R. Z. (2025). Soil erosion and food security in Asia's most populous nations: a systematic review from China, India, and Indonesia. *Discover Soil*, 2(1). <https://doi.org/10.1007/s44378-025-00091-y>
- Zare, M., Panagopoulos, T., & Loures, L. (2017). Simulating the impacts of future land use change on soil erosion in the Kasilian watershed, Iran. *Land Use Policy*, 67, 558–572. <https://doi.org/10.1016/j.landusepol.2017.06.028>
- Zawiyah, Z., Tjandra, M. A., & Yanti, D. (2025). Land Use Scenario Simulation for Erosion Control Using the Universal Soil Loss Equation (USLE) Method in Nagari Lawang, Agam Regency. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 14(1), 262–272. <https://doi.org/10.23960/jtep-l.v14i1.262-272>