



DAFTAR PUSTAKA

- Adam, F., Othman, N. A., Yasin, N. H. M., Cheng, C. K., & Azman, N. A. M. (2022). Evaluation of Reinforced and Green Bioplastic from Carrageenan Seaweed with Nanocellulose. *Fibers and Polymers*, 23(10), 2885–2896. <https://doi.org/10.1007/s12221-022-4006-6>
- Afni, N. N., Kusumaningrum, W. B., Hermawan, D., Nurhamiyah, Y., Nurhayat, O. D., & Dimyati, A. (2024). Deep Eutectic Solvent Pre-treated Sweet Sorghum Stalk (Sorghum Bicolor (L.) Moench) Nanocellulose and Its Application to Agar-Based Bioplastics. *Waste and Biomass Valorization*, 0123456789. <https://doi.org/10.1007/s12649-024-02774-z>
- Aguilar, J. M., Bengoechea, C., Pérez, E., & Guerrero, A. (2020). Effect of different polyols as plasticizers in soy based bioplastics. *Industrial Crops and Products*, 153(January). <https://doi.org/10.1016/j.indcrop.2020.112522>
- Al-Arjan, W. S., Khan, M. U. A., Almutairi, H. H., Alharbi, S. M., & Razak, S. I. A. (2022). pH-Responsive PVA/BC-f-GO Dressing Materials for Burn and Chronic Wound Healing with Curcumin Release Kinetics. *Polymers*, 14(10). <https://doi.org/10.3390/polym14101949>
- Al Fath, M. T., Lubis, M., Ayu, G. E., & Dalimunthe, N. F. (2022). Pengaruh Selulosa Nanokristal dari Serat Buah Kelapa Sawit sebagai Pengisi dan Kalium Klorida sebagai Agen Pendispersi Terhadap Sifat Fisik Bioplastik Berbasis Pati Biji Alpukat (Persea americana). *Jurnal Teknik Kimia USU*, 11(2), 89–94.
- Al, M., Dharma, R., Hendradi, E., Pudjiastuti, P., & Teguh, R. (2021). *Analysis of Dissolution of Salicylamide from Carrageenan Based Hard-Shell Capsules : A Study of the Drug-Matrix Interaction*. 21(1), 148–156. <https://doi.org/10.22146/ijc.55047>
- Al Rizqi Dharma Fauzi, M., Pudjiastuti, P., Hendradi, E., & Teguh Widodo, R. (2023). Development of a potential carrageenan-based hard capsule as the alternative of conventional capsules by implementing the oligomerization reaction. *Journal of Saudi Chemical Society*, 27(4), 101672. <https://doi.org/10.1016/j.jscs.2023.101672>
- Askarizadeh, M., Esfandiari, N., Honarvar, B., Sajadian, S. A., & Azdarpour, A. (2023). Kinetic Modeling to Explain the Release of Medicine from Drug Delivery Systems. *ChemBioEng Reviews*, 10(6), 1006–1049. <https://doi.org/10.1002/cben.202300027>
- Asrofi, M., Abrial, H., Putra, Y. K., Sapuan, S. M., & Kim, H. J. (2018). Effect of duration of sonication during gelatinization on properties of tapioca starch water hyacinth fiber biocomposite. *International Journal of Biological Macromolecules*, 108, 167–



176. <https://doi.org/10.1016/j.ijbiomac.2017.11.165>
- Asrofi, M., Setyobudi, R., Ilyas, R. A., Sanyang, M. L., Adegbenjo, A. O., Idris, I., Thiagamani, S. M. K., Midhun Dominic, C. D., Knight, V. F., Norrrahim, M. N. F., Rajeshkumar, L., & Asyraf, M. R. M. (2023). Influence of ultrasonication time on the various properties of alkaline-treated mango seed waste filler reinforced PVA biocomposite. *Reviews on Advanced Materials Science*, 62(1). <https://doi.org/10.1515/rams-2023-0137>
- Baghel, R. S., Reddy, C. R. K., & Singh, R. P. (2021). Seaweed-based cellulose: Applications, and future perspectives. *Carbohydrate Polymers*, 267(March), 118241. <https://doi.org/10.1016/j.carbpol.2021.118241>
- Balcerzak, J., & Mucha, M. (2010). Analysis of model drug release kinetics from complex matrices of polylactide-chitosan. *Progress on Chemistry and Application of Chitin and its Derivatives*, XV(15), 117–126.
- Barbosa, J. A. C., Al-Kaurashi, M. M., Smith, A. M., Conway, B. R., & Merchant, H. A. (2019). Achieving gastroresistance without coating: Formulation of capsule shells from enteric polymers. *European Journal of Pharmaceutics and Biopharmaceutics*, 144(May), 174–179. <https://doi.org/10.1016/j.ejpb.2019.09.015>
- Cai, B., Mazahreh, J., Ma, Q., Wang, F., & Hu, X. (2022). Ultrasound-assisted fabrication of biopolymer materials: A review. *International Journal of Biological Macromolecules*, 209(PB), 1613–1628. <https://doi.org/10.1016/j.ijbiomac.2022.04.055>
- Carreira-Casais, A., Otero, P., Garcia-Perez, P., Garcia-Oliveira, P., Pereira, A. G., Carpena, M., Soria-Lopez, A., Simal-Gandara, J., & Prieto, M. A. (2021). Benefits and drawbacks of ultrasound-assisted extraction for the recovery of bioactive compounds from marine algae. *International Journal of Environmental Research and Public Health*, 18(17). <https://doi.org/10.3390/ijerph18179153>
- Chen, Q. J., Zong, Z. Y., Gao, X., Zhao, Y. L., & Wang, J. H. (2021). Preparation and characterization of nanostarch-based green hard capsules reinforced by cellulose nanocrystals. *International Journal of Biological Macromolecules*, 167, 1241–1247. <https://doi.org/10.1016/j.ijbiomac.2020.11.078>
- Chou, S. F., Carson, D., & Woodrow, K. A. (2015). Current strategies for sustaining drug release from electrospun nanofibers. *Journal of Controlled Release*, 220, 584–591. <https://doi.org/10.1016/j.jconrel.2015.09.008>
- Cunha, L., & Grenha, A. (2016). Sulfated seaweed polysaccharides as multifunctional



- materials in drug delivery applications. *Marine Drugs*, 14(3).
<https://doi.org/10.3390/md14030042>
- De, D., Naga Sai, M. S., Aniya, V., & Satyavathi, B. (2021). Strategic biorefinery platform for green valorization of agro-industrial residues: A sustainable approach towards biodegradable plastics. *Journal of Cleaner Production*, 290, 125184.
<https://doi.org/10.1016/j.jclepro.2020.125184>
- Diarsa, M., & Gupte, A. (2021). Preparation, characterization and its potential applications in Isoniazid drug delivery of porous microcrystalline cellulose from banana pseudostem fibers. *3 Biotech*, 11(7), 1–13. <https://doi.org/10.1007/s13205-021-02838-0>
- Ding, Y., Zhong, B., Yang, T., Zhang, F., Liu, C., & Chi, Z. (2024). Carboxyl-modified nanocellulose (cNC) enhances the stability of cNC/pullulan bio-nanocomposite hard capsule against moisture variation. *Carbohydrate Polymers*, 328(October 2023), 121706. <https://doi.org/10.1016/j.carbpol.2023.121706>
- El Allaoui, B., Benzeid, H., Zari, N., Qaiss, A. el kacem, & Bouhfid, R. (2023). Functional cellulose-based beads for drug delivery: Preparation, functionalization, and applications. *Journal of Drug Delivery Science and Technology*, 88(August), 104899. <https://doi.org/10.1016/j.jddst.2023.104899>
- Elmas, A., Akyüz, G., Bergal, A., Andaç, M., Elmas, A., Akyuz, G., Bergal, A., Andac, M., Mathematical, A. O., Release, D., Eng, R., & Mater, S. (2020). *Mathematical Modelling of Drug Release Online Publication Date : 30 March 2020 To cite this article. March.*
- Erawati, E., Hamid, H., Musthofa, M., Fatoni, R., Nurwaini, S., & Rahmah, A. U. (2023). Drug release kinetics of capsule shells from seaweed carrageenan extract (*Eucheuma cottonii*) and potato starch as a gelling agent. *Bulletin of the National Research Centre*. <https://doi.org/10.1186/s42269-023-01045-6>
- Erawati, E., Hamid, H., Musthofa, M., Fatoni, R., Nurwaini, S., Rahmah, A. U., & Setiawan, P. R. (2023). Drug release kinetics of capsule shells from seaweed carrageenan extract (*Eucheuma cottonii*) and potato starch as a gelling agent. *Bulletin of the National Research Centre*, 47(1). <https://doi.org/10.1186/s42269-023-01045-6>
- Fauzi, M. A. R. D., Pudjiastuti, P., Hendradi, E., Widodo, R. T., & Amin, M. C. I. M. (2020). Characterization, Disintegration, and Dissolution Analyses of Carrageenan-Based Hard-Shell Capsules Cross-Linked with Maltodextrin as a Potential

- Alternative Drug Delivery System. *International Journal of Polymer Science*, 2020.
<https://doi.org/10.1155/2020/3565931>
- Fauzi, M. A. R. D., Pudjiastuti, P., & Wibowo, A. C. (2021). *Preparation , Properties and Potential of Carrageenan-Based Hard Capsules for Replacing Gelatine : A Review*.
- Fauzi, M. A. R. D., Pudjiastuti, P., Wibowo, A. C., & Hendradi, E. (2021). Preparation, properties and potential of carrageenan-based hard capsules for replacing gelatine: A review. *Polymers*, 13(16). <https://doi.org/10.3390/polym13162666>
- Ferrara, K., Pollard, R., & Borden, M. (2007). Ultrasound microbubble contrast agents: Fundamentals and application to gene and drug delivery. *Annual Review of Biomedical Engineering*, 9, 415–447.
<https://doi.org/10.1146/annurev.bioeng.8.061505.095852>
- Firmanda, A., Fahma, F., Syamsu, K., Purnawati, R., Irawan, F. H., Munif, A., Suryanegara, L., Mahardika, M., Dewi, I. A., & MacMillan, C. (2024). Immobilization of urea on beads based on OPEFB cellulose-alginate via blending to fabricate sustained release fertilizer. *International Journal of Biological Macromolecules*, 282(P6), 137467. <https://doi.org/10.1016/j.ijbiomac.2024.137467>
- World Fisheries and Aquaculture, FAO:Rome,2022, (2022).
- Franc, A., Vetchý, D., & Fülöpová, N. (2022). Commercially Available Enteric Empty Hard Capsules, Production Technology and Application. *Pharmaceuticals*, 15(11).
<https://doi.org/10.3390/ph15111398>
- Fu, Y., Kao, W. J., Fu, Y., & Kao, W. J. (2016). *Drug release kinetics and transport mechanisms of non-degradable and degradable polymeric delivery systems Drug release kinetics and transport mechanisms of non-degradable and degradable polymeric delivery systems*. 5247(December).
<https://doi.org/10.1517/17425241003602259>
- Gómez-Mascaraque, L. G., Llavata-Cabrero, B., Martínez-Sanz, M., Fabra, M. J., & López-Rubio, A. (2018). Self-assembled gelatin- κ -carrageenan encapsulation structures for intestinal-targeted release applications. *Journal of Colloid and Interface Science*, 517, 113–123. <https://doi.org/10.1016/j.jcis.2018.01.101>
- Goyanes, A., Chang, H., Sedough, D., Hatton, G. B., Wang, J., Buanz, A., Gaisford, S., & Basit, A. W. (2015). Fabrication of controlled-release budesonide tablets via desktop (FDM) 3D printing. *International Journal of Pharmaceutics*, 496(2), 414–420. <https://doi.org/10.1016/j.ijpharm.2015.10.039>
- Hamdan, M. A., Khairatun Najwa, M. A., Jose, R., Martin, D., & Adam, F. (2021). Tuning

- mechanical properties of seaweeds for hard capsules: A step forward for a sustainable drug delivery medium. *Food Hydrocolloids for Health*, 1(August), 100023. <https://doi.org/10.1016/j.fhfh.2021.100023>
- Hamdan, M. A., Ramli, N. A., Othman, N. A., Mohd Amin, K. N., & Adam, F. (2021). Characterization and property investigation of microcrystalline cellulose (MCC) and carboxymethyl cellulose (CMC) filler on the carrageenan-based biocomposite film. *Materials Today: Proceedings*, 42, 56–62. <https://doi.org/10.1016/j.matpr.2020.09.304>
- Hasan, M., Elkhoury, K., Kahn, C. J. F., Arab-tehrany, E., & Linder, M. (2019). Curcumin in Simulated Environments. *Molecules*, 24, 1–14.
- Herdiana, Y., Wathoni, N., Shamsuddin, S., & Muchtaridi, M. (2022). Drug release study of the chitosan-based nanoparticles. *Heliyon*, 8(1), e08674. <https://doi.org/10.1016/j.heliyon.2021.e08674>
- Hezaveh, H., & Muhamad, I. I. (2013). Modification and swelling kinetic study of kappa-carrageenan-based hydrogel for controlled release study. *Journal of the Taiwan Institute of Chemical Engineers*, 44(2), 182–191. <https://doi.org/10.1016/j.jtice.2012.10.011>
- Hook, M., & Smith, A. (1875). *The oldest polymer*.
- Jafari, S., Soleimani, M., & Badinezhad, M. (2022). Application of different mathematical models for further investigation of in vitro drug release mechanisms based on magnetic nano-composite. *Polymer Bulletin*, 79(2), 1021–1038. <https://doi.org/10.1007/s00289-021-03537-9>
- Jawaid, M., & Mohammad, F. (2017). *Nanocellulose and Nanohydrogel Matrices: Biotechnological and Biomedical Applications*. Wiley-VCH.
- Jiang, F., Zhang, J., Xu, H., Lu, Y., Wei, S., & Li, Z. (2023). In situ preparation of monodisperse lignin-poly (lactic acid) microspheres for efficient encapsulation of 2,4-dichlorophenoxyacetic acid and controlled release. *Reactive and Functional Polymers*, 184(November 2022), 105517. <https://doi.org/10.1016/j.reactfunctpolym.2023.105517>
- Johnson, C., Chen, B., Bhalla, A., Crowell, E., & Zhang, F. (2025). Elimination of “ lag ” and “ burst ” phases in drug release profiles of. *International Journal of Pharmaceutics*, 681(April), 125822. <https://doi.org/10.1016/j.ijpharm.2025.125822>
- Kalmer, R. R., Karimi, A., Moosavi, S., Ghanbari, M., Sadjadinia, A., Samandarian, D., Ramezanalizadeh, H., & Gholizadeh dogahneh, S. (2024). Novel formulation of

- uncoated enteric capsule shells: Study the effect of gelling agents and salts on the rheology and physical properties. *Materials Chemistry and Physics*, 312(July 2023), 128614. <https://doi.org/10.1016/j.matchemphys.2023.128614>
- Kambayashi, A., Blume, H., & Dressman, J. B. (2014). Predicting the oral pharmacokinetic profiles of multiple-unit (pellet) dosage forms using a modeling and simulation approach coupled with biorelevant dissolution testing: Case example diclofenac sodium. *European Journal of Pharmaceutics and Biopharmaceutics*, 87(2), 236–243. <https://doi.org/10.1016/j.ejpb.2014.01.007>
- Kang, Y., Chen, J., Duan, Z., & Li, Z. (2023). Predicting Dissolution of Entecavir Using the Noyes Whitney Equation. *Dissolution Technologies*, 30(1), 38–45. <https://doi.org/10.14227/DT300123P38>
- Kassab, Z., Aziz, F., Hannache, H., Ben Youcef, H., & El Achaby, M. (2019). Improved mechanical properties of κ -carrageenan-based nanocomposite films reinforced with cellulose nanocrystals. *International Journal of Biological Macromolecules*, 123, 1248–1256. <https://doi.org/10.1016/j.ijbiomac.2018.12.030>
- Kassab, Z., Daoudi, H., Salim, M. H., El Idrissi El Hassani, C., Abdellaoui, Y., & El Achaby, M. (2024). Process-structure-property relationships of cellulose nanocrystals derived from *Juncus effusus* stems on κ -carrageenan-based bio-nanocomposite films. *International Journal of Biological Macromolecules*, 265(October 2023). <https://doi.org/10.1016/j.ijbiomac.2024.130892>
- Kiew, H. Y. L. P. L., & Lam, L. S. T. M. K. (2023). Deciphering the effects of plasticizers in potato - based bioplastic for food and fresh produce packaging. *International Journal of Environmental Science and Technology*, 20(12), 13703–13716. <https://doi.org/10.1007/s13762-023-04936-3>
- Koshani, R., & Jafari, S. M. (2019). Ultrasound-assisted preparation of different nanocarriers loaded with food bioactive ingredients. *Advances in Colloid and Interface Science*, 270, 123–146. <https://doi.org/10.1016/j.cis.2019.06.005>
- Kruk, K., & Winnicka, K. (2024). Hard Gelatin Capsules with Alginate-Hypromellose Microparticles as a Multicompartment Drug Delivery System for Sustained Posaconazole Release. *International Journal of Molecular Sciences*, 25(13). <https://doi.org/10.3390/ijms25137116>
- Lee, J. H., & Yeo, Y. (2015). Controlled drug release from pharmaceutical nanocarriers. *Chemical Engineering Science*, 125, 75–84. <https://doi.org/10.1016/j.ces.2014.08.046>

- Lelekakis, N., Wijaya, J., Martin, D., & Susa, D. (2014). The effect of acid accumulation in power-transformer oil on the aging rate of paper insulation. *IEEE Electrical Insulation Magazine*, 30(3), 19–26. <https://doi.org/10.1109/MEI.2014.6804738>
- Li, D. qiang, Wang, S. ya, Meng, Y. jie, Guo, Z. wei, Cheng, M. mei, & Li, J. (2021). Fabrication of self-healing pectin/chitosan hybrid hydrogel via Diels-Alder reactions for drug delivery with high swelling property, pH-responsiveness, and cytocompatibility. *Carbohydrate Polymers*, 268(July 2020), 118244. <https://doi.org/10.1016/j.carbpol.2021.118244>
- Liu, F., Duan, G., & Yang, H. (2023). Recent advances in exploiting carrageenans as a versatile functional material for promising biomedical applications. *International Journal of Biological Macromolecules*, 235(October 2022), 123787. <https://doi.org/10.1016/j.ijbiomac.2023.123787>
- Liu, Y., Liu, D., Zhu, L., Gan, Q., & Le, X. (2015). Temperature-dependent structure stability and in vitro release of chitosan-coated curcumin liposome. *Food Research International*, 74, 97–105. <https://doi.org/10.1016/j.foodres.2015.04.024>
- Mahardika, M., Abral, H., Kasim, A., Arief, S., & Asrofi, M. (2018). Production of Nanocellulose From Pineapple Leaf Fibers Via High-Shear Homogenization and Ultrasonication. *Fibers*, 6(2), 1–12. <https://doi.org/10.3390/fib6020028>
- Mahdavinia, G. R., Etemadi, H., & Soleymani, F. (2015). Magnetic/pH-responsive beads based on caboxymethyl chitosan and κ -carrageenan and controlled drug release. *Carbohydrate Polymers*, 128, 112–121. <https://doi.org/10.1016/j.carbpol.2015.04.022>
- Mansoorianfar, M., Khataee, A., Riahi, Z., Shahin, K., Asadnia, M., Razmjou, A., Hojjati-Najafabadi, A., Mei, C., Orooji, Y., & Li, D. (2020). Scalable fabrication of tunable titanium nanotubes via sonoelectrochemical process for biomedical applications. *Ultrasonics Sonochemistry*, 64(July 2019), 104783. <https://doi.org/10.1016/j.ultsonch.2019.104783>
- Mariia, K., Arif, M., Ding, Y., Chi, Z., & Liu, C. (2023). Preparation of Novel Hard Capsule Using Water-Soluble Polysaccharides and Cellulose Nanocrystals for Drug Delivery. *Journal of Pharmaceutical Innovation*, 18(2), 675–686. <https://doi.org/10.1007/s12247-022-09671-9>
- Maroni, A., Zema, L., Cerea, M., Foppoli, A., Palugan, L., & Gazzaniga, A. (2016). Journal of Drug Delivery Science and Technology Erodible drug delivery systems for time-controlled release into the gastrointestinal tract. *Journal of Drug Delivery*



- Science and Technology*, 32, 229–235. <https://doi.org/10.1016/j.jddst.2015.10.001>
- Merchant, H. A. L. I. (2012). *In-vitro, in-vivo and in-silico models in oral drug delivery and their relevance to human gastrointestinal physiology*. University of London.
- Merino, D., & Athanassiou, A. (2023). Alkaline hydrolysis of biomass as an alternative green method for bioplastics preparation: In situ cellulose nanofibrillation. *Chemical Engineering Journal*, 454(P4), 140171. <https://doi.org/10.1016/j.cej.2022.140171>
- Mirzaei-Mohkam, A., Garavand, F., Dehnad, D., Keramat, J., & Nasirpour, A. (2020). Physical, mechanical, thermal and structural characteristics of nanoencapsulated vitamin E loaded carboxymethyl cellulose films. *Progress in Organic Coatings*, 138(September 2019), 105383. <https://doi.org/10.1016/j.porgcoat.2019.105383>
- Mohammadian, M., Salami, M., Moghadam, M., Amirsalehi, A., & Emam-Djomeh, Z. (2021). Mung bean protein as a promising biopolymeric vehicle for loading of curcumin: Structural characterization, antioxidant properties, and in vitro release kinetics. *Journal of Drug Delivery Science and Technology*, 61(October 2020), 102148. <https://doi.org/10.1016/j.jddst.2020.102148>
- Mohammed, A., Gaduan, A., Chaitram, P., Pooran, A., Lee, K. Y., & Ward, K. (2023). Sargassum inspired, optimized calcium alginate bioplastic composites for food packaging. *Food Hydrocolloids*, 135(July 2022), 108192. <https://doi.org/10.1016/j.foodhyd.2022.108192>
- Nazrin, A., Ilyas, R. A., Rajeshkumar, L., Hazrati, K. Z., Jamal, T., Mahardika, M., Aisyah, H. A., Atiqah, A., & Radzi, A. M. (2025). Lignocellulosic fiber-reinforced starch thermoplastic composites for food packaging application: A review of properties and food packaging abetted with safety aspects. *Food Packaging and Shelf Life*, 47(December 2024), 101431. <https://doi.org/10.1016/j.fpsl.2025.101431>
- Noreen, S., Ma, J. X., Saeed, M., Pervaiz, F., Hanif, M. F., Ahmed, B., Farooq, M. I., Akram, F., Safdar, M., Madni, A., Naveed, M., & Chang-Xing, L. (2022). Natural polysaccharide-based biodegradable polymeric platforms for transdermal drug delivery system: a critical analysis. *Drug Delivery and Translational Research*, 12(11), 2649–2666. <https://doi.org/10.1007/s13346-022-01152-3>
- Nsor-Atindana, J., Chen, M., Goff, H. D., Zhong, F., Sharif, H. R., & Li, Y. (2017). Functionality and nutritional aspects of microcrystalline cellulose in food. *Carbohydrate Polymers*, 172, 159–174. <https://doi.org/10.1016/j.carbpol.2017.04.021>
- Othman, N. A., Adam, F., & Mat Yasin, N. H. (2020). Reinforced bioplastic film at



- different microcrystalline cellulose concentration. *Materials Today: Proceedings*, 41, 77–82. <https://doi.org/10.1016/j.matpr.2020.11.1010>
- Paarakh, M. P., Jose, P. A. N. I., Setty, C. M., & Peter, G. V. (2019). Release Kinetics – Concepts and Applications. *International Journal of Pharmacy Research & Technology*, 8(1), 12–20. <https://doi.org/10.31838/ijprt/08.01.02>
- Paniz, O. G., Pereira, C. M. P., Pacheco, B. S., Wolke, S. I., Maron, G. K., Mansilla, A., Colepicolo, P., Orlandi, M. O., Osorio, A. G., & Carreño, N. L. V. (2020). Cellulosic material obtained from Antarctic algae biomass. *Cellulose*, 27(1), 113–126. <https://doi.org/10.1007/s10570-019-02794-2>
- Penjumras, P., Abdul Rahman, R., Talib, R. A., & Abdan, K. (2015). Response Surface Methodology for the Optimization of Preparation of Biocomposites Based on Poly(lactic acid) and Durian Peel Cellulose. *Scientific World Journal*, 2015. <https://doi.org/10.1155/2015/293609>
- Perdagangan, kementerian. (2023). *Laporan Perdagangan*.
- Pudjiastuti, P., Wafiroh, S., Hendradi, E., Darmokoesoemo, H., Harsini, M., Fauzi, M. A. R. D., Nahar, L., & Sarker, S. D. (2020). Disintegration, in vitro Dissolution, and Drug Release Kinetics Profiles of κ -Carrageenan-based Nutraceutical Hard-shell Capsules Containing Salicylamide. *Open Chemistry*, 18(1), 226–231. <https://doi.org/10.1515/chem-2020-0028>
- Putro, J. N., Soetaredjo, F. E., Lunardi, V. B., Irawaty, W., Yuliana, M., Santoso, S. P., Puspitasari, N., Wenten, I. G., & Ismadji, S. (2023). Polysaccharides gums in drug delivery systems: A review. *International Journal of Biological Macromolecules*, 253(P4), 127020. <https://doi.org/10.1016/j.ijbiomac.2023.127020>
- Qiu, W. Y., Cai, W. D., Wang, M., & Yan, J. K. (2019). Effect of ultrasonic intensity on the conformational changes in citrus pectin under ultrasonic processing. *Food Chemistry*, 297(June), 125021. <https://doi.org/10.1016/j.foodchem.2019.125021>
- Raghav, N., Vashisth, C., Mor, N., Arya, P., Sharma, M. R., Kaur, R., Bhatti, S. P., & Kennedy, J. F. (2023). Recent advances in cellulose, pectin, carrageenan and alginate-based oral drug delivery systems. *International Journal of Biological Macromolecules*, 244(August 2022), 125357. <https://doi.org/10.1016/j.ijbiomac.2023.125357>
- Rajmane, A., Trivedi, R., & Nandgude, T. (2022). A Novel approach to Enhance Gastric Retention for better Therapeutic Activity: Gastro Retentive Drug Delivery System. *Research Journal of Pharmacy and Technology*, 15(7), 3324–3330.



<https://doi.org/10.52711/0974-360X.2022.00556>

- Ramli, N. A., Adam, F., Amin, K. N. M., Bakar, N. F. A., & Ries, M. E. (2023). Mechanical and Thermal Evaluation of Carrageenan/Hydroxypropyl Methyl Cellulose Biocomposite Incorporated with Modified Starch Corroborated by Molecular Interaction Recognition. *ACS Applied Polymer Materials*, 5(1), 182–192. <https://doi.org/10.1021/acsapm.2c01426>
- Ramli, N. A., Adam, F., Ries, M. E., & Ibrahim, S. F. (2024). DES-ultrasonication treatment of cellulose nanocrystals and the reinforcement in carrageenan biocomposite. *International Journal of Biological Macromolecules*, 270(P2), 132385. <https://doi.org/10.1016/j.ijbiomac.2024.132385>
- Ravi, P. R., Kotreka, U. K., & Saha, R. N. (2008). Controlled release matrix tablets of zidovudine: Effect of formulation variables on the in vitro drug release kinetics. *AAPS PharmSciTech*, 9(1), 302–313. <https://doi.org/10.1208/s12249-007-9030-8>
- Ren, G., He, Y., Liu, C., Ni, F., Luo, X., Shi, J., Song, Y., Li, T., Huang, M., Shen, Q., & Xie, H. (2022). Encapsulation of curcumin in ZEIN-HTCC complexes: Physicochemical characterization, in vitro sustained release behavior and encapsulation mechanism. *Lwt*, 155, 112909. <https://doi.org/10.1016/j.lwt.2021.112909>
- Rooze, J., Rebrov, E. V., Schouten, J. C., & Keurentjes, J. T. F. (2013). Dissolved gas and ultrasonic cavitation - A review. *Ultrasonics Sonochemistry*, 20(1), 1–11. <https://doi.org/10.1016/j.ultsonch.2012.04.013>
- Sabara, Z., Mutmainnah, A., Kalsum, U., Afiah, I. N., Husna, I., Saregar, A., Irzaman, & Umam, R. (2022). Sugarcane Bagasse as the Source of Nanocrystalline Cellulose for Gelatin-Free Capsule Shell. *International Journal of Biomaterials*, 2022. <https://doi.org/10.1155/2022/9889127>
- Sadati Behbahani, E., Ghaedi, M., Abbaspour, M., Rostamizadeh, K., & Dashtian, K. (2019). Curcumin loaded nanostructured lipid carriers: In vitro digestion and release studies. *Polyhedron*, 164, 113–122. <https://doi.org/10.1016/j.poly.2019.02.002>
- Salome, A. C., Godswill, C. O., & Ikechukwu, I. O. (2013). Kinetics and mechanisms of drug release from swellable and non swellable matrices: A review. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 4(2), 97–103.
- Shinga, M. H., Kaseke, T., Pfukwa, T. M., & Fawole, O. A. (2025). Optimization of glycerol and cellulose nanofiber concentrations in *Opuntia ficus-indica* mucilage films functionalized with pomegranate peel extract for postharvest preservation of

- banana. *Food Packaging and Shelf Life*, 47(December 2024), 101428.
<https://doi.org/10.1016/j.fpsl.2024.101428>
- Son, G. H., Lee, B. J., & Cho, C. W. (2017). Mechanisms of drug release from advanced drug formulations such as polymeric-based drug-delivery systems and lipid nanoparticles. *Journal of Pharmaceutical Investigation*, 47(4), 287–296.
<https://doi.org/10.1007/s40005-017-0320-1>
- Soraya, M., Laksono, H., Primasari, R., Putri, G., Royanti, I., Perwatasari, D. D., Aulia, R., Dewi, P., & Purwoto, H. (2025). Exploring disintegration and swelling dynamics in Kappa-Carrageenan-based seaweed capsule shells. *South African Journal of Chemical Engineering*, 53(June 2024), 96–102.
<https://doi.org/10.1016/j.sajce.2025.04.015>
- Soundarrajan, C., Vennison S, J., Saraswathi, K., & Emmanuel E. S., C. (2011). Does Chip Size of the Lignocellulosic Bagasse Influence Lignin Degradation with NaOH treatment. *Biosci Biotech Res Asia*, 8, 2.
- Statistik, B. P. (2023). *Statistik Sumberdaya Laut dan Pesisir 2023* (D. S. K. Sosial (ed.); Volume 20). Badan Pusat Statistik.
- Sudarwati, W., Hardjomidjojo, H., Machfud, & Setyaningsih, D. (2020). Literature review: Potential and opportunities for the development of seaweed agro-industry. *IOP Conference Series: Earth and Environmental Science*, 472(1).
<https://doi.org/10.1088/1755-1315/472/1/012063>
- Syafri, E., Sudirman, Mashadi, Yulianti, E., Deswita, Asrofi, M., Abral, H., Sapuan, S. M., Ilyas, R. A., & Fudholi, A. (2019). Effect of sonication time on the thermal stability, moisture absorption, and biodegradation of water hyacinth (*Eichhornia crassipes*) nanocellulose-filled bengkuang (*Pachyrhizus erosus*) starch biocomposites. *Journal of Materials Research and Technology*, 8(6), 6223–6231.
<https://doi.org/10.1016/j.jmrt.2019.10.016>
- Tecante, A., & Nez Santiago, M. del C. (2012). Solution Properties of κ -Carrageenan and Its Interaction with Other Polysaccharides in Aqueous Media. *Rheology*.
<https://doi.org/10.5772/36619>
- Thangavelu, M., & Kulandhaivelu, S. V. (2022). Development and Characterization of Pullulan-Carboxymethyl Cellulose Blend Film for Packaging Applications. *International Journal of Polymer Science*, 2022.
<https://doi.org/10.1155/2022/9649726>
- Thennakoon, T. M., Ching, Y. C., Chuah, C. H., Rahman, N. A., & Nai-Shang, L. (2020).



- pH-responsive poly(lactic acid)/sodium carboxymethyl cellulose film for enhanced delivery of curcumin in vitro. *Journal of Drug Delivery Science and Technology*, 58(May), 101787. <https://doi.org/10.1016/j.jddst.2020.101787>
- Trache, D., Hussin, M. H., Hui Chuin, C. T., Sabar, S., Fazita, M. R. N., Taiwo, O. F. A., Hassan, T. M., & Haafiz, M. K. M. (2016). Microcrystalline cellulose: Isolation, characterization and bio-composites application—A review. *International Journal of Biological Macromolecules*, 93, 789–804. <https://doi.org/10.1016/j.ijbiomac.2016.09.056>
- Trifol, J., Sillard, C., Plackett, D., Szabo, P., Bras, J., & Daugaard, A. E. (2017). Chemically extracted nanocellulose from sisal fibres by a simple and industrially relevant process. *Cellulose*, 24(1), 107–118. <https://doi.org/10.1007/s10570-016-1097-5>
- Tzanakis, I., Eskin, D. G., Georgoulas, A., & Fytanidis, D. K. (2014). Incubation pit analysis and calculation of the hydrodynamic impact pressure from the implosion of an acoustic cavitation bubble. *Ultrasonics Sonochemistry*, 21(2), 866–878. <https://doi.org/10.1016/j.ultsonch.2013.10.003>
- Ullah, H., Badshah, M., Mäkilä, E., Salonen, J., Shahbazi, M. A., Santos, H. A., & Khan, T. (2017). Fabrication, characterization and evaluation of bacterial cellulose-based capsule shells for oral drug delivery. *Cellulose*, 24(3), 1445–1454. <https://doi.org/10.1007/s10570-017-1202-4>
- Varma, M. V. S., Kaushal, A. M., Garg, A., & Garg, S. (2004). *Factors Affecting Mechanism and Kinetics of Drug Release from Matrix-Based Oral Controlled Drug Delivery Systems*. 2(1), 43–57.
- Wen, H., & Park, K. (2011). *Oral Controlled Release Formulation Design and Drug Delivery: Theory to Practice*. Wiley Professional, Reference & Trade (Wiley K&L). <https://bookshelf.vitalsource.com/books/9781118060322>
- Wu, J., Kong, T., Wai, K., Yeung, K., Cheung, H., Man, K., Cheung, C., Wang, L., Kai, M., & To, T. (2013). Acta Biomaterialia Fabrication and characterization of monodisperse PLGA – alginate core – shell microspheres with monodisperse size and homogeneous shells for controlled drug release. *Acta Biomaterialia*, 9(7), 7410–7419. <https://doi.org/10.1016/j.actbio.2013.03.022>
- Xu, D., Cheng, Y., Wu, S., Zou, Q., Mondal, A. K., Ning, D., & Huang, F. (2022). Study on the effect of tunicate cellulose nanocrystals in the preparation of sodium alginate-based enteric capsule. *Cellulose*, 29(4), 2497–2511. <https://doi.org/10.1007/s10570->



- Yadav, M., & Chiu, F. C. (2019). Cellulose nanocrystals reinforced κ -carrageenan based UV resistant transparent bionanocomposite films for sustainable packaging applications. *Carbohydrate Polymers*, 211(February), 181–194. <https://doi.org/10.1016/j.carbpol.2019.01.114>
- Yu, T., Jiang, N., & Li, Y. (2014). Functionalized multi-walled carbon nanotube for improving the flame retardancy of ramie/poly(lactic acid) composite. *Composites Science and Technology*, 104, 26–33. <https://doi.org/10.1016/j.compscitech.2014.08.021>
- Zhang, Q., Xu, J., Gao, X., & Fu, X. (2013). Optimized water vapor permeability of sodium alginate films using response surface methodology. *Chinese Journal of Oceanology and Limnology*, 31(6), 1196–1203. <https://doi.org/10.1007/s00343-013-2125-z>
- Zhang, W., Wang, X. chuan, Wang, J. jun, & Zhang, L. le. (2019). Drugs adsorption and release behavior of collagen/bacterial cellulose porous microspheres. *International Journal of Biological Macromolecules*, 140, 196–205. <https://doi.org/10.1016/j.ijbiomac.2019.08.139>
- Zhao, J., Li, S., Zhao, Y., & Peng, Z. (2020). Effects of cellulose nanocrystal polymorphs and initial state of hydrogels on swelling and drug release behavior of alginate-based hydrogels. *Polymer Bulletin*, 77(8), 4401–4416. <https://doi.org/10.1007/s00289-019-02972-z>
- Zheng, B., Yu, Y., Yuan, X., Chen, X., & Yang, Y. (2023). *Sodium alginate / carboxymethyl starch / κ -carrageenan enteric soft capsule: Processing , characterization , and rupture time evaluation*. 244(April).
- Zhou, K., Yang, Y., Zheng, B., Yu, Q., Huang, Y., Zhang, N., Rama, S. M., Zhang, X., Ye, J., & Xiao, M. (2023). Enhancing Pullulan Soft Capsules with a Mixture of Glycerol and Sorbitol Plasticizers: A Multi-Dimensional Study. *Polymers*, 15(10). <https://doi.org/10.3390/polym15102247>
- Zhu, M., Ge, L., Lyu, Y., Zi, Y., Li, X., Li, D., & Mu, C. (2017). Preparation, characterization and antibacterial activity of oxidized κ -carrageenan. *Carbohydrate Polymers*, 174, 1051–1058. <https://doi.org/10.1016/j.carbpol.2017.07.029>
- Zia, K. M., Tabasum, S., Nasif, M., Sultan, N., Aslam, N., Noreen, A., & Zuber, M. (2017). A review on synthesis, properties and applications of natural polymer based carrageenan blends and composites. *International Journal of Biological*



UNIVERSITAS
GADJAH MADA

Pengembangan Cangkang Kapsul Berbasis γ -Karagenan dengan Penguat Selulosa Mikrokrystalin
Manda Vais Jatul Fitri, Ir. Yuni Kusumastuti, S.T., M.Eng., D.Eng, IPM ; Dr. Melbi Mahardika, S.T
Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Macromolecules, 96, 282–301. <https://doi.org/10.1016/j.ijbiomac.2016.11.095>

Zilhadia, Z., Harahap, Y., Jaswir, I., & Anwar, E. (2022). *Evaluation and Characterization of Hard-Shell Capsules Formulated by Using Goatskin Gelatin*. 1–13.