

DAFTAR PUSTAKA

- A., S.N., Gudrun, D. dan Nicola, K. (2018). *Long-Term Outcomes of On- Versus Off-Pump Coronary Artery Bypass Grafting*, *JACC*, 71(9), hal. 983–991. Tersedia pada: <https://doi.org/10.1016/j.jacc.2017.12.049>.
- Akaishi, T. *et al.* (2020) “Ratio of diastolic to systolic blood pressure represents renal resistive index.,” *Journal of human hypertension*, 34(7), hal. 512–519. Tersedia pada: <https://doi.org/10.1038/s41371-019-0264-1>.
- Adil, Andi; Setiawan, Philia; Sembiring, Yan Efrata1; Arif, Syafri Kamsul; Amin, Hisbullah. *Acute Kidney Injury Incidence Following Cardiac Surgery: A Risk Factor Analysis*. *Bali Journal of Anesthesiology* 5(1):p 6-10, Jan–Mar 2021. | DOI: 10.4103/BJOA.BJOA_202_20
- Bachar, B.J. dan Manna, B. (2025) “Coronary Artery Bypass Graft.,” in. Treasure Island (FL).
- Bandyopadhyay, S. *et al.* (2013) “A transesophageal echocardiography technique to locate the kidney and monitor renal perfusion.,” *Anesthesia and Analgesia*, 116(3), hal. 549–554. Tersedia pada: <https://doi.org/10.1213/ANE.0b013e31827ab3b1>.
- Bejo Utomo Handayani, Lubis, B. dan Tanjung, Q.F. (2024) “Korelasi Renal Resistive Index dengan Kejadian Acute Kidney Injury.,” *Majalah Anestesia & Critical Care*, 42(1), hal. 33–39. Tersedia pada: <https://doi.org/10.55497/majanestcricar.v42i1.326>.
- Bellos, I., Pergialiotis, V. dan Kontzoglou, K. (2019) “Renal resistive index as predictor of acute kidney injury after major surgery: A systematic review and meta-analysis.,” *Journal of critical care*, 50, hal. 36–43. Tersedia pada: <https://doi.org/10.1016/j.jcrc.2018.11.001>.
- Brown, J.R. *et al.* (2010) “Duration of acute kidney injury impacts long-term survival after cardiac surgery.,” *The Annals of thoracic surgery*, 90(4), hal. 1142–1148. Tersedia pada: <https://doi.org/10.1016/j.athoracsur.2010.04.039>.
- Bossard, G. *et al.* (2011) “Early detection of postoperative acute kidney injury by Doppler renal resistive index in cardiac surgery with cardiopulmonary bypass.,” *British Journal of Anaesthesia*, 107(6), pp. 891–898. Tersedia pada: <https://doi.org/10.1093/bja/aer289>
- Calabia, J. *et al.* (2014) “The relationship between renal resistive index, arterial stiffness, and atherosclerotic burden: the link between macrocirculation and microcirculation.,” *Journal of clinical hypertension (Greenwich, Conn.)*, 16(3), hal. 186–191. Tersedia pada: <https://doi.org/10.1111/jch.12248>.
- Canbay, S. (2024) “Effect of cross clamp duration on GFR and creatinine values due to renal flow in valve patients undergoing open heart surgery.,” *Turkish Journal of Clinical Cardiovascular Perfusion*, 2(1), hal. 7–14. Tersedia pada: <https://doi.org/10.4274/tjccp.galenos.2024.28290>.

- Cherry AD, Hauck JN, Andrew BY, Li Y-J, Privratsky JR, Kartha LD, et al. *Intraoperative renal resistive index threshold as an acute kidney injury biomarker.* J Clin Anesth. 2019 Nov 4;61:109626. doi:10.1016/j.jclinane.2019.109626. PMID:31699495; PMCID:PMC6962557
- Cherry, A.D. et al. (2020) “*Intraoperative renal resistive index threshold as an acute kidney injury biomarker.*,” *Journal of clinical anesthesia*, 61, hal. 109626. Tersedia pada: <https://doi.org/10.1016/j.jclinane.2019.109626>.
- Cheruku, S.R. et al. (2023) “*Acute kidney injury after cardiac surgery: Prediction, prevention, and management*,” *Anesthesiology*, 139(6), hal. 880–898. Tersedia pada: <https://doi.org/10.1097/ALN.0000000000004734>.
- Chikwe, J. et al. (2018) “*Long-Term Outcomes After Off-Pump Versus On-Pump Coronary Artery Bypass Grafting by Experienced Surgeons.*,” *Journal of the American College of Cardiology*, 72(13), hal. 1478–1486. Tersedia pada: <https://doi.org/10.1016/j.jacc.2018.07.029>.
- Corredor, C., Thomson, R. dan Al-Subaie, N. (2016) “*Long-Term Consequences of Acute Kidney Injury After Cardiac Surgery: A Systematic Review and Meta-Analysis.*,” *Journal of cardiothoracic and vascular anesthesia*, 30(1), hal. 69–75. Tersedia pada: <https://doi.org/10.1053/j.jvca.2015.07.013>.
- Denault, A.Y. et al. (2021) “*Transgastric Abdominal Ultrasonography in Anesthesia and Critical Care: Review and Proposed Approach.*,” *Anesthesia and analgesia*, 133(3), hal. 630–647. Tersedia pada: <https://doi.org/10.1213/ANE.0000000000005537>.
- Darabont R, Mihalcea D, Vinereanu D. *Current Insights into the Significance of the Renal Resistive Index in Kidney and Cardiovascular Disease. Diagnostics* (Basel). 2023 May 10;13(10):1687. doi: 10.3390/diagnostics13101687. PMID: 37238172; PMCID: PMC10217442.
- Dhawan, R. et al. (2024) “*Renal resistive index assessment by intraoperative transesophageal echocardiography is associated with acute kidney injury after cardiac surgery: a prospective observational study.*,” *Minerva anesthesiologica*, 90(12), hal. 1108–1117. Tersedia pada: <https://doi.org/10.23736/S0375-9393.24.18464-7>.
- Dhawan, R. dan Chaney, M.A. (2022) “*Renal Dysfunction and Cardiac Surgery: How Can We Study an Undefined Entity?*,” *Journal of cardiothoracic and vascular anesthesia*. United States, hal. 4234–4236. Tersedia pada: <https://doi.org/10.1053/j.jvca.2022.07.027>.
- Dixon, S.J. et al. (2012) “*Ferroptosis: an iron-dependent form of nonapoptotic cell death.*,” *Cell*, 149(5), hal. 1060–1072. Tersedia pada: <https://doi.org/10.1016/j.cell.2012.03.042>.
- Farina, P., Gaudino, M.F.L. dan Taggart, D.P. (2020) “*The eternal debate with a consistent answer: CABG vs PCI*,” *Semin. Thorac. Cardiovasc. Surg.*, 32(1), hal. 14–20. Tersedia pada: <https://doi.org/10.1053/j.semtcvs.2019.08.009>.

- Filardo, G. *et al.* (2018) “Efficacy and effectiveness of on- versus off-pump coronary artery bypass grafting: A meta-analysis of mortality and survival,” *J. Thorac. Cardiovasc. Surg.*, 155(1), hal. 172-179.e5. Tersedia pada: <https://doi.org/10.1016/j.jtcvs.2017.08.026>.
- Fountain, J.H., Kaur, J. dan Lappin, S.L. (2025) “Physiology, Renin Angiotensin System,” in. Treasure Island (FL).
- Frağ, W. *et al.* (2022) “Pathophysiology of cardiovascular diseases: New insights into molecular mechanisms of atherosclerosis, arterial hypertension, and coronary artery disease,” *Biomedicines*, 10(8), hal. 1938. Tersedia pada: <https://doi.org/10.3390/biomedicines10081938>.
- Franzén, S., DiBona, G. dan Frithiof, R. (2022) “Anesthesia and the renal sympathetic nervous system in perioperative AKI,” *Seminars in nephrology*, 42(3), hal. 151283. Tersedia pada: <https://doi.org/10.1016/j.semnephrol.2022.10.009>.
- García EM, Borrego Utiel FJ, Polaina Rusillo M, García Cortés MJ. Vascular renal resistance index is not related with prognosis in kidney transplantation. *Nefrologia (Engl Ed)*. 2021;41(1):69–71. doi:10.1016/j.nefro.2019.12.003. PMID:32417010.
- Gaudino, M. *et al.* (2018) “Off-Pump Coronary Artery Bypass Grafting: 30 Years of Debate,” *Journal of the American Heart Association*, 7(16), hal. e009934. Tersedia pada: <https://doi.org/10.1161/JAHA.118.009934>.
- Guinot, P.-G. *et al.* (2013) “Doppler-based renal resistive index can assess progression of acute kidney injury in patients undergoing cardiac surgery,” *Journal of cardiothoracic and vascular anesthesia*, 27(5), hal. 890–896. Tersedia pada: <https://doi.org/10.1053/j.jvca.2012.11.024>.
- Haitsma Mulier, J.L.G. *et al.* (2018) “Renal resistive index as an early predictor and discriminator of acute kidney injury in critically ill patients: A prospective observational cohort study,” *PLOS ONE*, 13(6), hal. e0197967. Tersedia pada: <https://doi.org/10.1371/journal.pone.0197967>
- Hertzberg, D. *et al.* (2017) “Preoperative Renal Resistive Index Predicts Risk of Acute Kidney Injury in Patients Undergoing Cardiac Surgery,” *Journal of Cardiothoracic and Vascular Anesthesia*, 31(3), pp. 847–852. Tersedia pada: <https://doi.org/10.1053/j.jvca.2016.10.006>
- Hill, A. *et al.* (2019) “Perioperative Vitamin C and E levels in Cardiac Surgery Patients and Their Clinical Significance,” *Nutrients*, 11(9). Tersedia pada: <https://doi.org/10.3390/nu11092157>.
- Ismail, A. *et al.* (2025) “Cardiopulmonary Bypass,” in. Treasure Island (FL).
- Javed Iqbal U, Kaleem M, Kanwal T, H.H. (2019) “The effect of cross clamp time on Troponin I levels in patients undergoing coronary artery bypass grafting,” *East African Scholars Journal of Medical Sciences*, 2(3), hal. 114–117. Tersedia pada: <http://www.easpublisher.com/easjms/>.

- Jensen, R.V., Hjortbak, M.V. dan Bøtker, H.E. (2020) "Ischemic heart disease: An update," *Semin. Nucl. Med.*, 50(3), hal. 195–207. Tersedia pada: <https://doi.org/10.1053/j.semnuclmed.2020.02.007>.
- Jing, H. *et al.* (2022) "Predicting the risk of acute kidney injury after cardiopulmonary bypass: development and assessment of a new predictive nomogram," *BMC Anesthesiol.*, 22(1), hal. 379. Tersedia pada: <https://doi.org/10.1186/s12871-022-01925-w>.
- Kajal, K. *et al.* (2022) "Intraoperative evaluation of renal resistive index with transesophageal echocardiography for the assessment of acute renal injury in patients undergoing coronary artery bypass grafting surgery: A prospective observational study," *Annals of Cardiac Anaesthesia*, 25(2), hal. 158–163. Tersedia pada: https://doi.org/10.4103/aca.aca_221_20.
- Karkouti, K. *et al.* (2005) "Hemodilution during cardiopulmonary bypass is an independent risk factor for acute renal failure in adult cardiac surgery.," *The Journal of thoracic and cardiovascular surgery*, 129(2), hal. 391–400. Tersedia pada: <https://doi.org/10.1016/j.jtcvs.2004.06.028>.
- Kementerian Kesehatan RI. Riset Kesehatan Dasar 2017. Kementerian Kesehatan Republik Indonesia; 2018
- Kharsa, C. *et al.* (2023) "Association of renal resistive indices with kidney disease progression and mortality," *BMC Nephrology*, 24(1), hal. 348. Tersedia pada: <https://doi.org/10.1186/s12882-023-03398-6>
- Khwaja, A. (2012) "KDIGO clinical practice guidelines for acute kidney injury.," *Nephron. Clinical practice*, 120(4), hal. c179-84. Tersedia pada: <https://doi.org/10.1159/000339789>.
- Kiser, K. *et al.* (2020) "Implementation of a Prescriptive Extracorporeal Circuit and Its Effect on Hemodilution and Blood Product Usage during Cardiac Surgery.," *The journal of extra-corporeal technology*, 52(4), hal. 295–302. Tersedia pada: <https://doi.org/10.1182/ject-2000037>.
- Kuznetsova, T. *et al.* (2015) "Doppler indexes of left ventricular systolic and diastolic flow and central pulse pressure in relation to renal resistive index.," *American journal of hypertension*, 28(4), hal. 535–545. Tersedia pada: <https://doi.org/10.1093/ajh/hpu185>.
- Lankadeva, Y.R. *et al.* (2019) "Strategies that improve renal medullary oxygenation during experimental cardiopulmonary bypass may mitigate postoperative acute kidney injury.," *Kidney international*, 95(6), hal. 1338–1346. Tersedia pada: <https://doi.org/10.1016/j.kint.2019.01.032>.
- Lannemyr, L. *et al.* (2017) "Effects of Cardiopulmonary Bypass on Renal Perfusion, Filtration, and Oxygenation in Patients Undergoing Cardiac Surgery.," *Anesthesiology*, 126(2), hal. 205–213. Tersedia pada: <https://doi.org/10.1097/ALN.0000000000001461>.

- Leballo, G. dan Chakane, P.M. (2020) “Cardiac surgery-associated acute kidney injury: pathophysiology and diagnostic modalities and management,” *Cardiovasc. J. Afr.*, 31(4), hal. 205–212. Tersedia pada: <https://doi.org/10.5830/CVJA-2019-069>.
- Lee, Y. *et al.* (2021) “Perfusion parameters during cardiopulmonary bypass as a predictor of acute kidney injury after aortic valve replacement.,” *Acute and critical care*, 36(3), hal. 242–248. Tersedia pada: <https://doi.org/10.4266/acc.2021.00094>.
- Madhavan, S. *et al.* (2018) “Cardiopulmonary bypass time: every minute counts,” *J. Cardiovasc. Surg. (Torino)*, 59(2), hal. 274–281. Tersedia pada: <https://doi.org/10.23736/S0021-9509.17.09864-0>.
- Mohammad, W.A., Ashraf, Z. dan Sayed, H.F. (2018) “Urgent versus elective coronary artery bypass grafting in acute coronary artery syndrome,” *Journal of the Egyptian Society of Cardio-Thoracic Surgery*, 26(1), hal. 17–23. Tersedia pada: <https://doi.org/https://doi.org/10.1016/j.jescts.2017.12.005>.
- Molitoris, B.A. dan Reilly, E.S. (2016) “Quantifying glomerular filtration rates in acute kidney injury: A requirement for translational success,” *Semin. Nephrol.*, 36(1), hal. 31–41. Tersedia pada: <https://doi.org/10.1016/j.semnephrol.2016.01.008>.
- Mora-Mangano, C.T., Chow, J.L. dan Kanevsky, M. (2008) “Chapter 22 – Cardiopulmonary Bypass and the Anesthesiologist,” in. Tersedia pada: <https://api.semanticscholar.org/CorpusID:37179754>.
- Mukaida, H. *et al.* (2023) “Oxygen delivery-guided perfusion for the prevention of acute kidney injury: A randomized controlled trial,” *Journal of Thoracic and Cardiovascular Surgery*, 165(2), hal. 750-760.e5. Tersedia pada: <https://doi.org/10.1016/j.jtcvs.2021.03.032>.
- Ni, L., Yuan, C. dan Wu, X. (2022) “Targeting ferroptosis in acute kidney injury,” *Cell Death and Disease*, 13(2). Tersedia pada: <https://doi.org/10.1038/s41419-022-04628-9>.
- Ninet, S. *et al.* (2015) “Doppler-based renal resistive index for prediction of renal dysfunction reversibility: A systematic review and meta-analysis.,” *Journal of critical care*, 30(3), hal. 629–635. Tersedia pada: <https://doi.org/10.1016/j.jcrc.2015.02.008>.
- O’Gara, P.T. *et al.* (2013) “2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines.,” *Circulation*, 127(4), hal. e362-425. Tersedia pada: <https://doi.org/10.1161/CIR.0b013e3182742cf6>.
- O’Neal, J.B., Shaw, A.D. dan Billings IV, F.T. (2016) “Acute kidney injury following cardiac surgery: current understanding and future directions,” *Crit. Care*, 20(1). Tersedia pada: <https://doi.org/10.1186/s13054-016-1352-z>.

- Ogobuiro, I., Wehrle, C.J. dan Tuma, F. (2025) "Anatomy, Thorax, Heart Coronary Arteries.," in. Treasure Island (FL).
- den Os, M.M. *et al.* (2020) "Microcirculatory perfusion disturbances following cardiopulmonary bypass: a systematic review.," *Critical care (London, England)*, 24(1), hal. 218. Tersedia pada: <https://doi.org/10.1186/s13054-020-02948-w>.
- Ostermann, M. *et al.* (2024) "Biomarkers in acute kidney injury," *Ann. Intensive Care*, 14(1), hal. 145. Tersedia pada: <https://doi.org/10.1186/s13613-024-01360-9>.
- Palangda, B.V. (2017) "Menganalisa Perubahan Keseimbangan Asam-Basa Pemeriksaan Gas Darah Pada Penggunaan Ringer Laktat Sebagai Cairan Priming Cardiopulmonary Bypass Di Rumah Sakit Dr. Soetomo." Airlangga university.
- PERNEFRI (2023) "Konsensus Gangguan Ginjal Akut," *Perhimpunan Nefrologi Indonesia*, hal. 118. Tersedia pada: <http://www.nber.org/papers/w16019>.
- Pieri, M. *et al.* (2016) "Outcome of cardiac surgery in patients with low preoperative ejection fraction.," *BMC anesthesiology*, 16(1), hal. 97. Tersedia pada: <https://doi.org/10.1186/s12871-016-0271-5>.
- Prowle, J.R. *et al.* (2021) "Postoperative acute kidney injury in adult non-cardiac surgery: joint consensus report of the Acute Disease Quality Initiative and PeriOperative Quality Initiative.," *Nature reviews. Nephrology*, 17(9), hal. 605–618. Tersedia pada: <https://doi.org/10.1038/s41581-021-00418-2>.
- Radermacher, J., Ellis, S. dan Haller, H. (2002) "Renal resistance index and progression of renal disease.," *Hypertension (Dallas, Tex. : 1979)*, 39(2 Pt 2), hal. 699–703. Tersedia pada: <https://doi.org/10.1161/hy0202.103782>.
- Ranucci, M. *et al.* (2018) "Goal-directed perfusion to reduce acute kidney injury: A randomized trial," *J. Thorac. Cardiovasc. Surg.*, 156(5), hal. 1918-1927.e2. Tersedia pada: <https://doi.org/10.1016/j.jtcvs.2018.04.045>.
- Ranucci, M. *et al.* (2024) "The multifactorial dynamic perfusion index: A predictive tool of cardiac surgery associated acute kidney injury," *Perfusion (United Kingdom)*, 39(1), hal. 201–209. Tersedia pada: <https://doi.org/10.1177/02676591221137033>.
- Rasmussen, G. *et al.* (2022) "Duration of Cardiopulmonary Bypass in the Modern Era: 240 is Now Safe," *American Association of Thoracic Surgery*, 1(1), hal. 1–10.
- Regolisti, G. *et al.* (2017) "Renal resistive index by transesophageal and transparietal echo-doppler imaging for the prediction of acute kidney injury in patients undergoing major heart surgery," *Journal of Nephrology*, 30(2), hal. 243–253. Tersedia pada: <https://doi.org/10.1007/s40620-016-0289-2>.

Sabia, M. et al. (2025) “Perioperative Changes in Renal Resistive Index as a Predictor of Acute Kidney Injury After Cardiac Surgery: A Prospective Cohort Study,” *Journal of Clinical Medicine*, 14(17), hal. 6315. Tersedia pada: <https://doi.org/10.3390/jcm14176315>

Sanchis-Gomar F, Perez-Quilis C, Leischik R, Lucia A. Epidemiology of coronary heart disease and acute coronary syndrome. *Ann Transl Med*. 2016 Jul;4(13).

Sawchuk AP, Yu W, Talamantes JT, Hong W, et al. A deep dive into the meaning of the renal resistive index, its limited correlation with renal function, and a theoretical way forward to improve its usefulness. *J Vasc Surg*. 2021;74(4):e381-e382. doi:10.1016/j.jvs.2021.07.158.

Schemberg, M. et al. (2024) “Intraoperative and Intraprocedural Use of 3-Dimensional Transesophageal Echocardiography: An International European Association of Cardiothoracic Anesthesia and Intensive Care Survey of Cardiac Surgical Centers.,” *Journal of cardiothoracic and vascular anesthesia*, 38(7), hal. 1467–1476. Tersedia pada: <https://doi.org/10.1053/j.jvca.2024.02.042>.

Schumer, E.M. et al. (2016) “Emergency Coronary Artery Bypass Grafting: Indications and Outcomes from 2003 through 2013.,” *Texas Heart Institute journal*, 43(3), hal. 214–219. Tersedia pada: <https://doi.org/10.14503/THIJ-14-4978>.

Scurt, F.G. et al. (2024) “Cardiac Surgery-Associated Acute Kidney Injury.,” *Kidney360*, 5(6), hal. 909–926. Tersedia pada: <https://doi.org/10.34067/KID.0000000000000466>.

Shahjehan, R.D., Sharma, S. dan Bhutta, B.S. (2025) “Coronary Artery Disease.,” in. Treasure Island (FL).

Silva, T.F. da et al. (2021) “Incidence of acute kidney injury post cardiac surgery: a comparison of the AKIN and KDIGO criteria.,” *Brazilian journal of anesthesiology (Elsevier)*, 71(5), hal. 511–516. Tersedia pada: <https://doi.org/10.1016/j.bjane.2021.02.016>.

Singh, A., Mukati, R. dan Bansal, M. (2024) “The Utility of Routine Intraoperative Transesophageal Echocardiography During Coronary Artery Bypass Graft Surgery: An Unexpected Reminder.,” *Annals of cardiac anaesthesia*. India, hal. 282–284. Tersedia pada: https://doi.org/10.4103/aca.aca_213_23.

Singh, N.C. et al. (2024) “The Agreement Between Transthoracic and Transesophageal Echocardiography in the Assessment of Right Ventricular Diastolic Dysfunction Grades in Adult Patients Undergoing Cardiac Surgery: A Prospective Observational Study.,” *Cureus*, 16(10), hal. e70976. Tersedia pada: <https://doi.org/10.7759/cureus.70976>.

- Sobolev, B.G. *et al.* (2008) “Delay in admission for elective coronary-artery bypass grafting is associated with increased in-hospital mortality.,” *BMC health services research*, 8, hal. 185. Tersedia pada: <https://doi.org/10.1186/1472-6963-8-185>.
- Swanevelde, J. (2012) “Kaplan’s Cardiac Anesthesia—The Echo Era,” *British Journal of Anaesthesia*, 109(3), hal. 470–471. Tersedia pada: <https://doi.org/10.1093/bja/aes271>.
- Tavianto, D., Wargahadibrata, A.H. dan Gani, C. (2013) “Patofisiologi Pintas Jantung Paru,” *Jurnal Anestesi Perioperatif*, 1(2), hal. 127–134. Tersedia pada: <https://doi.org/10.15851/jap.v1n2.125>.
- Tibi, S., Zeynalvand, G. dan Mohsin, H. (2023) “Role of the Renin Angiotensin Aldosterone System in the Pathogenesis of Sepsis-Induced Acute Kidney Injury: A Systematic Review.,” *Journal of clinical medicine*, 12(14). Tersedia pada: <https://doi.org/10.3390/jcm12144566>.
- Udzik, J. *et al.* (2024) “Higher perfusion pressure and pump flow during cardiopulmonary bypass are beneficial for kidney function—a single-centre prospective study.,” *Frontiers in physiology*, 15, hal. 1257631. Tersedia pada: <https://doi.org/10.3389/fphys.2024.1257631>.
- Usman, Y. *et al.* (2018) “Indonesia’s sample registration system in 2018: A work in progress,” *Journal of Population and Social Studies*, 27(1), hal. 39–52. Tersedia pada: <https://doi.org/10.25133/JPSSV27N1.003>.
- Valeri, I. *et al.* (2022) “Renal-Resistive Index and Acute Kidney Injury in Aortic Surgery: An Observational Pilot Study,” *Journal of Cardiothoracic and Vascular Anesthesia*, 36(8 Pt B), pp. 2968–2974. Tersedia pada: <https://doi.org/10.1053/j.jvca.2021.12.033>
- Vives, M. *et al.* (2019) “Acute kidney injury after cardiac surgery: prevalence, impact and management challenges.,” *International journal of nephrology and renovascular disease*, 12, hal. 153–166. Tersedia pada: <https://doi.org/10.2147/IJNRD.S167477>.
- Vo TX, Boodhwani M. Renal resistive index as a biomarker for acute kidney injury in aortic valve surgery. *J Thorac Dis.* 2018;10(Suppl 33):S4010–S4012. doi:10.21037/jtd.2018.09.45. PMID:30631541; PMCID:PMC6297496.
- Wang, L. *et al.* (2022) “Risk factors for acute kidney injury after Stanford type A aortic dissection repair surgery: a systematic review and meta-analysis.,” *Renal failure*, 44(1), hal. 1462–1476. Tersedia pada: <https://doi.org/10.1080/0886022X.2022.2113795>.
- Warltier, D.C. *et al.* (2002) “Editorial view: anesthetic preconditioning: serendipity and science.,” *Anesthesiology*. United States, hal. 1–3. Tersedia pada: <https://doi.org/10.1097/00000542-200207000-00002>.
- Weiss, N. dan Applegate, R.L. (2019) “Hensley’s Practical Approach to Cardiothoracic Anesthesia, 6th ed,” *Anesthesia & Analgesia*, 129(3), hal. e101–e101. Tersedia pada: <https://doi.org/10.1213/ane.0000000000004321>.

- Wu, B. *et al.* (2017) “Effect of Cardiac Surgery-Associated Acute Kidney Injury on Long-Term Outcomes of Chinese Patients: A Historical Cohort Study.,” *Blood purification*, 44(3), hal. 227–233. Tersedia pada: <https://doi.org/10.1159/000478967>.
- Yang, X. *et al.* (2024) “Cardiopulmonary bypass associated acute kidney injury: better understanding and better prevention,” *Renal Failure*, 46(1), hal. Tersedia pada: <https://doi.org/10.1080/0886022X.2024.2331062>.
- Yu, Y. *et al.* (2023) “Diagnosis, pathophysiology and preventive strategies for cardiac surgery-associated acute kidney injury: a narrative review.,” *European journal of medical research*, 28(1), hal. 45. Tersedia pada: <https://doi.org/10.1186/s40001-023-00990-2>.
- Yuan, S.-M. (2019) “Acute Kidney Injury after Cardiac Surgery: Risk Factors and Novel Biomarkers.,” *Brazilian journal of cardiovascular surgery*, 34(3), hal. 352–360. Tersedia pada: <https://doi.org/10.21470/1678-9741-2018-0212>.
- Zhang, K. *et al.* (2021) “The prognosis and risk factors for acute kidney injury in high-risk patients after surgery for type A aortic dissection in the ICU.,” *Journal of thoracic disease*, 13(7), hal. 4427–4437. Tersedia pada: <https://doi.org/10.21037/jtd-21-823>.