

DAFTAR PUSTAKA

- Aouadi, B., Zaukuu, J.L.Z., Vitális, F., Bodor, Z., Fehér, O., Gillay, Z., Bazar, G. and Kovacs, Z. (2020) “Historical Evolution and Food Control Achievements of Near Infrared Spectroscopy, Electronic Nose, and Electronic Tongue—Critical Overview,” *Sensors (Switzerland)*, 20(19), pp. 1–42. Available at: <https://doi.org/10.3390/s20195479>.
- Asil, M.H., Rabiei, B. and Ansari, R.H. (2012) “Optimal fermentation time and temperature to improve biochemical composition and sensory characteristics of black tea,” *Australian Journal of Crop Science*, 6(3), pp. 550–558.
- Attallah, O. and Morsi, I. (2022) “An electronic nose for identifying multiple combustible/harmful gases and their concentration levels via artificial intelligence,” *Measurement: Journal of the International Measurement Confederation*, 199(June). Available at: <https://doi.org/10.1016/j.measurement.2022.111458>.
- Barsan, N., Koziej, D. and Weimar, U. (2007) “Metal oxide-based gas sensor research : How to ?,” 121, pp. 18–35. Available at: <https://doi.org/10.1016/j.snb.2006.09.047>.
- Bernabei, M., Pantalei, S. and Sherrington, I. (2020) “Development of an Artificial Olfactory System for Lubricant Degradation Monitoring,” *International Journal of Condition Monitoring and Diagnostic Engineering Management*, 23(1), pp. 3–12.
- Bhattacharyya, N. and Bandhopadhyay, R. (2010) “Electronic Nose and Electronic Tongue,” in. Ludhiana: Springer, pp. 73–100. Available at: <https://doi.org/10.1007/978-3-642-15796-7>.
- Bickel, P., Diggle, P., Fienberg, S., Gather, U., Olkin, I. and Zeger, S. (2009) *The Elements of Statistical Learning*. 2nd ed. New York: Springer.
- Bickel, P., Diggle, P., Fienberg, S., Krickeberg, K., Wermuth, N. and Zeger, S. (1997) *Modern Multidimensional Scaling*. New York: Springer.
- Borowik, P., Grzywacz, T., Tarakowski, R., Tkaczyk, M., Ślusarski, S., Dyshko, V. and Oszako, T. (2023) “Development of a Low-Cost Electronic Nose with an Open Sensor Chamber: Application to Detection of *Ciboria Batschiana*,” *Sensors*, 23(2), pp. 1–22. Available at: <https://doi.org/10.3390/s23020627>.
- Boujnah, A., Boubaker, A., Pecqueur, S., Lmimouni, K. and Kalboussi, A. (2022) “An electronic nose using conductometric gas sensors based on P3HT doped with triflates for gas detection using computational techniques (PCA, LDA, and kNN),” *Journal of Materials Science: Materials in Electronics*, 33(36), pp. 27132–27146. Available at: <https://doi.org/10.1007/s10854-022-09376-2>.
- Camargo, L.E.A., Pedroso, L.S., Vendrame, S.C., Mainardes, R.M. and Khalil, N.M. (2016) “Antioxidant and Antifungal Activities of *Camellia Sinensis* (L.) Kuntze Leaves Obtained by Different Forms of Production,” *Brazilian Journal of Biology*, 76(2), pp. 428–434. Available at: <https://doi.org/10.1590/1519-6984.18814>.
- Chang, X., Long, Y., Wang, C. and Xiao, Y. (2023) “Chemical Fingerprinting of Volatile Organic Compounds from Asphalt Binder for Quantitative Detection,” *Construction and Building Materials*, 371, pp. 1–16. Available at: <https://doi.org/10.1016/j.conbuildmat.2023.130766>.
- Chen, J., Yang, Y., Deng, Y., Liu, Z., Xie, J., Shen, S., Yuan, H. and Jiang, Y. (2022) “Aroma Quality Evaluation of Dianhong Black Tea Infusions by the Combination of Rapid Gas Phase Electronic Nose and Multivariate Statistical Analysis,” *LWT-*

- Food Science and Technology*, 153, pp. 1–15. Available at: <https://doi.org/10.1016/j.lwt.2021.112496>.
- Chen, Q., Liu, A., Zhao, J. and Ouyang, Q. (2013) “Classification of Tea Category Using a Portable Electronic Nose Based on an Odor Imaging Sensor Array,” *Journal of Pharmaceutical and Biomedical Analysis*, 84, pp. 77–83. Available at: <https://doi.org/10.1016/j.jpba.2013.05.046>.
- Choi, S. Il, Kim, S.H., Yang, Y. and Jeong, G.M. (2010) “Data Refinement and Channel Selection for a Portable E-nose System by the Use of Feature Feedback,” *Sensors (Switzerland)*, 10(11), pp. 10387–10400. Available at: <https://doi.org/10.3390/s101110387>.
- Choopun, S., Hongstith, N. and Wongrat, E. (2012) “Metal-Oxide Nanowires for Gas Sensors,” in *Intech*. London: INTECH, pp. 1–24. Available at: <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>.
- Chowdhury, S.R., Bhondekar, A.P., Bagchi, S. and Karar, V. (2020) “Analysis of a Data Acquisition System for a Compact Electronic Nose,” *Lecture Notes in Electrical Engineering*, 602, pp. 615–628. Available at: https://doi.org/10.1007/978-981-15-0829-5_58.
- Covões, T.F. and Hruschka, E.R. (2011) “Towards Improving Cluster-Based Feature Selection with a Simplified Silhouette Filter,” *Information Sciences*, 181(18), pp. 3766–3782. Available at: <https://doi.org/10.1016/j.ins.2011.04.050>.
- Cui, S., Ling, P., Zhu, H. and Keener, H.M. (2018) “Plant Pest Detection Using an Artificial Nose System: A Review,” *Sensors (Switzerland)*, 18(2), pp. 1–18. Available at: <https://doi.org/10.3390/s18020378>.
- Dessureault, J.-S. and Massicotte, D. (2021) *Feature Selection or Extraction Decision Process for Clustering Using PCA and FRSD*, *arXiv*. Available at: <http://arxiv.org/abs/2111.10492>.
- Direktorat Statistik Tanaman Pangan, Holtikultura, dan P. (2024) *Statistik Teh Indonesia 2023*. Jakarta: Badan Pusat Statistik.
- Dixon, S.J., Heinrich, N., Holmboe, M., Schaefer, M.L., Reed, R.R., Trevejo, J. and Brereton, R.G. (2009) “Use of cluster separation indices and the influence of outliers: Application of two new separation indices, the modified silhouette index and the overlap coefficient to simulated data and mouse urine metabolomic profiles,” *Journal of Chemometrics*, 23(1), pp. 19–31. Available at: <https://doi.org/10.1002/cem.1189>.
- Dong, M.W. (2020) “The Essence of Modern HPLC: Advantages, Limitations, Fundamentals, and Opportunities,” *Lc Gc North America*, 31(6), pp. 472–479.
- Dou, J., Lee, V.S.Y., Tzen, J.T.C. and Lee, M.R. (2007) “Identification and Comparison of Phenolic Compounds in the Preparation of Oolong Tea Manufactured by Semifermentation and Drying Processes,” *Journal of Agricultural and Food Chemistry*, 55(18), pp. 7462–7468. Available at: <https://doi.org/10.1021/jf0718603>.
- Emilio, M.D.P. (2013) *Data Acquisition Systems, International Geophysics*. New York: Springer. Available at: [https://doi.org/10.1016/S0074-6142\(08\)60313-7](https://doi.org/10.1016/S0074-6142(08)60313-7).
- Fagundes, G.A., Benedetti, S., Pagani, M.A., Fiorentini, A.M., Severo, J. and Salas-Mellado, M. (2022) “Electronic Sensory Assessment of Bread Enriched with Cobia

- (*Rachycentron Canadum*),” *Journal of Food Process Engineering*, 45(7), pp. 1–6. Available at: <https://doi.org/10.1111/jfpe.13656>.
- Fan, F., Zhou, S., Qian, H., Zong, B.Z., Huang, C.S., Zhu, R.L., Guo, H.W. and Gong, S.Y. (2022) “Effect of Yellowing Duration on the Chemical Profile of Yellow Tea and the Associations with Sensory Traits,” *Molecules*, 27(3), pp. 1–14. Available at: <https://doi.org/10.3390/molecules27030940>.
- Feng, Z., Li, Y., Li, M., Wang, Y., Zhang, L., Wan, X. and Yang, X. (2019) “Tea Aroma Formation from Six Model Manufacturing Processes,” *Food Chemistry*, 285, pp. 347–354. Available at: <https://doi.org/10.1016/j.foodchem.2019.01.174>.
- Fiehn, O. (2002) “Metabolomics – The Link between Genotypes and Phenotypes,” *Plant Molecular Biology*, 48, pp. 155–171.
- Figaro (2000) *General Information for TGS Sensors*.
- Forschungsanstalt, D. and Garching, D.- (2001) “Evaluation of the Key Odorants of Foods by Dilution Experiments , Aroma Models and Omission,” (Table 1), pp. 533–545.
- Gardner, J.W. and Bartlett, P.N. (1994) “A Brief History of Electronic Noses,” *Sensors and Actuators: B. Chemical*, 18–19, pp. 211–220. Available at: [https://doi.org/10.1016/0925-4005\(94\)87085-3](https://doi.org/10.1016/0925-4005(94)87085-3).
- Gila, D.M.M., García, J.G., Bellincontro, A., Mencarelli, F. and Ortega, J.G. (2020) “Fast Tool Based on Electronic Nose to Predict Olive Fruit Quality After Harvest,” *Postharvest Biology and Technology*, 160, pp. 1–7. Available at: <https://doi.org/10.1016/j.postharvbio.2019.111058>.
- Gong, J.S., Tang, C. and Peng, C.X. (2012) “Characterization of the Chemical Differences between Solvent Extracts from Pu-erh Tea and Dian Hong Black Tea by CP-Py-GC/MS,” *Journal of Analytical and Applied Pyrolysis*, 95, pp. 189–197. Available at: <https://doi.org/10.1016/j.jaap.2012.02.006>.
- Granato, D., Grevink, R., Zielinski, A.A.F., Nunes, D.S. and Van Ruth, S.M. (2014) “Analytical Strategy Coupled with Response Surface Methodology to Maximize the Extraction of Antioxidants from Ternary Mixtures of Green, Yellow, and Red Teas (*Camellia Sinensis* var. *sinensis*),” *Journal of Agricultural and Food Chemistry*, 62(42), pp. 10283–10296. Available at: <https://doi.org/10.1021/jf504480f>.
- Gromski, P.S., Correa, E., Vaughan, A.A., Wedge, D.C., Turner, M.L. and Goodacre, R. (2014) “A comparison of different chemometrics approaches for the robust classification of electronic nose data,” *Analytical and Bioanalytical Chemistry*, 406(29), pp. 7581–7590. Available at: <https://doi.org/10.1007/s00216-014-8216-7>.
- Gutierrez-Osuna, R., Nagle, H.T., Kermani, B. and Schiffman, S.S. (2004) “Signal Conditioning and Preprocessing,” in *Handbook of Machine Olfaction*. Weinheim: WILEY-VCH Verlag GmbH & Co. KGaA, pp. 105–132. Available at: <https://doi.org/10.1002/3527601597.ch5>.
- Guyon, I. (2003) “An Introduction to Variable and Feature Selection,” 3, pp. 1157–1182.
- Han, J., Kamber, M. and Pei, J. (2012) *Data Mining: Concepts and Techniques*. 3rd ed. Waltham: Elsevier Inc.
- Hidayat, S.N., Julian, T., Dharmawan, A.B., Puspita, M., Chandra, L., Rohman, A., Julia, M., Rianjanu, A., Nurputra, D.K., Triyana, K. and Wasisto, H.S. (2022) “Hybrid Learning Method Based on Feature Clustering and Scoring for Enhanced COVID-

- 19 Breath Analysis by an Electronic Nose,” *Artificial Intelligence in Medicine*, 129, pp. 1–13. Available at: <https://doi.org/10.1016/j.artmed.2022.102323>.
- Ho, C., Zheng, X. and Li, S. (2015a) “Tea aroma formation,” 4, pp. 9–27.
- Ho, C., Zheng, X. and Li, S. (2015b) “Tea Aroma Formation,” 4, pp. 9–27.
- Hsu, H.H., Hsieh, C.W. and Lu, M. Da (2011) “Hybrid Feature Selection by Combining Filters and Wrappers,” *Expert Systems with Applications*, 38(7), pp. 8144–8150. Available at: <https://doi.org/10.1016/j.eswa.2010.12.156>.
- Hu, Y., Li, Y., Li, X. ao, Zhang, H., Chen, Q. and Kong, B. (2022) “Application of Lactic Acid Bacteria for Improving the Quality of Reduced-Salt Dry Fermented Sausage: Texture, Color, and Flavor Profiles,” *Food Science and Technology*, 154, pp. 1–10. Available at: <https://doi.org/10.1016/j.lwt.2021.112723>.
- Jeon, J. and Choi, S. (2011) “Aroma Characteristics of Dried Citrus Fruits-Blended Green Tea,” *Journal of Life Science*, 21(5), pp. 739–745.
- Kaltsum, U., Kombo, K.O., Roto, R., Sholihun, S. and Triyana, K. (2026) “Feature - Optimized Electronic - Nose Classification of Fermented and Non - Fermented Teas,” 23(2).
- Karakaya, D., Ulucan, O. and Turkan, M. (2020) “Electronic Nose and Its Applications: A Survey,” *International Journal of Automation and Computing*, 17(2), pp. 179–209. Available at: <https://doi.org/10.1007/s11633-019-1212-9>.
- Kaushal, S., Nayi, P., Rahadian, D. and Chen, H.-H. (2022) “Applications of Electronic Nose Coupled with Statistical and Intelligent Pattern Recognition Techniques for Monitoring Tea Quality: A Review,” *Agriculture*, 12(9), pp. 1–19. Available at: <https://doi.org/10.3390/agriculture12091359>.
- Khawaja, A. (2006) *Automatic ECG Analysis Using Principal Component Analysis and Wavelet Transformation*. Universitat Karlsruhe.
- Kiani, S., Minaei, S. and Ghasemi-Varnamkhasti, M. (2016) “Application of Electronic Nose Systems for Assessing Quality of Medicinal and Aromatic Plant Products: A Review,” *Journal of Applied Research on Medicinal and Aromatic Plants*, 3(1), pp. 1–9. Available at: <https://doi.org/10.1016/j.jarmap.2015.12.002>.
- Kim, Y., Goodner, K.L., Park, J.D., Choi, J. and Talcott, S.T. (2011) “Changes in Antioxidant Phytochemicals and Volatile Composition of Camellia Sinensis by Oxidation During Tea Fermentation,” *Food Chemistry*, 129(4), pp. 1331–1342. Available at: <https://doi.org/10.1016/j.foodchem.2011.05.012>.
- Kombo, K.O., Nur Hidayat, S., Puspita, M., Kusumaatmaja, A., Roto, R., Nirwati, H., Susilowati, R., Lutfia Haksari, E., Wibowo, T., Wandita, S., Wahyono, Julia, M. and Triyana, K. (2025) “A Machine Learning-Based Electronic Nose for Detecting Neonatal Sepsis: Analysis of Volatile Organic Compound Biomarkers in Fecal Samples,” *Clinica Chimica Acta*, 565(September 2024). Available at: <https://doi.org/10.1016/j.cca.2024.119974>.
- Kraujalyte, V., Pelvan, E. and Alasalvar, C. (2016) “Volatile Compounds and Sensory Characteristics of Various Instant Teas Produced from Black Tea,” *Food Chemistry*, 194, pp. 864–872. Available at: <https://doi.org/10.1016/j.foodchem.2015.08.051>.
- Langenberg, B., Janczyk, M., Koob, V., Kliegl, R. and Mayer, A. (2023) “A Tutorial on Using the Paired T Test for Power Calculations in Repeated Measures ANOVA with Interactions,” *Behavior Research Methods*, 55(5), pp. 2467–2484. Available

- at: <https://doi.org/10.3758/s13428-022-01902-8>.
- Lee, D.Y., Yu, J.B., Byun, H.G. and Kim, H.J. (2022) “Chemoresistive Sensor Readout Circuit Design for Detecting Gases with Slow Response Time Characteristics,” *Sensors*, 22(3), pp. 1–12. Available at: <https://doi.org/10.3390/s22031102>.
- Lin, T.C., Liu, R.S., Chao, Y.T. and Chen, S.Y. (2013) “Classifying subtypes of acute lymphoblastic leukemia using silhouette statistics and genetic algorithms,” *Gene*, 518(1), pp. 159–163. Available at: <https://doi.org/10.1016/j.gene.2012.11.046>.
- Liu, H. and Setiono, R. (1995) “Chi2 : Feature Selection and Discretization of Numeric Attributes,” in *Proceedings of the IEEE 7th International Conference on Tools with Artificial Intelligence*.
- Liu, H., Yu, D. and Gu, Y. (2019) “Classification and Evaluation of Quality Grades of Organic Green Teas Using an Electronic Nose Based on Machine Learning Algorithms,” *IEEE Access*, 7, pp. 172965–172973. Available at: <https://doi.org/10.1109/ACCESS.2019.2957112>.
- Liu, N., Shen, S., Huang, L., Deng, G., Wei, Y., Ning, J. and Wang, Y. (2023) “Revelation of Volatile Contributions in Green Teas with Different Aroma Types by GC–MS and GC–IMS,” *Food Research International*, 169, pp. 1–8. Available at: <https://doi.org/10.1016/j.foodres.2023.112845>.
- Lu, X., Wang, J., Lu, G., Lin, B., Chang, M. and He, W. (2019) “Quality Level Identification of West Lake Longjing Green Tea Using Electronic Nose,” *Sensors and Actuators, B: Chemical*, 301, pp. 1–10. Available at: <https://doi.org/10.1016/j.snb.2019.127056>.
- Luo, D., Chen, J., Gao, L., Liu, Y. and Wu, J. (2017) “Geographical Origin Identification and Quality Control of Chinese Chrysanthemum Flower Teas Using Gas Chromatography–Mass Spectrometry and Olfactometry and Electronic Nose Combined with Principal Component Analysis,” *International Journal of Food Science and Technology*, 52(3), pp. 714–723. Available at: <https://doi.org/10.1111/ijfs.13326>.
- Mishra, S.P., Sarkar, U., Taraphder, S., Datta, S., Swain, D.P., Saikhom, R., Panda, S. and Laishram, M. (2017) “Multivariate Statistical Data Analysis- Principal Component Analysis (PCA),” *International Journal of Livestock Research*, 7(5), pp. 60–78. Available at: <https://doi.org/10.5455/ijlr.20170415115235>.
- Nakamoto, T. (2016) “Essential of Machine Olfaction and Taste,” in. Tokyo: John Wiley & Sons.
- Nanga, S., Bawah, A.T., Acquaye, B.A., Billa, M.-I., Baeta, F.D., Odai, N.A., Obeng, S.K. and Nsiah, A.D. (2021) “Review of Dimension Reduction Methods,” *Journal of Data Analysis and Information Processing*, 09(03), pp. 189–231. Available at: <https://doi.org/10.4236/jdaip.2021.93013>.
- Nurputra, D.K., Kusumaatmaja, A., Hakim, M.S., Hidayat, S.N., Julian, T., Sumanto, B., Mahendradhata, Y., Saktiawati, A.M.I., Wasisto, H.S. and Triyana, K. (2022) “Fast and noninvasive electronic nose for sniffing out COVID-19 based on exhaled breath-print recognition,” *npj Digital Medicine*, 5(1). Available at: <https://doi.org/10.1038/s41746-022-00661-2>.
- Panthong, R. and Srivihok, A. (2019) “Liver Cancer Classification Model Using Hybrid Feature Selection Based on Class-Dependent Technique for the Central Region of Thailand,” *Information (Switzerland)*, 10(6). Available at:

- <https://doi.org/10.3390/info10060187>.
- Patel, H.K. (2014) *The Electronic Nose: Artificial Olfaction Technology*. London: Springer. Available at: <http://link.springer.com/10.1007/978-81-322-1548-6>.
- Pearce, T.C., Schiffman, S., Nagle, H. and Gardner, J.. (2003) *Handbook of Machine Olfaction*. Weinheim: WILEY-VCH Verlag GmbH & Co. KGaA.
- Peres-neto, P.R. and Jackson, D.A. (2001) “How Well Do Multivariate Data Sets Match? The Advantages of a Procrustean Superimposition Approach Over the Mantel Test,” pp. 169–178. Available at: <https://doi.org/10.1007/s004420100720>.
- Pou, K.R.. (2016) “Fermentation: The Key Step in the Processing of Black Tea,” *Journal of Biosystems Engineering*, 41(2), pp. 85–92. Available at: <https://doi.org/10.5307/jbe.2016.41.2.085>.
- Pradhan, S. and Dubey, R.C. (2021) “Review Beneficial Properties of Green Tea Catechins,” *International Journal of Molecular Sciences*, 21(1744), pp. 1–11.
- Putra, J.W.G. (2019) *Pengenalan Konsep Pembelajaran Mesin dan Deep Learning*. 1.4. Tokyo: Jan Wira Gotama Putra.
- Putri, L.A., Rahman, I., Puspita, M., Hidayat, S.N., Dharmawan, A.B., Rianjanu, A., Wibirama, S., Roto, R., Triyana, K. and Wasisto, H.S. (2023) “Rapid Analysis of Meat Floss Origin Using a Supervised Machine Learning-Based Electronic Nose Towards Food Authentication,” *npj Science of Food*, 7(1), pp. 1–15. Available at: <https://doi.org/10.1038/s41538-023-00205-2>.
- Putri, R.A., Sabilla, S.I. and Sarno, R. (2023) “Optimal Feature Selection Algorithm (FSA) for Electronic Nose Signal,” *2023 1st International Conference on Advanced Engineering and Technologies, ICONNIC 2023 - Proceeding*, pp. 310–315. Available at: <https://doi.org/10.1109/ICONNIC59854.2023.10467988>.
- Qian, K., Bao, Y., Zhu, J., Wang, J. and Wei, Z. (2021) “Development of a Portable Electronic Nose Based on a Hybrid Filter-Wrapper Method for Identifying the Chinese Dry-Cured Ham of Different Grades,” *Journal of Food Engineering*, 290, pp. 1–13. Available at: <https://doi.org/10.1016/j.jfoodeng.2020.110250>.
- Qiao, M. (2023) “Factorized discriminant analysis for genetic signatures of neuronal phenotypes,” *Frontiers in Neuroinformatics*, 17. Available at: <https://doi.org/10.3389/fninf.2023.1265079>.
- Qin, Z., Pang, X., Chen, D., Cheng, H., Hu, X. and Wu, J. (2013) “Evaluation of Chinese Tea by the Electronic Nose and Gas Chromatography-Mass Spectrometry: Correlation with Sensory Properties and Classification According to Grade Level,” *Food Research International*, 53(2), pp. 864–874. Available at: <https://doi.org/10.1016/j.foodres.2013.02.005>.
- Qiu, L., Zhang, M., Mujumdar, A.S. and Chang, L. (2021) “Effect of Edible Rose (*Rosa Rugosa* cv. Plena) Flower Extract Addition on the Physicochemical, Rheological, Functional and Sensory Properties of Set-Type Yogurt,” *Food Bioscience*, 43, pp. 1–12. Available at: <https://doi.org/10.1016/j.fbio.2021.101249>.
- Reddy, G.T., Reddy, M.P.K., Lakshmana, K., Kaluri, R., Rajput, D.S., Srivastava, G. and Baker, T. (2020) “Analysis of Dimensionality Reduction Techniques on Big Data,” *IEEE Access*, 8, pp. 54776–54788. Available at: <https://doi.org/10.1109/ACCESS.2020.2980942>.
- Ro, F., Barsan, N. and Weimar, U. (2008) “Electronic Nose : Current Status and Future Trends.”

- Rousseeuw, P.J. (1987) "Silhouettes: A graphical aid to the interpretation and validation of cluster analysis," *Journal of Computational and Applied Mathematics*, 20(C), pp. 53–65. Available at: [https://doi.org/10.1016/0377-0427\(87\)90125-7](https://doi.org/10.1016/0377-0427(87)90125-7).
- Sabilla, S.I., Sarno, R. and Triyana, K. (2019) "Optimizing Threshold Using Pearson Correlation for Selecting Features of Electronic Nose Signals," *International Journal of Intelligent Engineering and Systems*, 12(6), pp. 81–90. Available at: <https://doi.org/10.22266/ijies2019.1231.08>.
- Salman, S., Öz, G., Felek, R., Haznedar, A., Turna, T. and Özdemir, F. (2022) "Effects of Fermentation Time on Phenolic Composition, Antioxidant and Antimicrobial Activities of Green, Oolong, and Black Teas," *Food Bioscience*, 49(January), pp. 1–9. Available at: <https://doi.org/10.1016/j.fbio.2022.101884>.
- Samadi, S. (2013) "Interface Design Techniques for Electronic Nose Sensors : A Survey," in *The Sixth International Conference on Advances in Human-oriented and Personalized Mechanisms, Technologies, and Services*. Venice: IARIA Press, pp. 44–49.
- Sangaiah, I. and Vincent Antony Kumar, A. (2019) "Improving Medical Diagnosis Performance Using Hybrid Feature Selection via Relief and Entropy Based Genetic Search (RF-EGA) Approach: Application to Breast Cancer Prediction," *Cluster Computing*, 22, pp. 6899–6906. Available at: <https://doi.org/10.1007/s10586-018-1702-5>.
- Santos, J.P., Lozano, J. and Aleixandre, M. (2017) "Electronic Noses Applications in Beer Technology," in *Intech*. INTECH, pp. 177–200. Available at: <https://doi.org/http://dx.doi.org/10.5772/intechopen.68822> 181.
- Santosa, B. (2007) *Data Mining Teknik Pemanfaatan Data untuk Keperluan Bisnis*. 1st ed. Yogyakarta: Graha Ilmu.
- Sarno, R., Triyana, K., Sabilla, S.I., Wijaya, D.R., Sunaryono, D. and Fatichah, C. (2020) "Detecting Pork Adulteration in Beef for Halal Authentication using an Optimized Electronic Nose System," *IEEE Access*, 8, pp. 25–30. Available at: <https://doi.org/10.1109/ACCESS.2020.3043394>.
- Scott, S.M., James, D. and Ali, Z. (2006) "Data Analysis for Electronic Nose Systems," *Microchimica Acta*, 156(3–4), pp. 183–207. Available at: <https://doi.org/10.1007/s00604-006-0623-9>.
- Shaffer, R.E., Rose-Pehrsson, S.L. and McGill, R.A. (1999) "A Comparison Study of Chemical Sensor Array Pattern Recognition Algorithms," *Analytica Chimica Acta*, 384(3), pp. 305–317. Available at: [https://doi.org/10.1016/S0003-2670\(98\)00780-6](https://doi.org/10.1016/S0003-2670(98)00780-6).
- Shi, Y., Wang, M., Dong, Z., Zhu, Y., Shi, J., Ma, W., Lin, Z. and Lv, H. (2021) "Volatile Components and Key Odorants of Chinese Yellow Tea (*Camellia sinensis*)," *Food Science and Technology*, 146, pp. 1–15. Available at: <https://doi.org/10.1016/j.lwt.2021.111512>.
- Shimadzu (2020) *Gas Chromatography Mass Spectrometry (GCMS)*. 1st ed, *SpringerReference*. 1st ed. Kyoto: Shimadzu Corporation. Available at: https://doi.org/10.1007/springerreference_30045.
- Shutaywi, M. and Kachouie, N.N. (2021) "Silhouette analysis for performance evaluation in machine learning with applications to clustering," *Entropy*, 23(6), pp. 1–17. Available at: <https://doi.org/10.3390/e23060759>.

- Da Silva, S.F., Brandoli, B., Eler, D.M., Neto, J.B. and Traina, A.J.M. (2010) “Silhouette-Based Feature Selection for Classification of Medical Images,” *Proceedings - IEEE Symposium on Computer-Based Medical Systems*, pp. 315–320. Available at: <https://doi.org/10.1109/CBMS.2010.6042662>.
- Sivakumar, M., Parthasarathy, S. and Padmapriya, T. (2024) “Trade-off between training and testing ratio in machine learning for medical image processing,” *PeerJ Computer Science*, 10, pp. 1–17. Available at: <https://doi.org/10.7717/PEERJ-CS.2245>.
- Sohn, J.H., Atzeni, M., Zeller, L. and Pioggia, G. (2008) “Characterisation of Humidity Dependence of a Metal Oxide Semiconductor Sensor Array Using Partial Least Squares,” *Sensors and Actuators, B: Chemical*, 131(1), pp. 230–235. Available at: <https://doi.org/10.1016/j.snb.2007.11.009>.
- Sumanto, B., Abelta Mika Setiarini, Alfonzo Aruga Paripurna Barus, Iman Sabarisman and Muhammad Arrofiq (2024) “Pembelajaran Mesin Berbasis E-nose Untuk Klasifikasi Daging Pada Produk Sosis,” *JST (Jurnal Sains dan Teknologi)*, 13(1), pp. 22–32. Available at: <https://doi.org/10.23887/jstundiksha.v13i1.70307>.
- Survey, U.S.G. and Fish, U.C. (2007) “Random Forests for Classification in Ecology,” 88(11), pp. 2783–2792.
- Teixeira, G.G., Dias, L.G., Rodrigues, N., Marx, Í.M.G., Veloso, A.C.A., Pereira, J.A. and Peres, A.M. (2021) “Application of a Lab-Made Electronic Nose for Extra Virgin Olive Oils Commercial Classification According to the Perceived Fruitiness Intensity,” *Talanta*, 226(January), pp. 1–8. Available at: <https://doi.org/10.1016/j.talanta.2021.122122>.
- Tharwat, A., Gaber, T., Ibrahim, A. and Hassanien, A.E. (2017) “Linear Discriminant Analysis: A Detailed Tutorial,” *AI Communications*, 30(2), pp. 169–190. Available at: <https://doi.org/10.3233/AIC-170729>.
- Tian, F., Zhang, J., Yang, S.X., Zhao, Z., Liang, Z., Liu, Y. and Wang, D. (2016) “Suppression of Strong Background Interference on E-Nose Sensors in an Open Country Environment,” *Sensors (Switzerland)*, 16(2), pp. 1–17. Available at: <https://doi.org/10.3390/s16020233>.
- Tian, H., Xiong, J., Chen, S., Yu, H., Chen, C., Huang, J., Yuan, H. and Lou, X. (2023) “Rapid Identification of Adulteration in Raw Bovine Milk with Soymilk by Electronic Nose and Headspace-Gas Chromatography Ion-Mobility Spectrometry,” *Food Chemistry: X*, 18(January), pp. 1–10. Available at: <https://doi.org/10.1016/j.fochx.2023.100696>.
- Tseng, T.S., Hsiao, M.H., Chen, P.A., Lin, S.Y., Chiu, S.W. and Yao, D.J. (2021) “Utilization of a Gas-Sensing System to Discriminate Smell and to Monitor Fermentation During the Manufacture of Oolong Tea Leaves,” *Micromachines*, 12(1), pp. 1–11. Available at: <https://doi.org/10.3390/mi12010093>.
- Turkmen, N., Sari, F. and Velioglu, Y.S. (2009) “Factors Affecting Polyphenol Content and Composition of Fresh and Processed Tea Leaves,” *Akademik Gıda*, 7(6), pp. 29–40.
- Vafakhah, M. and Janizadeh, S. (2021) “Application of artificial neural network and adaptive neuro-fuzzy inference system in streamflow forecasting,” in D.M. Priyanka Sharma (ed.). Elsevier, pp. 171–191. Available at: <https://doi.org/10.1016/B978-0-12-820673-7.00002-0>.

- Valenzuela, I.C., Tolentino, L.K.S. and Serfa Juan, R.O. (2019) "Utilization of E-Nose Sensory Modality as Add-on Feature for Advanced Driver Assistance System," *International Journal of Advanced Trends in Computer Science and Engineering*, 8(4), pp. 1783–1788. Available at: <https://doi.org/10.30534/ijatcse/2019/109842019>.
- Vrigazova, B. (2021) "The Proportion for Splitting Data into Training and Test Set for the Bootstrap in Classification Problems," *Business Systems Research*, 12(1), pp. 228–242. Available at: <https://doi.org/10.2478/bsrj-2021-0015>.
- Wang, L.F., Lee, J.Y., Chung, J.O., Baik, J.H., So, S. and Park, S.K. (2008) "Discrimination of Teas with Different Degrees of Fermentation by SPME-GC Analysis of the Characteristic Volatile Flavour Compounds," *Food Chemistry*, 109(1), pp. 196–206. Available at: <https://doi.org/10.1016/j.foodchem.2007.12.054>.
- Wang, M. and Chen, Y. (2024) "Electronic Nose and Its Application in the Food Industry: A Review," *European Food Research and Technology*, 250(1), pp. 21–67. Available at: <https://doi.org/10.1007/s00217-023-04381-z>.
- Wang, T., Zhang, H., Wu, Y., Jiang, W., Chen, X., Zeng, M., Yang, J., Su, Y., Hu, N. and Yang, Z. (2022) "Target Discrimination, Concentration Prediction, and Status Judgment of Electronic Nose System Based on Large-Scale Measurement and Multi-Task Deep Learning," *Sensors and Actuators B: Chemical*, 351, pp. 1–12. Available at: <https://doi.org/10.1016/j.snb.2021.130915>.
- Want, E.J., Cravatt, B.F. and Siuzdak, G. (2005) "The Expanding Role of Mass Spectrometry in Metabolite Profiling and Characterization," *ChemBioChem*, 6(11), pp. 1941–1951. Available at: <https://doi.org/10.1002/cbic.200500151>.
- Wawrzyniak, J. (2023) "Advancements in Improving Selectivity of Metal Oxide Semiconductor Gas Sensors Opening New Perspectives for Their Application in Food Industry," *Sensors*, 23(23). Available at: <https://doi.org/10.3390/s23239548>.
- Weng, X, Li, G, Weng, Xiaohui, Li, Gehong, Liu, Ziwei, Liu, R., Liu, Zhaoyang, Wang, S., Zhao, S. and Ma, X. (2023) "A Preliminary Screening System for Diabetes based on in-car Electronic Nose," *Endocrine Connections*, 12, pp. 1–19.
- Wijaya, D.R., Sarno, R. and Zulaika, E. (2016) "Sensor Array Optimization for Mobile Electronic Nose: Wavelet Transform and Filter Based Feature Selection Approach," *International Review on Computers and Software*, 11(8), pp. 659–671. Available at: <https://doi.org/10.15866/irecos.v11i8.9425>.
- Xing, L., Zhang, H., Qi, R., Tsao, R. and Mine, Y. (2019) "Recent Advances in the Understanding of the Health Benefits and Molecular Mechanisms Associated with Green Tea Polyphenols," *Journal of Agricultural and Food Chemistry*, 67(4), pp. 1029–1043. Available at: <https://doi.org/10.1021/acs.jafc.8b06146>.
- Xu, J., Wang, M., Zhao, J., Wang, Y.H., Tang, Q. and Khan, I.A. (2018) "Yellow Tea (*Camellia sinensis* L.), a Promising Chinese Tea: Processing, Chemical Constituents and Health Benefits," *Food Research International*, 107, pp. 567–577. Available at: <https://doi.org/10.1016/j.foodres.2018.01.063>.
- Xu, M., Wang, J. and Zhu, L. (2021) "Tea Quality Evaluation by Applying E-nose Combined with Chemometrics Methods," *Journal of Food Science and Technology*, 58(4), pp. 1549–1561. Available at: <https://doi.org/10.1007/s13197-020-04667-0>.

- Yan, J., Guo, X., Duan, S., Jia, P., Wang, L., Peng, C. and Zhang, S. (2015) “Electronic Nose Feature Extraction Methods: A Review,” *Sensors*, 15(11), pp. 27804–27831. Available at: <https://doi.org/10.3390/s151127804>.
- Yang, Y., Chen, J., Jiang, Y., Qian, M.C., Deng, Y., Xie, J., Li, J., Wang, J., Dong, C. and Yuan, H. (2022) “Aroma Dynamic Characteristics During the Drying Process of Green Tea by Gas Phase Electronic Nose and Gas Chromatography-Ion Mobility Spectrometry,” *Food Science and Technology*, 154, pp. 1–24. Available at: <https://doi.org/10.1016/j.lwt.2021.112691>.
- Yang, Y., Ha, S.C. and Kim, Y.S. (2005) “Portable Electronic Nose System Utilizing Single Gas Sensor Array Fabricated by Si Bulk Micromachining,” *Sensors and Materials*, 17(2), pp. 77–85.
- Yang, Y., Zhu, H., Chen, J., Xie, J., Shen, S., Deng, Y., Zhu, J., Yuan, H. and Jiang, Y. (2022) “Characterization of the Key Aroma Compounds in Black Teas with Different Aroma Types by Using Gas Chromatography Electronic Nose, Gas Chromatography-Ion Mobility Spectrometry, and Odor Activity Value Analysis,” *Food Science and Technology*, 163, pp. 1–10. Available at: <https://doi.org/10.1016/j.lwt.2022.113492>.
- Yashin, A.Y., Nemzer, B. V., Combet, E. and Yashin, Y.I. (2015) “Determination of the Chemical Composition of Tea by Chromatographic Methods: A Review,” *Journal of Food Research*, 4(3), pp. 56–88. Available at: <https://doi.org/10.5539/jfr.v4n3p56>.
- Yu, H. and Yang, J. (2001) “A Direct LDA Algorithm for High-Dimensional Data — with Application to Face Recognition,” *Pattern Recognition*, 34(10), pp. 1–3. Available at: [https://doi.org/10.1016/s0031-3203\(00\)00162-x](https://doi.org/10.1016/s0031-3203(00)00162-x).
- Yuan, Y., Fang, C. and Li, C. (2025) “Identification and Evaluation of Colour Change in Rosemary and Biluochun Tea Infusions.”
- Zebari, R., Abdulazeez, A., Zeebaree, D., Zebari, D. and Saeed, J. (2020) “A Comprehensive Review of Dimensionality Reduction Techniques for Feature Selection and Feature Extraction,” *Journal of Applied Science and Technology Trends*, 1(2), pp. 56–70. Available at: <https://doi.org/10.38094/jastt1224>.
- Zhai, X., Wang, J., Wang, H., Xue, M., Yao, X., Li, M., Yu, J., Zhang, L. and Wan, X. (2022) “Formation of Dimethyl Sulfide from the Decomposition of S-methylmethionine in Tea (*Camellia sinensis*) During Manufacturing Process and Infusion Brewing,” *Food Research International*, 162(PB), pp. 1–8. Available at: <https://doi.org/10.1016/j.foodres.2022.112106>.
- Zhang, C., Wang, W. and Pan, Y. (2020) “Enhancing Electronic Nose Performance by Feature Selection Using an Improved Grey Wolf Optimization Based Algorithm,” *Sensors*, 20(15), pp. 1–19. Available at: <https://doi.org/10.3390/s20154065>.
- Zhang, H., Qi, R. and Mine, Y. (2019) “The Impact of Oolong and Black Tea Polyphenols on Human Health,” *Food Bioscience*, 29, pp. 55–61. Available at: <https://doi.org/10.1016/j.fbio.2019.03.009>.
- Zhao, C., Li, C., Liu, S. and Yang, L. (2014) “The Galloyl Catechins Contributing to Main Antioxidant Capacity of Tea Made from *Camellia Sinensis* in China,” *Scientific World Journal*, 2014(4), pp. 1–12. Available at: <https://doi.org/10.1155/2014/863984>.
- Zheng, W.J., Wan, X.C. and Bao, G.H. (2015) “Brick Dark Tea: A Review of the



Manufacture, Chemical Constituents and Bioconversion of the Major Chemical Components During Fermentation,” *Phytochemistry Reviews*, 14(3), pp. 499–523. Available at: <https://doi.org/10.1007/s11101-015-9402-8>.

Zheng, X.Q., Li, Q.S., Xiang, L.P. and Liang, Y.R. (2016) “Recent Advances in Volatiles of Teas,” *Molecules*, 21(3), pp. 1–12. Available at: <https://doi.org/10.3390/molecules21030338>.

Zou, G., Xiao, Y., Wang, M. and Zhang, H. (2018) “Detection of Bitterness and Astringency of Green Tea with Different Taste by Electronic Nose and Tongue,” *PLoS ONE*, 13(12), pp. 1–10. Available at: <https://doi.org/10.1371/journal.pone.0206517>.