

DAFTAR PUSTAKA

- Abbasi, G., Khoshalhan, F., & Javad Hosseinihezah, S. (2022). Municipal solid waste management and energy production: A multi-objective optimization approach to incineration and biogas waste-to-energy supply chain. *Sustainable Energy Technologies and Assessments*, 54. <https://doi.org/10.1016/j.seta.2022.102809>
- Abdel-Shafy, H. I., & Mansour, M. S. M. (2018). Solid waste issue: Sources, composition, disposal, recycling, and valorization. In *Egyptian Journal of Petroleum* (Vol. 27, Issue 4, pp. 1275–1290). Egyptian Petroleum Research Institute. <https://doi.org/10.1016/j.ejpe.2018.07.003>
- Adu, T. F., Mensah, L. D., Rockson, M. A. D., & Kemausuor, F. (2025). Forecasting municipal solid waste generation and composition using machine learning and GIS techniques: A case study of Cape Coast, Ghana. *Cleaner Waste Systems*, 10. <https://doi.org/10.1016/j.clwas.2025.100218>
- Asefi, H., Lim, S., Maghrebi, M., & Shahparvari, S. (2019). Mathematical modelling and heuristic approaches to the location-routing problem of a cost-effective integrated solid waste management. *Annals of Operations Research*, 273(1–2), 75–110. <https://doi.org/10.1007/s10479-018-2912-1>
- Badan Standarisasi Nasional. (2002). *SNI 19-2454-2002 Tata Cara Teknik Operasional Pengelolaan Sampah Perkotaan*.
- Chopra, Sunil., & Meindl, Peter. (2013). *Supply chain management: strategy, planning, and operation* (5th ed.). Pearson.
- Cordeau, J. F., Furini, F., & Ljubić, I. (2019). Benders decomposition for very large scale partial set covering and maximal covering location problems. *European Journal of Operational Research*, 275(3), 882–896. <https://doi.org/10.1016/j.ejor.2018.12.021>
- Deb, K., Sindhya, K., & Hakanen, J. (2016). Multi-objective optimization. In *Decision Science*, 161–200.
- Fachrizal, R., Shepero, M., van der Meer, D., Munkhammar, J., & Widén, J. (2020). Smart charging of electric vehicles considering photovoltaic power production and electricity consumption: A review. In *eTransportation* (Vol. 4). Elsevier B.V. <https://doi.org/10.1016/j.etrans.2020.100056>
- Frey, C. M. M., Jungwirth, A., Frey, M., & Kolisch, R. (2023). The vehicle routing problem with time windows and flexible delivery locations. *European Journal of Operational Research*, 308(3), 1142–1159. <https://doi.org/10.1016/j.ejor.2022.11.029>
- Govindan, K., Nasr, A. K., Mostafazadeh, P., & Mina, H. (2021). Medical waste management during coronavirus disease 2019 (COVID-19) outbreak: A

- mathematical programming model. *Computers and Industrial Engineering*, 162. <https://doi.org/10.1016/j.cie.2021.107668>
- Gunantara, N., & Hendrantoro, G. (2013). Multi-objective cross-layer optimization for selection of cooperative path pairs in multihop wireless ad hoc networks. *Journal of Communications Software and Systems*, 9(3), 170–177. <https://doi.org/10.24138/jcomss.v9i3.146>
- Hashemi-Amiri, O., Ji, R., & Tian, K. (2023). An Integrated Location–Scheduling–Routing Framework for a Smart Municipal Solid Waste System. *Sustainability (Switzerland)*, 15(10). <https://doi.org/10.3390/su15107774>
- Hassanpour, S. T., Ke, G. Y., Zhao, J., & Tulett, D. M. (2023). Infectious waste management during a pandemic: A stochastic location-routing problem with chance-constrained time windows. *Computers and Industrial Engineering*, 177. <https://doi.org/10.1016/j.cie.2023.109066>
- Hillier, F. S. ., & Lieberman, G. J. . (2010). *Introduction to operations research* (9th ed.). McGraw-Hill Higher Education.
- Jabal-Ameli, M. S., Aryanezhad, M. B., & Ghaffari-Nasab, N. (2011). A variable neighborhood descent based heuristic to solve the capacitated location-routing problem. *International Journal of Industrial Engineering Computations*, 2(1), 141–154. <https://doi.org/10.5267/j.ijiec.2010.06.003>
- Laporan Akhir: Penyusunan Dokumen Strategi Sanitasi Kabupaten Bantul Tahun 2026-2030.* (2025).
- Liu, Y., Xu, X., Liu, Y., Liu, J., Hu, W., Yang, N., Jawad, S., & Wei, Z. (2024). Operational optimization of a rural multi-energy system supported by a joint biomass-solid-waste-energy conversion system and supply chain. *Energy*, 312. <https://doi.org/10.1016/j.energy.2024.133528>
- Lwin, K. T., Qu, R., & MacCarthy, B. L. (2017). Mean-VaR portfolio optimization: A nonparametric approach. *European Journal of Operational Research*, 260(2), 751–766. <https://doi.org/10.1016/j.ejor.2017.01.005>
- Mahéo, A., Rossit, D. G., & Kilby, P. (2023). Solving the integrated bin allocation and collection routing problem for municipal solid waste: a Benders decomposition approach. *Annals of Operations Research*, 322(1), 441–465. <https://doi.org/10.1007/s10479-022-04918-7>
- Mandal, D. K., Gupta, K. K., Biswas, N., Manna, N. K., Santra, S., & Benim, A. C. (2025). Optimization of hybrid solar chimney power plants (HSCPPs): A review of multi-objective approaches. *Applied Energy*, 396, 126214. <https://doi.org/10.1016/j.apenergy.2025.126214>
- Mara, S. T. W., Asih, A. M. S., & Kuo, R. J. (2019). Solving a Multi-Objective Location-Routing Problem with Minimum Cost and Total Time Balance. *Article in International Journal of Information and Management Sciences*, 30, 249–269. [https://doi.org/10.6186/IJIMS.201909_30\(3\).0004](https://doi.org/10.6186/IJIMS.201909_30(3).0004)

- Mara, S. T. W., Kuo, R. J., & Asih, A. M. S. (2021). Location-routing problem: a classification of recent research. *International Transactions in Operational Research*, 28(6), 2941–2983. <https://doi.org/10.1111/itor.12950>
- Markov, I., Bierlaire, M., Cordeau, J. F., Maknoon, Y., & Varone, S. (2020). Waste collection inventory routing with non-stationary stochastic demands. *Computers and Operations Research*, 113. <https://doi.org/10.1016/j.cor.2019.104798>
- Mavrotas, G. (2009). Effective implementation of the ϵ -constraint method in Multi-Objective Mathematical Programming problems. *Applied Mathematics and Computation*, 213(2), 455–465. <https://doi.org/10.1016/j.amc.2009.03.037>
- Min, H., Jayaraman, V., & Srivastava, R. (1998). Combined location-routing problems: A synthesis and future research directions. *European Journal of Operational Research*, 108(1), 1–15.
- Mohammadi, M., Jula, P., & Tavakkoli-Moghaddam, R. (2019). Reliable single-allocation hub location problem with disruptions. *Transportation Research Part E: Logistics and Transportation Review*, 123, 90–120. <https://doi.org/10.1016/j.tre.2019.01.008>
- Mojtahedi, M., Fathollahi-Fard, A. M., Tavakkoli-Moghaddam, R., & Newton, S. (2021). Sustainable vehicle routing problem for coordinated solid waste management. *Journal of Industrial Information Integration*, 23. <https://doi.org/10.1016/j.jii.2021.100220>
- Nabila, N. S. (2025). *OPTIMASI LOCATION ROUTING PROBLEM PADA PENGELOLAAN SAMPAH PADAT TERINTEGRASI UNTUK SUMBER SAMPAH YANG HETEROGEN*. Universitas Gadjah Mada.
- Niu, Y., Xu, C., Liao, S., Zhang, S., & Xiao, J. (2024). Multi-objective location-routing optimization based on machine learning for green municipal waste management. *Waste Management*, 181, 157–167. <https://doi.org/10.1016/j.wasman.2024.04.001>
- Normasari, N. M., Yu, V. F., Bachtiyar, C., & Sukoyo. (2019). A Simulated Annealing Heuristic for the Capacitated GreenVehicle Routing Problem. *Mathematical Problems in Engineering*.
- Peraturan Pemerintah Republik Indonesia Nomor 81 Tahun 2012 tentang Pengelolaan Sampah Rumah Tangga Dan Sampah Sejenis Sampah Rumah Tangga. (2012). <https://peraturan.bpk.go.id/Details/5295/pp-no-81-tahun-2012>
- Pisinger, D. , & Røpke, S. (2010). Large Neighborhood Search. In *Citation* (2nd ed.). Springer.

- Prodhon, C., & Prins, C. (2014). A survey of recent research on location-routing problems. In *European Journal of Operational Research* (Vol. 238, Issue 1, pp. 1–17). Elsevier. <https://doi.org/10.1016/j.ejor.2014.01.005>
- Rabbani, M., Farrokhi-Asl, H., & Asgarian, B. (2017). Solving a bi-objective location routing problem by a NSGA-II combined with clustering approach: application in waste collection problem. *Journal of Industrial Engineering International*, 13(1), 13–27. <https://doi.org/10.1007/s40092-016-0172-8>
- Rabbani, M., Nikoubin, A., & Farrokhi-Asl, H. (2021). Using modified metaheuristic algorithms to solve a hazardous waste collection problem considering workload balancing and service time windows. *Soft Computing*, 25(3), 1885–1912. <https://doi.org/10.1007/s00500-020-05261-4>
- Rashad, M. A., Hussain, M., Akhter, P., Hamayun, M. H., Ahsan, A., Jamil, F., Lee, D., & Park, Y.-K. (2025). Transforming municipal solid waste management: Current status of segregation challenges, waste-to-energy technologies, and circular economy strategies. *Journal of Industrial and Engineering Chemistry*. <https://doi.org/10.1016/j.jiec.2025.06.009>
- Rifai, A. P., Nguyen, H. T., & Dawal, S. Z. M. (2016). Multi-objective adaptive large neighborhood search for distributed reentrant permutation flow shop scheduling. *Applied Soft Computing Journal*, 40, 42–57. <https://doi.org/10.1016/j.asoc.2015.11.034>
- Ropke, S., & Pisinger, D. (2006). An adaptive large neighborhood search heuristic for the pickup and delivery problem with time windows. *Transportation Science*, 40(4), 455–472. <https://doi.org/10.1287/trsc.1050.0135>
- Safitri, T. H. (2024). *Optimasi Multi Objective Heterogeneous Capacitated Vehicle Routing Problem untuk Komoditas Beras dengan Mempertimbangkan Shrinkage dan Emisi Karbon*. Universitas Gadjah Mada.
- Salawudeen, A. T., Meadows, O. A., Yahaya, B., & Mu'azu, M. B. (2024). A novel solid waste instance creation for an optimized capacitated vehicle routing model using discrete smell agent optimization algorithm. *Systems and Soft Computing*, 6. <https://doi.org/10.1016/j.sasc.2024.200099>
- Sari, D. P., Masruroh, N. A., & Asih, A. M. S. (2021). Extended maximal covering location and vehicle routing problems in designing smartphone waste collection channels: A case study of Yogyakarta Province, Indonesia. *Sustainability (Switzerland)*, 13(16). <https://doi.org/10.3390/su13168896>
- Sistem Informasi Pengelolaan Sampah Nasional (SIPSN). (2023). *Capaian Kinerja Pengelolaan Sampah adalah Capaian Pengurangan dan Penanganan Sampah Rumah Tangga dan Sampah Sejenis Sampah Rumah Tangga*. <https://sipsn.kemenvh.go.id/sipsn/>
- Taha, H. A. (2017). *Operations Research An Introduction* (10th ed.). Pearson.

- Talbi, E.-Ghazali. (2009). *Metaheuristics : from design to implementation*. John Wiley & Sons, Inc., Hoboken, New Jersey.
- Tordecilla, R. D., Montoya-Torres, J. R., Quintero-Araujo, C. L., Panadero, J., & Juan, A. A. (2023). The location routing problem with facility sizing decisions. *International Transactions in Operational Research*, 30(2), 915–945. <https://doi.org/10.1111/itor.13125>
- Toro, E. M., Franco, J. F., Echeverri, M. G., & Guimarães, F. G. (2017). A multi-objective model for the green capacitated location-routing problem considering environmental impact. *Computers and Industrial Engineering*, 110, 114–125. <https://doi.org/10.1016/j.cie.2017.05.013>
- Undang-Undang Nomor 18 Tahun 2008 tentang Pengelolaan Sampah. (2008). <https://peraturan.bpk.go.id/Details/39067/uu-no-18-tahun-2008>
- Weck, O. L. De. (2004). *MULTIOBJECTIVE OPTIMIZATION: HISTORY AND PROMISE*.
- Yu, X., Zhou, Y., & Liu, X. F. (2020). The two-echelon multi-objective location routing problem inspired by realistic waste collection applications: The composable model and a metaheuristic algorithm. *Applied Soft Computing Journal*, 94. <https://doi.org/10.1016/j.asoc.2020.106477>
- Zhang, S., Zhuang, Y., Tao, R., Liu, L., Zhang, L., & Du, J. (2020). Multi-objective optimization for the deployment of carbon capture utilization and storage supply chain considering economic and environmental performance. *Journal of Cleaner Production*, 270. <https://doi.org/10.1016/j.jclepro.2020.122481>