

DAFTAR PUSTAKA

- Al-Obaidi, J. R., Mohd-Yusuf, Y., Razali, N., Jayapalan, J. J., Tey, C. C., Md-Noh, N., ... & Hashim, O. H. (2014). Identification of proteins of altered abundance in oil palm infected with *Ganoderma boninense*. *International journal of molecular sciences*, 15(3), 5175-5192.
- Alviodinasyari, R., Martina, A., & Lestari, W. (2015). Pengendalian *Ganoderma Boninense* oleh *Trichoderma* Sp. Sbj8 pada Kecambah dan Bibit Kelapa Sawit (*Elaeis Guineensis* Jacq.) di Tanah Gambut. *Jom Fmipa*, 2(1).
- Andrade, C. M., Tinoco, M. L. P., Rieth, A. F., Maia, F. C. O., & Aragão, F. J. L. (2016). Host-induced gene silencing in the necrotrophic fungal pathogen *Sclerotinia sclerotiorum*. *Plant Pathology*, 65(4), 626–632. <https://doi.org/10.1111/ppa.12447>
- Anothai, J., & Chairin, T. (2020). Soil physicochemical properties closely associated with fungal enzymes and plant defense enzymes in *Ganoderma*-infected oil palm orchards. *Plant and Soil*, 456(1–2), 99–112. <https://doi.org/10.1007/s11104-020-04705-y>
- Azmi, A. N. N., Bejo, S. K., Jahari, M., Muharam, F. M., Yule, I., & Husin, N. A. (2020). Early detection of *ganoderma boninense* in oil palm

seedlings using support vector machines. *Remote Sensing*, 12(23), 1–21. <https://doi.org/10.3390/rs12233920>

Beernink, B. M., Amanat, N., Li, V. H., Manchur, C. L., Whyard, S., & Belmonte, M. F. (2024). SIGS vs. HIGS: opportunities and challenges of RNAi pest and pathogen control strategies. *In Canadian Journal of Plant Pathology* 46(6), pp. 675–689). Taylor and Francis Ltd. <https://doi.org/10.1080/07060661.2024.2392610>

Beijen, E. P. W., van Maanen, M. H., Marian, I. M., Klusener, J. X., van Roosmalen, E., Herman, K. C., Koster, M. C., & Ohm, R. A. (2024). Transcriptomics reveals the regulation of the immune system of the mushroom-forming fungus *Schizophyllum commune* during interaction with four competitors. *Microbiological Research*, 289. <https://doi.org/10.1016/j.micres.2024.127929>

Bharudin, I., Ab Wahab, A. F. F., Abd Samad, M. A., Xin Yie, N., Zairun, M. A., Abu Bakar, F. D., & Abdul Murad, A. M. (2022). Review Update on the Life Cycle, Plant–Microbe Interaction, Genomics, Detection and Control Strategies of the Oil Palm Pathogen *Ganoderma boninense*. *In Biology*, 11(2). MDPI. <https://doi.org/10.3390/biology11020251>

Burlacu, A., Israel-Roming, F., & Cornea, C. P. (2018). Depolymerization of kraft lignin with laccase and peroxidase: A review. *Sci. Bull. Ser. F Biotechnol*, 22, 172-179.

Bustin, S. A., Benes, V., Garson, J. A., Helleman, J., Huggett, J., Kubista, M., Mueller, R., Nolan, T., Pfaffl, M. W., Shipley, G. L., Vandesompele,

- J., & Wittwer, C. T. (2009). The MIQE guidelines: Minimum information for publication of quantitative real-time PCR experiments. *Clinical Chemistry*, 55(4), 611–622. <https://doi.org/10.1373/clinchem.2008.112797>
- Canacuán Melo, F. Y., Suárez Anaya, Y. K., Rey Valenzuela, V. E., Morales Osorio, J. G., & Arango Isaza, R. E. (2025). RNA-mediated gene silencing can reduce azole resistance, growth and pathogenicity in *Pseudocercospora fijiensis*. *PLoS One*, 20(6), e0325057.
- Capriotti, L., Molesini, B., Pandolfini, T., Jin, H., Baraldi, E., Cecchin, M., ... & Sabbadini, S. (2024). RNA interference-based strategies to control *Botrytis cinerea* infection in cultivated strawberry. *Plant cell reports*, 43(8), 201.
- Chellappan, P., Xia, J., Zhou, X., Gao, S., Zhang, X., Coutino, G., Vazquez, F., Zhang, W., & Jin, H. (2010). siRNAs from miRNA sites mediate DNA methylation of target genes. *Nucleic Acids Research*, 38(20), 6883–6894. <https://doi.org/10.1093/nar/gkq590>
- Chen, C., Imran, M., Feng, X., Shen, X., & Sun, Z. (2025). Spray-induced gene silencing for crop protection: recent advances and emerging trends. *Frontiers in Plant Science*, 16, 1527944.
- Chong, K. P., Abdullah, S., & Ng, T. L. (2013). Molecular fingerprint of *Ganoderma* spp. from Sabah, Malaysia. *Int. J. Agric. Biol*, 15, 1112–1118. <http://www.fspublishers.org>

Chow, Y. Y., & Ting, A. S. Y. (2019). Influence of fungal infection on plant tissues:

FTIR detects compositional changes to plant cell walls. *Fungal Ecology*, 37, 38–47. <https://doi.org/10.1016/j.funeco.2018.10.004>

Dhillon, B., Hamelin, R. C., & Rollins, J. A. (2021). Transcriptional profile of oil palm pathogen, *Ganoderma boninense*, reveals activation of lignin degradation machinery and possible evasion of host immune response. *BMC Genomics*, 22(1). <https://doi.org/10.1186/s12864-021-07644-9>

Ding, S. W. (2023). Transgene Silencing, RNA Interference, and the Antiviral Defense Mechanism Directed by Small Interfering RNAs. *In Phytopathology*, 113(4). 616–625). American Phytopathological Society. <https://doi.org/10.1094/PHYTO-10-22-0358-IA>

Eisenman, H. C., & Casadevall, A. (2012). Synthesis and assembly of fungal melanin. *In Applied Microbiology and Biotechnology* 93(3), pp. 931–940). <https://doi.org/10.1007/s00253-011-3777-2>

Fakhr, E., Zare, F., & Teimoori-Toolabi, L. (2016). Precise and efficient siRNA design: A key point in competent gene silencing. In *Cancer Gene Therapy*, 23(4) pp. 73–82). *Nature Publishing Group*. <https://doi.org/10.1038/cgt.2016.4>

Fan, S., Zhou, Y., Zhu, N., Meng, Q., Zhao, Y., Xu, J., Tang, Y., Dai, S., & Yuan, X. (2024). Exogenous Application of dsRNA—Inducing Silencing of the *Fusarium oxysporum* Tup1 Gene and Reducing Its Virulence.

International Journal of Molecular Sciences, 25(19).

<https://doi.org/10.3390/ijms251910286>

Forster, H., & Shuai, B. (2020). Exogenous siRNAs against chitin synthase gene suppress the growth of the pathogenic fungus *Macrophomina phaseolina*. *Mycologia*, 699–710.
<https://doi.org/10.1080/00275514.2020.1753467>

Ganapathy, D., Siddiqui, Y., Ahmad, K., Adzmi, F., & Ling, K. L. (2021). Alterations in mycelial morphology and flow cytometry assessment of membrane integrity of *ganoderma boninense* stressed by phenolic compounds. *Biology*, 10(9).
<https://doi.org/10.3390/biology10090930>

Goh, K. M., Ganeson, M., & Supramaniam, C. V. (2014). Infection potential of vegetative incompatible *Ganoderma boninense* isolates with known ligninolytic enzyme production. *African Journal of Biotechnology*, 13(9), 1056–1066. <https://doi.org/10.5897/ajb2013.13409>

Govender, N., Mui-Yun, W., & Paterson, R. R. M. (2020). Opportunities for New-Generation *Ganoderma boninense* Biotechnology. In *Grand Challenges in Biology and Biotechnology* (pp. 477–500). *Springer Science and Business Media B.V.* https://doi.org/10.1007/978-3-030-29541-7_17

Guo, X. Y., Li, Y., Fan, J., Xiong, H., Xu, F. X., Shi, J., Shi, Y., Zhao, J. Q., Wang, Y. F., Cao, X. L., & Wang, W. M. (2019). Host-induced gene silencing of Moap1 confers broad-spectrum resistance to

Magnaporthe oryzae. *Frontiers in Plant Science*, 10.

<https://doi.org/10.3389/fpls.2019.00433>

Hardini, P. A., Prakoso, A. B., Medina, S., Baskara, G., Wandri, R., Asmono, D., Suwandi, S., Subandiyah, S., & Muslim, A. (2025). Identification and Pathogenicity of *Ganoderma* Causing Basal Stem Rot in Oil Palm in South Sumatra. *International Journal of Agriculture and Biology*, 34(06), 340614–340614.
<https://doi.org/10.17957/ijab/15.2414>

Ho, P. Y., Namasivayam, P., Sundram, S., & Ho, C. L. (2020). Expression of genes encoding manganese peroxidase and laccase of *ganoderma boninense* in response to nitrogen sources, hydrogen peroxide and phytohormones. *Genes*, 11(11), 1–15.
<https://doi.org/10.3390/genes11111263>

Höfle, L., Biedenkopf, D., Werner, B. T., Shrestha, A., Jelonek, L., & Koch, A. (2020). Study on the efficiency of dsRNAs with increasing length in RNA-based silencing of the *Fusarium* CYP51 genes. *RNA Biology*, 17(4), 463–473. <https://doi.org/10.1080/15476286.2019.1700033>

Hofrichter, M. (2002). Review: Lignin conversion by manganese peroxidase (MnP). In *Enzyme and Microbial Technology*, 30(4) 454–466.
[https://doi.org/10.1016/S0141-0229\(01\)00528-2](https://doi.org/10.1016/S0141-0229(01)00528-2)

Husin, N. A., Khairunniza-Bejo, S., Abdullah, A. F., Kassim, M. S., Ahmad, D., & Aziz, M. H. (2020). Classification of basal stem rot disease in oil

- palm plantations using terrestrial laser scanning data and machine learning. *Agronomy*, 10(11), 1624.
- Iwakawa, H. O., & Tomari, Y. (2022). Life of RISC: Formation, action, and degradation of RNA-induced silencing complex. *Molecular cell*, 82(1), 30-43.
- Järvinen, J., Taskila, S., Isomäki, R., & Ojamo, H. (2012). Screening of white-rot fungi manganese peroxidases: A comparison between the specific activities of the enzyme from different native producers. *AMB Express*, 2(1). <https://doi.org/10.1186/2191-0855-2-62>
- Karimi, H., & Innes, R. W. (2022). Molecular mechanisms underlying host-induced gene silencing. *The Plant Cell*, 34(9), 3183-3199.
- Karlen, Y., McNair, A., Perseguers, S., Mazza, C., & Mermoud, N. (2007). Statistical significance of quantitative PCR. *BMC Bioinformatics*, 8. <https://doi.org/10.1186/1471-2105-8-131>
- Khalil, H. P. S., Siti Alwani, M., Ridzuan, R., Kamarudin, H., & Khairul, A. (2008). Chemical composition, morphological characteristics, and cell wall structure of Malaysian oil palm fibers. *Polymer-Plastics Technology and Engineering*, 47(3), 273-280.
- Khoo, Y. W., & Chong, K. P. (2023). Ganoderma boninense: general characteristics of pathogenicity and methods of control. In *Frontiers in Plant Science* (14). Frontiers Media SA. <https://doi.org/10.3389/fpls.2023.1156869>

- Koch, A., Biedenkopf, D., Furch, A., Weber, L., Rossbach, O., Abdellatef, E., Linicus, L., Johannsmeier, J., Jelonek, L., Goesmann, A., Cardoza, V., McMillan, J., Mentzel, T., & Kogel, K. H. (2016). An RNAi-Based Control of *Fusarium graminearum* Infections Through Spraying of Long dsRNAs Involves a Plant Passage and Is Controlled by the Fungal Silencing Machinery. *PLoS Pathogens*, 12(10). <https://doi.org/10.1371/journal.ppat.1005901>
- Koetsier, G., & Cantor, E. (2019). A practical guide to analyzing nucleic acid concentration and purity with microvolume spectrophotometers. *New England Biolabs Inc*, 1(8).
- Kumar, A., & Arora, P. K. (2022). Biotechnological applications of manganese peroxidases for sustainable management. *Frontiers in Environmental Science*, 10, 875157.
- Kuo, Y. W., & Falk, B. W. (2020). RNA interference approaches for plant disease control. In *BioTechniques*, 69(6), pp. 469–477). *Future Science Ltd*. <https://doi.org/10.2144/btn-2020-0098>
- Lax, C., Tahiri, G., Patiño-Medina, J. A., Cánovas-Márquez, J. T., Pérez-Ruiz, J. A., Osorio-Concepción, M., Navarro, E., & Calo, S. (2020). The evolutionary significance of rnaï in the fungal kingdom. In *International Journal of Molecular Sciences*, 21(24), pp. 1–22. MDPI AG. <https://doi.org/10.3390/ijms21249348>
- Li, X., & Fu, H. (2020). Fungal spore aerosolization at different positions of a growing colony blown by airflow. *Aerosol and Air Quality*

Research, 20(12), 2826–2833.

<https://doi.org/10.4209/aaqr.2020.09.0565>

Lim, F.-H., Fakhrana, I. N., Rasid, O. A., Idris, A. S., Parveez, G. K. A., Ho, C.-L., & Shaharuddin, N. A. (2014). Isolation And Selection of Reference Genes For Ganoderma Boninense Gene Expression Study Using Quantitative Real-Time Pcr (Qpcr). *Journal of Oil Palm Research*, 26, 170–181.

Liu, Q., Luo, L., & Zheng, L. (2018). Lignins: Biosynthesis and biological functions in plants. *In International Journal of Molecular Sciences*, 19(2). MDPI AG. <https://doi.org/10.3390/ijms19020335>

Lück, S., Kreszies, T., Strickert, M., Schweizer, P., Kuhlmann, M., & Douchkov, D. (2019). siRNA-Finder (si-Fi) Software for RNAi-Target Design and Off-Target Prediction. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.01023>

Malarvizhi, K. (2014). Phylogenetic relationships of Ganoderma species based on mitochondrial and nuclear dna sequences from tamil nadu, india. *In Proceedings of 8th International Conference on Mushroom Biology and Mushroom Products* (p. 113).

Mih, A. M., & Kinge, T. R. (2015). Ecology of Basal Stem Rot Disease of Oil Palm (*Elaeis guineensis* Jacq.) in Cameroon. *American Journal of Agriculture and Forestry*, 5, 208–215.

- Mueth, N. A., Ramachandran, S. R., & Hulbert, S. H. (2015). Small RNAs from the wheat stripe rust fungus (*Puccinia striiformis* f.sp. *tritici*). *BMC Genomics*, 16(1). <https://doi.org/10.1186/s12864-015-1895-4>
- Murphy, D. J., Goggin, K., & Paterson, R. R. M. (2021). Oil palm in the 2020s and beyond: challenges and solutions. In CABI Agriculture and Bioscience, 2(1). *BioMed Central Ltd.* <https://doi.org/10.1186/s43170-021-00058-3>
- Naher, L., Yusuf, U. K., Ismail, A., Tan, S. G., & Mondal, M. M. (2013). Ecological status of 'Ganoderma' and basal stem rot disease of oil palms (*Elaeis guineensis* Jacq.). *Australian Journal of Crop Science*, 7(11), 1723-1727.
- Nicolás, F. E., & Garre, V. (2017). RNA interference in fungi: retention and loss. *The Fungal Kingdom*, 657-671.
- Ong, C. E., Ahmad, R., Goh, Y. K., Azizan, K. A., Baharum, S. N., & Goh, K. J. (2021). Growth modulation and metabolic responses of *Ganoderma boninense* to salicylic acid stress. *Plos one*, 16(12), e0262029.
- Othman, F. N., Azizi, N., Mohd-Zim, N. A., Ping, L. Y., & Sulaiman, S. (2022). In silico Genome-Wide Computational Profiling of Non-Coding RNA in Oil Palm *Elaeis guineensis* and its Pathogen *Ganoderma boninense*. *Malaysian Applied Biology*, 51(5), 271–280. <https://doi.org/10.55230/mabjournal.v51i5.2343>
- Pazdernik, N. J., Brookman-Amissah, N., Packer, H., Prediger, E., Sabel, J., Gunstream, S., Hellemans, J., Lewis, L., Menezes, A., Owens, B.,

- Rose, S., Rouw, S., Sander, R., & Vandesompele, J. (2020). IDT_Real-time qPCR guide Part 1—assay design 1(1).
- Pilotti, C. A., Gorea, E. A., & Bonneau, L. (2018). Basidiospores as sources of inoculum in the spread of *Ganoderma boninense* in oil palm plantations in Papua New Guinea. *Plant Pathology*, 67(9), 1841–1849. <https://doi.org/10.1111/ppa.12915>
- Pilotti, C. A., Sanderson, F. R., Aitken, E. A. B., & Armstrong, W. (2004). Morphological variation and host range of two *Ganoderma* species from Papua New Guinea. In *Mycopathologia* (Vol. 158).
- Priwiratama, H., Prasetyo, A. E., & Susanto, A. (2020). Incidence of basal stem rot disease of oil palm in converted planting areas and control treatments. *IOP Conference Series: Earth and Environmental Science*, 468(1). <https://doi.org/10.1088/1755-1315/468/1/012036>
- Pusat Data dan Sistem Informasi Pertanian. (2023). *Analisis Kinerja Perdagangan Komoditas Kelapa Sawit Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian 2023*. Jakarta: Kementerian Pertanian.
- Pusat Data dan Sistem Informasi Pertanian. (2024). *Outlook Kelapa Sawit Tahun 2024*. Jakarta: Kementerian Pertanian.
- Rafiei, V., Véléz, H., & Tzelepis, G. (2021). The role of glycoside hydrolases in phytopathogenic fungi and oomycetes virulence. In *International Journal of Molecular Sciences*, 22(17). <https://doi.org/10.3390/ijms22179359>

- Rakib, M. R. M., Bong, C.-F. J., Khairulmazmi, A., & Idris, A. S. (2014). Genetic and Morphological Diversity of Ganoderma Species Isolated from Infected Oil Palms (*Elaeis guineensis*). *International Journal of Agriculture & Biology*, 16(4), 1814–9596.
<http://www.fspublishers.org>
- Ramzi, A. B., Me, M. L. C., Ruslan, U. S., Baharum, S. N., & Muhammad, N. A. N. (2019). Insight into plant cell wall degradation and pathogenesis of *Ganoderma boninense* via comparative genome analysis. *PeerJ*, 7, e8065.
- Ray, P., Sahu, D., Aminedi, R., & Chandran, D. (2022). Concepts and considerations for enhancing RNAi efficiency in phytopathogenic fungi for RNAi-based crop protection using nanocarrier-mediated dsRNA delivery systems. *Frontiers in fungal biology*, 3, 977502.
- Rees, R. W., Flood, J., Hasan, Y., Potter, U., & Cooper, R. M. (2009). Basal stem rot of oil palm (*Elaeis guineensis*); Mode of root infection and lower stem invasion by *Ganoderma boninense*. *Plant Pathology*, 58(5), 982–989. <https://doi.org/10.1111/j.1365-3059.2009.02100.x>
- Rosa, C., Kuo, Y. W., Wuriyangan, H., & Falk, B. W. (2018). RNA interference mechanisms and applications in plant pathology. *Annual review of phytopathology*, 56(1), 581-610.
- Rose, L. E., Overdijk, E. J. R., & van Damme, M. (2019). Small RNA molecules and their role in plant disease. In *European Journal of Plant*

Pathology, 153(1). Springer Netherlands.

<https://doi.org/10.1007/s10658-018-01614-w>

Said, F. M., Hamid, N. F., Razali, M. A. A., & Daud, N. F. S. (2021).

Lignocellulosic of oil palm biomass to chemical product via fermentation. *In Elaeis guineensis*. IntechOpen.

Schlee, M., Hornung, V., & Hartmann, G. (2006). siRNA and isRNA: two edges of one sword. *In Molecular Therapy*, 14(4), pp. 463–470).

<https://doi.org/10.1016/j.ymthe.2006.06.001>

Schoch, C. L., Seifert, K. A., Huhndorf, S., Robert, V., Spouge, J. L., Levesque, C.

A., Chen, W., Bolchacova, E., Voigt, K., Crous, P. W., Miller, A. N., Wingfield, M. J., Aime, M. C., An, K. D., Bai, F. Y., Barreto, R. W., Begerow, D., Bergeron, M. J., Blackwell, M., ... Schindel, D. (2012). Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *Proceedings of the National Academy of Sciences of the United States of America*, 109(16), 6241–6246. <https://doi.org/10.1073/pnas.1117018109>

Schuetz, M., Benske, A., Smith, R. A., Watanabe, Y., Tobimatsu, Y., Ralph, J.,

Demura, T., Ellis, B., & Samuels, A. L. (2014). Laccases direct lignification in the discrete secondary cell wall domains of protoxylem. *Plant Physiology*, 166(2), 798–807.

<https://doi.org/10.1104/pp.114.245597>

- Smagghe, G. (2025). RNA Interference in Fungal Plant Pathogens: What Do We Know from *Botrytis cinerea* with Research Hotspots and Gaps, and What Are the Future Directions?. *Journal of Fungi*, 11(7), 498.
- Susanto, A., Prasetyo, A. E., Priwiratama, H., & Wening, S. (2014). Aktivitas Enzim Ligninolitik *Ganoderma* Isolat Tanaman Kelapa Sawit Indonesia. *J. Pen. Kelapa Sawit*, 22(1), 20–28.
- Trapnell, C., & Salzberg, S. L. (2009). How to map billions of short reads onto genomes. *Nature biotechnology*, 27(5), 455-457.
- Ui-Tei, K., Naito, Y., Nishi, K., Juni, A., & Saigo, K. (2008). Thermodynamic stability and Watson–Crick base pairing in the seed duplex are major determinants of the efficiency of the siRNA-based off-target effect. *Nucleic acids research*, 36(22), 7100-7109.
- Ui-Tei, K., Naito, Y., Takahashi, F., Haraguchi, T., Ohki-Hamazaki, H., Juni, A., Ueda, R., & Saigo, K. (2004). Guidelines for the selection of highly effective siRNA sequences for mammalian and chick RNA interference. *Nucleic Acids Research*, 32(3), 936–948.
<https://doi.org/10.1093/nar/gkh247>
- Utomo, C., Tanjung, Z. A., Aditama, R., Pratomo, A. D. M., Buana, R. F. N., Putra, H. S. G., Tryono, R., & Liwang, T. (2024). Whole-genome sequencing of *Ganoderma boninense*, the causal agent of basal stem rot disease in oil palm, via combined short- and long-read sequencing. *Scientific Reports*, 14(1).
<https://doi.org/10.1038/s41598-024-60713-3>

- WA, E., & GM, D. (2022). The precious Ganoderma mushroom and plant diseases. *J Microbiol Biotechnol*, 7(4), 000241.
- Wada, F. H., Pertiwi, A., Hasiolan, M. I. S., Lestari, S., Sudipa, I. G. I., Patalatu, J. S., ... & Rahman, A. (2024). *Buku ajar metodologi penelitian*. Jambi : PT. Sonpedia Publishing Indonesia.
- Werner, B. T., Gaffar, F. Y., Schuemann, J., Biedenkopf, D., & Koch, A. M. (2020). RNA-Spray-Mediated Silencing of *Fusarium graminearum* AGO and DCL Genes Improve Barley Disease Resistance. *Frontiers in Plant Science*, 11. <https://doi.org/10.3389/fpls.2020.00476>
- Xiong, Q., & Zhang, Y. (2023). Small RNA modifications: regulatory molecules and potential applications. *Journal of Hematology & Oncology*, 16(1), 64.
- Xu, H., Guo, M. Y., Gao, Y. H., Bai, X. H., & Zhou, X. W. (2017). Expression and characteristics of manganese peroxidase from *Ganoderma lucidum* in *Pichia pastoris* and its application in the degradation of four dyes and phenol. *BMC Biotechnology*, 17(1). <https://doi.org/10.1186/s12896-017-0338-5>
- Zakaria, L. (2023). Basal stem rot of oil palm: The pathogen, disease incidence, and control methods. *Plant Disease*, 107(3), 603-615.
- Zhao, Q., & Dixon, R. A. (2011). Transcriptional networks for lignin biosynthesis: more complex than we thought? *Trends in Plant Science*, 16(4).
- Zhou, X. W., Cong, W. R., Su, K. Q., & Zhang, Y. M. (2013). Ligninolytic enzymes from *Ganoderma* spp: Current status and potential applications. *In*

Critical Reviews in Microbiology 39(4), pp. 416–426).

<https://doi.org/10.3109/1040841X.2012.722606>