

DAFTAR PUSTAKA

- Alara, O. R., Abdurahman, N. H., & Ukaegbu, C. I. (2021). Extraction of phenolic compounds: A review. In *Current Research in Food Science* (Vol. 4, pp. 200–214). Elsevier B.V. <https://doi.org/10.1016/j.crfs.2021.03.011>
- Alotaibi, J. A. M., Sirwi, A., El-Halawany, A. M., Esmat, A., Mohamed, G. A., Ibrahim, S. R. M., Alzain, A. A., Halawa, T. F., Safo, M., & Abdallah, H. M. (2024). α -Glucosidase, butyrylcholinesterase and acetylcholinesterase inhibitory activities of phenolic compounds from *Carthamus tinctorius* L. flowers: In silico and in vitro studies. *Saudi Pharmaceutical Journal*, 32(7). <https://doi.org/10.1016/j.jsps.2024.102106>
- Aourach, M., González-De-peredo, A. V., Vázquez-Espinosa, M., Essalmani, H., Palma, M., & Barbero, G. F. (2021). Optimization and comparison of ultrasound and microwave-assisted extraction of phenolic compounds from cotton-lavender (*Santolina chamaecyparissus* L.). *Agronomy*, 11(1). <https://doi.org/10.3390/agronomy11010084>
- Briliantama, A., Oktaviani, N. M. D., Rahmawati, S., Setyaningsih, W., & Palma, M. (2022). Optimization of Ultrasound-Assisted Extraction (UAE) for Simultaneous Determination of Individual Phenolic Compounds in 15 Dried Edible Flowers. *Horticulturae*, 8(12). <https://doi.org/10.3390/horticulturae8121216>
- Buyukkurt, O. K., Guclu, G., Barutcular, C., Selli, S., & Kelebek, H. (2021). LC-MS/MS fingerprint and simultaneous quantification of bioactive compounds in safflower petals (*Carthamus tinctorius* L.). *Microchemical Journal*, 171. <https://doi.org/10.1016/j.microc.2021.106850>
- Cegledi, E., Dobroslavić, E., Zorić, Z., Repajić, M., & Elez Garofulić, I. (2024). Antioxidant Activity of Carob Tree (*Ceratonia siliqua* L.) Leaf Extracts Obtained by Advanced Extraction Techniques. *Processes*, 12(4). <https://doi.org/10.3390/pr12040658>
- Chandra-Hioe, M. V., Xu, H., & Arcot, J. (2020). The efficiency of ultrasonic-assisted extraction of cyanocobalamin is greater than heat extraction. *Heliyon*, 6(1). <https://doi.org/10.1016/j.heliyon.2019.e03059>
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., & Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. In *Ultrasonics Sonochemistry* (Vol. 34, pp. 540–560). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2016.06.035>
- Chen, Y., Xiang, Q., Peng, F., Gao, S., Yu, L., Tang, Y., Yang, Z., Pu, W., Xie, X., & Peng, C. (2023). The mechanism of action of safflower total flavonoids in the treatment of endometritis caused by incomplete abortion based on

network pharmacology and 16S rDNA sequencing. *Journal of Ethnopharmacology*, 315. <https://doi.org/10.1016/j.jep.2023.116639>

da Costa, C. A. R., Machado, G. G. L., Rodrigues, L. J., de Barros, H. E. A., Natarelli, C. V. L., & Boas, E. V. de B. V. (2023). Phenolic compounds profile and antioxidant activity of purple passion fruit's pulp, peel and seed at different maturation stages. *Scientia Horticulturae*, 321. <https://doi.org/10.1016/j.scienta.2023.112244>

Delshad, E., Yousefi, M., Sasannezhad, P., Rakhshandeh, H., & Ayati, Z. (2018). Medical uses of *Carthamus tinctorius* L. (Safflower): a comprehensive review from Traditional Medicine to Modern Medicine. *Electronic Physician*, 10(4), 6672–6681. <https://doi.org/10.19082/6672>

Drisya, D. R., & Sukumar, M. (2025). Optimization and extraction kinetic modeling of antioxidants, polyphenols, and flavonoids from *Garcinia cambogia* and *Myristica fragrans* rind. *Preparative Biochemistry and Biotechnology*. <https://doi.org/10.1080/10826068.2025.2547192>

Espada-Bellido, E., Ferreiro-González, M., Carrera, C., Palma, M., Álvarez, J. A., Barbero, G. F., & Ayuso, J. (2019). Extraction of Antioxidants from Blackberry (*Rubus ulmifolius* L.): Comparison between ultrasound- And microwave-assisted extraction techniques. *Agronomy*, 9(11). <https://doi.org/10.3390/agronomy9110745>

Food and Drug Administration. (2018). *Bioanalytical Method Validation Guidance for Industry Biopharmaceutics Bioanalytical Method Validation Guidance for Industry Biopharmaceutics Contains Nonbinding Recommendations*. <http://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/default.htm> and/or <http://www.fda.gov/AnimalVeterinary/GuidanceComplianceEnforcement/GuidanceforIndustry/default.htm>

Fristiohady, A., Al-Ramadan, W., Fitrawan, L. O. M., Hamsidi, R., Purnama, L. O. M. J., Malaka, M. H., Haruna, L. A., & Sahidin. (2023). Safflower (*Carthamus tinctorius* Linn.) Inhibits Cell Proliferation and Induces Apoptotic in Breast Cancer Cell Lines T47D. *Pakistan Journal of Biological Sciences*, 26(8), 427–433. <https://doi.org/10.3923/pjbs.2023.427.433>

Gan, R. Y., Chan, C. L., Yang, Q. Q., Li, H. Bin, Zhang, D., Ge, Y. Y., Gunaratne, A., Ge, J., & Corke, H. (2018). Bioactive compounds and beneficial functions of sprouted grains. In *Sprouted Grains: Nutritional Value, Production, and Applications* (pp. 191–246). Elsevier. <https://doi.org/10.1016/B978-0-12-811525-1.00009-9>

Hiranpradith, V., Therdthai, N., Soonrunnarudrungsri, A., & Rungsuriyawiboon, O. (2025). Optimisation of Ultrasound-Assisted Extraction of Total Phenolics and Flavonoids Content from *Centella asiatica*. *Foods*, 14(2). <https://doi.org/10.3390/foods14020291>

- Ignat, I., Volf, I., & Popa, V. I. (2011). A critical review of methods for characterisation of polyphenolic compounds in fruits and vegetables. In *Food Chemistry* (Vol. 126, Issue 4, pp. 1821–1835). <https://doi.org/10.1016/j.foodchem.2010.12.026>
- Izza, H. F., Susanti, D. Y., Mariyam, S., & Saputro, A. D. (2023). Performance of microwave-assisted extraction of proanthocyanidins from red sorghum grain in various power and citric acid concentration. *Journal of the Saudi Society of Agricultural Sciences*, 22(7), 480–492. <https://doi.org/10.1016/j.jssas.2023.05.002>
- Jiménez-Moreno, N., Volpe, F., Moler, J. A., Esparza, I., & Ancín-Azpilicueta, C. (2019). Impact of extraction conditions on the phenolic composition and antioxidant capacity of grape stem extracts. *Antioxidants*, 8(12). <https://doi.org/10.3390/antiox8120597>
- Kumar, K., Srivastav, S., & Sharanagat, V. S. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. In *Ultrasonics Sonochemistry* (Vol. 70). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2020.105325>
- Kumari, P., Ujala, & Bhargava, B. (2021). Phytochemicals from edible flowers: Opening a new arena for healthy lifestyle. In *Journal of Functional Foods* (Vol. 78). Elsevier Ltd. <https://doi.org/10.1016/j.jff.2021.104375>
- Manzoor, S., Rashid, R., Prasad Panda, B., Sharma, V., & Azhar, M. (2022). Green extraction of lutein from marigold flower petals, process optimization and its potential to improve the oxidative stability of sunflower oil. *Ultrasonics Sonochemistry*, 85. <https://doi.org/10.1016/j.ultsonch.2022.105994>
- Mapholi, Z., Teke, G. M., & Goosen, N. J. (2025). An investigation of kinetics and mass transfer parameters during ultrasound-assisted extraction of fucoidan from the brown seaweed *Ecklonia maxima*. *Biochemical Engineering Journal*, 219. <https://doi.org/10.1016/j.bej.2025.109717>
- Medina-Torres, N., Ayora-Talavera, T., Espinosa-Andrews, H., Sánchez-Contreras, A., & Pacheco, N. (2017). Ultrasound assisted extraction for the recovery of phenolic compounds from vegetable sources. *Agronomy*, 7(3). <https://doi.org/10.3390/agronomy7030047>
- Milena, V., Tatjana, M., Gökhan, Z., Ivana, B., Aleksandra, C., Mohammad, M. F., & Marija, R. (2019). Advantages of contemporary extraction techniques for the extraction of bioactive constituents from black elderberry (*Sambucus nigra* L.) flowers. *Industrial Crops and Products*, 136, 93–101. <https://doi.org/10.1016/j.indcrop.2019.04.058>
- Milićević, N., Kojić, P., Sakač, M., Mišan, A., Kojić, J., Perussello, C., Banjac, V., Pojić, M., & Tiwari, B. (2021). Kinetic modelling of ultrasound-assisted

- extraction of phenolics from cereal brans. *Ultrasonics Sonochemistry*, 79. <https://doi.org/10.1016/j.ultsonch.2021.105761>
- Mirzajani, F., Bernard, F., Zeinali, S. M., & Goodarzi, R. (2015). Identification of hydroxy-safflor yellow A, safflor yellow B, and precarthaminin safflower using LC/ESI-MSMS. *Journal of Food Measurement and Characterization*, 9(3), 332–336. <https://doi.org/10.1007/s11694-015-9240-9>
- Mojzer, E. B., Knez Hrnčič, M., Škerget, M., Knez, Ž., & Bren, U. (2016). Polyphenols: Extraction Methods, Antioxidative Action, Bioavailability and Anticarcinogenic Effects. In *Molecules (Basel, Switzerland)* (Vol. 21, Issue 7). <https://doi.org/10.3390/molecules21070901>
- Mokaizh, A. A. Bin, Hamid Nour, A., Ali, G. A. M., Ishmael Ukaegbu, C., & Faraj Hawege, E. (2024). Eco-friendly and efficient extraction of phenolic compounds from *Commiphora gileadensis* bark using microwave-assisted extraction. *Journal of Industrial and Engineering Chemistry*. <https://doi.org/10.1016/j.jiec.2024.07.038>
- Náthia-Neves, G., & Alonso, E. (2021). Valorization of sunflower by-product using microwave-assisted extraction to obtain a rich protein flour: Recovery of chlorogenic acid, phenolic content and antioxidant capacity. *Food and Bioprocess Processing*, 125, 57–67. <https://doi.org/10.1016/j.fbp.2020.10.008>
- Nguyen, T. T., Asakura, Y., Koda, S., & Yasuda, K. (2017). Dependence of cavitation, chemical effect, and mechanical effect thresholds on ultrasonic frequency. *Ultrasonics Sonochemistry*, 39, 301–306. <https://doi.org/10.1016/j.ultsonch.2017.04.037>
- Oktaviani, N. M. D., Larasati, I. D., Nugroho, A. W., Setyaningsih, W., & Palma, M. (2024). Ultrasound-Assisted Extraction of L-Tryptophan from Chamomile Flower: Method Development and Application for Flower Parts Characterization and Varietal Difference. *Trends in Sciences*, 21(3). <https://doi.org/10.48048/tis.2024.7348>
- Parisi, O. I., Puoci, F., Restuccia, D., Farina, G., Iemma, F., & Picci, N. (2013). Polyphenols and Their Formulations: Different Strategies to Overcome the Drawbacks Associated with Their Poor Stability and Bioavailability. In *Polyphenols in Human Health and Disease* (Vol. 1, pp. 29–45). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-398456-2.00004-9>
- Peleg, M. (1988). An Empirical Model for the Description of Moisture Sorption Curves. *Journal of Food Science*, 53. <https://doi.org/https://doi.org/10.1111/j.1365-2621.1988.tb13565.x>
- Permana, A. D., Sam, A., Marzaman, A. N. F., Rahim, A., Nainu, F., Bahar, M. A., Asri, R. M., & Chabib, L. (2023). Solid lipid nanoparticles cyclodextrin-decorated incorporated into gellan gum-based dry floating in situ delivery

- systems for controlled release of bioactive compounds of safflower (*Carthamus tinctorius*. L): A proof of concept study in biorelevant media. *International Journal of Biological Macromolecules*, 237. <https://doi.org/10.1016/j.ijbiomac.2023.124084>
- Pu, Z. J., Yue, S. J., Zhou, G. S., Yan, H., Shi, X. Q., Zhu, Z. H., Huang, S. L., Peng, G. P., Chen, Y. Y., Bai, J. Q., Wang, X. P., Su, S. L., Tang, Y. P., & Duan, J. A. (2019). The comprehensive evaluation of safflowers in different producing areas by combined analysis of color, chemical compounds, and biological activity. *Molecules*, 24(18). <https://doi.org/10.3390/molecules24183381>
- Reche, C., Rosselló, C., Umaña, M. M., Eim, V., & Simal, S. (2021). Mathematical modelling of ultrasound-assisted extraction kinetics of bioactive compounds from artichoke by-products. *Foods*, 10(5). <https://doi.org/10.3390/foods10050931>
- Richard, T., Tamsamani, H., Cantos-Villar, E., & Monti, J. P. (2013). Application of LC-MS and LC-NMR techniques for secondary metabolite identification. In *Advances in Botanical Research* (Vol. 67, pp. 67–98). Academic Press Inc. <https://doi.org/10.1016/B978-0-12-397922-3.00002-2>
- Şahin, S., & Şamli, R. (2013). Optimization of olive leaf extract obtained by ultrasound-assisted extraction with response surface methodology. *Ultrasonics Sonochemistry*, 20(1), 595–602. <https://doi.org/10.1016/j.ultsonch.2012.07.029>
- Sai-Ut, S., Teksee, A., Pongsetkul, J., Sinthusamran, S., & Rawdkuen, S. (2024). Optimization of ultrasonic assisted ethanolic extraction for natural pigments from butterfly pea flower applied in Thai dessert using Box-Behnken approach. *Food Chemistry: X*, 22. <https://doi.org/10.1016/j.fochx.2024.101484>
- Santos, L. G., & Martins, V. G. (2023). Optimization of the green extraction of polyphenols from the edible flower *Clitoria ternatea* by high-power ultrasound: A comparative study with conventional extraction techniques. *Journal of Applied Research on Medicinal and Aromatic Plants*, 34. <https://doi.org/10.1016/j.jarmap.2023.100458>
- Satao, N. T., Mahindrakar, K. V., & Rathod, V. K. (2025). Extraction of phenolics from *Spilanthes Acmella* plant: Kinetic studies using Peleg's model. *Journal of the Indian Chemical Society*, 102(5). <https://doi.org/10.1016/j.jics.2025.101634>
- Satrianegara, F., Tahar, N., Rukmana, R., Rauf, A., Rahmi, Putri, S. S., & Hamzah, N. (2024). The Effect of Various Extraction Methods and Solvents on the Phytochemical Contents and Antioxidant Capacities of Safflower Florets (*Carthamus Tinctorius* L.) from South Sulawesi. *Trends in Sciences*, 21(7). <https://doi.org/10.48048/tis.2024.7576>

- Setyaningsih, W., Putro, A. W., Fathimah, R. N., Kurnia, K. A., Darmawan, N., Yulianto, B., Jiwanti, P. K., Carrera, C. A., & Palma, M. (2022). A microwave-based extraction method for the determination of sugar and polyols: Application to the characterization of regular and peaberry coffees. *Arabian Journal of Chemistry*, *15*(3). <https://doi.org/10.1016/j.arabjc.2021.103660>
- Setyaningsih, W., Saputro, I. E., Carrera, C. A., & Palma, M. (2019). Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains. *Food Chemistry*, *288*, 221–227. <https://doi.org/10.1016/j.foodchem.2019.02.107>
- Sharma, P., & Hamid. (2025). Ultrasonication-assisted extraction of anthocyanins from fruit and vegetable waste. *Food and Humanity*, *5*. <https://doi.org/10.1016/j.foohum.2025.100713>
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. In *Ultrasonics Sonochemistry* (Vol. 101). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2023.106646>
- Shirsath, S. R., Sable, S. S., Gaikwad, S. G., Sonawane, S. H., Saini, D. R., & Gogate, P. R. (2017). Intensification of extraction of curcumin from *Curcuma amada* using ultrasound assisted approach: Effect of different operating parameters. *Ultrasonics Sonochemistry*, *38*, 437–445. <https://doi.org/10.1016/j.ultsonch.2017.03.040>
- Silva, W. P. da, Nunes, J. S., Gomes, J. P., & Diniz Pereira da Silva e Silva, C. M. (2018). Obtaining anthocyanin from jambolan fruit: Kinetics, extraction rate, and prediction of process time for different agitation frequencies. *Food Science and Nutrition*, *6*(6), 1664–1669. <https://doi.org/10.1002/fsn3.730>
- Sim, Y. Y., Jess Ong, W. T., & Nyam, K. L. (2019). Effect of various solvents on the pulsed ultrasonic assisted extraction of phenolic compounds from *Hibiscus cannabinus* L. leaves. *Industrial Crops and Products*, *140*. <https://doi.org/10.1016/j.indcrop.2019.111708>
- Singh, N., Kumar, S., & Patle, D. S. (2025). Intensification of extraction of bioactive compounds from pomegranate peel using an ultrasound-microwave assisted extraction approach: Parametric optimization, kinetics and thermodynamics. *Separation and Purification Technology*, *359*. <https://doi.org/10.1016/j.seppur.2024.130681>
- Sittert, D. van, Lufu, R., Mapholi, Z., & Goosen, N. J. (2024). Ultrasound-assisted extraction of alginate from *Ecklonia maxima* with and without the addition of alkaline cellulase – factorial and kinetic analysis. *Journal of Applied Phycology*, *36*(5), 2781–2793. <https://doi.org/10.1007/s10811-024-03276-0>

- Suan, T. Y., Zubairi, S. I., Manuel, R. N., Kasim, Z. M., & Huda-Faujan, N. (2025). Optimization of ultrasonic-assisted extraction of phenolic compounds from *Clinacanthus nutans* using ionic liquid (ILs) binary solvent: Application of Peleg's model and response surface methodology. *PLOS ONE*, *20*(7 July). <https://doi.org/10.1371/journal.pone.0326141>
- Susanti, D. Y., Kalyani, N. F., Astuti, F. P., Purwandari, F. A., Kurniawan, M. P., Kistanti, A., Pamungkas, K. D., & Setyaningsih, W. (2025). Characterization and Performance Evaluation of NADES-CAF in Ultrasound and Microwave Extraction of Phycocyanin from *Arthrospira platensis*. *International Journal of Design and Nature and Ecodynamics*, *20*(1), 21–30. <https://doi.org/10.18280/ijdne.200103>
- Susanti, D. Y., Sediawan, W. B., Fahrurrozi, M., & Hidayat, M. (2021). Foam-mat drying in the encapsulation of red sorghum extract: Effects of xanthan gum addition on foam properties and drying kinetics. *Journal of the Saudi Society of Agricultural Sciences*, *20*(4), 270–279. <https://doi.org/10.1016/j.jssas.2021.02.007>
- Takahashi, J. A., Rezende, F. A. G. G., Moura, M. A. F., Dominguet, L. C. B., & Sande, D. (2020). Edible flowers: Bioactive profile and its potential to be used in food development. *Food Research International*, *129*. <https://doi.org/10.1016/j.foodres.2019.108868>
- Tsimogiannis, D., & Oreopoulou, V. (2019). Classification of Phenolic Compounds in Plants. In *Polyphenols in Plants* (pp. 263–284). Elsevier. <https://doi.org/10.1016/b978-0-12-813768-0.00026-8>
- Vernès, L., Vian, M., & Chemat, F. (2019). Ultrasound and microwave as green tools for solid-liquid extraction. In *Liquid-Phase Extraction* (pp. 355–374). Elsevier. <https://doi.org/10.1016/B978-0-12-816911-7.00012-8>
- Vinatoru, M., Mason, T. J., & Calinescu, I. (2017). Ultrasonically assisted extraction (UAE) and microwave assisted extraction (MAE) of functional compounds from plant materials. In *TrAC - Trends in Analytical Chemistry* (Vol. 97, pp. 159–178). Elsevier B.V. <https://doi.org/10.1016/j.trac.2017.09.002>
- Wang, X. H., & Wang, J. P. (2019). Effective extraction with deep eutectic solvents and enrichment by macroporous adsorption resin of flavonoids from *Carthamus tinctorius* L. *Journal of Pharmaceutical and Biomedical Analysis*, *176*. <https://doi.org/10.1016/j.jpba.2019.112804>
- Wang, Y., Chen, P., Tang, C., Wang, Y., Li, Y., & Zhang, H. (2014). Antinociceptive and anti-inflammatory activities of extract and two isolated flavonoids of *Carthamus tinctorius* L. *Journal of Ethnopharmacology*, *151*(2), 944–950. <https://doi.org/10.1016/j.jep.2013.12.003>

- Xian, B., Wang, R., Jiang, H., Zhou, Y., Yan, J., Huang, X., Chen, J., Wu, Q., Chen, C., Xi, Z., Ren, C., & Pei, J. (2022). Comprehensive review of two groups of flavonoids in *Carthamus tinctorius* L. In *Biomedicine and Pharmacotherapy* (Vol. 153). Elsevier Masson s.r.l. <https://doi.org/10.1016/j.biopha.2022.113462>
- Xu, D. P., Zheng, J., Zhou, Y., Li, Y., Li, S., & Li, H. Bin. (2017). Ultrasound-assisted extraction of natural antioxidants from the flower of *Limonium sinuatum*: Optimization and comparison with conventional methods. *Food Chemistry*, 217, 552–559. <https://doi.org/10.1016/j.foodchem.2016.09.013>
- Xu, Q., Wang, S., Milliron, H., & Han, Q. (2022). The Efficacy of Phenolic Compound Extraction from Potato Peel Waste. *Processes*, 10(11). <https://doi.org/10.3390/pr10112326>
- Yan, K., Wang, X., Pan, H., Wang, L., Yang, H., Liu, M., Zhu, H., & Gong, F. (2020). Safflower Yellow and Its Main Component HSYA Alleviate Diet-Induced Obesity in Mice: Possible Involvement of the Increased Antioxidant Enzymes in Liver and Adipose Tissue. *Frontiers in Pharmacology*, 11. <https://doi.org/10.3389/fphar.2020.00482>
- Yan, Z., Alimu, R., Wan, J., Liao, X., Lin, S., Dai, S., Chen, F., Zhang, S., Tong, Y., Liu, H., Qin, R., & Liu, J. (2022). Composition of major quinochalcone hydroxysafflor yellow A and anhydrosafflor yellow B is associated with colour of safflower (*Carthamus tinctorius*) during colour-transition but not with overall antioxidant capacity: A study on 144 cultivars. *Food Research International*, 162. <https://doi.org/10.1016/j.foodres.2022.112098>
- Zhang, F., Sun, Z., Li, X., Kong, B., Sun, F., Cao, C., Chen, Q., Zhang, H., & Liu, Q. (2023). Ultrasound-assisted alkaline extraction of protein from *Tenebrio molitor* larvae: Extraction kinetics, physiochemical, and functional traits. *Ultrasonics Sonochemistry*, 95. <https://doi.org/10.1016/j.ultsonch.2023.106379>
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. In *Chinese Medicine (United Kingdom)* (Vol. 13, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhang, Z., Liu, R., Pu, X., Sun, Y., & Zhao, X. (2017). Evaluation of the sub-chronic toxicity of a standardized flavonoid extract of safflower in rats. *Regulatory Toxicology and Pharmacology*, 85, 98–107. <https://doi.org/10.1016/j.yrtph.2017.02.006>
- Zheng, J., Meenu, M., & Xu, B. (2019). A systematic investigation on free phenolic acids and flavonoids profiles of commonly consumed edible flowers in China. *Journal of Pharmaceutical and Biomedical Analysis*, 172, 268–277. <https://doi.org/10.1016/j.jpba.2019.05.007>