

DAFTAR PUSTAKA

- Abbas, G., Ahmad, S., Ahmad, A., Nasim, W., Fatima, Z., Hussain, S., Rehman, M. H. U., Khan, M. A., Hasanuzzaman, M., Fahad, S., Boote, K. J., & Hoogenboom, G. (2017). Quantification the impacts of climate change and crop management on phenology of maize-based cropping system in Punjab, Pakistan. *Agricultural and Forest Meteorology*, 247, 42–55. <https://doi.org/10.1016/j.agrformet.2017.07.012>
- Abd-El Monsef, H., Smith, S. E., Rowland, D. L., & Abd El Rasol, N. (2019). Using multispectral imagery to extract a pure spectral canopy signature for predicting peanut maturity. *Computers and Electronics in Agriculture*, 162, 561–572. <https://doi.org/10.1016/j.compag.2019.04.028>
- Adugna, T., Xu, W., & Fan, J. (2022). Comparison of Random Forest and Support Vector Machine Classifiers for Regional Land Cover Mapping Using Coarse Resolution FY-3C Images. *Remote Sensing*, 14(3), 574. <https://doi.org/10.3390/rs14030574>
- Agrapart, Q., & Batailly, A. (2020). Cubic and bicubic spline interpolation in Python. *Polytechnique Montreal, Technology University*.
- Al'afi, A. M., Widiart, W., Kurniasari, D., & Usman, M. (2020). Peramalan Data Time Series Seasonal Menggunakan Metode Analisis Spektral. *Jurnal Siger Matematika*, 1(1). <https://doi.org/10.23960/jsm.v1i1.2484>
- Al-Gaadi, K. A., Hassaballa, A. A., Tola, E., Kayad, A. G., Madugundu, R., Alblewi, B., & Assiri, F. (2016). Prediction of Potato Crop Yield Using Precision Agriculture Techniques. *PLOS ONE*, 11(9), e0162219. <https://doi.org/10.1371/journal.pone.0162219>
- Almalki, R., Khaki, M., Saco, P. M., & Rodriguez, J. F. (2022). Monitoring and Mapping Vegetation Cover Changes in Arid and Semi-Arid Areas Using Remote Sensing Technology: A Review. *Remote Sensing*, 14(20), 5143. <https://doi.org/10.3390/rs14205143>
- Amanto, B. S., Umanailo, M. C. B., Wulandari, R. S., Taufik, T., & Susiati, S. (2019). *Local Consumption Diversification*. 8(08).
- Amin, E., Belda, S., Pipia, L., Szantoi, Z., El Baroudy, A., Moreno, J., & Verrelst, J. (2022). Multi-Season Phenology Mapping of Nile Delta Croplands Using Time Series of Sentinel-2 and Landsat 8 Green LAI. *Remote Sensing*, 14(8), 1812. <https://doi.org/10.3390/rs14081812>
- Andati, P., Majiwa, E., Ngigi, M., Mbeche, R., & Ateka, J. (2023). Effect of climate smart agriculture technologies on crop yields: Evidence from potato production in Kenya. *Climate Risk Management*, 41, 100539. <https://doi.org/10.1016/j.crm.2023.100539>
- Andrista, S., Utami, N. P., Hukom, V., Nielsen, M., & Nielsen, R. (2025). Responses to climate change: Perceptions and adaptation among small-scale farmers in Indonesia. *Journal of Environmental Management*, 377, 124593. <https://doi.org/10.1016/j.jenvman.2025.124593>

- Araya, S., Ostendorf, B., Lyle, G., & Lewis, M. (2018). CropPhenology: An R package for extracting crop phenology from time series remotely sensed vegetation index imagery. *Ecological Informatics*, 46, 45–56. <https://doi.org/10.1016/j.ecoinf.2018.05.006>
- Ashourloo, D., Shahrabi, H. S., Azadbakht, M., Rad, A. M., Aghighi, H., & Radiom, S. (2020). A novel method for automatic potato mapping using time series of Sentinel-2 images. *Computers and Electronics in Agriculture*, 175, 105583. <https://doi.org/10.1016/j.compag.2020.105583>
- Atkinson, P. M., Jeganathan, C., Dash, J., & Atzberger, C. (2012). Inter-comparison of four models for smoothing satellite sensor time-series data to estimate vegetation phenology. *Remote Sensing of Environment*, 123, 400–417. <https://doi.org/10.1016/j.rse.2012.04.001>
- Aubert, B., & Lossois, P. (1972). Considerations sur la phenologie des especes fruitieres arbustives. *Fruits*, 27(4), 269–286.
- Azizan, F. A., Astuti, I. S., Aditya, M. I., Febbiyanti, T. R., Williams, A., Young, A., & Abdul Aziz, A. (2021a). Using Multi-Temporal Satellite Data to Analyse Phenological Responses of Rubber (*Hevea brasiliensis*) to Climatic Variations in South Sumatra, Indonesia. *Remote Sensing*, 13(15), 2932. <https://doi.org/10.3390/rs13152932>
- Azizan, F. A., Astuti, I. S., Aditya, M. I., Febbiyanti, T. R., Williams, A., Young, A., & Abdul Aziz, A. (2021b). Using Multi-Temporal Satellite Data to Analyse Phenological Responses of Rubber (*Hevea brasiliensis*) to Climatic Variations in South Sumatra, Indonesia. *Remote Sensing*, 13(15), 2932. <https://doi.org/10.3390/rs13152932>
- Badan Pusat Statistik. (2024). Statistik Hortikultura 2023. *Badan Pusat Statistik*.
- Bajocco, Raparelli, Teofili, Bascietto, & Ricotta. (2019). Text Mining in Remotely Sensed Phenology Studies: A Review on Research Development, Main Topics, and Emerging Issues. *Remote Sensing*, 11(23), 2751. <https://doi.org/10.3390/rs11232751>
- Bajocco, S., Di Giulio, M., Sallah, A. H. M., & Bregaglio, S. (2025). Exploring the relationships between ground observations and remotely sensed hazelnut spring phenology. *International Journal of Biometeorology*, 69(2), 281–294. <https://doi.org/10.1007/s00484-024-02815-1>
- Bajocco, S., Vanino, S., Bascietto, M., & Napoli, R. (2021). Exploring the Drivers of Sentinel-2-Derived Crop Phenology: The Joint Role of Climate, Soil, and Land Use. *Land*, 10(6), 656. <https://doi.org/10.3390/land10060656>
- Bargiel, D. (2017). A new method for crop classification combining time series of radar images and crop phenology information. *Remote Sensing of Environment*, 198, 369–383. <https://doi.org/10.1016/j.rse.2017.06.022>
- Belgiu, M., & Drăguț, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 24–31. <https://doi.org/10.1016/j.isprsjprs.2016.01.011>

- Berra, E. F., & Gaulton, R. (2021). Remote sensing of temperate and boreal forest phenology: A review of progress, challenges and opportunities in the intercomparison of in-situ and satellite phenological metrics. *Forest Ecology and Management*, 480, 118663. <https://doi.org/10.1016/j.foreco.2020.118663>
- Billah, M., Islam, A. K. M. S., Mamoon, W. B., & Rahman, M. R. (2023). Random forest classifications for landuse mapping to assess rapid flood damage using Sentinel-1 and Sentinel-2 data. *Remote Sensing Applications: Society and Environment*, 30, 100947. <https://doi.org/10.1016/j.rsase.2023.100947>
- Bleiholder, H., Van Den Boom, J., Langeluddeke, P., & Stauss, R. (1989). Einkeittliche codierung der phänologischen stadien bei kultur-und schadpflanzen. *Gesunde Pflanzen*, 41(11), 381–384.
- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing* (5th ed.). The Guilford Press.
- Campos, H., & Ortiz, O. (Eds.). (2020). *The Potato Crop: Its Agricultural, Nutritional and Social Contribution to Humankind*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-28683-5>
- Cao, M., Sun, Y., Jiang, X., Li, Z., & Xin, Q. (2021). Identifying Leaf Phenology of Deciduous Broadleaf Forests from PhenoCam Images Using a Convolutional Neural Network Regression Method. *Remote Sensing*, 13(12), 2331. <https://doi.org/10.3390/rs13122331>
- Chen, S., Yi, Q., Wang, F., Zheng, J., & Li, J. (2024). Improving the matching degree between remotely sensed phenological dates and physiological growing stages of soybean by a dynamic offset-adjustment strategy. *Science of The Total Environment*, 906, 167783. <https://doi.org/10.1016/j.scitotenv.2023.167783>
- Daccache, A., Weatherhead, E. K., Stalham, M. A., & Knox, J. W. (2011). Impacts of climate change on irrigated potato production in a humid climate. *Agricultural and Forest Meteorology*, 151(12), 1641–1653. <https://doi.org/10.1016/j.agrformet.2011.06.018>
- Descals, A., Verger, A., Yin, G., & Penuelas, J. (2021). A Threshold Method for Robust and Fast Estimation of Land-Surface Phenology Using Google Earth Engine. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14, 601–606. <https://doi.org/10.1109/JSTARS.2020.3039554>
- Dezfooli, F. P., Valadan Zoej, M. J., Mansourian, A., Youssefi, F., & Pirasteh, S. (2025). GEE-based environmental monitoring and phenology correlation investigation using Support Vector Regression. *Remote Sensing Applications: Society and Environment*, 37, 101445. <https://doi.org/10.1016/j.rsase.2024.101445>
- Diao, C. (2020). Remote sensing phenological monitoring framework to characterize corn and soybean physiological growing stages. *Remote Sensing of Environment*, 248, 111960. <https://doi.org/10.1016/j.rse.2020.111960>

- Diwa, T. A., Dianawati, M., & Sinaga, A. (2015). *Petunjuk Teknis Budidaya Kentang*. Balai Pengkajian Teknologi Pertanian (BPTP) Jawa Barat, Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.
- Economist Impact. (2022). *Global Food Security Index 2022*. Corteva Agriscience.
- Ferchichi, A., Abbas, A. B., Barra, V., & Farah, I. R. (2022). Forecasting vegetation indices from spatio-temporal remotely sensed data using deep learning-based approaches: A systematic literature review. *Ecological Informatics*, 68, 101552. <https://doi.org/10.1016/j.ecoinf.2022.101552>
- Fleckinger, J. (1948). Les stades végétatifs des arbres fruitiers en rapport avec les traitements. *Pomologie Française*, 1, 81–93.
- Frazier, A. E., & Hemingway, B. L. (2021). A Technical Review of Planet Smallsat Data: Practical Considerations for Processing and Using PlanetScope Imagery. *Remote Sensing*, 13(19), 3930. <https://doi.org/10.3390/rs13193930>
- Gao, F., Anderson, M. C., Zhang, X., Yang, Z., Alfieri, J. G., Kustas, W. P., Mueller, R., Johnson, D. M., & Prueger, J. H. (2017). Toward mapping crop progress at field scales through fusion of Landsat and MODIS imagery. *Remote Sensing of Environment*, 188, 9–25. <https://doi.org/10.1016/j.rse.2016.11.004>
- Gao, F., & Zhang, X. (2021). Mapping Crop Phenology in Near Real-Time Using Satellite Remote Sensing: Challenges and Opportunities. *Journal of Remote Sensing*, 2021, 2021/8379391. <https://doi.org/10.34133/2021/8379391>
- Gao, S., Yan, K., Liu, J., Pu, J., Zou, D., Qi, J., Mu, X., & Yan, G. (2024). Assessment of remote-sensed vegetation indices for estimating forest chlorophyll concentration. *Ecological Indicators*, 162, 112001. <https://doi.org/10.1016/j.ecolind.2024.112001>
- Gao, X., & Zhao, D. (2022). Impacts of climate change on vegetation phenology over the Great Lakes Region of Central Asia from 1982 to 2014. *Science of The Total Environment*, 845, 157227. <https://doi.org/10.1016/j.scitotenv.2022.157227>
- Gitelson, A. A., Viña, A., Ciganda, V., Rundquist, D. C., & Arkebauer, T. J. (2005). Remote estimation of canopy chlorophyll content in crops. *Geophysical Research Letters*, 32(8), 2005GL022688. <https://doi.org/10.1029/2005GL022688>
- Gobin, A., Sallah, A.-H. M., Curnel, Y., Delvoye, C., Weiss, M., Wellens, J., Piccard, I., Planchon, V., Tychon, B., Goffart, J.-P., & Defourny, P. (2023). Crop Phenology Modelling Using Proximal and Satellite Sensor Data. *Remote Sensing*, 15(8), 2090. <https://doi.org/10.3390/rs15082090>
- Gomez, D., Salvador, P., Gil, J., & Rodrigo, J. F. (2025). *Unlocking Potato Phenology: Harnessing Sentinel-1 and Sentinel-2 Synergy for Precise Crop Stage Detection*.
- Gomez, D., Salvador, P., Rodrigo, J. F., & Gil, J. (2024). Detecting Sensitive Spectral Bands and Vegetation Indices for Potato Yield Using Handheld

Spectroradiometer Data. *Plants*, 13(23), 3436.
<https://doi.org/10.3390/plants13233436>

Grabska-Szwagrzyk, E., & Tymińska-Czabańska, L. (2024). Sentinel-2 time series: A promising tool in monitoring temperate species spring phenology. *Forestry: An International Journal of Forest Research*, 97(2), 267–281.
<https://doi.org/10.1093/forestry/cpad039>

Granero-Belinchon, C., Adeline, K., Lemonsu, A., & Briottet, X. (2020). Phenological Dynamics Characterization of Alignment Trees with Sentinel-2 Imagery: A Vegetation Indices Time Series Reconstruction Methodology Adapted to Urban Areas. *Remote Sensing*, 12(4), 639.
<https://doi.org/10.3390/rs12040639>

Guo, L., An, N., & Wang, K. (2016). Reconciling the discrepancy in ground- and satellite-observed trends in the spring phenology of winter wheat in China from 1993 to 2008. *Journal of Geophysical Research: Atmospheres*, 121(3), 1027–1042. <https://doi.org/10.1002/2015JD023969>

Guo, Y., Chen, S., Fu, Y. H., Xiao, Y., Wu, W., Wang, H., & Beurs, K. D. (2022). Comparison of Multi-Methods for Identifying Maize Phenology Using PhenoCams. *Remote Sensing*, 14(2), 244.
<https://doi.org/10.3390/rs14020244>

Guo, Y., Xiao, Y., Li, M., Hao, F., Zhang, X., Sun, H., De Beurs, K., Fu, Y. H., & He, Y. (2022). Identifying crop phenology using maize height constructed from multi-sources images. *International Journal of Applied Earth Observation and Geoinformation*, 115, 103121.
<https://doi.org/10.1016/j.jag.2022.103121>

Haboudane, D., Miller, J. R., Tremblay, N., Zarco-Tejada, P. J., & Dextraze, L. (2002). Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture. *Remote Sensing of Environment*, 81(2–3), 416–426. [https://doi.org/10.1016/S0034-4257\(02\)00018-4](https://doi.org/10.1016/S0034-4257(02)00018-4)

Hack, H., Bleiholder, H., Buhr, L., Meier, U., Schnock-Fricke, U., Weber, E., & Witzemberger, A. (1992). Einheitliche codierung der phänologischen entwicklungsstadien mono-und dikotyler pflanzen—erweiterte BBCH-Skala, Allgemein. *Deut. Pflanzenschutzd*, 44(12), 265–270.

Hack, H., H, G., T. H., K., R., K., U., M., R., S., & A., W.-B. (1993). Phänologische Entwick-lungsstadien der Kartoffel (*Solanum tube-rosun* L.). Codierung und Beschreibung nach der erweiterten BBCH-Skala mit Abbildungen. *Nachrichtenbl. Deut. Pflanzenschutzd*, 45, 11–19.

Hafizah, D., Hakim, D. B., & Nurmalina, R. (2020). Analysing Food Consumption in Indonesia. *International Food Consumption in Indonesia*, 20(2).

Hodges, T. (1991). *Predicting Crop Phenology*. Irrigated Agricultural Research and Extension Center. USDA-ARS. CRC Press.

- Holzman, M., Rivas, R., & Bayala, M. (2021). Relationship between TIR and NIR-SWIR as Indicator of Vegetation Water Availability. *Remote Sensing*, 13(17), 3371. <https://doi.org/10.3390/rs13173371>
- Htitiou, A., Möller, M., Riedel, T., Beyer, F., & Gerighausen, H. (2024). Towards Optimising the Derivation of Phenological Phases of Different Crop Types over Germany Using Satellite Image Time Series. *Remote Sensing*, 16(17), 3183. <https://doi.org/10.3390/rs16173183>
- Hu, P., Sharifi, A., Tahir, M. N., Tariq, A., Zhang, L., Mumtaz, F., & Shah, S. H. I. A. (2021). Evaluation of Vegetation Indices and Phenological Metrics Using Time-Series MODIS Data for Monitoring Vegetation Change in Punjab, Pakistan. *Water*, 13(18), 2550. <https://doi.org/10.3390/w13182550>
- Huang, A., Shen, R., Di, W., & Han, H. (2021). A methodology to reconstruct LAI time series data based on generative adversarial network and improved Savitzky-Golay filter. *International Journal of Applied Earth Observation and Geoinformation*, 105, 102633. <https://doi.org/10.1016/j.jag.2021.102633>
- Huang, Liu, Zhu, Atzberger, & Liu. (2019). The Optimal Threshold and Vegetation Index Time Series for Retrieving Crop Phenology Based on a Modified Dynamic Threshold Method. *Remote Sensing*, 11(23), 2725. <https://doi.org/10.3390/rs11232725>
- Huang, Y., Qiu, B., Chen, C., Zhu, X., Wu, W., Jiang, F., Lin, D., & Peng, Y. (2022). Automated soybean mapping based on canopy water content and chlorophyll content using Sentinel-2 images. *International Journal of Applied Earth Observation and Geoinformation*, 109, 102801. <https://doi.org/10.1016/j.jag.2022.102801>
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira. (2002). Overview of the Radiometric and Biophysical Performance of the MODIS Vegetation Indices. *Remote Sensing of Environment*, 83(1–2), 195–213.
- Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309. [https://doi.org/10.1016/0034-4257\(88\)90106-X](https://doi.org/10.1016/0034-4257(88)90106-X)
- Huete, A. R., H. Q., L., K. B., & Leeuwen, W. J. (1997). A Comparison of Vegetation Indices Over a Global Set of TM Images for EOS-MODIS. *Remote Sensing of Environment*, 59, 440–451.
- Ibrahim, S., Kaduk, J., Tansey, K., Balzter, H., & Lawal, U. M. (2021). Detecting phenological changes in plant functional types over West African savannah dominated landscape. *International Journal of Remote Sensing*, 42(2), 567–594. <https://doi.org/10.1080/01431161.2020.1811914>
- Igbawua, T., Ujoh, F., Adagba, G., Gaando, S., & Tsor, J. O. (2023). Determination of Onset and End of Growing Season in Nigeria using the Modified Dynamic (Optimal) Threshold Method and Satellite data. *Nigerian Journal of Theoretical and Environmental Physics*, 1(1), 60–71. <https://doi.org/10.62292/njtep.v1i1.2023.15>

- Imran, H. A., Gianelle, D., Rocchini, D., Dalponte, M., Martín, M. P., Sakowska, K., Wohlfahrt, G., & Vescovo, L. (2020). VIS-NIR, Red-Edge and NIR-Shoulder Based Normalized Vegetation Indices Response to Co-Varying Leaf and Canopy Structural Traits in Heterogeneous Grasslands. *Remote Sensing*, 12(14), 2254. <https://doi.org/10.3390/rs12142254>
- Jargalsaikhan, M.-E., Ichikawa, D., Nagai, M., Indree, T., Katiyar, V., Munkhtur, D., & Dashdondog, E. (2024). *Aboveground Biomass Estimation and Time Series Analyses in Mongolian Grasslands Utilizing PlanetScope Imagery*.
- Jeba, R. P., Kirthiga, S. M., Issac, A. M., Bindhu, V. M., Srinivasan, R., & Narasimhan, B. (2024). An improved framework for mapping and assessment of dynamics in cropping pattern and crop calendar from NDVI time series across a heterogeneous agro-climatic region. *Environmental Monitoring and Assessment*, 196(11). <https://doi.org/10.1007/s10661-024-13270-1>
- Jensen, J. R. (2014). *Remote Sensing of The Environment an Earth Resources Perspective* (2nd ed.). Pearson.
- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4th ed.). Pearson.
- Ji, Z., Pan, Y., Zhu, X., Wang, J., & Li, Q. (2021). Prediction of Crop Yield Using Phenological Information Extracted from Remote Sensing Vegetation Index. *Sensors*, 21(4), 1406. <https://doi.org/10.3390/s21041406>
- Kacheyo, O. C., Van Dijk, L. C. M., De Vries, M. E., & Struik, P. C. (2021). Augmented descriptions of growth and development stages of potato (*SOLANUM TUBEROSUM* L.) grown from different types of planting material. *Annals of Applied Biology*, 178(3), 549–566. <https://doi.org/10.1111/aab.12661>
- Kandasamy, S., Baret, F., Verger, A., Neveux, P., & Weiss, M. (2013). A comparison of methods for smoothing and gap filling time series of remote sensing observations – application to MODIS LAI products. *Biogeosciences*, 10(6), 4055–4071. <https://doi.org/10.5194/bg-10-4055-2013>
- Keay, L., Mulverhill, C., Coops, N. C., & McCartney, G. (2023a). Automated Forest Harvest Detection With a Normalized PlanetScope Imagery Time Series. *Canadian Journal of Remote Sensing*, 49(1), 2154598. <https://doi.org/10.1080/07038992.2022.2154598>
- Keay, L., Mulverhill, C., Coops, N. C., & McCartney, G. (2023b). Automated Forest Harvest Detection With a Normalized PlanetScope Imagery Time Series. *Canadian Journal of Remote Sensing*, 49(1). <https://doi.org/10.1080/07038992.2022.2154598>
- Kementrian Pertanian, P. D. dan S. I. P. (2023). *Statistik Konsumsi Pangan Tahun 2023*. Sekretariat Jenderal. Kementrian Pertanian.
- Khwarahm, N. R., Dash, J., Skjøth, C. A., Newnham, R. M., Adams-Groom, B., Head, K., Caulton, E., & Atkinson, P. M. (2017). Mapping the birch and grass pollen seasons in the UK using satellite sensor time-series. *Science of*

- The Total Environment*, 578, 586–600.
<https://doi.org/10.1016/j.scitotenv.2016.11.004>
- Kurbanov, R. K., & Zakharova, N. I. (2020). Application of Vegetation Indexes to Assess the Condition of Crops. *Agricultural Machinery and Technologies*, 14(4), 4–11. <https://doi.org/10.22314/2073-7599-2020-14-4-4-11>
- Lee, J.-S. (2011). Combined effect of elevated CO₂ and temperature on the growth and phenology of two annual C₃ and C₄ weedy species. *Agriculture, Ecosystems & Environment*, 140(3–4), 484–491. <https://doi.org/10.1016/j.agee.2011.01.013>
- Li, D., Liu, Y., & Chen, Y. (Eds.). (2011). *Computer and Computing Technologies in Agriculture IV* (Vol. 344). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-18333-1>
- Li, S., Xu, L., Jing, Y., Yin, H., Li, X., & Guan, X. (2021). High-quality vegetation index product generation: A review of NDVI time series reconstruction techniques. *International Journal of Applied Earth Observation and Geoinformation*, 105, 102640. <https://doi.org/10.1016/j.jag.2021.102640>
- Li, X., Zhu, W., Xie, Z., Zhan, P., Huang, X., Sun, L., & Duan, Z. (2021). Assessing the Effects of Time Interpolation of NDVI Composites on Phenology Trend Estimation. *Remote Sensing*, 13(24), 5018. <https://doi.org/10.3390/rs13245018>
- Lieth, H. (1974). *Phenology and Seasonality Modelling*. Ecological Studies.
- Liu, Y., Dang, B., Li, Y., Lin, H., & Ma, H. (2016). Applications of Savitzky-Golay Filter for Seismic Random Noise Reduction. *Acta Geophysica*, 64(1), 101–124. <https://doi.org/10.1515/acgeo-2015-0062>
- Liu, Y., Zhang, X., Shen, Y., Ye, Y., Gao, S., & Tran, K. H. (2024). Evaluation of PlanetScope-detected plant-specific phenology using infrared-enabled PhenoCam observations in semi-arid ecosystems. *ISPRS Journal of Photogrammetry and Remote Sensing*, 210, 242–259. <https://doi.org/10.1016/j.isprsjprs.2024.03.017>
- Luo, S., He, Y., Wang, Z., Duan, D., Zhang, J., Zhang, Y., Zhu, Y., Yu, J., Zhang, S., Xu, F., Sun, J., Han, Z., & Jiao, W. (2019). Comparison of the retrieving precision of potato leaf area index derived from several vegetation indices and spectral parameters of the continuum removal method. *European Journal of Remote Sensing*, 52(1), 155–168. <https://doi.org/10.1080/22797254.2019.1572460>
- Meier, U. (2001). *Growth Stages of Mono and Dicotyledonous Plants: BBCH Monograph* (2nd ed.). Federal Biological Research Centre for Agriculture and Forestry.
- Meier, U., Bleiholder, H., Buhr, L., Feller, C., Hack, H., Heß, M., Lancashire, P. D., Schnock, U., Stauß, R., Van Den Boom, T., Weber, E., & Zwerger, P. (2009a). The BBCH system to coding the phenological growth stages of plants – history and publications –. *Journal of Cultivated Plants*, 41-52 Pages. <https://doi.org/10.5073/JFK.2009.02.01>

- Meier, U., Bleiholder, H., Buhr, L., Feller, C., Hack, H., Heß, M., Lancashire, P. D., Schnock, U., Stauß, R., Van Den Boom, T., Weber, E., & Zwerger, P. (2009b). The BBCH system to coding the phenological growth stages of plants – history and publications –. *Journal of Cultivated Plants*, 41-52 Pages. <https://doi.org/10.5073/JFK.2009.02.01>
- Mihovilovich, E., Carli, C., De Mendiburu, F., Hualla, H., & Bonierbale, M. (2014). *Tuber bulking maturity assessment of elite and advanced potato clones protocol*. International Potato Center. <https://doi.org/10.4160/9789290604419>
- Mijena, G. M. (2022). Ensuring food security of smallholder farmers through improving productivity and nutrition of potato. *Journal of Agriculture and Food Research*, 10. <https://doi.org/doi.org/10.1016/j.jafr.2022.100400>
- Moon, M., Zhang, X., Henebry, G. M., Liu, L., Gray, J. M., Melaas, E. K., & Friedl, M. A. (2019). Long-term continuity in land surface phenology measurements: A comparative assessment of the MODIS land cover dynamics and VIIRS land surface phenology products. *Remote Sensing of Environment*, 226, 74–92. <https://doi.org/10.1016/j.rse.2019.03.034>
- Morellato, L. P. C., Alberton, B., Alvarado, S. T., Borges, B., Buisson, E., Camargo, M. G. G., Cancian, L. F., Carstensen, D. W., Escobar, D. F. E., Leite, P. T. P., Mendoza, I., Rocha, N. M. W. B., Soares, N. C., Silva, T. S. F., Staggemeier, V. G., Streher, A. S., Vargas, B. C., & Peres, C. A. (2016). Linking plant phenology to conservation biology. *Biological Conservation*, 195, 60–72. <https://doi.org/10.1016/j.biocon.2015.12.033>
- NASA. (2017). MEaSUREs. *MEaSUREs*. <https://www.earthdata.nasa.gov/about/competitive-programs/measures>
- Nemes, Z., Baci, A., Popa, D., Mike, L., Petrus, A., & Danci, O. (2008). The Study of the Potato's Life-cycle Phases Important to the Increases of the Individual Variability. *Potato Research and Development Station, Târgu-Secuiesc, Romania*.
- Onojeghuo, A. O., Blackburn, G. A., Wang, Q., Atkinson, P. M., Kindred, D., & Miao, Y. (2018). Rice crop phenology mapping at high spatial and temporal resolution using downscaled MODIS time-series. *GIScience & Remote Sensing*, 55(5), 659–677. <https://doi.org/10.1080/15481603.2018.1423725>
- Orusa, T., Viani, A., Cammareri, D., & Borgogno Mondino, E. (2023). A Google Earth Engine Algorithm to Map Phenological Metrics in Mountain Areas Worldwide with Landsat Collection and Sentinel-2. *Geomatics*, 3(1), 221–238. <https://doi.org/10.3390/geomatics3010012>
- Pan, L., Xia, H., Zhao, X., Guo, Y., & Qin, Y. (2021). Mapping Winter Crops Using a Phenology Algorithm, Time-Series Sentinel-2 and Landsat-7/8 Images, and Google Earth Engine. *Remote Sensing*, 13(13), 2510. <https://doi.org/10.3390/rs13132510>
- Pasternak, M., & Pawłuszek-Filipiak, K. (2023). Evaluation of C and X-Band Synthetic Aperture Radar Derivatives for Tracking Crop Phenological

- Development. *Remote Sensing*, 15(20), 4996.
<https://doi.org/10.3390/rs15204996>
- Perin, V., Roy, S., Kington, J., Harris, T., Tulbure, M. G., Stone, N., Barsballe, T., Reba, M., & Yaeger, M. A. (2021). Monitoring Small Water Bodies Using High Spatial and Temporal Resolution Analysis Ready Datasets. *Remote Sensing*, 13(24), 5176. <https://doi.org/10.3390/rs13245176>
- Phan, T. N., Kuch, V., & Lehnert, L. W. (2020). Land Cover Classification using Google Earth Engine and Random Forest Classifier—The Role of Image Composition. *Remote Sensing*, 12(15), 2411.
<https://doi.org/10.3390/rs12152411>
- Pickering, J., Tyukavina, A., Khan, A., Potapov, P., Adusei, B., Hansen, M. C., & Lima, A. (2021). Using Multi-Resolution Satellite Data to Quantify Land Dynamics: Applications of PlanetScope Imagery for Cropland and Tree-Cover Loss Area Estimation. *Remote Sensing*, 13(11), 2191.
<https://doi.org/10.3390/rs13112191>
- Planet Labs. (2024). PlanetScope Basemaps Specification. *Planet Labs PBC*.
- Potgieter, A. B., Zhao, Y., Zarco-Tejada, P. J., Chenu, K., Zhang, Y., Porker, K., Biddulph, B., Dang, Y. P., Neale, T., Roosta, F., & Chapman, S. (2021). Evolution and application of digital technologies to predict crop type and crop phenology in agriculture. *In Silico Plants*, 3(1), diab017.
<https://doi.org/10.1093/insilicoplants/diab017>
- Qiao, L., Tang, W., Gao, D., Zhao, R., An, L., Li, M., Sun, H., & Song, D. (2022). UAV-based chlorophyll content estimation by evaluating vegetation index responses under different crop coverages. *Computers and Electronics in Agriculture*, 196, 106775. <https://doi.org/10.1016/j.compag.2022.106775>
- Qin, M., Li, R., Ye, H., Nie, C., & Zhang, Y. (2024). Study on the Extraction of Maize Phenological Stages Based on Multiple Spectral Index Time-Series Curves. *Agriculture*, 14(11), 2052.
<https://doi.org/10.3390/agriculture14112052>
- Qiu, B., Jiang, F., Chen, C., Tang, Z., Wu, W., & Berry, J. (2021). Phenology-pigment based automated peanut mapping using sentinel-2 images. *GIScience & Remote Sensing*, 58(8), 1335–1351.
<https://doi.org/10.1080/15481603.2021.1987005>
- Rodigheri, G., Sanches, I. D., Richetti, J., Tsukahara, R. Y., Lawes, R., Bendini, H. D. N., & Adami, M. (2023). Estimating Crop Sowing and Harvesting Dates Using Satellite Vegetation Index: A Comparative Analysis. *Remote Sensing*, 15(22), 5366. <https://doi.org/10.3390/rs15225366>
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1973). Monitoring Vegetation Systems in the Great Plains with ERTS. *ThirdERTS-Symposium*, 309–317.
- Ryadi, G. Y. I., & Lin, C. H. (2021). *Bi-temporal Radiometric Normalization of Landsat 8 Images Using Pseudo- Invariant Features*.

- Sakamoto, T., Gitelson, A. A., & Arkebauer, T. J. (2013). MODIS-based corn grain yield estimation model incorporating crop phenology information. *Remote Sensing of Environment*, 131, 215–231. <https://doi.org/10.1016/j.rse.2012.12.017>
- Sakar, E. H., El Yamani, M., Boussakouran, A., & Rharrabti, Y. (2019). Codification and description of almond (*Prunus dulcis*) vegetative and reproductive phenology according to the extended BBCH scale. *Scientia Horticulturae*, 247, 224–234. <https://doi.org/10.1016/j.scienta.2018.12.024>
- Sano, E. E., Bolfe, É. L., Parreiras, T. C., Bettiol, G. M., Vicente, L. E., Sanches, I. D., & Victoria, D. D. C. (2023). Estimating Double Cropping Plantations in the Brazilian Cerrado through PlanetScope Monthly Mosaics. *Land*, 12(3), 581. <https://doi.org/10.3390/land12030581>
- Savitzky, Abraham., & Golay, M. J. E. (1964). Smoothing and Differentiation of Data by Simplified Least Squares Procedures. *Analytical Chemistry*, 36(8), 1627–1639. <https://doi.org/10.1021/ac60214a047>
- Seo, B., Lee, J., Lee, K.-D., Hong, S., & Kang, S. (2019). Improving remotely-sensed crop monitoring by NDVI-based crop phenology estimators for corn and soybeans in Iowa and Illinois, USA. *Field Crops Research*, 238, 113–128. <https://doi.org/10.1016/j.fcr.2019.03.015>
- Shang, R., Liu, R., Xu, M., Liu, Y., Zuo, L., & Ge, Q. (2017). The relationship between threshold-based and inflexion-based approaches for extraction of land surface phenology. *Remote Sensing of Environment*, 199, 167–170. <https://doi.org/10.1016/j.rse.2017.07.020>
- Sharma, O. P. (2002). *Plant Taxonomy*. Tata Mc Graw Hill Publishing Company Limited.
- Shields, S. G., Coops, N. C., Achim, A., Hamelin, R. C., & Mulverhill, C. (2025). A review of PlanetScope CubeSats for forest monitoring. *Science of Remote Sensing*, 12, 100314. <https://doi.org/10.1016/j.srs.2025.100314>
- Singha, C., Swain, K. C., & Jayasuriya, H. (2022). Growth and yield monitoring of potato crop using Sentinel-1 data through cloud computing. *Arabian Journal of Geosciences*, 15(19), 1567. <https://doi.org/10.1007/s12517-022-10844-6>
- Sisheber, B., Marshall, M., Mengistu, D., & Nelson, A. (2023). Detecting the long-term spatiotemporal crop phenology changes in a highly fragmented agricultural landscape. *Agricultural and Forest Meteorology*, 340, 109601. <https://doi.org/10.1016/j.agrformet.2023.109601>
- Sun, C., Zhou, J., Ma, Y., Xu, Y., Pan, B., & Zhang, Z. (2022). A review of remote sensing for potato traits characterization in precision agriculture. *Frontiers in Plant Science*, 13, 871859. <https://doi.org/10.3389/fpls.2022.871859>
- Sunarjono. (2007). *Petunjuk Praktis Budidaya Kentang*. Agromedia Pustaka.
- Tedesco, D., De Oliveira, M. F., Dos Santos, A. F., Costa Silva, E. H., De Souza Rolim, G., & Da Silva, R. P. (2021). Use of remote sensing to characterize the phenological development and to predict sweet potato yield in two

- growing seasons. *European Journal of Agronomy*, 129, 126337. <https://doi.org/10.1016/j.eja.2021.126337>
- Tian, J., Zhu, X., Chen, J., Wang, C., Shen, M., Yang, W., Tan, X., Xu, S., & Li, Z. (2021). Improving the accuracy of spring phenology detection by optimally smoothing satellite vegetation index time series based on local cloud frequency. *ISPRS Journal of Photogrammetry and Remote Sensing*, 180, 29–44. <https://doi.org/10.1016/j.isprsjprs.2021.08.003>
- Tolessa, E. S. (2018). Importance, Nutrient Content and Factors Affecting Nutrient Content of Potato. *American Journal of Food, Nutrition and Health*, 3(3), 37–41.
- Triscowati, D. W., & Wijayanto, A. W. (2020). Peluang dan Tantangan dalam Pemanfaatan Teknologi Penginderaan Jauh dan Machine Learning untuk Prediksi Data Tanaman Pangan yang Lebih Akurat. *Seminar Nasional Official Statistics*, 2019(1), 177–187. <https://doi.org/10.34123/semnasoffstat.v2019i1.230>
- Tsutsumida, N., Shin, N., & Miura, T. (2022). Evaluation of Land Surface Phenology for Autumn Leaf Color Change Based on Citizen Reports across Japan. *Remote Sensing*, 14(9), 2017. <https://doi.org/10.3390/rs14092017>
- Tucker, C. (1979). *Red and Photographic Infrared Linear Combinations for Monitoring Vegetation* (Vol. 8). Remote Sensing of Environment. [https://doi.org/10.1016/0034-4257\(79\)90013-0](https://doi.org/10.1016/0034-4257(79)90013-0)
- Vidican, R., Mălinaș, A., Ranta, O., Moldovan, C., Marian, O., Ghețe, A., Ghișe, C. R., Popovici, F., & Cătunescu, G. M. (2023). Using Remote Sensing Vegetation Indices for the Discrimination and Monitoring of Agricultural Crops: A Critical Review. *Agronomy*, 13(12), 3040. <https://doi.org/10.3390/agronomy13123040>
- Vina, A., Gitelson, A. A., Nguy-Robertson, A. L., & Peng, Y. (2011). Comparison of different vegetation indices for the remote assessment of green leaf area index of crops. *Remote Sensing of Environment*, 115(12), 3468–3478. <https://doi.org/10.1016/j.rse.2011.08.010>
- Vincini, M., & Frazzi, E. (2011). Comparing Narrow and Broad-band Vegetation Indices to Estimate Leaf Chlorophyll Content in Planophile Crop Canopies. *Precision Agric*, 12, 334–344. <https://doi.org/10.1007/s11119-010-9204-3>
- Vincini, M., Frazzi, E., & D'Alessio, P. (2008). A broad-band leaf chlorophyll vegetation index at the canopy scale. *Precision Agriculture*, 9(5), 303–319. <https://doi.org/10.1007/s11119-008-9075-z>
- Wang, C., Li, J., Liu, Q., Zhong, B., Wu, S., & Xia, C. (2017). Analysis of Differences in Phenology Extracted from the Enhanced Vegetation Index and the Leaf Area Index. *Sensors*, 17(9), 1982. <https://doi.org/10.3390/s17091982>
- Wang, H., Ghosh, A., Linquist, B. A., & Hijmans, R. J. (2020). Satellite-Based Observations Reveal Effects of Weather Variation on Rice Phenology. *Remote Sensing*, 12(9), 1522. <https://doi.org/10.3390/rs12091522>

- Wang, M., Zhang, X., Huang, Y., Hong, C., Zhang, Z., Huang, X., Zeng, J., Tang, J., & Zhang, R. (2019). Monitoring of Winter Wheat and Summer Corn Phenology in Xiong'an New Area Based on NDVI Time Series. *Proceedings of the 2019 International Conference on Wireless Communication, Network and Multimedia Engineering (WCNME 2019)*. Proceedings of the 2019 International Conference on Wireless Communication, Network and Multimedia Engineering (WCNME 2019), Guilin, China. <https://doi.org/10.2991/wcnme-19.2019.52>
- Wei, S., Lim, K. H., Lee, K. Y., Tan, L. M., Chew, B. J., & Liew, S. C. (2024). Cotton Phenology Detection Using Time Series Sentinel-1 and PlanetScope Data. *IEEE Geoscience and Remote Sensing Letters*, 21, 1–5. <https://doi.org/10.1109/LGRS.2024.3481274>
- Wei, Y., Tong, X., Chen, G., Liu, D., & Han, Z. (2019). Remote Detection of Large-Area Crop Types: The Role of Plant Phenology and Topography. *Agriculture*, 9(7), 150. <https://doi.org/10.3390/agriculture9070150>
- Wijesinha-Bettoni, R., & Mouillé, B. (2019). The Contribution of Potatoes to Global Food Security, Nutrition and Healthy Diets. *American Journal of Potato Research*, 96(2), 139–149. <https://doi.org/10.1007/s12230-018-09697-1>
- Wong, C. Y. S., D'Odorico, P., Arain, M. A., & Ensminger, I. (2020). Tracking the Phenology of Photosynthesis using Carotenoid-Sensitive and Near-infrared Reflectance Vegetation Indices in a Temperate Evergreen and Mixed Deciduous Forest. *New Phytologist*, 226. <https://doi.org/10.1111/nph.16479>
- Wu, H., Liu, B., Zhu, B., Zhen, Z., Song, K., & Ren, J. (2024). Combining Vegetation Indices to Identify the Maize Phenological Information Based on the Shape Model. *Agriculture*, 14(9), 1608. <https://doi.org/10.3390/agriculture14091608>
- Wu, W., Sun, X., Wang, X., Fan, J., Luo, J., Shen, Y., & Yang, Y. (2018). A Long Time-Series Radiometric Normalization Method for Landsat Images. *Sensors*, 18(12), 4505. <https://doi.org/10.3390/s18124505>
- Xie, Z., Zhu, W., He, B., Qiao, K., Zhan, P., & Huang, X. (2022). A background-free phenology index for improved monitoring of vegetation phenology. *Agricultural and Forest Meteorology*, 315, 108826. <https://doi.org/10.1016/j.agrformet.2022.108826>
- Xu, N., Tian, J., Tian, Q., Xu, K., & Tang, S. (2019). Analysis of Vegetation Red Edge with Different Illuminated/Shaded Canopy Proportions and to Construct Normalized Difference Canopy Shadow Index. *Remote Sensing*, 11(10), 1192. <https://doi.org/10.3390/rs11101192>
- Xu, Y., Li, X., Du, H., Mao, F., Zhou, G., Huang, Z., Fan, W., Chen, Q., Ni, C., & Guo, K. (2023). Improving extraction phenology accuracy using SIF coupled with the vegetation index and mapping the spatiotemporal pattern of bamboo forest phenology. *Remote Sensing of Environment*, 297, 113785. <https://doi.org/10.1016/j.rse.2023.113785>

- Xue, J., & Su, B. (2017). Significant Remote Sensing Vegetation Indices: A Review of Developments and Applications. *Journal of Sensors*, 2017, 1–17. <https://doi.org/10.1155/2017/1353691>
- Ye, J., Bao, W., Liao, C., Chen, D., & Hu, H. (2023). Corn Phenology Detection Using the Derivative Dynamic Time Warping Method and Sentinel-2 Time Series. *Remote Sensing*, 15(14), 3456. <https://doi.org/10.3390/rs15143456>
- You, X., Meng, J., Zhang, M., & Dong, T. (2013a). Remote Sensing Based Detection of Crop Phenology for Agricultural Zones in China Using a New Threshold Method. *Remote Sensing*, 5(7), 3190–3211. <https://doi.org/10.3390/rs5073190>
- You, X., Meng, J., Zhang, M., & Dong, T. (2013b). Remote Sensing Based Detection of Crop Phenology for Agricultural Zones in China Using a New Threshold Method. *Remote Sensing*, 5(7), 3190–3211. <https://doi.org/10.3390/rs5073190>
- Zadoks, J. C., Chang, T. T., & Konzak, C. F. (1974). A Decimal Code for the Growth Stages of Cereals. *Weed Res*, 14, 415–421. <https://doi.org/10.1111/j.1365-3180.1974.tb01084.x>
- Zagajewski, B., Kluczek, M., Zdunek, K. B., & Holland, D. (2024). *Sentinel-2 versus PlanetScope Images for Goldenrod Invasive Plant Species Mapping*.
- Zeng, J., Sun, Y., Cao, P., & Wang, H. (2022). A phenology-based vegetation index classification (PVC) algorithm for coastal salt marshes using Landsat 8 images. *International Journal of Applied Earth Observation and Geoinformation*, 110, 102776. <https://doi.org/10.1016/j.jag.2022.102776>
- Zeng, L., Wardlow, B. D., Xiang, D., Hu, S., & Li, D. (2020a). A review of vegetation phenological metrics extraction using time-series, multispectral satellite data. *Remote Sensing of Environment*, 237, 111511. <https://doi.org/10.1016/j.rse.2019.111511>
- Zeng, L., Wardlow, B. D., Xiang, D., Hu, S., & Li, D. (2020b). A review of vegetation phenological metrics extraction using time-series, multispectral satellite data. *Remote Sensing of Environment*, 237, 111511. <https://doi.org/10.1016/j.rse.2019.111511>
- Zhang, B., Liu, X., Liu, M., & Meng, Y. (2018a). Detection of Rice Phenological Variations under Heavy Metal Stress by Means of Blended Landsat and MODIS Image Time Series. *Remote Sensing*, 11(1), 13. <https://doi.org/10.3390/rs11010013>
- Zhang, B., Liu, X., Liu, M., & Meng, Y. (2018b). Detection of Rice Phenological Variations under Heavy Metal Stress by Means of Blended Landsat and MODIS Image Time Series. *Remote Sensing*, 11(1), 13. <https://doi.org/10.3390/rs11010013>
- Zhang, H., Li, J., Liu, Q., Lin, S., Huete, A., Liu, L., Croft, H., Clevers, J. G. P. W., Zeng, Y., Wang, X., Gu, C., Zhang, Z., Zhao, J., Dong, Y., Mumtaz, F., & Yu, W. (2022). A novel red-edge spectral index for retrieving the leaf

chlorophyll content. *Methods in Ecology and Evolution*, 13(12), 2771–2787. <https://doi.org/10.1111/2041-210X.13994>

Zhang, L., Liu, Z., Liu, D., Xiong, Q., Yang, N., Ren, T., Zhang, C., Zhang, X., & Li, S. (2019). Crop Mapping Based on Historical Samples and New Training Samples Generation in Heilongjiang Province, China. *Sustainability*, 11(18), 5052. <https://doi.org/10.3390/su11185052>

Zheng, Y., Wu, B., Zhang, M., & Zeng, H. (2016). Crop Phenology Detection Using High Spatio-Temporal Resolution Data Fused from SPOT5 and MODIS Products. *Sensors*, 16(12), 2099. <https://doi.org/10.3390/s16122099>