

DAFTAR PUSTAKA

- Adeleke, O., Adiamo, O. Q., Fawale, O. S., & Olamiti, G. (2017). Effect of Soaking and Boiling on Anti-nutritional Factors, Oligosaccharide Contents and Protein Digestibility of Newly Developed Bambara Groundnut Cultivars. *Turkish Journal of Agriculture - Food Science and Technology*, 5(9), 1006–1014. <https://doi.org/10.24925/turjaf.v5i9.1006-1014.949>
- Ahnan-Winarno, A. D., Cordeiro, L., Winarno, F. G., Gibbons, J., & Xiao, H. (2021). Tempeh: A semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *Comprehensive Reviews in Food Science and Food Safety*, 20, 1717–1767. <https://doi.org/10.1111/1541-4337.12710>
- Akande, K. E. (2016). Effects of Anti-nutritive Constituents of Unprocessed Jack Bean (*Canavalia ensiformis*) (L) (DC) Seed Meal on Poultry Performance. *American Journal of Experimental Agriculture*, 10(6), 1–10. <https://doi.org/10.9734/ajea/2016/21980>
- Akinjayeju, O., & Ajayi, O. F. (2011). Effects of Dehulling on Functional and Sensory Properties of Flours From Black Beans (*Phaseolus Vulgaris*). *Food and Nutrition Sciences*, 2, 344–349. <https://doi.org/10.4236/fns.2011.24049>
- Arise, A. K., Malomo, S. A., Ihuoma Cynthia, C., Aliyu, N. A., & Arise, R. O. (2022). Influence of processing methods on the antinutrients, morphology and in-vitro protein digestibility of jack bean. *Food Chemistry Advances*, 1, 100078. <https://doi.org/10.1016/j.focha.2022.100078>
- Ashaolu, T. J., & Reale, A. (2020). A holistic review on euro-asian lactic acid bacteria fermented cereals and vegetables. *Microorganisms*, 8(8), 1–24. <https://doi.org/10.3390/microorganisms8081176>
- Badan Pusat Statistik. (2024). Analisis Produktivitas Jagung dan Kedelai di Indonesia 2023 (Hasil Survei Ubinan). *Badan Pusat Statistik*, 1–110.
- Banti, M., & Bajo, W. (2020). Review on Nutritional Importance and Anti-nutritional Factors of Legumes. *International Journal of Nutrition and Food Sciences*, 9(6), 138. <https://doi.org/10.11648/j.ijnfs.20200906.11>
- Díaz, A. M., Caldas, G. V., & Blair, M. W. (2010). Concentrations of condensed tannins and anthocyanins in common bean seed coats. *Food Research International*, 43(2), 595–601. <https://doi.org/10.1016/j.foodres.2009.07.014>
- Doss, A., Pugalenth, M., Vadivel, V. G., Subhashini, G., & Anitha Subash, R. (2011). Effects of processing technique on the nutritional composition and antinutrients content of under-utilized food legume *Canavalia ensiformis* L.DC. *International Food Research Journal*, 18(3), 965–970.
- Eashwarage I.S., H. H. M. T. and G. K. G. T. (2017). Dietary fibre, resistant starch and in-vitro starch digestibility of selected eleven commonly consumed legumes (Mung bean, Cowpea, Soybean and Horse Gram) in Sri Lanka. *Research Journal of Chemical Sciences*, 7(2).
- Egounlety, M., & Aworh, O. C. (2003). Effect of soaking, dehulling, cooking and fermentation with *Rhizopus oligosporus* on the oligosaccharides, trypsin inhibitor, phytic acid and tannins of soybean (*Glycine max* Merr.), cowpea (

- Vigna unguiculata* L. Walp) and groundbean (*Macrotyloma g. Journal of Food Engineering*, 56, 249–254.
- Fitriani, A., Santoso, U., & Supriyadi, S. (2021). Conventional Processing Affects Nutritional and Antinutritional Components and in Vitro Protein Digestibility in Kabau (*Archidendron bubalinum*). *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/3057805>
- Gibson, R. S., Bailey, K. B., Gibbs, M., & Ferguson, E. L. (2010). A review of phytate, iron, zinc, and calcium concentrations in plant-based complementary foods used in low-income countries and implications for bioavailability. *Food and Nutrition Bulletin*, 31(2 SUPPL.), 134–146. <https://doi.org/10.1177/15648265100312s206>
- Guajardo-Flores, D., Pérez-Carrillo, E., Romo-López, I., Ramírez-Valdez, L. E., Moreno-García, B. E., & Gutiérrez-Urbe, J. A. (2017). Effect of dehulling and germination on physicochemical and pasting properties of black beans (*Phaseolus vulgaris* L.). *Cereal Chemistry*, 94(1), 98–103. <https://doi.org/10.1094/CCHEM-02-16-0017-FI>
- Herdiani, E. (2021). *Koro Pedang, Alternatif Pengganti Kedelai*. Balai Besar Pelatihan Pertanian (BBPP) Lembang.
- Herlambang, S. (2023). *Kacang Koro Bisa Jadi Bahan Pangan Pengganti Kedelai*. DPRD Provinsi Jawa Tengah.
- Lestienne, I., Besançon, P., Caporiccio, B., Lullien-Péllerin, V., & Tréche, S. (2005). Iron and zinc in vitro availability in pearl millet floors (*Pennisetum glaucum*) with varying phytate, tannin, and fiber contents. *Journal of Agricultural and Food Chemistry*, 53(8), 3240–3247. <https://doi.org/10.1021/jf0480593>
- Liberal, Â., Fernandes, Â., Ferreira, I. C. F. R., Vivar-Quintana, A. M., & Barros, L. (2024a). Effect of different physical pre-treatments on physicochemical and techno-functional properties, and on the antinutritional factors of lentils (*Lens culinaris* spp). *Food Chemistry*, 450, 139293. <https://doi.org/10.1016/j.foodchem.2024.139293>
- Liberal, Â., Fernandes, Â., Ferreira, I. C. F. R., Vivar-Quintana, A. M., & Barros, L. (2024b). Effect of different physical pre-treatments on physicochemical and techno-functional properties, and on the antinutritional factors of lentils (*Lens culinaris* spp). *Food Chemistry*, 450(13293), 1–16. <https://doi.org/10.1016/j.foodchem.2024.139293>
- Luo, Y. W., & Xie, W. H. (2013). Effect of different processing methods on certain antinutritional factors and protein digestibility in green and white faba bean (*Vicia faba* L.). *CYTA - Journal of Food*, 11(1), 43–49. <https://doi.org/10.1080/19476337.2012.681705>
- Mas'ud, & Wahyuningsih, S. (2023). *Statistik Konsumsi Pangan 2023*. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementrian Pertanian.
- Montanha, G. S., Perez, L. C., Brandão, J. R., de Camargo, R. F., Tavares, T. R., de Almeida, E., & Pereira de Carvalho, H. W. (2024). Profile of mineral nutrients and proteins in soybean seeds (*Glycine max* (L.) Merrill): Insights from 95 varieties cultivated in Brazil. In *Journal of Food Composition and Analysis* (Vol. 134). <https://doi.org/10.1016/j.jfca.2024.106536>

- Ndidi, U. S., Ndidi, C. U., Olagunju, A., Muhammad, A., Billy, F. G., & Okpe, O. (2014). Proximate, Antinutrients and Mineral Composition of Raw and Processed (Boiled and Roasted) *Sphenostylis stenocarpa* Seeds from Southern Kaduna, Northwest Nigeria. *ISRN Nutrition*, 2014, 1–9. <https://doi.org/10.1155/2014/280837>
- Niveditha, V. R., & Sridhar, K. R. (2014). Antioxidant activity of raw, cooked and *Rhizopus oligosporus* fermented beans of *Canavalia* of coastal sand dunes of Southwest India. *Journal Food Science Technology*, 51(11), 3253–3260. <https://doi.org/10.1007/s13197-012-0830-9>
- Njoroge, D. M., Kinyanjui, P. K., Chigwedere, C. M., Christiaens, S., Makokha, A. O., Sila, D. N., & Hendrickx, M. E. (2016). Mechanistic insight into common bean pectic polysaccharide changes during storage, soaking and thermal treatment in relation to the hard-to-cook defect. *Food Research International*, 81, 39–49. <https://doi.org/10.1016/j.foodres.2015.12.024>
- Nout, M. J. R., & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: Update into the third millenium. *Journal of Applied Microbiology*, 98(4), 789–805. <https://doi.org/10.1111/j.1365-2672.2004.02471.x>
- Okolie, N. P., & Ugochukwu, E. N. (1989). Cyanide Contents of Some Nigerian Legumes and the Effect of Simple Processing *. *Food Chemistry*, 32, 209–216.
- Permadi, S. N., Ivanti, L., Indrasari, S. D., & Ambarsari, I. (2023). Size Reduction Consequences on Anti-Nutritional and Chemical Properties of Tempe Made from Underutilized Legumes. *E3S Web of Conferences*, 444, 0–4. <https://doi.org/10.1051/e3sconf/202344404031>
- Purwandari, F A, Annisa, E. D. N., Rachmawati, A. T., Puspitasari, D., Wikandari, R., Setyaningsih, W., Ningrum, A., & Sardjono. (2021). Effect of different cooking methods on chemical composition, nutritional values, and sensory properties of Jack bean (*Canavalia ensiformis*) tempe. *Food Research*, 5(3), 327–333.
- Purwandari, Fiametta Ayu, Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food and Function*, 15(7), 3680–3691. <https://doi.org/10.1039/d3fo05379b>
- Purwandari, Fiametta Ayu, Fogliano, V., de Ruijter, N. C. A., & Capuano, E. (2023). Chemical and microstructural characterization of easy- and hard-to-cook Jack bean (*Canavalia ensiformis* (L.) DC.) collections. *Lwt*, 189(November), 115451. <https://doi.org/10.1016/j.lwt.2023.115451>
- Purwandari, Fiametta Ayu, Westerbos, C., Lee, K., Fogliano, V., & Capuano, E. (2023). Proximate composition, microstructure, and protein and starch digestibility of seven collections of Jack bean (*Canavalia ensiformis*) with different optimal cooking times. *Food Research International*, 170(May), 112956. <https://doi.org/10.1016/j.foodres.2023.112956>
- Puspitojati, E., Indrati, R., Cahyanto, M. N., & Marsono, Y. (2019). Jack bean as tempe ingredients: The safety study and fate of protein against gastrointestinal enzymes. *IOP Conference Series: Earth and Environmental Science*, 346(1).

<https://doi.org/10.1088/1755-1315/346/1/012070>

- Qureshi, S., & Hamid, A. (2020a). Effect of overnight soaking and boiling on phytic acid, tannins, saponins and proximate composition in legumes. *Journal of Pure and Applied Agriculture*, 5(3), 17–25.
- Qureshi, S., & Hamid, A. (2020b). Effect of overnight soaking and boiling on phytic acid, tannins, saponins and proximate composition in legumes. *Journal of Pure and Applied Agriculture*, 5(3), 17–25. <http://jpaa.aiou.edu.pk/>
- Raes, K., Knockaert, D., Struijs, K., & Van Camp, J. (2014). Role of processing on bioaccessibility of minerals: Influence of localization of minerals and anti-nutritional factors in the plant. *Trends in Food Science and Technology*, 37(1), 32–41. <https://doi.org/10.1016/j.tifs.2014.02.002>
- Rahayu, W. P., Pambayun, R., Santoso, U., Nuraida, L., & Ardiansyah. (2015). Tinjauan Ilmiah Proses Pengolahan Tempe Kedelai. In *Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI)*. Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI).
- Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26(August). <https://doi.org/10.1016/j.ijgfs.2021.100413>
- Rossander, L., Sandberg, A.-S., & Sandström, B. (1992). *The Influence of Dietary Fibre on Mineral Absorption and Utilisation*. 1982, 197–216. https://doi.org/10.1007/978-1-4471-1928-9_11
- Rousseau, S., Kyomugasho, C., Celus, M., Hendrickx, M. E. G., & Grauwet, T. (2020). Barriers impairing mineral bioaccessibility and bioavailability in plant-based foods and the perspectives for food processing. *Critical Reviews in Food Science and Nutrition*, 60(5), 826–843. <https://doi.org/10.1080/10408398.2018.1552243>
- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Production, Processing and Nutrition*, 2(6), 1–14. <https://doi.org/10.1186/s43014-020-0020-5>
- Sanaei Nasab, S., Tahmouzi, S., Feizollahi, E., & Mollakhalili-Meybodi, N. (2024). Impacts of novel non-thermal processing (NTP) on anti-nutritional compounds of food grains and seeds. *Food Control*, 162(March). <https://doi.org/10.1016/j.foodcont.2024.110469>
- Shah, A. M., Tarfeen, N., Mohamed, H., & Song, Y. (2023). Fermented Foods: Their Health-Promoting Components and Potential Effects on Gut Microbiota. *Fermentation*, 9(118), 1–23. <https://doi.org/10.3390/fermentation9020118>
- Sheikh, M. A., & Saini, C. S. (2022). Combined effect of microwave and hydrothermal treatment on anti-nutritional factors, antioxidant potential and bioactive compounds of plum (*Prunus domestica* L.) kernels. *Food Bioscience*, 46(November 2021). <https://doi.org/10.1016/j.fbio.2021.101467>
- Sheikh, M. A., Saini, C. S., & Sharma, H. K. (2022). Synergistic effect of microwave heating and hydrothermal treatment on cyanogenic glycosides and bioactive compounds of plum (*Prunus domestica* L.) kernels: An analytical approach. *Current Research in Food Science*, 5(October 2021), 65–72. <https://doi.org/10.1016/j.crfs.2021.12.007>
- Shurtleff, W., & Aoyagi, A. (2022). History of Tempeh and Tempeh Product. In

Soyinfo Center. Soyinfo Center.

- Sibiya, H., Bhagwat, P., Amobonye, A., & Pillai, S. (2022). Effects of flaxseed and soybean supplementation on the nutritional and antioxidant properties of mahewu – a South African beverage. *South African Journal of Botany*, 150, 275–284. <https://doi.org/10.1016/j.sajb.2022.07.032>
- Singh, P., Pandey, V. K., Sultan, Z., Singh, R., & Dar, A. H. (2023). Classification, benefits, and applications of various anti-nutritional factors present in edible crops. *Journal of Agriculture and Food Research*, 14(November). <https://doi.org/10.1016/j.jafr.2023.100902>
- Sokrab, A. M., Mohamed Ahmed, I. A., & Babiker, E. E. (2014). Effect of fermentation on antinutrients, and total and extractable minerals of high and low phytate corn genotypes. *Journal of Food Science and Technology*, 51(10), 2608–2615. <https://doi.org/10.1007/s13197-012-0787-8>
- Sowndhararajan, K., Siddhuraju, P., & Manian, S. (2011). Antioxidant Activity of the Differentially Processed Seeds of Jack. *Food Science and Biotechnology*, 20(3), 585–591. <https://doi.org/10.1007/s10068-011-0083-9>
- Sreerama, Y. N., Neelam, D. A., Sashikala, V. B., & Pratape, V. M. (2010). Distribution of nutrients and antinutrients in milled fractions of chickpea and horse gram: Seed coat phenolics and their distinct modes of enzyme inhibition. *Journal of Agricultural and Food Chemistry*, 58(7), 4322–4330. <https://doi.org/10.1021/jf903101k>
- Statistik, B. P. (2024). Impor Kedelai Menurut Negara Asal Utama, 2017-2023. In *Badan Pusat Statistik*.
- Toor, B. S., Kaur, A., Sahota, P. P., & Kaur, J. (2021). Antioxidant Potential , Antinutrients , Mineral Composition and FTIR Spectra of Legumes Fermented with *Rhizopus oligosporus*. *Food Technology & Biotechnology*, 59(4), 530–542.
- Triyanti, D. R. (2020). Outlook Komoditas Pertanian Tanaman Pangan Kedelai. In *Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian*.
- Wan-Mohtar, W. A. A. Q. I., Ilham, Z., Jamaludin, A. A., David, W., & Mohd Zaini, N. A. (2022). Fermented foods as alternative functional foods during post-pandemic in Asia. *Frontiers in Food Science and Technology*, 2, 1–7. <https://doi.org/10.3389/frfst.2022.1047970>
- Wanjekeche, E., Wakasa, V., & Mureithi, J. . (2003a). Effect of germination, alkaline and acid soaking and boiling on the nutritional value of mature and immature *Mucuna* (*Mucuna pruriens*) beans. *Tropical and Subtropical Agroecosystems*, 1, 183–192.
- Wanjekeche, E., Wakasa, V., & Mureithi, J. G. (2003b). Effect Of Germination, Alkaline And Acid Soaking And Boiling On The Nutritional Value Of Mature And Immature *Mucuna* (*Mucuna Pruriens*) Beans. *Tropical and Subtropical Agroecosystems*, 1, 183–192.
- Xu, B., & Chang, S. K. C. (2008). Effect of soaking, boiling, and steaming on total phenolic content and antioxidant activities of cool season food legumes. *Food Chemistry*, 110(1), 1–13. <https://doi.org/10.1016/j.foodchem.2008.01.045>
- Adeleke, O., Adiamo, O. Q., Fawale, O. S., & Olamiti, G. (2017). Effect of Soaking

- and Boiling on Anti-nutritional Factors, Oligosaccharide Contents and Protein Digestibility of Newly Developed Bambara Groundnut Cultivars. *Turkish Journal of Agriculture - Food Science and Technology*, 5(9), 1006–1014. <https://doi.org/10.24925/turjaf.v5i9.1006-1014.949>
- Ahnan-Winarno, A. D., Cordeiro, L., Winarno, F. G., Gibbons, J., & Xiao, H. (2021). Tempeh: A semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *Comprehensive Reviews in Food Science and Food Safety*, 20, 1717–1767. <https://doi.org/10.1111/1541-4337.12710>
- Akande, K. E. (2016). Effects of Anti-nutritive Constituents of Unprocessed Jack Bean (*Canavalia ensiformis*) (L) (DC) Seed Meal on Poultry Performance. *American Journal of Experimental Agriculture*, 10(6), 1–10. <https://doi.org/10.9734/ajea/2016/21980>
- Akinjayeju, O., & Ajayi, O. F. (2011). Effects of Dehulling on Functional and Sensory Properties of Flours From Black Beans (*Phaseolus Vulgaris*). *Food and Nutrition Sciences*, 2, 344–349. <https://doi.org/10.4236/fns.2011.24049>
- Arise, A. K., Malomo, S. A., Ihuoma Cynthia, C., Aliyu, N. A., & Arise, R. O. (2022). Influence of processing methods on the antinutrients, morphology and in-vitro protein digestibility of jack bean. *Food Chemistry Advances*, 1, 100078. <https://doi.org/10.1016/j.focha.2022.100078>
- Ashaolu, T. J., & Reale, A. (2020). A holistic review on euro-asian lactic acid bacteria fermented cereals and vegetables. *Microorganisms*, 8(8), 1–24. <https://doi.org/10.3390/microorganisms8081176>
- Badan Pusat Statistik. (2024). Analisis Produktivitas Jagung dan Kedelai di Indonesia 2023 (Hasil Survei Ubinan). *Badan Pusat Statistik*, 1–110.
- Banti, M., & Bajo, W. (2020). Review on Nutritional Importance and Anti-nutritional Factors of Legumes. *International Journal of Nutrition and Food Sciences*, 9(6), 138. <https://doi.org/10.11648/j.ijnfs.20200906.11>
- Díaz, A. M., Caldas, G. V., & Blair, M. W. (2010). Concentrations of condensed tannins and anthocyanins in common bean seed coats. *Food Research International*, 43(2), 595–601. <https://doi.org/10.1016/j.foodres.2009.07.014>
- Doss, A., Pugalenth, M., Vadivel, V. G., Subhashini, G., & Anitha Subash, R. (2011). Effects of processing technique on the nutritional composition and antinutrients content of under-utilized food legume *Canavalia ensiformis* L.DC. *International Food Research Journal*, 18(3), 965–970.
- Eashwarage I.S., H. H. M. T. and G. K. G. T. (2017). Dietary fibre, resistant starch and in-vitro starch digestibility of selected eleven commonly consumed legumes (Mung bean, Cowpea, Soybean and Horse Gram) in Sri Lanka. *Research Journal of Chemical Sciences*, 7(2).
- Egounlety, M., & Aworh, O. C. (2003). Effect of soaking , dehulling , cooking and fermentation with *Rhizopus oligosporus* on the oligosaccharides , trypsin inhibitor , phytic acid and tannins of soybean (*Glycine max* Merr .), cowpea (*Vigna unguiculata* L . Walp) and groundbean (*Macrotyloma g.* *Journal of Food Engineering*, 56, 249–254.
- Fitriani, A., Santoso, U., & Supriyadi, S. (2021). Conventional Processing Affects Nutritional and Antinutritional Components and in Vitro Protein Digestibility

- in Kabau (*Archidendron bubalinum*). *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/3057805>
- Gibson, R. S., Bailey, K. B., Gibbs, M., & Ferguson, E. L. (2010). A review of phytate, iron, zinc, and calcium concentrations in plant-based complementary foods used in low-income countries and implications for bioavailability. *Food and Nutrition Bulletin*, 31(2 SUPPL.), 134–146. <https://doi.org/10.1177/15648265100312s206>
- Guajardo-Flores, D., Pérez-Carrillo, E., Romo-López, I., Ramírez-Valdez, L. E., Moreno-García, B. E., & Gutiérrez-Urbe, J. A. (2017). Effect of dehulling and germination on physicochemical and pasting properties of black beans (*Phaseolus vulgaris* L.). *Cereal Chemistry*, 94(1), 98–103. <https://doi.org/10.1094/CCHEM-02-16-0017-FI>
- Herdiani, E. (2021). *Koro Pedang, Alternatif Pengganti Kedelai*. Balai Besar Pelatihan Pertanian (BBPP) Lembang.
- Herlambang, S. (2023). *Kacang Koro Bisa Jadi Bahan Pangan Pengganti Kedelai*. DPRD Provinsi Jawa Tengah.
- Lestienne, I., Besançon, P., Caporiccio, B., Lullien-Péllerin, V., & Tréche, S. (2005). Iron and zinc in vitro availability in pearl millet floors (*Pennisetum glaucum*) with varying phytate, tannin, and fiber contents. *Journal of Agricultural and Food Chemistry*, 53(8), 3240–3247. <https://doi.org/10.1021/jf0480593>
- Liberal, Â., Fernandes, Â., Ferreira, I. C. F. R., Vivar-Quintana, A. M., & Barros, L. (2024a). Effect of different physical pre-treatments on physicochemical and techno-functional properties, and on the antinutritional factors of lentils (*Lens culinaris* spp). *Food Chemistry*, 450, 139293. <https://doi.org/10.1016/j.foodchem.2024.139293>
- Liberal, Â., Fernandes, Â., Ferreira, I. C. F. R., Vivar-Quintana, A. M., & Barros, L. (2024b). Effect of different physical pre-treatments on physicochemical and techno-functional properties, and on the antinutritional factors of lentils (*Lens culinaris* spp). *Food Chemistry*, 450(13293), 1–16. <https://doi.org/10.1016/j.foodchem.2024.139293>
- Luo, Y. W., & Xie, W. H. (2013). Effect of different processing methods on certain antinutritional factors and protein digestibility in green and white faba bean (*Vicia faba* L.). *CYTA - Journal of Food*, 11(1), 43–49. <https://doi.org/10.1080/19476337.2012.681705>
- Mas'ud, & Wahyuningsih, S. (2023). *Statistik Konsumsi Pangan 2023*. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian.
- Montanha, G. S., Perez, L. C., Brandão, J. R., de Camargo, R. F., Tavares, T. R., de Almeida, E., & Pereira de Carvalho, H. W. (2024). Profile of mineral nutrients and proteins in soybean seeds (*Glycine max* (L.) Merrill): Insights from 95 varieties cultivated in Brazil. In *Journal of Food Composition and Analysis* (Vol. 134). <https://doi.org/10.1016/j.jfca.2024.106536>
- Ndidi, U. S., Ndidi, C. U., Olagunju, A., Muhammad, A., Billy, F. G., & Okpe, O. (2014). Proximate, Antinutrients and Mineral Composition of Raw and Processed (Boiled and Roasted) *Sphenostylis stenocarpa* Seeds from Southern Kaduna, Northwest Nigeria . *ISRN Nutrition*, 2014, 1–9.

<https://doi.org/10.1155/2014/280837>

- Niveditha, V. R., & Sridhar, K. R. (2014). Antioxidant activity of raw , cooked and Rhizopus oligosporus fermented beans of Canavalia of coastal sand dunes of Southwest India. *Journal Food Science Technology*, 51(11), 3253–3260. <https://doi.org/10.1007/s13197-012-0830-9>
- Njoroge, D. M., Kinyanjui, P. K., Chigwedere, C. M., Christiaens, S., Makokha, A. O., Sila, D. N., & Hendrickx, M. E. (2016). Mechanistic insight into common bean pectic polysaccharide changes during storage, soaking and thermal treatment in relation to the hard-to-cook defect. *Food Research International*, 81, 39–49. <https://doi.org/10.1016/j.foodres.2015.12.024>
- Nout, M. J. R., & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: Update into the third millenium. *Journal of Applied Microbiology*, 98(4), 789–805. <https://doi.org/10.1111/j.1365-2672.2004.02471.x>
- Okolie, N. P., & Ugochukwu, E. N. (1989). Cyanide Contents of Some Nigerian Legumes and the Effect of Simple Processing *. *Food Chemistry*, 32, 209–216.
- Permadi, S. N., Ivanti, L., Indrasari, S. D., & Ambarsari, I. (2023). Size Reduction Consequences on Anti-Nutritional and Chemical Properties of Tempe Made from Underutilized Legumes. *E3S Web of Conferences*, 444, 0–4. <https://doi.org/10.1051/e3sconf/202344404031>
- Purwandari, F A, Annisa, E. D. N., Rachmawati, A. T., Puspitasari, D., Wikandari, R., Setyaningsih, W., Ningrum, A., & Sardjono. (2021). Effect of different cooking methods on chemical composition, nutritional values, and sensory properties of Jack bean (*Canavalia ensiformis*) tempe. *Food Research*, 5(3), 327–333.
- Purwandari, Fiametta Ayu, Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food and Function*, 15(7), 3680–3691. <https://doi.org/10.1039/d3fo05379b>
- Purwandari, Fiametta Ayu, Fogliano, V., de Ruijter, N. C. A., & Capuano, E. (2023). Chemical and microstructural characterization of easy- and hard-to-cook Jack bean (*Canavalia ensiformis* (L.) DC.) collections. *Lwt*, 189(November), 115451. <https://doi.org/10.1016/j.lwt.2023.115451>
- Purwandari, Fiametta Ayu, Westerbos, C., Lee, K., Fogliano, V., & Capuano, E. (2023). Proximate composition, microstructure, and protein and starch digestibility of seven collections of Jack bean (*Canavalia ensiformis*) with different optimal cooking times. *Food Research International*, 170(May), 112956. <https://doi.org/10.1016/j.foodres.2023.112956>
- Puspitojati, E., Indrati, R., Cahyanto, M. N., & Marsono, Y. (2019). Jack bean as tempe ingredients: The safety study and fate of protein against gastrointestinal enzymes. *IOP Conference Series: Earth and Environmental Science*, 346(1). <https://doi.org/10.1088/1755-1315/346/1/012070>
- Qureshi, S., & Hamid, A. (2020a). Effect of overnight soaking and boiling on phytic acid, tannins, saponins and proximate composition in legumes. *Journal of Pure and Applied Agriculture*, 5(3), 17–25.

- Qureshi, S., & Hamid, A. (2020b). Effect of overnight soaking and boiling on phytic acid, tannins, saponins and proximate composition in legumes. *Journal of Pure and Applied Agriculture*, 5(3), 17–25. <http://jpaa.aiou.edu.pk/>
- Raes, K., Knockaert, D., Struijs, K., & Van Camp, J. (2014). Role of processing on bioaccessibility of minerals: Influence of localization of minerals and anti-nutritional factors in the plant. *Trends in Food Science and Technology*, 37(1), 32–41. <https://doi.org/10.1016/j.tifs.2014.02.002>
- Rahayu, W. P., Pambayun, R., Santoso, U., Nuraida, L., & Ardiansyah. (2015). Tinjauan Ilmiah Proses Pengolahan Tempe Kedelai. In *Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI)*. Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI).
- Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26(August). <https://doi.org/10.1016/j.ijgfs.2021.100413>
- Rossander, L., Sandberg, A.-S., & Sandström, B. (1992). *The Influence of Dietary Fibre on Mineral Absorption and Utilisation*. 1982, 197–216. https://doi.org/10.1007/978-1-4471-1928-9_11
- Rousseau, S., Kyomugasho, C., Celus, M., Hendrickx, M. E. G., & Grauwet, T. (2020). Barriers impairing mineral bioaccessibility and bioavailability in plant-based foods and the perspectives for food processing. *Critical Reviews in Food Science and Nutrition*, 60(5), 826–843. <https://doi.org/10.1080/10408398.2018.1552243>
- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Production, Processing and Nutrition*, 2(6), 1–14. <https://doi.org/10.1186/s43014-020-0020-5>
- Sanaei Nasab, S., Tahmouzi, S., Feizollahi, E., & Mollakhalili-Meybodi, N. (2024). Impacts of novel non-thermal processing (NTP) on anti-nutritional compounds of food grains and seeds. *Food Control*, 162(March). <https://doi.org/10.1016/j.foodcont.2024.110469>
- Shah, A. M., Tarfeen, N., Mohamed, H., & Song, Y. (2023). Fermented Foods: Their Health-Promoting Components and Potential Effects on Gut Microbiota. *Fermentation*, 9(118), 1–23. <https://doi.org/10.3390/fermentation9020118>
- Sheikh, M. A., & Saini, C. S. (2022). Combined effect of microwave and hydrothermal treatment on anti-nutritional factors, antioxidant potential and bioactive compounds of plum (*Prunus domestica* L.) kernels. *Food Bioscience*, 46(November 2021). <https://doi.org/10.1016/j.fbio.2021.101467>
- Sheikh, M. A., Saini, C. S., & Sharma, H. K. (2022). Synergistic effect of microwave heating and hydrothermal treatment on cyanogenic glycosides and bioactive compounds of plum (*Prunus domestica* L.) kernels: An analytical approach. *Current Research in Food Science*, 5(October 2021), 65–72. <https://doi.org/10.1016/j.crfs.2021.12.007>
- Shurtleff, W., & Aoyagi, A. (2022). History of Tempeh and Tempeh Product. In *Soyinfo Center*. Soyinfo Center.
- Sibiya, H., Bhagwat, P., Amobonye, A., & Pillai, S. (2022). Effects of flaxseed and soybean supplementation on the nutritional and antioxidant properties of mahewu – a South African beverage. *South African Journal of Botany*, 150,

- 275–284. <https://doi.org/10.1016/j.sajb.2022.07.032>
- Singh, P., Pandey, V. K., Sultan, Z., Singh, R., & Dar, A. H. (2023). Classification, benefits, and applications of various anti-nutritional factors present in edible crops. *Journal of Agriculture and Food Research*, 14(November). <https://doi.org/10.1016/j.jafr.2023.100902>
- Sokrab, A. M., Mohamed Ahmed, I. A., & Babiker, E. E. (2014). Effect of fermentation on antinutrients, and total and extractable minerals of high and low phytate corn genotypes. *Journal of Food Science and Technology*, 51(10), 2608–2615. <https://doi.org/10.1007/s13197-012-0787-8>
- Sowndhararajan, K., Siddhuraju, P., & Manian, S. (2011). Antioxidant Activity of the Differentially Processed Seeds of Jack. *Food Science and Biotechnology*, 20(3), 585–591. <https://doi.org/10.1007/s10068-011-0083-9>
- Sreerama, Y. N., Neelam, D. A., Sashikala, V. B., & Pratape, V. M. (2010). Distribution of nutrients and antinutrients in milled fractions of chickpea and horse gram: Seed coat phenolics and their distinct modes of enzyme inhibition. *Journal of Agricultural and Food Chemistry*, 58(7), 4322–4330. <https://doi.org/10.1021/jf903101k>
- Statistik, B. P. (2024). Impor Kedelai Menurut Negara Asal Utama, 2017-2023. In *Badan Pusat Statistik*.
- Toor, B. S., Kaur, A., Sahota, P. P., & Kaur, J. (2021). Antioxidant Potential , Antinutrients , Mineral Composition and FTIR Spectra of Legumes Fermented with *Rhizopus oligosporus*. *Food Technology & Biotechnology*, 59(4), 530–542.
- Triyanti, D. R. (2020). Outlook Komoditas Pertanian Tanaman Pangan Kedelai. In *Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian*.
- Wan-Mohtar, W. A. A. Q. I., Ilham, Z., Jamaludin, A. A., David, W., & Mohd Zaini, N. A. (2022). Fermented foods as alternative functional foods during post-pandemic in Asia. *Frontiers in Food Science and Technology*, 2, 1–7. <https://doi.org/10.3389/frfst.2022.1047970>
- Wanjekeche, E., Wakasa, V., & Mureithi, J. . (2003a). Effect of germination, alkaline and acid soaking and boiling on the nutritional value of mature and immature *Mucuna* (*Mucuna pruriens*) beans. *Tropical and Subtropical Agroecosystems*, 1, 183–192.
- Wanjekeche, E., Wakasa, V., & Mureithi, J. G. (2003b). Effect Of Germination, Alkaline And Acid Soaking And Boiling On The Nutritional Value Of Mature And Immature *Mucuna* (*Mucuna Pruriens*) Beans. *Tropical and Subtropical Agroecosystems*, 1, 183–192.
- Xu, B., & Chang, S. K. C. (2008). Effect of soaking, boiling, and steaming on total phenolic content and antioxidant activities of cool season food legumes. *Food Chemistry*, 110(1), 1–13. <https://doi.org/10.1016/j.foodchem.2008.01.045>