

DAFTAR PUSTAKA

- Achard, J.-L., Drew, D. A., & Lahey, R. T. (1985). The analysis of nonlinear density-wave oscillations in boiling channels. *Journal of Fluid Mechanics*, 155, 213. <https://doi.org/10.1017/S0022112085001781>
- Adrian, H., Roswandi, I., Gunawan, H. A., Sanda, Sukarno, R., Syaka, D. R. B., & Juarsa, M. (2023). Perhitungan Estimasi Laju Aliran Sirkulasi Alami pada Untai Bertekanan FASSIP-05. *Jurnal Ilmiah Teknik Mesin*.
- Adtyas Budiman, A., Heru, G. B., & Juarsa, M. (2019). Analisis Sistem Pengendalian Temperatur WHT dalam Operasi Tunak Untai Uji FASSIP-02. Dalam *Jurnal Pengembangan Energi Nuklir* (Vol. 21, Nomor 2).
- Antariksawan, A. R., Juarsa, M., Sundari, T., Ismarwanti, S., Widodo, S., Kusuma, M. H., Subekti, M., & Putra, N. (2019). Study of heat transfer in a water cooling tank with c-shaped heat exchanger and straight heat pipe under natural circulation. *AIP Conference Proceedings*, 2062. <https://doi.org/10.1063/1.5086554>
- Antariksawan, A. R., Widodo, S., Juarsa, M., Haryanto, D., Kusuma, M. H., & Putra, N. (2018a). Numerical study on natural circulation characteristics in FASSIP-02 experimental facility using RELAP5 code. *IOP Conference Series: Earth and Environmental Science*, 105(1). <https://doi.org/10.1088/1755-1315/105/1/012090>
- Antariksawan, A. R., Widodo, S., Juarsa, M., Haryanto, D., Kusuma, M. H., & Putra, N. (2018b). SIMULATION OF OPERATIONAL CONDITIONS OF FASSIP-02 NATURAL CIRCULATION COOLING SYSTEM EXPERIMENTAL LOOP. *Jurnal Sains dan Teknologi Nuklir Indonesia*, 19(1), 40. <https://doi.org/10.17146/jstni.2018.19.1.4036>

- Basu, D. N. (2019). Dynamic frequency response of a single-phase natural circulation loop under an imposed sinusoidal excitation. *Annals of Nuclear Energy*, 132, 603–614. <https://doi.org/10.1016/j.anucene.2019.06.050>
- Beaugé, C., & Cincotta, P. M. (2019). Shannon entropy applied to the planar restricted three-body problem. *Celestial Mechanics and Dynamical Astronomy*, 131(11), 52. <https://doi.org/10.1007/s10569-019-9933-1>
- Bejjam, R. B., Kiran Kumar, K., & Balasubramanian, K. (2019). Experimental Studies on Nanofluid-Based Rectangular Natural Circulation Loop. *Journal of Thermal Science and Engineering Applications*, 11(4). <https://doi.org/10.1115/1.4043760>
- Bergé, P., & Dubois, M. (1984). Rayleigh-bénard convection. *Contemporary Physics*, 25(6), 535–582. <https://doi.org/10.1080/00107518408210730>
- Bergman, T. L. ., & Levine, A. S. . (2019). *Fundamentals of heat and mass transfer*. John Wiley & Sons, Inc.
- Bernier, M. A., & Baliga, B. R. (1992). A 1-D/2-D model and experimental results for a closed-loop thermosyphon with vertical heat transfer sections. *International Journal of Heat and Mass Transfer*, 35(11), 2969–2982. [https://doi.org/10.1016/0017-9310\(92\)90317-L](https://doi.org/10.1016/0017-9310(92)90317-L)
- Bodenschatz, E., Pesch, W., & Ahlers, G. (2000). Recent Developments in Rayleigh-Bénard Convection. *Annual Review of Fluid Mechanics*, 32(1), 709–778. <https://doi.org/10.1146/annurev.fluid.32.1.709>
- Boure, J. A., Bergles, A. E., & Tong, L. S. (1973). Review of two-phase flow instability. *Nuclear Engineering and Design*, 25(2), 165–192. [https://doi.org/10.1016/0029-5493\(73\)90043-5](https://doi.org/10.1016/0029-5493(73)90043-5)
- Bulusu, K., & Plesniak, M. (2015). Shannon Entropy-Based Wavelet Transform Method for Autonomous Coherent Structure Identification in Fluid Flow Field Data. *Entropy*, 17(10), 6617–6642. <https://doi.org/10.3390/e17106617>

- Çengel, Y. A. ., & Ghajar, A. J. . (2015). *Heat and mass transfer : fundamentals & applications*. McGraw Hill Education.
- Chung, Y. J., Yang, S. H., Kim, H. C., & Zee, S. Q. (2004). Thermal hydraulic calculation in a passive residual heat removal system of the SMART-P plant for forced and natural convection conditions. Dalam *Nuclear Engineering and Design* (Vol. 232, Nomor 3, hlm. 277–288). <https://doi.org/10.1016/j.nucengdes.2004.07.002>
- Cincotta, P. M., Giordano, C. M., Alves Silva, R., & Beaugé, C. (2021). The Shannon entropy: An efficient indicator of dynamical stability. *Physica D: Nonlinear Phenomena*, 417, 132816. <https://doi.org/10.1016/j.physd.2020.132816>
- Costa, P. (2018). A FFT-based finite-difference solver for massively-parallel direct numerical simulations of turbulent flows. *Computers & Mathematics with Applications*, 76(8), 1853–1862. <https://doi.org/10.1016/j.camwa.2018.07.034>
- Creveling, H. F., De Paz, J. F., Baladi, J. Y., & Schoenhals, R. J. (1975). Stability characteristics of a single-phase free convection loop. *Journal of Fluid Mechanics*, 67(1), 65–84. <https://doi.org/10.1017/S0022112075000171>
- D’Auria, F., Frogheri, M., & Misale, M. (1997). System codes capabilities in predicting instabilities in single-phase natural circulation. *Proceedings of 4th Regional Meeting Nuclear Energy in Central Europe*.
- Demazière, C., Marcel, C., Rohde, M., & van der Hagen, T. (2008). Multifractal Analysis of Chaotic Flashing-Induced Instabilities in Boiling Channels in the Natural-Circulation CIRCUS Facility. *Nuclear Science and Engineering*, 158(2), 164–193. <https://doi.org/10.13182/NSE08-A2745>
- Dené, P., Montout, M., Garcia, E., Telkkä, J., Riikonen, V., & David, F. (2024). Frequency and amplitude of flashing-induced instability in an open natural

circulation loop. *Nuclear Engineering and Design*, 424.
<https://doi.org/10.1016/j.nucengdes.2024.113279>

Ecke, R. E., & Shishkina, O. (2023). Turbulent Rotating Rayleigh–Bénard Convection. *Annual Review of Fluid Mechanics*, 55(1), 603–638.
<https://doi.org/10.1146/annurev-fluid-120720-020446>

Engelmann, L., Ihme, M., Wlokas, I., & Kempf, A. (2022). Towards the Suitability of Information Entropy as an LES Quality Indicator. *Flow, Turbulence and Combustion*, 108(2), 353–385. <https://doi.org/10.1007/s10494-021-00277-8>

Fukuda, K., & Kobori, T. (1979). Classification of Two-Phase Flow Instability by Density Wave Oscillation Model. *Journal of Nuclear Science and Technology*, 16(2), 95–108. <https://doi.org/10.1080/18811248.1979.9730878>

Furuya, M., Inada, F., & Van Der Hagen, T. H. J. J. (2005). Flashing-induced density wave oscillations in a natural circulation BWR - Mechanism of instability and stability map. *Nuclear Engineering and Design*, 235(15), 1557–1569. <https://doi.org/10.1016/j.nucengdes.2005.01.006>

Garibaldi, P., & Misale, M. (2008). Experiments in single-phase natural circulation miniloops with different working fluids and geometries. *Journal of Heat Transfer*, 130(10). <https://doi.org/10.1115/1.2948393>

Gartia, M. R., Vijayan, P. K., & Pilkhwal, D. S. (2006). A generalized flow correlation for two-phase natural circulation loops. *Nuclear Engineering and Design*, 236(17), 1800–1809.
<https://doi.org/10.1016/j.nucengdes.2006.02.004>

Gebhart, B. (1973). *Natural Convection Flows and Stability* (hlm. 273–348).
[https://doi.org/10.1016/S0065-2717\(08\)70064-9](https://doi.org/10.1016/S0065-2717(08)70064-9)

Ghorbanali, Z., & Talebi, S. (2020). Investigation of a nanofluid-based natural circulation loop. *Progress in Nuclear Energy*, 129.
<https://doi.org/10.1016/j.pnucene.2020.103494>

- Giarno, J., Prasetyo, W., Nur, A., Teknologi, R. P., Keselamatan, D., & Nuklir - Batan, R. (2016). *ANALISIS LAJU ALIRAN AIR DI COOLER PADA HEAT SINK SYSTEM UNTAI UJI FASSIP* (Vol. 20, Nomor 1).
- Grashof, F. (1875). *Theoretische Maschinenlehre*. Leipzig: L. Voss.
- Greif, R., Zvirin, Y., & Mertol, A. (1979). The Transient and Stability Behavior of a Natural Convection Loop. *Journal of Heat Transfer*, 101(4), 684–688. <https://doi.org/10.1115/1.3451057>
- Haryanto, D., Giarno, G., Pamungkas, A. E., Rosidi, A., Kusnugroho, G. B. H., & Juarsa, M. (2022). Analisis Kekuatan Mekanik pada Struktur Cooling Tank Section Untai FASSIP-03 NT Berbasis Simulasi Software. *Semesta Teknika*, 25(1), 24–32. <https://doi.org/10.18196/st.v25i1.13470>
- Haryanto, D., Rosidi, A., Heru K, G. B., Giarno, G., Juarsa, M., Dermawan, T., Wijaya, R. N., & Yunus, Y. (2022). Perhitungan dan Penentuan Jenis Aliran pada Untai FASSIP-03 NT Saat Komisioning Berdasarkan Variasi Daya Pemanas. *Prosiding Sains Nasional dan Teknologi*, 12(1), 90. <https://doi.org/10.36499/psnst.v12i1.7196>
- Holman, J. P. (2012). *Experimental Methods for Engineers 8th Edition*. www.mhhe.com/holman
- Holman, J. P., & Boggs, J. H. (1960). *Heat Transfer to Freon 12 Near the Critical State in a Natural-Circulation Loop*. <http://heattransfer.asmedigitalcollection.asme.org/>
- Huhn, F., Schanz, D., Gesemann, S., & Schröder, A. (2016). FFT integration of instantaneous 3D pressure gradient fields measured by Lagrangian particle tracking in turbulent flows. *Experiments in Fluids*, 57(9), 151. <https://doi.org/10.1007/s00348-016-2236-3>
- IAEA TECDOC 920. (1994). *Technical feasibility and reliability of passive safety systems for nuclear power plants*.

IAEA TECDOC 1624. (2009). *Passive Safety Systems and Natural Circulation in Water Cooled Nuclear Power Plants*.

IAEA TECDOC 1785. (2016). *Design Safety Considerations for Water Cooled Small Modular Reactors Incorporating Lessons Learned from the Fukushima Daiichi Accident*.

Incropera, F. P. . (2007). *Fundamentals of heat and mass transfer*. John Wiley.

Jain, K. C., Petrick, M., Miller, D., & Bankoff, S. G. (1966). Self-sustained hydrodynamic oscillations in a natural-circulation boiling water loop. *Nuclear Engineering and Design*, 4(3), 233–252. [https://doi.org/10.1016/0029-5493\(66\)90049-5](https://doi.org/10.1016/0029-5493(66)90049-5)

Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Haryanto, D., & Putra, N. (2018). Estimation of natural circulation flow based on temperature in the FASSIP-02 large-scale test loop facility. *IOP Conference Series: Earth and Environmental Science*, 105(1). <https://doi.org/10.1088/1755-1315/105/1/012091>

Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Putra, N., & Moniaga, P. P. (2019a). Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on Experimental Data Pre-FASSIP-02. *Journal of Physics: Conference Series*, 1198(2). <https://doi.org/10.1088/1742-6596/1198/2/022073>

Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Putra, N., & Moniaga, P. P. (2019b). Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on Experimental Data Pre-FASSIP-02. *Journal of Physics: Conference Series*, 1198(2). <https://doi.org/10.1088/1742-6596/1198/2/022073>

Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Widodo, S., & Putra, N. (2019a). The effect of power and cooler flow on time responds of flow stability in natural circulation phenomenon using FASSIP-01 loop. *AIP Conference Proceedings*, 2062. <https://doi.org/10.1063/1.5086555>

- Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Widodo, S., & Putra, N. (2019b). The effect of power and cooler flow on time responds of flow stability in natural circulation phenomenon using FASSIP-01 loop. *AIP Conference Proceedings*, 2062. <https://doi.org/10.1063/1.5086555>
- Juarsa, M., Giarno, Rohman, A. N., Heru, K. G. B., Witoko, J. P., & Tjahyani, D. T. S. (2018). Flow rate and temperature characteristics in steady state condition on FASSIP-01 loop during commissioning. *Journal of Physics: Conference Series*, 962(1). <https://doi.org/10.1088/1742-6596/962/1/012021>
- Kamiński, M., & Ossowski, R. L. (2025). Application of Shannon Entropy to Reaction–Diffusion Problems Using the Stochastic Finite Difference Method. *Entropy*, 27(7), 705. <https://doi.org/10.3390/e27070705>
- Kang, S. H., Lee, S. W., & Kang, H. G. (2019). Performance analysis of the passive safety features of iPOWER under Fukushima-like accident conditions. *Nuclear Engineering and Technology*, 51(3), 676–682. <https://doi.org/10.1016/j.net.2018.11.010>
- Kharisma, S., Yuliaji, D., Pamungkas, A. E., Budiman, A. A., Rafel, M., Maryadi, S. A., Oktaviandi, R., Budiyanto, N. R., Setiyawan, P. H., Septiadi, W. N., & Juarsa, M. (2025). Impact of Cooler Temperature Variations on Flow Boiling Phenomena in a Natural Circulation Rectangular Loop. *Journal of Physics: Conference Series*, 2972(1). <https://doi.org/10.1088/1742-6596/2972/1/012020>
- Kim, J. M., & Lee, S. Y. (2000). Experimental observation of flow instability in a semi-closed two-phase natural circulation loop. Dalam *Nuclear Engineering and Design* (Vol. 196). www.elsevier.com/locate/nucengdes
- Kim, Y. S., Bae, S. W., Cho, S., Kang, K. H., & Park, H. S. (2016). Application of direct passive residual heat removal system to the SMART reactor. *Annals of Nuclear Energy*, 89, 56–62. <https://doi.org/10.1016/j.anucene.2015.11.025>

- Kline, S. J., & F. A. McClintock. (1953). Describing Uncertainties in Single-Sample Experiments. *Mech. Eng.*
- Koca, H. D., Doganay, S., & Turgut, A. (2017). Thermal characteristics and performance of Ag-water nanofluid: Application to natural circulation loops. *Energy Conversion and Management*, 135, 9–20. <https://doi.org/10.1016/j.enconman.2016.12.058>
- Krishnan, V. S., & Gulshani, P. (1987). Stability of natural-circulation flow in a candu-type fuel channel. *Nuclear Engineering and Design*, 99, 403–412. [https://doi.org/10.1016/0029-5493\(87\)90136-1](https://doi.org/10.1016/0029-5493(87)90136-1)
- Kudariyawah, J. Y., Srivastava, A. K., Vaidya, A. M., Maheshwari, N. K., & Satyamurthy, P. (2016). Computational and experimental investigation of steady state and transient characteristics of molten salt natural circulation loop. *Applied Thermal Engineering*, 99, 560–571. <https://doi.org/10.1016/j.applthermaleng.2015.12.114>
- Liao, Y., Dresden -Rossendorf, H.-Z., Schuster, C., Hu, S., & Lucas, D. (2018). *CFD MODELLING OF FLASHING INSTABILITY IN NATURAL CIRCULATION COOLING SYSTEMS*. <http://proceedings.asmedigitalcollection.asme.org>
- Lin, J., & Qu, L. (2000). Feature extraction based on morlet wavelet and its application for mechanical fault diagnosis. *Journal of Sound and Vibration*, 234(1), 135–148. <https://doi.org/10.1006/jsvi.2000.2864>
- Liu, Y., Yang, H., Wang, J., Li, Y., Yu, Q., & Fang, H. (2025). Wavelet analysis of temperature oscillation signals in a global glass pulsating heat pipe. *Applied Thermal Engineering*, 259, 124896. <https://doi.org/10.1016/j.applthermaleng.2024.124896>
- Lu, D., Xiao, Z., & Chen, B. (2010). A new method to derive one set of scaling criteria for reactor natural circulation at single and two-phase conditions.

Nuclear Engineering and Design, 240(11), 3851–3861.

<https://doi.org/10.1016/j.nucengdes.2010.08.012>

Lu, D., Zhang, Y., Wang, Z., Fu, X., Yang, Y., & Cao, Q. (2016). Numerical and experimental investigation on the baffle design in secondary side of the PRHR HX in AP1000. *Annals of Nuclear Energy*, 94, 359–368. <https://doi.org/10.1016/j.anucene.2016.04.003>

Misale, M. (2016). Experimental study on the influence of power steps on the thermohydraulic behavior of a natural circulation loop. Dalam *International Journal of Heat and Mass Transfer* (Vol. 99, hlm. 782–791). Elsevier Ltd. <https://doi.org/10.1016/j.ijheatmasstransfer.2016.04.036>

Misale, M., Devia, F., & Garibaldi, P. (2012). Experiments with Al₂O₃ nanofluid in a single-phase natural circulation mini-loop: Preliminary results. *Applied Thermal Engineering*, 40, 64–70. <https://doi.org/10.1016/j.applthermaleng.2012.01.053>

Nayak, A. K., Lathouwers, D., Van Der Hagen, T. H. J. J., Schrauwen, F., Molenaar, P., & Rogers, A. (2006). A numerical study of boiling flow instability of a reactor thermosyphon system. *Applied Thermal Engineering*, 26(5–6), 644–653. <https://doi.org/10.1016/j.applthermaleng.2005.05.019>

Nayak, A. K., Vijayan, P. K., Jain, V., Saha, D., & Sinha, R. K. (2003). Study on the flow-pattern-transition instability in a natural circulation heavy water moderated boiling light water cooled reactor. *Nuclear Engineering and Design*, 225(2–3), 159–172. [https://doi.org/10.1016/S0029-5493\(03\)00153-5](https://doi.org/10.1016/S0029-5493(03)00153-5)

Nayak, A. K., Vijayan, P. K., Saha, D., Raj, V. V., & Aritomi, M. (2000). Analytical study of nuclear-coupled density-wave instability in a natural circulation pressure tube type boiling water reactor. Dalam *Nuclear Engineering and Design* (Vol. 195). www.elsevier.com/locate/nucengdes

- Ningsih, L. F., Sofyan, A. R., Giarno, Haryanto, D., Witoko, J. P., & Juarsa, M. (t.t.). *Estimasi Perhitungan Kalor dan Laju Aliran Kalor pada Untai FASSIP-02*.
- Noufal, M., Prasetio, J., Haryanto, D., & Juarsa, M. (2015). ANALISIS UNJUK KERJA PEMANAS DAN PENDINGIN DI UNTAI FASILITAS SIMULASI SISTEM PASIF. Dalam *Agustus* (Vol. 19, Nomor 2).
- Nuñez-Carrera, A., Prieto-Guerrero, A., Espinosa-Martínez, E.-G., & Espinosa-Paredes, G. (2009). Analysis of a signal during bistable flow events in Laguna Verde Nuclear Power Station with wavelets techniques. *Nuclear Engineering and Design*, 239(12), 2942–2951. <https://doi.org/10.1016/j.nucengdes.2009.09.008>
- Pablo M. Cincotta, & Claudia M. Giordano. (2025). Efficient Techniques to Cope with Chaotic Dynamics in Deterministic Systems. *Solar System Research*, 59(4), 34. <https://doi.org/10.1134/S0038094624601828>
- Park, R. J., Ham, J., Kim, S. H., Kim, S. Il, Lee, B., & Kim, J. (2021). Development of severe accident mitigation technology and analysis for SMART. *Nuclear Engineering and Design*, 374. <https://doi.org/10.1016/j.nucengdes.2021.111061>
- Perna, R., Abela, M., Mameli, M., Mariotti, A., Pietrasanta, L., Marengo, M., & Filippeschi, S. (2020). Flow characterization of a pulsating heat pipe through the wavelet analysis of pressure signals. *Applied Thermal Engineering*, 171. <https://doi.org/10.1016/j.applthermaleng.2020.115128>
- Pomier Ba'ez, L. E. (2002). CAREM-25: Energy and Safety for the Future. *2002 International Joint Power Generation Conference*, 1047–1054. <https://doi.org/10.1115/IJPGC2002-26187>
- Putra, E. A. R., Giarno, P, A. E., K, G. B. H., A.A, A. S., & Juarsa, M. (2022). Karakteristik Perubahan Temperatur Bagian Pendingin Selama Sirkulasi Alam untuk Kondisi Tunak pada Untai Uji FASSIP-02. *JMPM (Jurnal Material dan*

Proses Manufaktur, 5(2), 114–122.
<https://doi.org/10.18196/jmpm.v5i2.14064>

Putra, M. G., Deendarlianto, Pamungkas, A. E., Ariesta, E. P., Oktaviandi, R., Setiawan, P. H., Roshanti, F., Budiyanoto, N. R., Akbar, R., & Juarsa, M. (2025). Investigation of natural circulation flow instability based on thermal effect during steady-state condition using wavelet and chaotic analysis. *Nuclear Engineering and Design*, 443. <https://doi.org/10.1016/j.nucengdes.2025.114299>

Qu, Z., Li, Y., Pan, J., Li, D., Yang, C., Wang, X., & Guo, Y. (2022). Study on pressure surge characteristics of reactor coolant pump shaft stuck accident condition based on wavelet analysis. *Nuclear Engineering and Design*, 397, 111921. <https://doi.org/10.1016/j.nucengdes.2022.111921>

Rahman, Z. I., Haryanto, D., Heru, G. K., Gede Putu Agus Suryawan, I., Ketut Gede Wirawan, I., Widodo, S., & Juarsa, M. (2021). *Analisis Simulasi Efek Perbedaan Fluida Kerja terhadap Aliran Sirkulasi Alam di Untai FASSIP-01 Mod.02*.

Rassame, S., Hibiki, T., & Ishii, M. (2017). ESBWR passive safety system performance under loss of coolant accidents. *Progress in Nuclear Energy*, 96, 1–17. <https://doi.org/10.1016/j.pnucene.2016.12.005>

Rayleigh, Lord. (1916). On convection currents in a horizontal layer of fluid, when the higher temperature is on the under side. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 32(192), 529–546. <https://doi.org/10.1080/14786441608635602>

Reynolds, O. (1895). IV. On the dynamical theory of incompressible viscous fluids and the determination of the criterion. *Philosophical Transactions of the Royal Society of London. (A.)*, 186, 123–164. <https://doi.org/10.1098/rsta.1895.0004>

Sadowsky, J. (1996). *Investigation of Signal Characteristics Using the Continuous Wavelet Transform* (Vol. 17, Nomor 3).

- Saha, R., Ghosh, K., Mukhopadhyay, A., & Sen, S. (2018). Dynamic characterization of a single phase square natural circulation loop. *Applied Thermal Engineering*, *128*, 1126–1138. <https://doi.org/10.1016/j.applthermaleng.2017.09.092>
- Samuel, R., Samtaney, R., & Verma, M. K. (2022). Large-eddy simulation of Rayleigh–Bénard convection at extreme Rayleigh numbers. *Physics of Fluids*, *34*(7). <https://doi.org/10.1063/5.0099979>
- Shannon, C. E. (1948). A Mathematical Theory of Communication. *Bell System Technical Journal*, *27*(3), 379–423. <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>
- Shevaladze, A. A., Hery Setiawan, P., Rosidi, A., Haryanto, D., Heru, G. K., Enggar, A. P., Putra, E. A., Tasri, A., & Juarsa, M. (2022). Analysis of Heat Loss in Water Heating Tanks Based on Temperature Setting Variation During Natural Circulation Flow using FASSIP-02 Test Loop. *Indonesian Journal of Nuclear Science and Technology) Raya Lenteng Agung*, *23*(1), 12640. <https://doi.org/10.17146/jstni.2022.23.1.6542>
- Sri Wardhani, V. I., Joni, I. M., Panatarani, C., Hanam, E. S., Kharisma, S., Maryadi, S. A., Rosidi, A., Budiman, A. A., Ismarwanti, S., Setiawan, P. H., Roswandi, I., Ariesta, E. P., Akbar, R., Gunawan, H. A., Pamungkas, A. E., & Juarsa, M. (2025). Enhancing the natural circulation flow using ultrafine bubbles: Simulation and experimental. *International Journal of Thermal Sciences*, *218*. <https://doi.org/10.1016/j.ijthermalsci.2025.110181>
- Srivastava, T., Gond, A. K., & Basu, D. N. (2025). Naturally circulated system under low to moderate heating condition with supercritical fluid: A comprehensive investigation of loop orientation and Ledinegg instability. *Applied Thermal Engineering*, *260*. <https://doi.org/10.1016/j.applthermaleng.2024.125035>
- Swapnalee, B. T., & Vijayan, P. K. (2011). A generalized flow equation for single phase natural circulation loops obeying multiple friction laws. *International*

Journal of Heat and Mass Transfer, 54(11–12), 2618–2629.
<https://doi.org/10.1016/j.ijheatmasstransfer.2011.01.023>

Vijayan, P. K. (2002). Experimental observations on the general trends of the steady state and stability behaviour of single-phase natural circulation loops. *Nuclear Engineering and Design*, 215(1–2), 139–152. [https://doi.org/10.1016/S0029-5493\(02\)00047-X](https://doi.org/10.1016/S0029-5493(02)00047-X)

Vijayan, P. K., & Austregesilo, H. (1994). Scaling laws for single-phase natural circulation loops. *Nuclear Engineering and Design*, 152(1–3), 331–347. [https://doi.org/10.1016/0029-5493\(94\)90095-7](https://doi.org/10.1016/0029-5493(94)90095-7)

Vijayan, P. K., Nayak, A. K., & Kumar, N. (2019). *Single-Phase, Two-Phase and Supercritical Natural Circulation Systems*. Elsevier. <https://doi.org/10.1016/C2017-0-01142-4>

Vijayan, P. K., Sharma, M., & Saha, D. (2007). Steady state and stability characteristics of single-phase natural circulation in a rectangular loop with different heater and cooler orientations. *Experimental Thermal and Fluid Science*, 31(8), 925–945. <https://doi.org/10.1016/j.expthermflusci.2006.10.003>

Wahidi, T., Chandavar, R. A., & Yadav, A. K. (2021). Supercritical CO₂ flow instability in natural circulation loop: CFD analysis. *Annals of Nuclear Energy*, 160. <https://doi.org/10.1016/j.anucene.2021.108374>

Waluyo, R., Deendarlianto, Indarto, Yuliaji, D., Sri Wardhani, V. I., Afandi, A., Putra, M. G., Oktaviandi, R., Kharisma, S., Maryadi, S. A., Astyanto, A. H., & Juarsa, M. (2026). Design of rectangular single-phase natural circulation loop based on working fluid and geometry parameters to enhancement stability and mass flow rates: A research review. *Progress in Nuclear Energy*, 191, 106037. <https://doi.org/10.1016/j.pnucene.2025.106037>

- Wang, J. Y., Chuang, T. J., & Ferng, Y. M. (2013). CFD investigating flow and heat transfer characteristics in a natural circulation loop. *Annals of Nuclear Energy*, 58, 65–71. <https://doi.org/10.1016/j.anucene.2013.01.015>
- Weiwei, W., Wenxi, T., Guanghui, S., & Suizheng, Q. (2012). Development of a thermal–hydraulic safety analysis code RETAC for AP1000. *Progress in Nuclear Energy*, 55, 49–60. <https://doi.org/10.1016/j.pnucene.2011.11.002>
- Welander, P. (1967). On the oscillatory instability of a differentially heated fluid loop. *J. Fluid Mech*, 29(1), 17–30.
- Wijesekera, H. W., & Dillon, T. M. (1997). Shannon entropy as an indicator of age for turbulent overturns in the oceanic thermocline. *Journal of Geophysical Research: Oceans*, 102(C2), 3279–3291. <https://doi.org/10.1029/96JC03605>
- Yadav, A. K., Ram Gopal, M., & Bhattacharyya, S. (2012). CFD analysis of a CO₂ based natural circulation loop with end heat exchangers. *Applied Thermal Engineering*, 36(1), 288–295. <https://doi.org/10.1016/j.applthermaleng.2011.10.031>
- Yuliaji, D., Waluyo, R., Pramono, G. E., Putra, M. G., Budiyanto, N. R., Mariadi, S. A., Kharisma, S., Oktaviandi, R., Deendarlianto, Indarto, & Juarsa, M. (2025). Thermal-hydraulics performance and stability two-phase flow using Al₂O₃ nanofluids in an open natural circulation loop. *Annals of Nuclear Energy*, 218. <https://doi.org/10.1016/j.anucene.2025.111424>
- Yuliaji, D., Waluyo, R., Pramono, G. E., Setiawan, P. H., & Juarsa, M. (2023). Uji Komisioning Fasilitas Sistem Simulasi Passif 04 Versi 2 (FASSIP-04 Ver.2) untuk Studi Kemampuan Pendingin Pasif pada Sistem Keselamatan Reaktor Nuklir. *Jurnal Ilmiah Teknik Mesin*.
- Zvirin, Y. (1982). A review of natural circulation loops in pressurized water reactors and other systems. *Nuclear Engineering and Design*, 67(2), 203–225. [https://doi.org/10.1016/0029-5493\(82\)90142-X](https://doi.org/10.1016/0029-5493(82)90142-X)

Zvirin, Y., & Greif, R. (1979). Transient behavior of natural circulation loops: Two vertical branches with point heat source and sink. *International Journal of Heat and Mass Transfer*, 22(4), 499–504. [https://doi.org/10.1016/0017-9310\(79\)90053-X](https://doi.org/10.1016/0017-9310(79)90053-X)

Zvirin, Y., Jeuck, P. R., Sullivan, C. W., & Duffey, R. B. (1981). Experimental and Analytical Investigation of a Natural Circulation System with Parallel Loops. *Journal of Heat Transfer*, 103(4), 645–652. <https://doi.org/10.1115/1.3244521>