

## DAFTAR PUSTAKA

- Aarts, P., van Huijstee, J., Prens, E.P., van der Zee, H., 2022. Validity and reliability of two digital wound measurement tools after surgery in patients with hidradenitis suppurativa. *Dermatology*, [online] 238(4), pp. 255–261. Available at: <https://doi.org/10.1159/000525844> [Accessed 4 February 2025].
- Adigbli, G., Alshomer, F., Maksimcuka, J. and Ghali, S., 2016. Principles of Plastic Surgery, Wound Healing, Skin Grafts and Flaps. In: Kalajaringan parut, D., Butler, P. E. M. and Ghali, S., eds. *Textbook of Plastic and Reconstructive Surgery*. London: UCL Press, pp. 6-7.
- Agarwal, P., Kukrele, R. and Sharma, D. (2019) ‘Vacuum assisted closure (VAC)/negative pressure wound therapy (NPWT) for difficult wounds: A review’, *Journal of Clinical Orthopaedics and Trauma*, 10(5), pp. 845–848. doi:10.1016/j.jcot.2019.06.015.
- Akagi, I., Furukawa, K., Miyashita, M., Kiyama, T., Matsuda, A., Nomura, T., Makino, H., Hagiwara, N., Takahashi, K. & Uchida, E. (2012). Surgical wound management made easier and more cost-effective. *Oncology Letters*, 4(1), pp. 97–100. doi: 10.3892/ol.2012.687.
- Albayati, W. K., Youha, S. A., Ali, A. A., & Fakhra, Z. (2021). A Randomized Controlled Trial to Assess the Cost-effectiveness of a Novel, Simple Modification to the Negative Pressure Wound Therapy System. *Plastic and reconstructive surgery. Global open*, 9(8), e3787. <https://doi.org/10.1097/GOX.00000000000003787>
- Altman, D.G. and Doré, C.J. (1991) ‘Baseline comparisons in randomized clinical trials’, *Statistics in Medicine*, 10(5), pp. 797–799. <https://doi.org/10.1002/sim.4780100514>
- Älgå, A., Löfgren, J., Haweizy, R., Bashairah, K., Wong, S., Forsberg, B.C., von Schreeb, J. & Malmstedt, J. (2022). Cost analysis of negative-pressure wound therapy versus standard treatment of acute conflict-related extremity wounds within a randomized controlled trial. *World Journal of Emergency Surgery*, 17(1), p. 9. doi: 10.1186/s13017-022-00415-1.
- Ali, D., Sajid, D., Radhakrishnan, D., Paul, D. & Marutinath, D. (2014) ‘Effectiveness of negative pressure dressing in chronic non healing wound’, *Iosr Journal of Dental and Medical Sciences*, 13(1), pp. 13–21. doi: 10.9790/0853-13171321
- Angelis, S., Apostolopoulos, A., Kosmas, L., Balfousias, T. & Papanikolaou, A. (2019) ‘The use of vacuum closure-assisted device in the management of compound lower limb fractures with massive soft tissue damage’, *Cureus*. doi: 10.7759/cureus.5104
- Apelqvist, J., Larsson, J., Agardh, C.-D., Stenstrom, A., *et al.*, 2008. Vacuum-assisted closure versus standard care in diabetic foot ulcers: a cost-effectiveness analysis. *Diabetes Care*, 31(4), pp.695–700.
- Armstrong, D. G., Lavery, L. A., & Diabetic Foot Study Consortium (2005). Negative pressure wound therapy after partial diabetic foot amputation: a multicentre, randomised controlled trial. *Lancet (London, England)*, 366(9498), 1704–1710.
- Argenta, L.C. and Morykwas, M.J. (1997) Vacuum Assisted Closure: A New Method for Wound Control and Treatment: Clinical Experience. *Annals of Plastic Surgery*, 38, 563-576. <http://dx.doi.org/10.1097/00000637-199706000-00002>
- Avishai, E., Yeghiazaryan, K., & Golubnitschaja, O. (2017). Impaired wound healing: Facts and hypotheses for multi-professional considerations in predictive, preventive and personalised medicine. In *EPMA Journal* (Vol. 8, Issue 1, pp. 23–33). BioMed

- Central Ltd. <https://doi.org/10.1007/s13167-017-0081-y>
- Baharestani, M., Amjad, I., Bookout, K., Fleck, T., Gabriel, A., Kaufman, D., McCord, S. S., Moores, D. C., Olutoye, O. O., Salazar, J. D., Song, D. H., Teich, S., & Gupta, S. (2009). V.A.C. Therapy in the management of paediatric wounds: clinical review and experience. *International wound journal*, 6 Suppl 1(Suppl 1), 1–26. <https://doi.org/10.1111/j.1742-481X.2009.00607.x>
- Bainbridge, P., 2013. Wound healing and the role of fibroblasts. *Journal of Wound Care*, 22(8), pp. 407–412.
- Ball C, Westhorpe RN. The early history of ventilation. *Anaesth Intensive Care*. 2012 Jan;40(1):3-4. doi: 10.1177/0310057X1204000101. PMID: 22313058.
- Banwell, P. and Téot, L., 2006. Topical negative pressure (TNP): the evolution of a novel wound therapy. *Journal of Tissue Viability*, 16(1), pp. 16-24.
- Bedi, M., King, D., DeVries, J., Hackbarth, D. & Neilson, J. (2018) ‘Does vacuum-assisted closure reduce the risk of wound complications in patients with lower extremity sarcomas treated with preoperative radiation?’, *Clinical Orthopaedics and Related Research*, 477(4), pp. 768–774. doi: 10.1097/corr.0000000000000371
- Birke-Sorensen, H. *et al.* (2011) ‘Evidence-based recommendations for negative pressure wound therapy: Treatment variables (pressure levels, wound filler and contact layer) - Steps towards an international consensus’, *Journal of Plastic, Reconstructive and Aesthetic Surgery*, 64(SUPPL. 1). doi:10.1016/j.bjps.2011.06.001.
- Bludau, M., Hölscher, A., Herbold, T., Leers, J., Gutschow, C., Fuchs, H. *et al.* (2013) ‘Management of upper intestinal leaks using an endoscopic vacuum-assisted closure system (e-vac)’, *Surgical Endoscopy*, 28(3), pp. 896–901. doi: 10.1007/s00464-013-3244-5
- Blume, P. A., Walters, J., Payne, W., Ayala, J., & Lantis, J. (2008). Comparison of negative pressure wound therapy using vacuum-assisted closure with advanced moist wound therapy in the treatment of diabetic foot ulcers: a multicenter randomized controlled trial. *Diabetes care*, 31(4), 631–636. <https://doi.org/10.2337/dc07-2196>
- Brocke, T., & Barr, J. (2020). The History of Wound Healing. In *Surgical Clinics of North America* (Vol. 100, Issue 4, pp. 787–806). W.B. Saunders. <https://doi.org/10.1016/j.suc.2020.04.004>
- Broughton, G., Janis, J. E., & Attinger, C. E. (2006). A brief history of wound care. In *Plastic and Reconstructive Surgery* (Vol. 117, Issue 7 SUPPL.). <https://doi.org/10.1097/01.prs.0000225429.76355.dd>
- Busch-Vishniac, I.J., West, J.E., Barnhill, C. *et al.*, (2005). Noise levels in Johns Hopkins Hospital. *Journal of the Acoustical Society of America*, 118(6), pp.3629– 3645.
- Butcher, N.J., Lawson, D.O., Moher, D. & the CONSORT Group (2025) CONSORT 2025 statement: updated guideline for reporting randomised trials. *BMJ*, 389, e081123.
- Buttenschoen, K., Fleischmann, W., Haupt, U., Kinzl, L. and Buttenschoen, D.C., 2001. The influence of vacuum-assisted closure on inflammatory tissue reactions in the postoperative course of ankle fractures. *Foot and Ankle Surgery*, 7(3), pp. 165-173. Danino, A.M. and Coeugnet, E., 2008. LETTERS TO THE EDITOR: Negative Pressure Dressing: Some Background to a Monopole Business. *Eplasty*, 8, e6. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2206001/>.
- Chen, P.–Y., Hsu, C.–C., Yang, K.–C., Wu, C.–C. & Wang, C.–L. (2015). *The effects of negative pressure treatment on the extracellular matrix gene expression and*

- protein production of fibroblasts*. *Process Biochemistry*, 50(10), pp.1662–1668. doi:10.1016/j.procbio.2015.06.014.
- Davis, K.E., La Fontaine, J., Farrar, D. and Oz, O.K., (2020). Randomized clinical study to compare negative pressure wound therapy with simultaneous saline irrigation and traditional negative pressure wound therapy for complex foot infections. *Wound Repair and Regeneration*, 28(1), pp.97-104. <https://doi.org/10.1111/wrr.12741>
- Davydov, I.A., Malafeeva, E.V., Smirnov, A.P. and Flegontov, V.B., 1986. Vacuum therapy in the treatment of suppurative lactation mastitis. *Vestnik Khirurgii imeni II Grekova*, 137(11), pp. 66-70.
- Diegelmann, R.F. and Evans, M.C., 2004. Wound healing: an overview of acute, fibrotic and delayed healing. *Frontiers in Bioscience*, 9, pp. 283-289.
- Do Khac, A., Jourdan, C., Fazilleau, S., Palayer, C., Laffont, I., Dupeyron, A., Verdun, S. and Gelis, A., 2020. mHealth app for pressure ulcer wound assessment in patients with spinal cord injury: Clinical validation study. *JMIR mHealth and uHealth*, [online] 8(6), p.e14992. Available at: <https://doi.org/10.2196/14992>
- Eginton, M.A., Brown, B.J., Seabrook, G.R., Gohel, M.S., *et al.*, 2003. The effect of vacuum-assisted closure on inflammatory markers in chronic wounds. *Journal of Wound Care*, 12(4), pp.125–130.
- Eming, S.A., Martin, P. and Tomic-Canic, M. (2014) ‘Wound repair and regeneration: mechanisms, signaling, and translation’, *Science Translational Medicine*, 6(265), 265sr6.
- Eyden, B., 2008. The myofibroblast: phenotypic characterization as a prerequisite to understanding its functions in translational medicine. *Journal of Cellular and Molecular Medicine*, 12(1), pp. 22-37.
- Fang, R., Dorlac, W.C., Flaherty, S.F., Tuman, C., Cain, S.M., Popey, T.L.C., Villard, D.R., Aydelotte, J.D., Dunne, J.R., Anderson, A.M. and Powell, E.T., 2010. Feasibility of negative pressure wound therapy during intercontinental aeromedical evacuation of combat casualties. *Journal of Trauma*, 69(Suppl 1), pp.S140–S145. doi:10.1097/TA.0b013e3181e452a2.
- Farré, R. *et al.* (2022) ‘Device for Negative Pressure Wound Therapy in Low-Resource Regions: Open-Source Description and Bench Test Evaluation’, *Journal of Clinical Medicine*, 11(18). doi:10.3390/jcm11185417.
- Fentem, P.H. and Matthews, J.A., 1970. The duration of the increase in arterial inflow during exposure of the forearm to subatmospheric pressure. *Journal of Physiology*, 210(1), pp. 65P-66P.
- Fernández-Guarino, M., Hernández-Bule, M.L. and Bacci, S. (2023) ‘Cellular and Molecular Processes in Wound Healing’, *Biomedicines*, 11(9). doi:10.3390/biomedicines11092526.
- Gabriel, A., *et al.* (2021) ‘Mechanisms of action and clinical applications of negative pressure wound therapy’, *American Journal of Clinical Dermatology*, 22(1), pp. 37–46.
- Ghahremani-Nasab, M., Rahmani Del Bakhshayesh, A., Akbari-Gharalari, N. and Mehdipour, A., 2023. Biomolecular and cellular effects in skin wound healing: the association between ascorbic acid and hypoxia-induced factor. *Journal of Biological Engineering*, 17(62). Available at: <https://doi.org/10.1186/s13036-023->

- 00322-9].
- Glass, G.E., Murphy, G.R.F. & Nanchahal, J., 2017. Does negative pressure wound therapy reduce infectious complications in open tibial fractures? A randomized controlled trial. *Journal of Orthopaedic Trauma*, 31(10), pp.575–581.
- Global Guidelines for the Prevention of Surgical Site Infection. Geneva: World Health Organization; 2018.
- Guo, S., & DiPietro, L. A. (2010). Critical review in oral biology & medicine: Factors affecting wound healing. *Journal of Dental Research*, 89(3), 219–229. <https://doi.org/10.1177/0022034509359125>
- Gustafsson, R., Johnsson, P., Algotsson, L., Blomquist, S. and Ingemansson, R., 2002. Vacuum-assisted closure therapy guided by C-reactive protein level in patients with deep sternal wound infection. *Journal of Thoracic and Cardiovascular Surgery*, 123(5), pp. 895-900.
- Häkkinen, L., Koivisto, L., Heino, J. and Larjava, H., 2015. Cell and molecular biology of wound healing. In: *Stem Cell Biology and Tissue Engineering in Dental Sciences*. 1st ed. Elsevier, pp. 669-690. Available at: <https://doi.org/10.1016/B978-0-12-397157-9.00054-0>.
- Herman, T.F., Popowicz, P. and Bordoni, B., 2023. Wound Classification. In: *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554456>
- Huang, C., Leavitt, T., Bayer, L. R., & Orgill, D. P. (2019). Effect of negative pressure wound therapy on wound healing. *Current Problems in Surgery*, 56(5), 216-251.
- Horch, R.E., Ludolph, I., Bach, A.D. *et al.*, 2014. Negative pressure wound therapy with instillation and dwell time in infected wounds: case series. *International Wound Journal*, 11(1), pp.25–31.
- International Organization for Standardization (ISO) (2013) *ISO 1999:2013 Acoustics — Estimation of noise-induced hearing loss*. Geneva: ISO.
- Iwata, E., Shigematsu, H., Yamamoto, Y., Ikejiri, M., Okuda, A., Sada, T., Ueno, Y., Nakajima, H., Koizumi, M., & Tanaka, Y. (2021). Temporal Evolution of White Blood Cell Count and Differential: Reliable and Early Detection Markers for Surgical Site Infection Following Spinal Posterior Decompression Surgery. *Spine surgery and related research*, 6(3), 271–278.
- James, G.A., Swogger, E., Wolcott, R., Pulcini, E., Secor, P., Sestrich, J., Costerton, J.W. and Stewart, P.S. (2008) ‘Biofilms in chronic wounds’, *Wound Repair and Regeneration*, 16(1), pp. 37–44.
- James, S. M. D., Sureshkumar, S., Elamurugan, T. P., Debasis, N., Vijayakumar, C., & Palanivel, C. (2019). Comparison of Vacuum-Assisted Closure Therapy and Conventional Dressing on Wound Healing in Patients with Diabetic Foot Ulcer: A Randomized Controlled Trial. *Nigerian journal of surgery : official publication of the Nigerian Surgical Research Society*, 25(1), 14–20. [https://doi.org/10.4103/njs.NJS\\_14\\_18](https://doi.org/10.4103/njs.NJS_14_18)
- Jacobs, Sharone & Simhaee, David & Marsano, Anna & Fomovsky, Gregory & Niedt, George & Wu, June. (2008). Efficacy and mechanisms of vacuum-assisted closure (VAC) therapy in promoting wound healing: a rodent model. *Journal of plastic, reconstructive & aesthetic surgery : JPRAS*. 62. 1331-8. 10.1016/j.bjps.2008.03.024.
- Jensen, G.L., 2013. Malnutrition and inflammation—“burning down the house”: inflammation as an adaptive physiologic response versus self-destruction? *JPEN*

- Journal of Parenteral and Enteral Nutrition*, 37(6), pp.651–652.
- Jeschke, M.G., Rose, C., Angele, P., Fuchtmeyer, B., Nerlich, M.N. & Bolder, U. (2004). Development of new reconstructive techniques: use of Integra in combination with fibrin glue and negative-pressure therapy for reconstruction of acute and chronic wounds. *Plastic and Reconstructive Surgery*, 113(2), pp. 525-530.
- Jimale, A., Negm, A., Shetiwy, M. & Elghadban, H. (2023) ‘Outcome of negative pressure wound therapy for burst abdomen’, *The Egyptian Journal of Hospital Medicine*, 92(1), pp. 6727–6737. doi: 10.21608/ejhm.2023.318066
- Joseph, E., Hamori, C.A., Bergman, S., Roaf, E., Swann, N.F. & Anastasi, G.W. (2000). A prospective randomized trial of vacuum-assisted closure versus standard therapy of chronic non-healing wounds. *Wounds*, 12(3), pp. 60-67.
- Jung, M. K., Callaci, J. J., Lauing, K. L., Otis, J. S., Radek, K. A., Jones, M. K., & Kovacs, E. J. (2011). Alcohol Exposure and Mechanisms of Tissue Injury and Repair. *Alcoholism: Clinical and Experimental Research*, 35(3), 392–399. <https://doi.org/10.1111/j.1530-0277.2010.01356.x>
- Kamamoto, F., Munhoz Lima, A. L., de Rezende, M. R., Mattar-Junior, R., Leonhardt, M. de C., Kojima, K. E., & dos Santos, C. C. (2017). A new low-cost negative-pressure wound therapy versus a commercially available therapy device widely used to treat complex traumatic injuries: A prospective, randomized, non-inferiority trial. *Clinics*, 72(12), 737–742. [https://doi.org/10.6061/clinics/2017\(12\)04](https://doi.org/10.6061/clinics/2017(12)04)
- Kang, C., Por, Y. & Tan, B. (2010) ‘In vivo tissue engineering over wounds with exposed bone and tendon’, *Annals of Plastic Surgery*, 65(1), pp. 70–73. doi: 10.1097/sap.0b013e3181a72f77
- Karlakki, S., Brem, M., Giannini, S., Khanduja, V., Stannard, J. & Martin, R., 2016. Negative pressure wound therapy for management of the surgical incision in orthopaedic surgery: a review of evidence and mechanisms for an emerging indication. *Bone & Joint Research*, 5(12), pp.276–284.
- Kavalukas, S.L. & Barbul, A., 2011. Nutrition and wound healing: an update. *Plastic and Reconstructive Surgery*, 127(Suppl 1), pp.38S–43S.
- Khurram, M., Ali, S. & Yaseen, M. (2019) ‘Vacuum-assisted wound closure therapy in pediatric lower limb trauma’, *The International Journal of Lower Extremity Wounds*, 18(3), pp. 317–322. doi: 10.1177/1534734619857403
- Kim, J. J., Franczyk, M., Gottlieb, L. J., & Song, D. H. (2017). Cost-effective Alternative for Negative-pressure Wound Therapy. *Plastic and Reconstructive Surgery - Global Open*, 5(2). <https://doi.org/10.1097/GOX.0000000000001211>
- Knight, J.F. and Baber, C. (2005) *A tool to assess the comfort of wearable computers*. *Human Factors: The Journal of the Human Factors and Ergonomics Society*, 47(1), pp. 77–91. <https://doi.org/10.1518/0018720053653875>
- Kostiuchenok, B.M., Kolker, I.I., Karlov, V.A., Ignatenko, S.N. and Muzykant, L.I., 1986. Vacuum treatment in the surgical management of suppurative wounds. *Vestnik Khirurgii imeni II Grekova*, 137(9), pp. 18-21.
- Kumaar, A., Shanthappa, A., Hongaiah, D., Sanjay, N. & Sharma, A. (2024) ‘Evaluation of clinical outcomes of negative-pressure wound therapy in Gustilo-Anderson type IIIA/IIIB open fractures of extremities’, *Cureus*. doi: 10.7759/cureus.53801
- Kwon, J., Staley, C., McCullough, M., Goss, S., Arosemena, M., Abai, B., Salvatore, D., Reiter, D. and DiMuzio, P., 2018. A randomized clinical trial evaluating negative pressure therapy to decrease vascular groin incision complications. *Journal of Vascular Surgery*, 68(6), pp.1744-1752. <https://doi.org/10.1016/j.jvs.2018.05.224>
- Lee, H., Kim, J., Oh, C., Min, W., Shon, O., Oh, J. et al. (2009) ‘Negative pressure

- wound therapy for soft tissue injuries around the foot and ankle', *Journal of Orthopaedic Surgery and Research*, 4(1). doi: 10.1186/1749-799x-4-14
- Lee, K.N., Ben-Nakhi, M., Park, E.J. and Hong, J.P. (2015) 'Cyclic negative pressure wound therapy: An alternative mode to intermittent system', *International Wound Journal*, 12(6), pp. 686–692. doi:10.1111/iwj.12201.
- Liu, D., Zhu, L., & Yang, C. (2022). The effect of preoperative smoking and smoke cessation on wound healing and infection in post-surgery subjects: A meta-analysis. *International Wound Journal*, 19(8), 2101–2106. <https://doi.org/10.1111/iwj.13815>.
- Li, B. & Wang, J.H.C., 2011. Fibroblasts and myofibroblasts in wound healing: Force generation and measurement. *Journal of Tissue Viability*, 20(4), pp. 108–120.
- Lim, H.Y., Ong, Y.S., Tay, S.C. *et al.*, 2019. Serum albumin as a predictor of clinical outcomes in patients with chronic wounds treated with negative pressure wound therapy. *International Wound Journal*, 16(2), pp.340–346.
- Lo, Z. J., Lim, X., Eng, D., Car, J., Hong, Q., Yong, E., Zhang, L., Chandrasekar, S., Tan, G. W. L., Chan, Y. M., Sim, S. C., Oei, C. W., Zhang, X., Dharmawan, A., Ng, Y. Z., Harding, K., Upton, Z., Yap, C. W., & Heng, B. H. (2020). Clinical and economic burden of wound care in the tropics: a 5-year institutional population health review. *International Wound Journal*, 17(3), 790–803. <https://doi.org/10.1111/iwj.13333>
- Lone, A., Zaroo, M., Laway, B., Pala, N., Bashir, S. & Rasool, A. (2014) 'Vacuum-assisted closure versus conventional dressings in the management of diabetic foot ulcers: a prospective case–control study', *Diabetic Foot & Ankle*, 5(1), p. 23345. doi: 10.3402/dfa.v5.23345
- Lozano-Balderas, G., Ruiz-Velasco-Santacruz, A., Díaz-Elizondo, J.A., Gómez-Navarro, J.A., & Flores-Villalba, E. (2017). Surgical site infection rate drops to 0% using a vacuum-assisted closure in contaminated/dirty infected laparotomy wounds. *American Surgeon*, 83(5), pp. 512–514.
- Ma, Z., Shou, K., Li, Z., Jian, C., Qi, B. & Yu, A. (2016) 'Negative pressure wound therapy promotes vessel destabilization and maturation at various stages of wound healing and thus influences wound prognosis', *Experimental and Therapeutic Medicine*, 11(4), pp. 1307–1317. doi: 10.3892/etm.2016.3083
- Machali, I. (2021) *Metode penelitian kuantitatif: Panduan praktis merencanakan, melaksanakan, dan analisis dalam penelitian kuantitatif*. Yogyakarta: Fakultas Ilmu Tarbiyah dan Keguruan, Universitas Islam Negeri (UIN) Sunan Kalijaga Yogyakarta.
- Mallow, P.J., Tepsick, J., Davis, K.E. and Lavery, L.A. (2020) 'Cost-minimization analysis of negative pressure wound therapy technologies for the treatment of moderate-to-severe foot infections', *Journal of Comparative Effectiveness Research*, DOI: 10.2217/ce-2020-0127.
- Malmsjö, M., Huddleston, E., & Martin, R. (2019). Biological mechanisms of negative pressure wound therapy: a review of the current literature. *Journal of Wound Care*, 28(Sup9), S1-S9.
- Mankar, S., Kawalkar, A., Sakhare, R. & Suradkar, P. (2024) 'Assessment of vacuum-assisted closure (VAC) therapy in orthopaedic infections', *Cureus*. doi: 10.7759/cureus.63204
- Martinengo, L., Olsson, M., Bajpai, R., Soljak, M., Upton, Z., Schmidtchen, A., Car, J., & Järbrink, K. (2019). Prevalence of chronic wounds in the general population: systematic review and meta-analysis of observational studies. In *Annals of*

- Epidemiology* (Vol. 29, pp. 8–15). Elsevier Inc. <https://doi.org/10.1016/j.annepidem.2018.10.005>
- Meyer, J., Roos, E., Abbassi, Z., Buchs, N. C., Ris, F., & Toso, C. (2021). Prophylactic Negative-pressure Wound Therapy Prevents Surgical Site Infection in Abdominal Surgery: An Updated Systematic Review and Meta-analysis of Randomized Controlled Trials and Observational Studies. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*, 73(11), e3804–e3813. <https://doi.org/10.1093/cid/ciaa1203>
- Meirizal, Pratama BY, Magetsari R (2019). Gadjah Mada Vacuum Assisted Closure as an alternative cost effective therapy in soft tissue defect. *Edorium J Orthop* 2019;5:100012003M2019.
- Meirizal M, Magetsari R, Anwar SL, *et al.* (2024). Utilizing Low-cost Vacuum-assisted Closure as Adjuvant Therapy in Soft Tissue Reconstruction for a Mangled Upper Extremity. *Plast Reconstr Surg Glob Open* 12(5):e5826. Published 2024 May 17. doi:10.1097/GOX.0000000000005826
- Meirizal, Rahadyan Magetsari, Mohammad Rizal Chaidir, Sumadi Lukman Anwar, Agung Susilo Lo, I. Made Dolly (2025). Reverse aqua pump vacuum-assisted closure alternative and affordable solution for emerging cost in wound therapy: A case series, *International Journal of Surgery Case Reports*, 111981, ISSN 2210-2612, <https://doi.org/10.1016/j.ijscr.2025.111981>.
- Miller C. (2013). The History of Negative Pressure Wound Therapy (NPWT): From "Lip Service" to the Modern Vacuum System. *The journal of the American College of Clinical Wound Specialists*, 4(3), 61–62. <https://doi.org/10.1016/j.jccw.2013.11.002>
- Moisisdis, E., Heath, T., Boorer, C., Ho, K. & Deva, A.K. (2004). A prospective, blinded, randomized, controlled clinical trial of topical negative pressure use in skin grafting. *Plastic and Reconstructive Surgery*, 114(4), pp. 917-922.
- Mouës, C.M., Heule, F., Hovius, S.E., 2004. A review of the clinical use of vacuum-assisted closure in wound healing. *Journal of Wound Care*, 13(6), pp.222–226.
- Müllner, T., Mrkonjic, L., Kwasny, O., & Vécsei, V. (1997). The use of negative pressure to promote the healing of tissue defects: a clinical trial using the vacuum sealing technique. *British journal of plastic surgery*, 50(3), 194–199. [https://doi.org/10.1016/s0007-1226\(97\)91369-2](https://doi.org/10.1016/s0007-1226(97)91369-2)
- Neumaier, M., & Scherer, M. A. (2008). C-reactive protein levels for early detection of postoperative infection after fracture surgery in 787 patients. *Acta Orthopaedica*, 79(3), 428–432. <https://doi.org/10.1080/17453670710015355>
- Norman, G., Goh, E.L., Dumville, J.C., Shi, C., Liu, Z. & Chiverton, L., 2020. Negative pressure wound therapy for surgical wounds healing by primary closure. *Cochrane Database of Systematic Reviews*, (6), CD009261.
- Normandin, S., Safran, T., Winocour, S., Chu, C.K., Vorstenbosch, J., Murphy, A.M. and Davison, P.G.. *et al.* (2021) ‘Negative Pressure Wound Therapy: Mechanism of Action and Clinical Applications’, *Seminars in Plastic Surgery*, 35(3), pp. 164–170. doi:10.1055/s-0041-1731792.
- Novak, A., Khan, W.S., and Palmer, J., 2014. The evidence-based principles of negative pressure wound therapy in trauma & orthopedics. *Open Orthopaedics Journal*, 8, pp.168-177. <https://doi.org/10.2174/1874325001408010168>
- Orgill, D. P., Manders, E. K., Sumpio, B. E., Lee, R. C., Attinger, C. E., Gurtner, G. C., & Ehrlich, H. P (2009) ‘The mechanisms of action of vacuum assisted closure: More to learn’, *Surgery*, 146(1), pp. 40–51. doi:10.1016/j.surg.2009.02.002

- Orgill, D.P. and Bayer, L.R. (2013) 'Negative pressure wound therapy: past, present and future', *International Wound Journal*, 10(Suppl. 1), pp. 15–19.
- Orgill, D.P. & Manders, E.K., 2020. Negative pressure wound therapy: past, present and future. *International Wound Journal*, 17(6), pp.1424–1434.
- Pappalardo, V., Frattini, F., Ardita, V. and Rausei, S. (2019). Negative Pressure Therapy (NPWT) for Management of Surgical Wounds: Effects on Wound Healing and Analysis of Devices Evolution. *Surgical technology international*. 34
- Pakyari, M., Farrokhi, A., Maharlooei, M.K. and Ghahary, A.,(2013). Critical role of transforming growth factor beta in different phases of wound healing. *Advances in Wound Care*, 2(5), pp. 215-224.
- Pepys, M.B. & Hirschfield, G.M., 2003. C-reactive protein: a critical update. *Journal of Clinical Investigation*, 111(12), pp.1805–1812.
- Ranjan, P. & Mondal, S. (2024) 'Outcomes of vacuum assisted closure versus conventional dressings in patients with diabetic foot ulcers'. doi: 10.21203/rs.3.rs-4830001/v1
- Rasool, A., Bashir, S.A., Ahmad, P.A., Bijli, A.H., Baba, U.F., Yasir, M. & Wani, A.H., 2020. Management of wounds with exposed bones or tendons in children by vacuum-assisted closure therapy: a prospective study. *Indian Journal of Plastic Surgery*, 53(1), pp.97–104. doi:10.1055/s-0039-3400192.
- Rosa, D. F., Sarandy, M. M., Novaes, R. D., Freitas, M. B., do Carmo Gouveia Pelúzio, M., & Gonçalves, R. V. (2018). High-fat diet and alcohol intake promotes inflammation and impairs skin wound healing in Wistar rats. *Mediators of Inflammation*, 2018. <https://doi.org/10.1155/2018/4658583>
- Rozario, T. & Desimone, D.W., (2010). The extracellular matrix in development and morphogenesis: a dynamic view. *Developmental Biology*, 341(1), pp. 126-140.
- Ruhstaller, K., Downes, K.L., Chandrasekaran, S., Srinivas, S. and Durnwald, C., (2017). Prophylactic wound vacuum therapy after cesarean section to prevent wound complications in the obese population: A randomized controlled trial (the ProVac Study). *American Journal of Perinatology*, 34(11), pp.1125-1130. <https://doi.org/10.1055/s-0037-1604161>
- Sabine, A. Eming, P. Martin and M. Tomic-Canic, (2014). Wound repair and regeneration: mechanisms, signaling, and translation. *Science Translational Medicine*, 6(265), pp. 265sr6. doi: 10.1126/scitranslmed.3009337.
- Sarman, H., Muezzinoglu, U.S., Memisoglu, K. and Baran, T (2016) 'Vacuum-assisted closure for skin necrosis after revision total knee arthroplasty', *International Wound Journal*, 13(5), pp. 843–847. doi:10.1111/IWJ.12390.
- Schade, M. & Stoeckel, K., 2010. Vacuum-assisted closure in wound bed preparation for split-thickness skin grafts. *Journal of Wound Care*, 19(3), pp.123–128.
- Scholl, L., Chang, E., Reitz, B. and Chang, J., (2004). Sternal osteomyelitis: use of vacuum-assisted closure device as an adjunct to definitive closure with sternectomy and muscle flap reconstruction. *Journal of Cardiac Surgery*, 19(5), pp. 453-461
- Sen, C. K. (2023). Human Wound and Its Burden: Updated 2022 Compendium of Estimates. In *Advances in Wound Care* (Vol. 12, Issue 12, pp. 657–670). Mary Ann Liebert Inc. <https://doi.org/10.1089/wound.2023.0150>
- Shiffman, M.A., (2017). History of Negative-Pressure Wound Therapy (NPWT). In: *Negative Pressure Wound Therapy*. Springer, pp. 223-228. doi: 10.1007/15695\_2017\_50.
- Singh, J., Garg, V. & Malhotra, K., 2024. A comparative analysis of vacuum assisted closure therapy and conventional dressings: outcomes in chronic diabetic foot

- ulcers among Indian patients. *International Surgery Journal*, 11(11), pp.1765–1770.
- Sinha, K., Chauhan, V. D., Maheshwari, R., Chauhan, N., Rajan, M., & Agrawal, A. (2013). Vacuum Assisted Closure Therapy versus Standard Wound Therapy for Open Musculoskeletal Injuries. *Advances in orthopedics*, 2013, 245940. <https://doi.org/10.1155/2013/245940>
- Sinha, K., Chauhan, V., Maheshwari, R., Chauhan, N., Rajan, M. & Agrawal, A. (2013) ‘Vacuum assisted closure therapy versus standard wound therapy for open musculoskeletal injuries’, *Advances in Orthopedics*, 2013, pp. 1–8. doi: 10.1155/2013/245940
- Shi, B., Chen, S.-z., Zhang, P. and Li, J.-q., (2003). Effects of vacuum-assisted closure (VAC) on the expressions of MMP-1, 2, 13 in human granulation wound. *Zhonghua Zheng Xing Wai Ke Za Zhi*, 19(4), pp.279-281. Available at: <https://pubmed.ncbi.nlm.nih.gov/14628418>
- Stechmiller, J.K., Kilpadi, D.V., Childress, B. and Schultz, G.S., (2006). Effect of vacuum-assisted closure therapy on the expression of cytokines and proteases in wound fluid of adults with pressure ulcers. *Wound Repair and Regeneration*, 14(3), pp.371-374. <https://doi.org/10.1111/j.1743-6109.2006.00134.x>
- Sziklavári, Z., Großer, C., Neu, R., Schemm, R., Kortner, A., Szöke, T. et al. (2011) ‘Complex pleural empyema can be safely treated with vacuum-assisted closure’, *Journal of Cardiothoracic Surgery*, 6(1). doi: 10.1186/1749-8090-6-130
- Thiruvoth, F., Mohapatra, D., Sivakumar, D., Chittoria, R., & Nandhagopal, V. (2015). Current concepts in the physiology of adult wound healing. *Plastic and Aesthetic Research*, 2(5), 250. <https://doi.org/10.4103/2347-9264.158851>
- Vijayan Siddha, L., Kumar Shetty, S., & Varghese, T. (2015). Efficacy of Modified Vacuum Assisted Closure in Wound Healing. *International Journal of Scientific Study*, 2, 11. <https://doi.org/10.17354/ijss/2015/52>
- Vuerstaek, J. D., Vainas, T., Wuite, J., Nelemans, P., Neumann, M. H., & Veraart, J. C. (2006). State-of-the-art treatment of chronic leg ulcers: A randomized controlled trial comparing vacuum-assisted closure (V.A.C.) with modern wound dressings. *Journal of vascular surgery*, 44(5), 1029–1038. <https://doi.org/10.1016/j.jvs.2006.07.030>
- Willy, C., Agarwal, A., Andersen, C.A., Santis, G.D., Gabriel, A., Grauhan, O. et al., 2017. Closed incision negative pressure therapy: international multidisciplinary consensus recommendations. *International Wound Journal*, 14(2), pp.385–398.
- Wollina, U., Langner, D., Heinig, B., Schönlebe, J. & Nowak, A. (2016) ‘Complicated skin and skin structure infection after erysipelas’, *The International Journal of Lower Extremity Wounds*, 15(1), pp. 68–70. doi: 10.1177/1534734616628372
- Wong-Chew, R., Ángel-Ambrocio, A., Gomez-Murillo, S., Puente-Sanchez, A., Fernández-Sobrino, G., Marhx-Bracho, A. et al. (2019) ‘Necrotizing fasciitis of the neck and head complicated with chronic osteomyelitis: case report presentation’, *International Journal of Surgery Case Reports*, 59, pp. 220–223. doi: 10.1016/j.ijscr.2019.03.025
- Woodfield, J., Parry, B., Bissett, I. & McKee, M. (2006) ‘Experience with the use of vacuum dressings in the management of acute enterocutaneous fistulas’, *Australian and New Zealand Journal of Surgery*, 76(12), pp. 1085–1087. doi: 10.1111/j.1445-2197.2006.03956.x
- Yadav, S., Rawal, G. and Baxi, M. (2017) ‘Vacuum assisted closure technique: A short review’, *Pan African Medical Journal*, 28, pp. 1–5.

doi:10.11604/pamj.2017.28.246.9606.

- Younis, P.H.M., El Sebaie, A.E.M., Waked, I.S. and Bayoumi, M.B.I., 2022. Validity and reliability of a smartphone application in measuring surface area of lower limb chronic wounds. *The Egyptian Journal of Hospital Medicine*, 89(2), pp. 6612-6616.
- Zhong, B., 2009. How to calculate sample size in randomized controlled trial? *Journal of Thoracic Disease*, 1(1), pp.51-54. Available at: <https://pubmed.ncbi.nlm.nih.gov/22263004>
- Zwanenburg, P. R., Tol, B. T., Obdeijn, M. C., Lapid, O., Gans, S. L., & Boermeester, M. A. (2020). Meta-analysis, Meta-regression, and GRADE Assessment of Randomized and Nonrandomized Studies of Incisional Negative Pressure Wound Therapy Versus Control Dressings for the Prevention of Postoperative Wound Complications. *Annals of surgery*, 272(1), 81–91. <https://doi.org/10.1097/SLA.0000000000003644>