

REFERENSI

- Abraham, Dunstan; Silkowsky, C., & Odwin, C. (2010). *Emergency Medicine Sonography*. (M. Gartside, Ed.). United States of America: Jones and Bartlett Publishers.
- Adrogué HJ, Madias NE. Hyponatremia. *N Engl J Med*. 2000;342(20):1493-1499.
- Alam MJ, Roy S, Iktidar MA, Padma FK, Nipun KI, Chowdhury S, Nath RK, Rashid HO. Diaphragm ultrasound as a better predictor of successful extubation from mechanical ventilation than rapid shallow breathing index. *Acute Crit Care*. 2022 Feb;37(1):94-100. doi: 10.4266/acc.2021.01354. Epub 2022 Jan 11. PMID: 35081706; PMCID: PMC8918710.
- An, P., Qin, P., Wang, J., & Rong Zhou, H. E. (2021b). CORRELATION between DIAPHRAGM EXCURSION with BOTH the QUALITY of LIFE and EXERCISE CAPACITY for PATIENTS with CHRONIC OBSTRUCTIVE PULMONARY DISEASE STUDIED by ULTRASOUND. *Journal of Mechanics in Medicine and Biology*, 21(9). <https://doi.org/10.1142/S0219519421400297>
- Arbona F, K. B. (2011). *Ultrasound-Guided Regional Anesthesia - A Practical Approach to Peripheral Nerve Blocks and Perineural Catheters*. New York: Cambridge University Press.
- Bihari S, et al. Sodium balance, not fluid balance, is associated with respiratory dysfunction in mechanically ventilated patients: a prospective observational study. *Crit Care Resusc*. 2015;17(1):23-28.
- Blaivas, Michael; chun, rosaleen; Coleman, Jamie J; conti, bianca; evans, David; ferrada, paula; Frankel, heidi; Glaser, Jacob; gregg, kristin; gregg, shea; Jain, arpana; kirkpatric, A. (2015). *Ultrasonography in the ICU*. (paula Ferrada, Ed.). Switzerland.
- Boles, J. M., Bion, J., Connors, A., Herridge, M., Marsh, B., Melot, C., Pearl, R., Silverman, H., Stanchina, M., Vieillard-Baron, A., & Welte, T. (2007). Weaning from mechanical ventilation. In *European Respiratory Journal* (Vol. 29, Issue 5, pp. 1033–1056). <https://doi.org/10.1183/09031936.00010206>
- Butterworth, J.F., Mackey, D.C. and Wasnick, J.D. (2021) *Morgan & Mikhail's Clinical Anesthesiology*
- Chen, Y., Liu, Y., Han, M. *et al*. Quantification of diaphragmatic dynamic dysfunction in septic patients by bedside ultrasound. *Sci Rep* **12**, 17336 (2022). <https://doi.org/10.1038/s41598-022-21702-6>
- Doorduyn J, van Hees HW, van der Hoeven JG, Heunks LM. Monitoring diaphragm function in the ICU. *Am J Respir Crit Care Med*. 2013;187(5):527-535.

- Dres M, et al. Weaning from mechanical ventilation: the role of fluid management. *Ann Intensive Care*. 2021;11:123.
- Gao, Y., Yin, H., Wang, M. H., & Gao, Y. H. (2023). Accuracy of lung and diaphragm ultrasound in predicting infant weaning outcomes: a systematic review and meta-analysis. In *Frontiers in Pediatrics* (Vol. 11). Frontiers Media SA. <https://doi.org/10.3389/fped.2023.1211306>
- Habacon GP, Tiglao E, DeGuia T, Del Poso W, Limpin ME. Rapid Shallow Breathing Index Rate as a Predictor of Weaning Outcome During Spontaneous Breathing Trial: A Cohort Study. *Chest*. 2016;150(4 Suppl):303A.
- Heunks LM, van der Hoeven JG. Clinical review: the ABC of weaning failure--a structured approach. *Crit Care*. 2010 Dec 8;14(6):245.
- Jankovic, D., & Peng, P. (2015). *Regional Nerve Blocks in Anesthesia and Pain Therapy* (Fourth edi). Springer.
- Jia D, Wang H, Wang Q, Li W, Lan X, Zhou H, et al. Rapid shallow breathing index predicting extubation outcomes: A systematic review and meta-analysis. *Intensive Crit Care Nurs*. 2024;80:103551.
- Kabil, A. E., Sobh, E., Elsaheed, M., Hassanin, H. E., Yousef, I. H., Eltrawy, H. H., Ewis, A. M., Aboseif, A., Albalsha, A. M., Elsayy, S., Rahman, A., & Ali, H. (n.d.). *Diaphragmatic excursion by ultrasound: reference values for the normal population; a cross-sectional study in Egypt*.
- Karthika, M., Al Enezi, F. A., Pillai, L. V., & Arabi, Y. M. (2016). Rapid shallow breathing index. *Annals of thoracic medicine*, 11(3), 167–176. <https://doi.org/10.4103/1817-1737.176876>
- Lewis MI, Bodine SC, Kamangar N, Xu X, Da X, Fournier M. Effect of severe short-term malnutrition on diaphragm muscle signal transduction pathways influencing protein turnover. *J Appl Physiol*. 2006 Jun;100(6):1997-2006.
- Lim CK, Ruan SY, Lin FC, Wu CL, Chang HT, Jerng JS, Wu HD, Yu CJ. Effect of Tracheostomy on Weaning Parameters in Difficult-to-Wean Mechanically Ventilated Patients: A Prospective Observational Study. *PLoS One*. 2015 Sep 17;10(9):e0138294. doi: 10.1371/journal.pone.0138294. PMID: 26379127; PMCID: PMC4574918.
- Lindner G, et al. Hypernatremia in the critically ill is an independent risk factor for mortality. *Am J Kidney Dis*. 2007;50(6):952-957.
- Mahmoodpour, A., Fouladi, S., Ramouz, A., Shadvar, K., Ostadi, Z., & Soleimanpour, H. (2022). Diaphragm ultrasound to predict weaning outcome: systematic review and meta-analysis. In *Anaesthesiology Intensive Therapy* (Vol. 54, Issue 2, pp. 164–174). Termedia Publishing House Ltd. <https://doi.org/10.5114/AIT.2022.117273>

- Narouze, S. N. (2010). *Atlas of ultrasound guided procedures in interventional pain management. Journal of Chemical Information and Modeling* (Vol. 53). <https://doi.org/10.1017/CBO9781107415324.004>
- Parada-Gereda HM, Pacheco-Barríos K, Salazar-Campos A, et al. Effectiveness of diaphragmatic ultrasound as a predictor of successful weaning from mechanical ventilation: systematic review and meta-analysis. *Crit Care*. 2023;27:163.
- Parada-Gereda, H. M., Tibaduiza, A. L., Rico-Mendoza, A., Molano-Franco, D., Nieto, V. H., Arias-Ortiz, W. A., Perez-Terán, P., & Masclans, J. R. (2023). Effectiveness of diaphragmatic ultrasound as a predictor of successful weaning from mechanical ventilation: a systematic review and meta-analysis. *Critical Care*, 27(1). <https://doi.org/10.1186/s13054-023-04430-9>
- Poulard T, Bachasson D, Fossé Q, Niérat MC, Hogrel JY, Demoule A, et al. Poor correlation between diaphragm thickening fraction and transdiaphragmatic pressure in mechanically ventilated patients and healthy subjects. *Anesthesiology*. 2022 Jan 1;136(1):162-175.
- Qian, Z., Yang, M., Li, L., & Chen, Y. (2018). Ultrasound assessment of diaphragmatic dysfunction as a predictor of weaning outcome from mechanical ventilation: A systematic review and meta-analysis. In *BMJ Open* (Vol. 8, Issue 9). BMJ Publishing Group. <https://doi.org/10.1136/bmjopen-2017-021189>
- Sabourin, E., Carpentier, C., Lai, C., Monnet, X., & Pham, T. (2023a). “Under pressure”: should we use diaphragm excursion to predict weaning success in patients receiving pressure support ventilation? In *Critical Care* (Vol. 27, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13054-023-04504-8>
- Sabourin, E., Carpentier, C., Lai, C., Monnet, X., & Pham, T. (2023b). “Under pressure”: should we use diaphragm excursion to predict weaning success in patients receiving pressure support ventilation? In *Critical Care* (Vol. 27, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13054-023-04504-8>
- Santana, P. V., Cardenas, L. Z., & Albuquerque, A. L. P. de. (2023). Diaphragm Ultrasound in Critically Ill Patients on Mechanical Ventilation—Evolving Concepts. In *Diagnostics* (Vol. 13, Issue 6). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/diagnostics13061116>
- Saravanan, R., Nivedita, K., Karthik, K., & Venkatraman, R. (2022). Role of diaphragm ultrasound in weaning mechanically ventilated patients: A prospective observational study. *Indian Journal of Anaesthesia*, 66(8), 591–598. https://doi.org/10.4103/ija.ija_229_22
- Shiraishi, M., Higashimoto, Y., Sugiya, R., Mizusawa, H., Takeda, Y., Fujita, S., Nishiyama, O., Kudo, S., Kimura, T., Chiba, Y., Fukuda, K., & Tohda, Y. (2020). Diaphragmatic excursion correlates with exercise capacity and

- dynamic hyperinflation in copd patients. *ERJ Open Research*, 6(4).
<https://doi.org/10.1183/23120541.00589-2020>
- Souza R, et al. Protection factors against inspiratory muscle weakness in patients on hemodialysis. *Eur Respir J*. 2017;50(Suppl 61):PA2520.
- Supinski GS, Callahan LA. Diaphragm weakness in mechanically ventilated critically ill patients. *Crit Care*. 2013 Jun 20;17(3):R120.
- Thongprayoon C, Cheungpasitporn W, Chewcharat A, Mao MA, Thirunavukkarasu S, Kashani KB. Risk of acute respiratory failure among hospitalized patients with various admission serum albumin levels: A cohort study. *Medicine (Baltimore)*. 2020 Feb 28;99(9):e19352.
- Tonelli, M., & Dickinson, J. A. (2020). Early Detection of CKD: Implications for Low-Income, Middle-Income, and High-Income Countries. In *Journal of the American Society of Nephrology* (Vol. 31, Issue 9, pp. 1931–1940). American Society of Nephrology. <https://doi.org/10.1681/ASN.2020030277>
- Trivedi V, Chaudhuri D, Jinah R, Pitararu J, Agarwal A, Liu K, et al. The Usefulness of the Rapid Shallow Breathing Index in Predicting Successful Extubation: A Systematic Review and Meta-analysis. *Chest*. 2022;161(1):97-111.
- Turton, P., ALAidarous, S., & Welters, I. (2019). A narrative review of diaphragm ultrasound to predict weaning from mechanical ventilation: where are we and where are we heading? In *Critical Ultrasound Journal* (Vol. 11, Issue 1). Springer-Verlag Italia s.r.l. <https://doi.org/10.1186/s13089-019-0117-8>
- Umbrello M, Formenti P. Ultrasonographic assessment of diaphragm function in critically ill patients. *Respir Care*. 2020;65(7):907-919.
- Zhou L, et al. Real-Time Predictive Analysis of ICU Ventilator Weaning Failure. [Journal details]. 2025.
- Kyriakoudi A, Rovina N, Koltsida O, Kostakou E, Konstantelou E, Kardara M, et al. Weaning Failure in Critically Ill Patients Is Related to the Persistence of Sepsis Inflammation. *Diagnostics (Basel)*. 2021 Dec 31;12(1):92.