UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

# BIBLIOGRAPHY

Acosta-Estrada, B. A., Gutiérrez-Uribe, J. A., & Serna-Saldívar, S. O. (2014). Bound phenolics in foods, a review. *Food Chemistry*, *152*, 46–55. https://doi.org/10.1016/j.foodchem.2013.11.093

Ade-Omowaye, B. I. O., Tucker, G. A., & Smetanska, I. (2015). Nutritional potential of nine underexploited legumes in Southwest Nigeria. *International Food Research Journal*, *22*, 798–806.

Agustia, F. C., Supriyadi, S., Murdiati, A., & Indrati, R. (2023). Germination of jack bean *Canavalia ensiformis* (L.) DC.] and its impact on nutrient and anti-nutrient composition. *Food Research*, *7*(5), 210–218. https://doi.org/10.26656/fr.2017.7(5).905

Agustia, F. C., Winarsi, H., Fitriani, A., & Latifasari, N. (2025). Impact of Packaging Variations on the Amino Acid Profile, Proximate Content, and Antinutritional Components of Tempeh from Jack Bean Sprouts. *Preventive Nutrition and Food Science*, *30*(1), 56–67. https://doi.org/10.3746/pnf.2025.30.1.56

Ahmad, A., Ramasamy, K., Majeed, A. B. A., & Mani, V. (2015). Enhancement of β-secretase inhibition and antioxidant activities of tempeh, a fermented soybean cake through enrichment of bioactive aglycones. *Pharmaceutical Biology*, *53*(5), 758–766. https://doi.org/10.3109/13880209.2014.942791,

Akanni, G. B., & Adebo, O. A. (2024). Metabolite perturbations in fermented legumes as elucidated using metabolomics: A review. *International Journal of Food Science and Technology*, *59*(6), 4234–4250. https://doi.org/10.1111/ijfs.17122

Al-Ishaq, R. K., Abotaleb, M., Kubatka, P., Kajo, K., & Büsselberg, D. (2019). Flavonoids and their anti-diabetic effects: Cellular mechanisms and effects to improve blood sugar levels. *Biomolecules*, *9*(9). https://doi.org/10.3390/biom9090430

Alsajri, F., Wijewardana, C., Irby, J., Bellaloui, N., Krutz, L., Golden, B., Gao, W., & Reddy, K. (2020). Developing functional relationships between temperature and soybean yield and seed quality. *Agronomy Journal*, *112*. https://doi.org/10.1002/agj2.20034

An, H. J., Kim, E. H., Lee, H. J., Cho, J. Y., & Moon, J. H. (2020). New caryophyllene-type sesquiterpene and flavonol tetraglycoside with sixteen known compounds from sword bean (*Canavalia gladiata*). *Food Science and Biotechnology*, *29*(10), 1343–1353. https://doi.org/10.1007/S10068-020-00794-8

Andrade, J. M., Pachar, P., Trujillo, L., & Cartuche, L. (2022). Suillin: A mixed-type acetylcholinesterase inhibitor from *Suillus luteus* which is used by Saraguros indigenous, southern Ecuador. *PLoS ONE*, *17*(5 May). https://doi.org/10.1371/journal.pone.0268292

Andriati, N., Anggrahini, S., Setyaningsih, W., Sofiana, I., Pusparasi, D. A., & Mossberg, F. (2018). Physicochemical characterization of jack bean (*Canavalia ensiformis*) tempeh. *Food Research*, *2*(5), 481–485. https://doi.org/https://doi.org/10.26656/fr.2017.2(5).300

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Arbeloa, E. M., Uez, M. J., Bertolotti, S. G., & Churio, M. S. (2010). Antioxidant activity of gadusol and occurrence in fish roes from Argentine Sea. *Food Chemistry*, *119*(2), 586–591. https://doi.org/10.1016/J.FOODCHEM.2009.06.061

Arise, A. K., Malomo, S. A., Ihuoma Cynthia, C., Aliyu, N. A., & Arise, R. O. (2022). Influence of processing methods on the antinutrients, morphology and in-vitro protein digestibility of jack bean. *Food Chemistry Advances*, *1*. https://doi.org/10.1016/j.focha.2022.100078

Arnal, M., Gallego, M., Talens, P., & Mora, L. (2024). Peptidomic profile and α-glucosidase inhibitory activity of cooked and gastrointestinal digested legumes. *LWT*, *201*. https://doi.org/10.1016/j.lwt.2024.116283

Asni, N. S. M., Surya, R., Mohmad Misnan, N., Lim, S. J., Ismail, N., Sarbini, S. R., & Kamal, N. (2024). Metabolomics insights of conventional and organic tempe during in vitro digestion and their antioxidant properties and cytotoxicity in HCT-116 cells. *Food Research International*, *195*, 114951. https://doi.org/10.1016/J.FOODRES.2024.114951

Astawan, M., Rahmawati, I. S., Cahyani, A. P., Wresdiyati, T., Putri, S. P., & Fukusaki, E. (2020). Comparison between the potential of tempe flour made from germinated and nongerminated soybeans in preventing diabetes mellitus. *HAYATI Journal of Biosciences*, *27*(1), 16–23. https://doi.org/10.4308/hjb.27.1.16

Avato, P., & Tava, A. (2021). Rare fatty acids and lipids in plant oilseeds: occurrence and bioactivity. *Phytochemistry Reviews 2021 21:2*, *21*(2), 401–428. https://doi.org/10.1007/S11101-021-09770-4

Avila, J. A. D., García, J. R., Aguilar, G. A. G., & De La Rosa, L. A. (2017). The antidiabetic mechanisms of polyphenols related to increased glucagon-like peptide-1 (GLP1) and insulin signaling. *Molecules*, *22*(6). https://doi.org/10.3390/molecules22060903

Azkia, M. N., Cahyanto, M. N., Mayangsari, Y., Briliantama, A., Palma, M., & Setyaningsih, W. (2023). Enhancement of phenolic profile and antioxidant activity of black glutinous rice (*Oryza sativa* var. glutinosa) due to tape fermentation. *Arabian Journal of Chemistry*, *16*(11). https://doi.org/10.1016/j.arabjc.2023.105275

Badan Pusat Statistik Indonesia. (2023). *Analysis of Maize and Soybean Yield in Indonesia, 2022 (The Result of Crop Cutting Survey)*. Badan Pusat Statistik.

Bahari, H., Jazinaki, M. S., Aghakhani, L., Hatami, A., Rahnama, I., & Malekahmadi, M. (2025). Oleoylethanolamide supplementation on cardiometabolic health: a systematic review and meta-analysis of randomized controlled trials. *Frontiers in Nutrition*, *12*, 1553288. https://doi.org/10.3389/FNUT.2025.1553288/BIBTEX

Barus, T., Titarsole, N. N., Mulyono, N., & Prasasty, V. D. (2019). Tempeh Antioxidant Activity using DPPH Method: Effects of Fermentation, Processing, and Microorganisms. *Journal of Food Engineering and Technology*, *8*(2), 75–80. https://doi.org/10.32732/jfet.2019.8.2.75

Bassett, C. M. C., Edel, A. L., Patenaude, A. F., McCullough, R. S., Blackwood, D. P., Chouinard, P. Y., Paquin, P., Lamarche, B., & Pierce, G. N. (2010). Dietary

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

vaccenic acid has antiatherogenic effects in LDLr-/- mice. *Journal of Nutrition*, *140*(1), 18–24. https://doi.org/10.3945/jn.109.105163

Beckmann, H., Strauss, M. A., & Ludolph, E. (1977). Dl-phenylalanine in depressed patients: An open study. *Journal of Neural Transmission*, *41*(2–3), 123–134. https://doi.org/10.1007/BF01670277,

Beloborodova, N. V. (2016). Low-Molecular Weight Bacterial Metabolites in Host-Microbial Interaction. *Infectious & Non Infectious Diseases*, *2*(1), 1–11. https://doi.org/10.24966/INID-8654/100011

Bhol, N. K., Bhanjadeo, M. M., Singh, A. K., Dash, U. C., Ojha, R. R., Majhi, S., Duttaroy, A. K., & Jena, A. B. (2024). The interplay between cytokines, inflammation, and antioxidants: mechanistic insights and therapeutic potentials of various antioxidants and anti-cytokine compounds. *Biomedicine and Pharmacotherapy*, *178*. https://doi.org/10.1016/j.biopha.2024.117177

Bhuiyan, M. H. R., Yeasmen, N., & Orsat, V. (2025). Assessment of food component distribution and structure by confocal laser scanning microscopy: A review. *Journal of Cereal Science*, *125*, 104256. https://doi.org/10.1016/J.JCS.2025.104256

Bideshki, M. V., Behzadi, M., Jamali, M., Jamilian, P., Zarezadeh, M., & Gargari, B. P. (2025). Ergogenic Benefits of β-Hydroxy-β-Methyl Butyrate (HMB) Supplementation on Body Composition and Muscle Strength: An Umbrella Review of Meta-Analyses. *Journal of Cachexia, Sarcopenia and Muscle*, *16*(1), e13671. https://doi.org/10.1002/JCSM.13671

Blewett, H. J., Gerdung, C. A., Ruth, M. R., Proctor, S. D., & Field, C. J. (2009). Vaccenic acid favourably alters immune function in obese JCR:LA-cp rats. *British Journal of Nutrition*, *102*(4), 526–536. https://doi.org/10.1017/S0007114509231722

Boo, Y. C. (2021). Arbutin as a Skin Depigmenting Agent with Antimelanogenic and Antioxidant Properties. *Antioxidants*, *10*(7), 1129. https://doi.org/10.3390/ANTIOX10071129

Boye, J., Zare, F., & Pletch, A. (2010). Pulse proteins: Processing, characterization, functional properties and applications in food and feed. *Food Research International*, *43*(2), 414–431. https://doi.org/10.1016/j.foodres.2009.09.003

Burgos-Morón, E., Abad-Jiménez, Z., de Marañón, A. M., Iannantuoni, F., Escribano-López, I., López-Domènech, S., Salom, C., Jover, A., Mora, V., Roldan, I., Solá, E., Rocha, M., & Víctor, V. M. (2019). Relationship between oxidative stress, ER stress, and inflammation in type 2 diabetes: The battle continues. In *Journal of Clinical Medicine* (Vol. 8, Issue 9). MDPI. https://doi.org/10.3390/jcm8091385

Cai, H. H., Zhong, X., Yang, P. H., Wei, W., Chen, J., & Cai, J. (2010). Probing site-selective binding of rhodamine B to bovine serum albumin. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *372*(1–3), 35–40. https://doi.org/10.1016/J.COLSURFA.2010.09.017

Caporali, S., De Stefano, A., Calabrese, C., Giovannelli, A., Pieri, M., Savini, I., Tesauro, M., Bernardini, S., Minieri, M., & Terrinoni, A. (2022). Anti-Inflammatory and Active Biological Properties of the Plant-Derived Bioactive

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Compounds Luteolin and Luteolin 7-Glucoside. *Nutrients*, *14*(6). https://doi.org/10.3390/NU14061155,

Carvalho, J. R. B., Meireles, A. N., Marques, S. S., Gregório, B. J. R., Ramos, I. I., Silva, E. M. P., Barreiros, L., & Segundo, M. A. (2023). Exploiting Kinetic Features of ORAC Assay for Evaluation of Radical Scavenging Capacity. *Antioxidants*, *12*(2). https://doi.org/10.3390/antiox12020505

Cervantes-Güicho, V. de J., Reyes, A. G., Nuncio, A., Sepúlveda-Torre, L., Landa-Cansigno, C., Rodríguez-De la Garza, J. A., Medina-Morales, M. A., Ríos-González, L. J., & Morales-Martínez, T. K. (2024). Box-Behnken Design for DPPH Free Radical Scavenging Activity Optimization from Microwave-Assisted Extraction of Polyphenolic Compounds from Agave lechuguilla Torr. Residues. *Processes*, *12*(9). https://doi.org/10.3390/pr12092005

Chauhan, A., Slipak, A., Miller, M. C., Altman, D. T., & Altman, G. T. (2018). No difference between bracing and no bracing after open reduction and internal fixation of tibial plateau fractures. *Journal of the American Academy of Orthopaedic Surgeons*, *26*(6), e134–e141. https://doi.org/10.5435/JAAOS-D-16-00021,

Chen, J., Yang, J., Ma, L., Li, J., Shahzad, N., & Kim, C. K. (2020). Structure-antioxidant activity relationship of methoxy, phenolic hydroxyl, and carboxylic acid groups of phenolic acids. *Scientific Reports*, *10*(1), 1–9. https://doi.org/10.1038/S41598-020-59451-Z;SUBJMETA

Chen, J., Zhong, H., Huang, Z., Chen, X., You, J., & Zou, T. (2023). A Critical Review of Kaempferol in Intestinal Health and Diseases. *Antioxidants 2023, Vol. 12, Page 1642*, *12*(8), 1642. https://doi.org/10.3390/ANTIOX12081642

Chen, K. Y., Chen, Y. J., Cheng, C. J., Jhan, K. Y., Chiu, C. H., & Wang, L. C. (2021). 3-Hydroxybenzaldehyde and 4-Hydroxybenzaldehyde enhance survival of mouse astrocytes treated with Angiostrongylus cantonensis young adults excretory/secretory products. *Biomedical Journal*, *44*(6), S258–S266. https://doi.org/10.1016/j.bj.2020.11.008

Chetia, A., Sultana, H., Saikia, A., & Jaman Khan, N. (2023). An Updated Review on Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts. *Scholars Academic Journal of Pharmacy*, *13*(1). https://doi.org/10.36347/sajp.2023.v12i07.00X

Cho, K. M., Lee, Y. M., Lee, H. Y., & Lee, J. H. (2023). Comparative Assessment of Nutritional Metabolites in Yellow Soybeans at Different Growth Years and Their Antioxidant and α-Glucosidase Inhibition Properties. *Agronomy*, *13*(12). https://doi.org/10.3390/agronomy13122914

Christodoulou, M. C., Orellana Palacios, J. C., Hesami, G., Jafarzadeh, S., Lorenzo, J. M., Domínguez, R., Moreno, A., & Hadidi, M. (2022). Spectrophotometric Methods for Measurement of Antioxidant Activity in Food and Pharmaceuticals. In *Antioxidants* (Vol. 11, Issue 11). MDPI. https://doi.org/10.3390/antiox11112213

de Camargo, A. C., Alvarez, A. C., Arias-Santé, M. F., Oyarzún, J. E., Andia, M. E., Uribe, S., Pizarro, P. N., Bustos, S. M., Schwember, A. R., Shahidi, F., & Bridi, R. (2022). Soluble Free, Esterified and Insoluble-Bound Phenolic Antioxidants from Chickpeas Prevent Cytotoxicity in Human Hepatoma HuH-

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

7 Cells Induced by Peroxyl Radicals. *Antioxidants*, *11*(6), 1139. https://doi.org/10.3390/antiox11061139

Deeb, S. S., Zambon, A., Carr, M. C., Ayyobi, A. F., & Brunzell, J. D. (2003). Hepatic lipase and dyslipidemia: Interactions among genetic variants, obesity, gender, and diet. *Journal of Lipid Research*, *44*(7), 1279–1286. https://doi.org/10.1194/jlr.R200017-JLR200

den Hartigh, L. J. (2019). Conjugated Linoleic Acid Effects on Cancer, Obesity, and Atherosclerosis: A Review of Pre-Clinical and Human Trials with Current Perspectives. *Nutrients 2019, Vol. 11, Page 370*, *11*(2), 370. https://doi.org/10.3390/NU11020370

Dey, T. B., & Kuhad, R. C. (2014). Upgrading the antioxidant potential of cereals by their fungal fermentation under solid-state cultivation conditions. *Letters in Applied Microbiology*, *59*(5), 493–499. https://doi.org/10.1111/lam.12300

Ding, Y., Morozova, K., Angeli, L., Gasparini, A., Ferrentino, G., & Scampicchio, M. (2023). Effect of extraction treatments on the functional properties of free and bound phenols in apple seeds. *Food Bioscience*, *53*(1), 102602. https://doi.org/10.1016/j.fbio.2023.102602

Domínguez-López, I., López-Yerena, A., Vallverdú-Queralt, A., Pallàs, M., Lamuela-Raventós, R. M., & Pérez, M. (2024). From the gut to the brain: the long journey of phenolic compounds with neurocognitive effects. *Nutrition Reviews*, *82*, 533–546. https://doi.org/10.1093/nutrit/nuae034

Duckett, S. K., Volpi-Lagreca, G., Alende, M., & Long, N. M. (2014). Palmitoleic acid reduces intramuscular lipid and restores insulin sensitivity in obese sheep. *Diabetes, Metabolic Syndrome and Obesity*, *7*, 553–563. https://doi.org/10.2147/DMSO.S72695

Dwidjoseputro, D., & Wolf, F. T. (1970). Microbiological studies of Indonesian fermented foodstuffs. *Mycopathologia et Mycologia Applicata*, *41*(3), 211–222. https://doi.org/10.1007/BF02051099

EIT Food. (2024). *Towards a Resilient and Sustainable Future: The Role of Protein Diversification in the EU Agri-Food Sector*. https://www.eitfood.eu/projects/eit-food-protein-diversification-think-tank/why-protein-diversification-matters#:~:text=Food%20Security%20%E2%80%93%20Diversifying%20protein%20sources,and%20support%20Europe's%20climate%20goals.

Eknayake, S., Jansz, E. R., & Nair, B. M. (1999). Proximate composition, mineral and amino acid content of mature *Canavalia gladiata* seeds. *Food Chemistry*, *66*(1), 115–119. https://doi.org/10.1016/S0308-8146(99)00041-2

El-Gazzar, N., Said, L., Al-Otibi, F. O., AbdelGawwad, M. R., & Rabie, G. (2025). Antimicrobial and cytotoxic activities of natural (Z)-13-docosenamide derived from *Penicillium chrysogenum*. *Frontiers in Cellular and Infection Microbiology*, *15*, 1529104. https://doi.org/10.3389/FCIMB.2025.1529104/FULL

El-Rayess, Y., Nehme, N., Azzi-Achkouty, S., & Julien, S. G. (2024). Wine Phenolic Compounds: Chemistry, Functionality and Health Benefits. *Antioxidants*, *13*(11), 1311–1312. https://doi.org/10.3390/antiox13111312

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Evans, M., Rumberger, J. A., Azumano, I., Napolitano, J. J., Citrolo, D., & Kamiya, T. (2014). Pantethine, a derivative of vitamin B5, favorably alters total, LDL and non-HDL cholesterol in low to moderate cardiovascular risk subjects eligible for statin therapy: A triple-blinded placebo and diet-controlled investigation. *Vascular Health and Risk Management*, *10*, 89–100. https://doi.org/10.2147/VHRM.S57116,

Ezegbe, C. C., Nwosu, J. N., Owuamanam, C. I., Victor-Aduloju, T. A., & Nkhata, S. G. (2023). Proximate composition and anti-nutritional factors in Mucuna pruriens (velvet bean) seed flour as affected by several processing methods. *Heliyon*, *9*(8), e18728. https://doi.org/10.1016/J.HELIYON.2023.E18728

Fallo, G., & Sine, Y. (2022). Identification of lactic acid bacteria and quality parameter of Tempeh obtained from red kidney beans (*Phaseolus vulgaris*) and cowpeas (*Vigna unguiculata*). *Biogenesis: Jurnal Ilmiah Biologi*, *10*(1), 53–65. https://doi.org/10.24252/bio.v10i1.27349

Fan, Y. Y., & Chapkin, R. S. (1998). Importance of dietary γ,-linolenic acid in human health and nutrition. *Journal of Nutrition*, *128*(9), 1411–1414. https://doi.org/10.1093/JN/128.9.1411

FAO. (2013). Dietary protein quality evaluation in human nutrition : Report of an FAQ Expert Consultation. In *FAO food and nutrition paper* (Vol. 92). e Food and Agriculture Organization of the United Nations (FAO). https://api.semanticscholar.org/CorpusID:29502168

FAO. (2022). *How The World's Food Security Depends on Biodiversity*. Commission on Genetic Resources for Food and Agriculture.

FAO. (2024). The State of Food Security and Nutrition in the World 2024. In *The State of Food Security and Nutrition in the World 2024*. FAO; IFAD; UNICEF; WFP; WHO. https://doi.org/10.4060/cd1254en

Feil, K., Adrion, C., Boesch, S., Doss, S., Giordano, I., Hengel, H., Jacobi, H., Klockgether, T., Klopstock, T., Nachbauer, W., Schöls, L., Marie Steiner, K., Stendel, C., Timmann, D., Naumann, I., Mansmann, U., & Strupp, M. (2021). Safety and Efficacy of Acetyl-DL-Leucine in Certain Types of Cerebellar Ataxia: The ALCAT Randomized Clinical Crossover Trial. *JAMA Network Open*, *4*(12), e2135841. https://doi.org/10.1001/JAMANETWORKOPEN.2021.35841

Feil, K., Adrion, C., Teufel, J., Bösch, S., Claassen, J., Giordano, I., Hengel, H., Jacobi, H., Klockgether, T., Klopstock, T., Nachbauer, W., Schöls, L., Stendel, C., Uslar, E., Warrenburg, B., Berger, I., Naumann, I., Bayer, O., Müller, H. H., … Strupp, M. (2017). Effects of acetyl-DL-leucine on cerebellar ataxia (ALCAT trial): Study protocol for a multicenter, multinational, randomized, double-blind, placebo-controlled, crossover phase III trial. *BMC Neurology*, *17*(1), 1. https://doi.org/10.1186/S12883-016-0786-X/TABLES/2

Feng, Z., Morton, J. D., Maes, E., Kumar, L., & Serventi, L. (2025). Proximate composition, peptide characterization and bioactive properties of faba bean blanching water. *Food Research International*, *200*, 115426. https://doi.org/10.1016/J.FOODRES.2024.115426

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Ferracioli-Oda, E., Qawasmi, A., & Bloch, M. H. (2013). Meta-Analysis: Melatonin for the Treatment of Primary Sleep Disorders. *PLoS ONE*, *8*(5), e63773. https://doi.org/10.1371/JOURNAL.PONE.0063773

Fields, T., M. Bremova, T., Billington, I., Churchill, G., Evans, W., Fields, C., Galione, A., Kay, R., Mathieson, T., Martakis, K., Patterson, M., Platt, F., Factor, M., & Strupp, M. (2023). N-acetyl-L-leucine for Niemann-Pick type C: a multinational double-blind randomized placebo-controlled crossover study. *Trials*, *24*(1), 1–9. https://doi.org/10.1186/S13063-023-07399-6/FIGURES/2

Fikriandi, S., Sumiati, & Mutia, R. (2024). Utilization of Jack Bean (*Canavalia ensiformis*) meal as a substitute for soybean meal in diet of laying hens. *Livestock Research for Rural Development*, *36*(1), 8–14.

Funakoshi-Tago, M., Nonaka, Y., Tago, K., Takeda, M., Ishihara, Y., Sakai, A., Matsutaka, M., Kobata, K., & Tamura, H. (2020). Pyrocatechol, a component of coffee, suppresses LPS-induced inflammatory responses by inhibiting NF-κB and activating Nrf2. *Scientific Reports*, *10*(1). https://doi.org/10.1038/S41598-020-59380-X,

Gandjar, I., & Santoso, I. (1997, January 1). The role of Rhizopus spp. in Biotechnology. *International Tempe Symposium, Bali, Indonesia*.

Gao, Y., Ma, S., Wang, M., & Feng, X. Y. (2017). Characterization of free, conjugated, and bound phenolic acids in seven commonly consumed vegetables. *Molecules*, *22*(11), 1878. https://doi.org/10.3390/molecules22111878

Garrett, A., Murray, B., Robison, R., & O'Neill, K. (2010). Measuring antioxidant capacity using the ORAC and TOSC assays. *Methods in Molecular Biology (Clifton, N.J.)*, *594*, 251–262. https://doi.org/10.1007/978-1-60761-411-1_17

Gebauer, S. K., Destaillats, F., Dionisi, F., Krauss, R. M., & Baer, D. J. (2015). Vaccenic acid and trans fatty acid isomers from partially hydrogenated oil both adversely affect LDL cholesterol: A double-blind, randomized controlled trial. *American Journal of Clinical Nutrition*, *102*(6), 1339–1346. https://doi.org/10.3945/AJCN.115.116129,

Ginaris, R. P., & Fauzah, N. R. (2023). The Effectiveness of Flavonoids in Pigeon Pea (*Cajanus cajan*) as Inhibitors of α-Glucosidase Enzyme in Anti-diabetes. *FITOFARMAKA: JURNAL ILMIAH FARMASI*, *13*(2), 139–145. https://doi.org/10.33751/jf.v13i2.9311

Gonthier, M. P., Cheynier, V., Donovan, J. L., Manach, C., Morand, C., Mila, I., Lapierre, C., Rémésy, C., & Scalbert, A. (2003). Microbial aromatic acid metabolites formed in the gut account for a major fraction of the polyphenols excreted in urine of rats fed red wine polyphenols. *Journal of Nutrition*, *133*(2), 461–467. https://doi.org/10.1093/jn/133.2.461

Granato, D. (2023). Cellular antioxidant activity measurement: An alternative to chemical antioxidant methods? *Food Safety and Health*, *1*(1), 9–12. https://doi.org/10.1002/fsh3.12012

Guo, Y., Wang, Y. Y., Wang, Y., Liu, Y. H., Liu, J. Y., Shen, Y. Y., Cao, A. P., Wang, R. B., Xie, B. Y., Pan, X., Li, A. L., Zhou, T., Wang, N., Xia, Q., & Zhang, W. N. (2025). Petroselinic Acid from Apiaceae Family Plants

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Ameliorates Autoimmune Disorders Through Suppressing Cytosolic-Nucleic-Acid-Mediated Type I Interferon Signaling. *Biomolecules*, *15*(3), 329. https://doi.org/10.3390/BIOM15030329/S1

Guyton, J. R., McGovern, M. E., & Carlson, L. A. (2023). Niacin. *Clinical Lipidology*, 274–284. https://doi.org/10.1016/b978-0-323-28786-9.00024-4

Hajib, A., El Harkaoui, S., Choukri, H., Khouchlaa, A., Aourabi, S., El Menyiy, N., Bouyahya, A., & Matthaeus, B. (2023). Apiaceae Family an Important Source of Petroselinic Fatty Acid: Abundance, Biosynthesis, Chemistry, and Biological Proprieties. *Biomolecules*, *13*(11). https://doi.org/10.3390/BIOM13111675

Harrington, B. J., & Hageage, G. J. (2003). Calcofluor White: A Review of its Uses and Applications in Clinical Mycology and Parasitology. *Laboratory Medicine*, *34*(5), 361–367. https://doi.org/10.1309/EPH2TDT8335GH0R3

Hashim, N., Tai, C. W., Wen, H. X., Ismail, A., & Kong, K. W. (2018). Comparative evaluation of antioxidant properties and isoflavones of tempeh fermented in two different wrapping materials. *Current Research in Nutrition and Food Science*, *6*(2), 307–317. https://doi.org/10.12944/CRNFSJ.6.2.06

Hayashi, K., Miyao, Y., Matsui, H., Yamaura, T., Tanaka, K., Baba, M., & Hayashi, H. (2024). Comparison of Non-ephedrine Constituents from Ephedra Plants Cultivated in Japan. *Chemical and Pharmaceutical Bulletin*, *72*(4), 385–388. https://doi.org/10.1248/CPB.C24-00043

He, X., Zheng, X., & Xie, W. (2024). Isopropyl 3-(3,4-Dihydroxyphenyl)-2-hydroxypropanoate Alleviates Palmitic Acid-Induced Vascular Aging in HUVEC Cells through ROS/Ferroptosis Pathway. *International Journal of Molecular Sciences 2024, Vol. 25, Page 9278*, *25*(17), 9278. https://doi.org/10.3390/IJMS25179278

Hegdekar, N., Lipinski, M. M., & Sarkar, C. (2021). N-Acetyl-l-leucine improves functional recovery and attenuates cortical cell death and neuroinflammation after traumatic brain injury in mice. *Scientific Reports*, *11*(1), 1–13. https://doi.org/10.1038/S41598-021-88693-8;SUBJMETA=154,378,617,631,692,699;KWRD=DISEASES,DRUG+DISCOVERY,NEUROLOGY,NEUROSCIENCE

Herburger, K., & Holzinger, A. (2016). Aniline blue and Calcofluor white staining of callose and cellulose in the streptophyte green algae Zygnema and Klebsormidium. *Bio-Protocol*, *6*(20), e1969. https://doi.org/10.21769/BIOPROTOC.1969

Herdiani, E., & Balai Besar Pelatihan Pertanian Lembang. (2021a). *Koro Pedang, Alternatif Pengganti Kedelai*. Artikel Teknis Penelitian. https://bbpplembang.bppsdmp.pertanian.go.id/publikasi-detail/1456

Herdiani, E., & Balai Besar Pelatihan Pertanian Lembang. (2021b). *Koro Pedang, Alternatif Pengganti Kedelai*. Artikel Teknis Penelitian. https://bbpplembang.bppsdmp.pertanian.go.id/publikasi-detail/1456

Holland, C., Ryden, P., Edwards, C. H., & Grundy, M. M. L. (2020). Plant cell walls: Impact on nutrient bioaccessibility and digestibility. *Foods*, *9*(2). https://doi.org/10.3390/foods9020201

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Hu, Y., Luo, H., Netala, V. R., Li, H., Zhang, Z., & Hou, T. (2025). Comprehensive Review of Biological Functions and Therapeutic Potential of Perilla Seed Meal Proteins and Peptides. *Foods*, *14*(1). https://doi.org/10.3390/foods14010047

Huang, D., Ou, B., Hampsch-Woodill, M., Flanagan, J. A., & Prior, R. L. (2002). High-throughput assay of oxygen radical absorbance capacity (ORAC) using a multichannel liquid handling system coupled with a microplate fluorescence reader in 96-well format. *Journal of Agricultural and Food Chemistry*, *50*(16), 4437–4444. https://doi.org/10.1021/JF0201529/ASSET/IMAGES/LARGE/JF0201529F00008.JPEG

Huang, W. W., Hong, B. H., Bai, K. K., Tan, R., Yang, T., Sun, J. P., Yi, R. Z., & Wu, H. (2020). Cis- and Trans-Palmitoleic Acid Isomers Regulate Cholesterol Metabolism in Different Ways. *Frontiers in Pharmacology*, *11*, 602115. https://doi.org/10.3389/FPHAR.2020.602115/BIBTEX

Ikram, A., Jameel, Q. Y., Saeed, F., Sanghvi, G., Gupta, A., Imran, A., Ahmed, F., Rasheed, M., Asghar, A., Afzaal, M., & Shah, M. A. (2025). Health benefits and functional properties of ciceritol, a novel prebiotic derived from chickpeas. *Journal of Agriculture and Food Research*, *21*, 101926. https://doi.org/10.1016/J.JAFR.2025.101926

Iqbal, D., Rizvi, S. M. D., Rehman, M. T., Khan, M. S., Dukhyil, A. Bin, Alajmi, M. F., Alshehri, B. M., Banawas, S., Zia, Q., Alsaweed, M., Madkhali, Y., Alsagaby, S. A., & Alturaiki, W. (2022). Soyasapogenol-B as a Potential Multitarget Therapeutic Agent for Neurodegenerative Disorders: Molecular Docking and Dynamics Study. *Entropy*, *24*(5), 593. https://doi.org/10.3390/E24050593/S1

jabbar, S. S., Salman, N. A., Dawood, F. A., & Al-fahham, A. A. (2024). The Chemical Structure and Clinical Significance of Phenolic Compounds. *International Journal of Health & Medical Research*, *03*(10). https://doi.org/10.58806/ijhmr.2024.v3i10n06

Jacome-Sosa, M. M., Borthwick, F., Mangat, R., Uwiera, R., Reaney, M. J., Shen, J., Quiroga, A. D., Jacobs, R. L., Lehner, R., & Proctor, S. D. (2014). Diets enriched in trans-11 vaccenic acid alleviate ectopic lipid accumulation in a rat model of NAFLD and metabolic syndrome. *Journal of Nutritional Biochemistry*, *25*(7), 692–701. https://doi.org/10.1016/j.jnutbio.2014.02.011

Jannah, M., Wayan, D., Farmawati, A., Hastuti, P., Prasetyastuti, P., Nisa, U., & Ysrafil, Y. (2024). Tempeh-Based Supplement Decreases Blood Glucose Levels Through Inhibiting Rage and NF-κB Activity in Type 2 Diabetes Mellitus Mice Model. *Journal of Health Science and Medical Research*, *42*(5). https://doi.org/10.31584/jhsmr.20241056

Jiang, Y. H., Ying, J. P., Xin, W. G., Yang, L. Y., Li, X. Z., & Zhang, Q. L. (2022). Antibacterial activity and action target of phenyllactic acid against *Staphylococcus aureus* and its application in skim milk and cheese. *Journal of Dairy Science*, *105*(12), 9463–9475. https://doi.org/10.3168/jds.2022-22262

John Hoffer, L., Sher, K., Saboohi, F., Bernier, P., MacNamara, E. M., & Rinzler, D. (2003). *N-acetyl-L-tyrosine as a tyrosine source in adult parenteral*

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

*nutrition; N-acetyl-L-tyrosine as a tyrosine source in adult parenteral nutrition*. https://doi.org/10.1177/0148607103027006419

Johnson, J. B., Mani, J. S., & Naiker, M. (2023). Microplate Methods for Measuring Phenolic Content and Antioxidant Capacity in Chickpea: Impact of Shaking †. *Engineering Proceedings*, *48*(1), 57. https://doi.org/10.3390/CSAC2023-15167

Jomova, K., Alomar, S. Y., Alwasel, S. H., Nepovimova, E., Kuca, K., & Valko, M. (2024). Several lines of antioxidant defense against oxidative stress: antioxidant enzymes, nanomaterials with multiple enzyme-mimicking activities, and low-molecular-weight antioxidants. *Archives of Toxicology*, *98*(5), 1323–1367. https://doi.org/10.1007/s00204-024-03696-4

Kalogeropoulou, D., LaFave, L., Schweim, K., Gannon, M. C., & Nuttall, F. Q. (2009). Lysine ingestion markedly attenuates the glucose response to ingested glucose without a change in insulin response. *The American Journal of Clinical Nutrition*, *90*(2), 314–320. https://doi.org/10.3945/AJCN.2008.27381

Kaplon, R. E., Gano, L. B., & Seals, D. R. (2013). Vascular endothelial function and oxidative stress are related to dietary niacin intake among healthy middle-aged and older adults. *Journal of Applied Physiology*, *116*(2), 156. https://doi.org/10.1152/JAPPLPHYSIOL.00969.2013

Kaya, E., Smith, D. A., Smith, C., Boland, B., Strupp, M., & Platt, F. M. (2020). Beneficial Effects of Acetyl-DL-Leucine (ADLL) in a Mouse Model of Sandhoff Disease. *Journal of Clinical Medicine 2020, Vol. 9, Page 1050*, *9*(4), 1050. https://doi.org/10.3390/JCM9041050

Kim, J., Jo, Y., Lim, G., Ji, Y., Roh, J. H., Kim, W. G., Yi, H. S., Choi, D. W., Cho, D., & Ryu, D. (2024). A microbiota-derived metabolite, 3-phenyllactic acid, prolongs healthspan by enhancing mitochondrial function and stress resilience via SKN-1/ATFS-1 in C. elegans. *Nature Communications 2024 15:1*, *15*(1), 1–15. https://doi.org/10.1038/s41467-024-55015-1

Kim, W. S., Choi, W. J., Lee, S., Kim, W. J., Lee, D. C., Sohn, U. D., Shin, H. S., & Kim, W. (2014). Anti-inflammatory, Antioxidant and Antimicrobial Effects of Artemisinin Extracts from Artemisia annua L. *The Korean Journal of Physiology & Pharmacology : Official Journal of the Korean Physiological Society and the Korean Society of Pharmacology*, *19*(1), 21. https://doi.org/10.4196/KJPP.2015.19.1.21

Kumar, V., Rani, A., Dixit, A. K., Pratap, D., & Bhatnagar, D. (2010). A comparative assessment of total phenolic content, ferric reducing-anti-oxidative power, free radical-scavenging activity, vitamin C and isoflavones content in soybean with varying seed coat colour. *Food Research International*, *43*(1), 323–328. https://doi.org/10.1016/j.foodres.2009.10.019

Kyazimova, N. D., & Kornyakova, V. V. (2024). Influence of polyphenolic compounds on human health and the course of a number of diseases. *Scientific Bulletin of the Omsk State Medical University*, *4*(1), 87–91. https://doi.org/10.61634/2782-3024-2024-13-87-91

Lampen, A., Leifheit, M., Voss, J., & Nau, H. (2005). Molecular and cellular effects of cis-9, trans-11-conjugated linoleic acid in enterocytes: Effects on proliferation, differentiation, and gene expression. *Biochimica et Biophysica*

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

*Acta (BBA) - Molecular and Cell Biology of Lipids*, *1735*(1), 30–40. https://doi.org/10.1016/J.BBALIP.2005.01.007

Lee, Y., Thompson, J. T., & Vanden Heuvel, J. P. (2009). 9E,11E-conjugated linoleic acid increases expression of the endogenous antiinflammatory factor, interleukin-1 receptor antagonist, in RAW 264.7 cells. *Journal of Nutrition*, *139*(10), 1861–1866. https://doi.org/10.3945/jn.108.100461

Lei, W., Xu, X., Li, N., Zhang, Y., Tang, R., Li, X., Tang, J., Wu, X., Lu, C., Bai, Y., Yao, Y., Qiu, Z., Yang, Y., & Zheng, X. (2024). Isopropyl 3-(3,4-dihydroxyphenyl) 2-hydroxypropanoate protects septic myocardial injury via regulating GAS6/Axl-AMPK signaling pathway. *Biochemical Pharmacology*, *221*. https://doi.org/10.1016/j.bcp.2024.116035

Lemke, S. L., Vicini, J. L., Su, H., Goldstein, D. A., Nemeth, M. A., Krul, E. S., & Harris, W. S. (2010). Dietary intake of stearidonic acid–enriched soybean oil increases the omega-3 index: randomized, double-blind clinical study of efficacy and safety. *The American Journal of Clinical Nutrition*, *92*(4), 766–775. https://doi.org/10.3945/AJCN.2009.29072

Li, C., Li, Y., Sui, L., Wang, J., & Li, F. (2019). Phenyllactic acid promotes cell migration and invasion in cervical cancer via IKK/NF-κB-mediated MMP-9 activation. *Cancer Cell International*, *19*(1), 1–12. https://doi.org/10.1186/S12935-019-0965-0/FIGURES/6

Li, J., Pora, B. L. R., Dong, K., & Hasjim, J. (2021). Health benefits of docosahexaenoic acid and its bioavailability: A review. *Food Science & Nutrition*, *9*(9), 5229–5243. https://doi.org/10.1002/FSN3.2299

Li, L., Shewry, P. R., & Ward, J. L. (2008). Phenolic acids in wheat varieties in the healthgrain diversity screen. *Journal of Agricultural and Food Chemistry*, *56*(21), 9732–9739. https://doi.org/10.1021/jf801069s

Li, M., Yao, B., & Meng, X. (2022). Inhibitory effect and possible mechanism of phenyllactic acid on *Aspergillus flavus* spore germination. *Journal of Basic Microbiology*, *62*(12), 1457–1466. https://doi.org/10.1002/JOBM.202200274;REQUESTEDJOURNAL:JOURNAL:15214028;WGROUP:STRING:PUBLICATION

Liang, N., & Kitts, D. D. (2014). Antioxidant property of coffee components: Assessment of methods that define mechanism of action. *Molecules*, *19*(11), 19180–19208. https://doi.org/10.3390/molecules191119180

Liu, W., Cui, X., Zhong, Y., Ma, R., Liu, B., & Xia, Y. (2023). Phenolic metabolites as therapeutic in inflammation and neoplasms: Molecular pathways explaining their efficacy. *Pharmacological Research*, *193*. https://doi.org/10.1016/j.phrs.2023.106812

Lopes, M., Júnior, P., Timóteo De Sousa Junior, R., Daniel, G., Nze, A., Ferreira Giozza, W., Antônio, L., & Júnior, R. (2022). Evaluation of Peppermint Leaf Flavonoids as SARS-CoV-2 Spike Receptor-Binding Domain Attachment Inhibitors to the Human ACE2 Receptor: A Molecular Docking Study. *Open Journal of Biophysics*, *12*, 132–152. https://doi.org/10.4236/ojbiphy.2022.122005

Lv, J., Song, X., Luo, Z., Huang, D., Xiao, L., & Zou, K. (2025). Luteolin: exploring its therapeutic potential and molecular mechanisms in pulmonary diseases.

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

*Frontiers in Pharmacology*, *16*, 1535555. https://doi.org/10.3389/FPHAR.2025.1535555/FULL

Maione, A., Imparato, M., Buonanno, A., Carraturo, F., Schettino, A., Schettino, M. T., Galdiero, M., de Alteriis, E., Guida, M., & Galdiero, E. (2023). Anti-Biofilm Activity of Phenyllactic Acid against Clinical Isolates of Fluconazole-Resistant Candida albicans. *Journal of Fungi*, *9*(3), 355. https://doi.org/10.3390/JOF9030355

Maiyah, N., Kerdpiboon, S., Supapvanich, S., Kerr, W. L., Sriprom, P., Chotigavin, N., Klaypradit, W., & Puttongsiri, T. (2025). Recovering bioactive compounds and antioxidant capacity of medium roasted spent coffee grounds through varied hydrothermal brewing cycles. *Journal of Agriculture and Food Research*, *20*, 101789. https://doi.org/10.1016/J.JAFR.2025.101789

Malenčić, D., Popović, M., & Miladinović, J. (2007). molecules Phenolic Content and Antioxidant Properties of Soybean (*Glycine max* (L.) Merr.) Seeds. In *Molecules* (Vol. 12). http://www.mdpi.org

Marrero, A. D., Ortega-Vidal, J., Salido, S., Castilla, L., Vidal, I., Quesada, A. R., Altarejos, J., Martínez-Poveda, B., & Medina, M. Á. (2023). Anti-angiogenic effects of oleacein and oleocanthal: New bioactivities of compounds from Extra Virgin Olive Oil. *Biomedicine & Pharmacotherapy*, *165*, 115234. https://doi.org/10.1016/J.BIOPHA.2023.115234

Martinez-Gonzalez, A. I., Díaz-Sánchez, Á. G., De La Rosa, L. A., Vargas-Requena, C. L., Bustos-Jaimes, I., & Alvarez-Parrilla, E. (2017). Polyphenolic compounds and digestive enzymes: In vitro non-covalent interactions. In *Molecules* (Vol. 22, Issue 4). MDPI AG. https://doi.org/10.3390/molecules22040669

Masne T, & Bansode DA. (2024). Exploring Diverse Techniques for Phytochemical Extraction from Plant Sources A Comprehensive Review. *International Journal of Pharmacognosy & Chinese Medicine*, *8*(1), 1–11. https://doi.org/10.23880/ipcm-16000266

Matsumura, T., Uryu, O., Matsuhisa, F., Tajiri, K., Matsumoto, H., & Hayakawa, Y. (2020). N-acetyl-l-tyrosine is an intrinsic triggering factor of mitohormesis in stressed animals. *EMBO Reports*, *21*(5), e49211. https://doi.org/10.15252/EMBR.201949211

Miller, M., Ballantyne, C. M., Bays, H. E., Granowitz, C., Doyle, R. T., Juliano, R. A., & Philip, S. (2019). Effects of Icosapent Ethyl (Eicosapentaenoic Acid Ethyl Ester) on Atherogenic Lipid/Lipoprotein, Apolipoprotein, and Inflammatory Parameters in Patients With Elevated High-Sensitivity C-Reactive Protein (from the ANCHOR Study). *American Journal of Cardiology*, *124*(5), 696–701. https://doi.org/10.1016/j.amjcard.2019.05.057

Ministry of Agriculture. (2023). *Statistics of Food Consumption 2023*. Center for Agricultural Data and Information System. https://satudata.pertanian.go.id/assets/docs/publikasi/Buku_Statsitik_Konsumsi_Pangan_2023.pdf

Misawa, N., Hosoya, T., Yoshida, S., Sugimoto, O., Yamada-Kato, T., & Kumazawa, S. (2018). 5-Hydroxyferulic acid methyl ester isolated from

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

wasabi leaves inhibits 3T3-L1 adipocyte differentiation. *Phytotherapy Research*, *32*(7), 1304–1310. https://doi.org/10.1002/PTR.6060

Mishra, S., Gandhi, D., Tiwari, R. R., & Rajasekaran, S. (2023). Beneficial role of kaempferol and its derivatives from different plant sources on respiratory diseases in experimental models. *Inflammopharmacology 2023 31:5*, *31*(5), 2311–2336. https://doi.org/10.1007/S10787-023-01282-1

Mnembuka, B. V., & Eggum, B. O. (1995). Comparative nutritive value of winged bean (*Psophocarpus tetragonolobus* (L) DC) and other legumes grown in Tanzania. *Plant Foods for Human Nutrition (Dordrecht, Netherlands)*, *47*(4), 333–339. https://doi.org/10.1007/BF01088271

Mohammadkhanizadeh, A., Sheibani, M., Taherkhani, S., Nourabadi, D., Mohamadi-Zarch, S. M., Nikbakht, F., & Azizi, Y. (2025). Protective effects of apigenin in neurodegeneration: An update on the potential mechanisms. *Brain Disorders*, *17*, 100189. https://doi.org/10.1016/J.DSCB.2025.100189

Mora, L., González-Rogel, D., Heres, A., & Toldrá, F. (2020). Iberian dry-cured ham as a potential source of α-glucosidase-inhibitory peptides. *Journal of Functional Foods*, *67*. https://doi.org/10.1016/j.jff.2020.103840

Murata, T., Tago, K., Miyata, K., Moriwaki, Y., Misawa, H., Kobata, K., Nakazawa, Y., Tamura, H., & Funakoshi-Tago, M. (2023). Suppression of Neuroinflammation by Coffee Component Pyrocatechol via Inhibition of NF-κB in Microglia. *International Journal of Molecular Sciences*, *25*(1), 316. https://doi.org/10.3390/IJMS25010316

Naczk, M., & Shahidi, F. (2004). Extraction and analysis of phenolics in food. *Journal of Chromatography A*, *1054*(1–2), 95–111. https://doi.org/10.1016/J.CHROMA.2004.08.059

National Food Agency. (2024). *Kepala NFA Arief Prasetyo Adi Tegaskan Ketersediaan dan Stabilitas Kedelai Butuh Sinergi Stakeholder*. Press Release National Food Agency (NFA). https://badanpangan.go.id/blog/post/kepala-nfa-arief-prasetyo-adi-tegaskan-ketersediaan-dan-stabilitas-kedelai-butuh-sinergi-stakeholder

Nina, N., Theoduloz, C., Giménez, A., & Schmeda-Hirschmann, G. (2020). Phenolics from the Bolivian highlands food plant *Ombrophytum subterraneum* (Aspl.) B. Hansen (Balanophoraceae): Antioxidant and α-glucosidase inhibitory activity. *Food Research International*, *137*, 109382. https://doi.org/10.1016/j.foodres.2020.109382

Nissen, S., Sharp, R. L., Panton, L., Vukovich, M., Trappe, S., & Fuller, J. C. (2000). β-Hydroxy-β-Methylbutyrate (HMB) Supplementation in Humans Is Safe and May Decrease Cardiovascular Risk Factors. *The Journal of Nutrition*, *130*(8), 1937–1945. https://doi.org/10.1093/JN/130.8.1937

O'Brien, D. M., Boggs, C. L., & Fogel, M. L. (2005). The amino acids used in reproduction by butterflies: A comparative study of dietary sources using compound-specific stable isotope analysis. *Physiological and Biochemical Zoology*, *78*(5), 819–827. https://doi.org/10.1086/431191,

Osborn, A. R., Almabruk, K. H., Holzwarth, G., Asamizu, S., LaDu, J., Kean, K. M., Karplus, P. A., Tanguay, R. L., Bakalinsky, A. T., & Mahmud, T. (2015).

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

De novo synthesis of a sunscreen compound in vertebrates. *ELife*, *4*(MAY). https://doi.org/10.7554/ELIFE.05919

Ostadrahimi, A., Khajebishak, Y., Moradi, F., & Payahoo, L. (2024). The effect of Oleoylethanolamide supplementation on lipid profile, fasting blood sugar and dietary habits in obese people: a randomized double-blind placebo-control trial. *BMC Endocrine Disorders*, *24*(1), 1–9. https://doi.org/10.1186/S12902-024-01738-7/FIGURES/2

O'Toole, D. K. (2004). SOYBEAN | Soy-Based Fermented Foods. In C. Wrigley (Ed.), *Encyclopedia of Grain Science* (pp. 174–185). Elsevier. https://doi.org/https://doi.org/10.1016/B0-12-765490-9/00153-1

Pandey, K. B., & Rizvi, S. I. (2009). Plant polyphenols as dietary antioxidants in human health and disease. *Oxidative Medicine and Cellular Longevity*, *2*(5), 270. https://doi.org/10.4161/OXIM.2.5.9498

Paranavitana, L., Oh, W. Y., Yeo, J., & Shahidi, F. (2021). Determination of soluble and insoluble-bound phenolic compounds in dehulled, whole, and hulls of green and black lentils using electrospray ionization (ESI)-MS/MS and their inhibition in DNA strand scission. *Food Chemistry*, *361*, 130083. https://doi.org/https://doi.org/10.1016/j.foodchem.2021.130083

Park, G. L., Park, M., Min, J. K., Park, Y. J., Chung, S. W., & Lee, S. J. (2021). Anisomycin protects against sepsis by attenuating IκB kinase-dependent NF-κB activation and inflammatory gene expression. *BMB Reports*, *54*(11), 545–550. https://doi.org/10.5483/BMBREP.2021.54.11.063

Peng, X., Zhang, G., Liao, Y., & Gong, D. (2016). Inhibitory kinetics and mechanism of kaempferol on α-glucosidase. *Food Chemistry*, *190*, 207–215. https://doi.org/10.1016/j.foodchem.2015.05.088

Platzer, M., Kiese, S., Tybussek, T., Herfellner, T., Schneider, F., Schweiggert-Weisz, U., & Eisner, P. (2022). Radical Scavenging Mechanisms of Phenolic Compounds: A Quantitative Structure-Property Relationship (QSPR) Study. *Frontiers in Nutrition*, *9*. https://doi.org/10.3389/FNUT.2022.882458

Prativi, M. B. N., Astuti, D. I., Putri, S. P., Laviña, W. A., Fukusaki, E., & Aditiawati, P. (2023). Metabolite Changes in Indonesian Tempe Production from Raw Soybeans to Over-Fermented Tempe. *Metabolites*, *13*(2), 1–16. https://doi.org/10.3390/metabo13020300

Price, R. K., Keaveney, E. M., Hamill, L. L., Wallace, J. M. W., Ward, M., Ueland, P. M., McNulty, H., Strain, J. J., Parker, M. J., & Welch, R. W. (2010). Consumption of wheat aleurone-rich foods increases fasting plasma betaine and modestly decreases fasting homocysteine and LDL-cholesterol in adults. *Journal of Nutrition*, *140*(12), 2153–2157. https://doi.org/10.3945/jn.110.126961

Purba, C. C., Mayangsari, Y., Setyaningsih, W., Chansuwan, W., & Sirinupong, N. (2024). Bioactive compounds of *Citrus hystrix* peel ethanolic extract and their antioxidant potential under hydrogen peroxide-induced oxidative stress in Caco-2 cells. *Future Foods*, *9*(1), 100350. https://doi.org/10.1016/j.fufo.2024.100350

Purwandari, F. A., Annisa, E. D. N., Rachmawati, A. T., Puspitasari, D., Wikandari, R., Setyaningsih, W., Ningrum, A., & Sardjono. (2021). Effect of different

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

cooking methods on chemical composition, nutritional values, and sensory properties of Jack bean (Canavalia ensiformis) tempe. *Food Research*, *5*(3), 327–333. https://doi.org/10.26656/fr.2017.5(3).530

Purwandari, F. A., Fogliano, V., & Capuano, E. (2024). Tempeh fermentation improves the nutritional and functional characteristics of Jack beans (*Canavalia ensiformis* (L.) DC). *Food and Function*, *15*(7), 3680–3691. https://doi.org/10.1039/d3fo05379b

Purwandari, F. A., Fogliano, V., de Ruijter, N. C. A., & Capuano, E. (2023). Chemical and microstructural characterization of easy- and hard-to-cook Jack bean (*Canavalia ensiformis* (L.) DC.) collections. *Lwt*, *189*(October), 115451. https://doi.org/10.1016/j.lwt.2023.115451

Purwandari, F., Westerbos, C., Lee, K., Fogliano, V., Capuano, E., & Capuano, E. (2023). Proximate composition, microstructure, and protein and starch digestibility of seven collections of Jack bean (*Canavalia ensiformis*) with different optimal cooking times. *Food Research International*, *170*, 112956. https://doi.org/10.1016/J.FOODRES.2023.112956

Qian, Y., Li, X. F., Zhang, D. D., Cai, D. Sen, Tian, H. Y., & Liu, W. Bin. (2015). Effects of Dietary Pantothenic Acid on Growth, Intestinal Function, Anti-Oxidative Status and Fatty Acids Synthesis of Juvenile Blunt Snout Bream *Megalobrama amblycephala*. *PLoS ONE*, *10*(3), e0119518. https://doi.org/10.1371/JOURNAL.PONE.0119518

Rahman, M. M., Rahaman, M. S., Islam, M. R., Rahman, F., Mithi, F. M., Alqahtani, T., Almikhlafi, M. A., Alghamdi, S. Q., Alruwaili, A. S., Hossain, M. S., Ahmed, M., Das, R., Emran, T. Bin, & Uddin, M. S. (2022). Role of phenolic compounds in human disease: Current knowledge and future prospects. *Molecules*, *27*(1), 233. https://doi.org/10.3390/molecules27010233

Rechner, A. R., Kuhnle, G., Bremner, P., Hubbard, G. P., Moore, K. P., & Rice-Evans, C. A. (2002). The metabolic fate of dietary polyphenols in humans. *Free Radical Biology and Medicine*, *33*(2), 220–235. https://doi.org/10.1016/S0891-5849(02)00877-8

Ribeiro, J., Veloso, C., Fernandes, C., Tiritan, M. E., & Pinto, M. M. M. (2019). Carboxyxanthones: Bioactive Agents and Molecular Scaffold for Synthesis of Analogues and Derivatives. *Molecules*, *24*(1), 180. https://doi.org/10.3390/MOLECULES24010180

Rice, M. C., Little, J. H., Forrister, D. L., Machado, J., Clark, N. L., & Gagnon, J. A. (2023). Gadusol is a maternally provided sunscreen that protects fish embryos from DNA damage. *Current Biology*, *33*(15), 3229-3237.e4. https://doi.org/10.1016/j.cub.2023.06.012

Roasa, J., De Villa, R., Mine, Y., & Tsao, R. (2021). Phenolics of cereal, pulse and oilseed processing by-products and potential effects of solid-state fermentation on their bioaccessibility, bioavailability and health benefits: A review. *Trends in Food Science and Technology*, *116*, 954–974. https://doi.org/10.1016/j.tifs.2021.08.027

Rocchetti, G., Gregorio, R. P., Lorenzo, J. M., Barba, F. J., Oliveira, P. G., Prieto, M. A., Simal-Gandara, J., Mosele, J. I., Motilva, M. J., Tomas, M., Patrone, V., Capanoglu, E., & Lucini, L. (2022). Functional implications of bound

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

phenolic compounds and phenolics–food interaction: A review. *Comprehensive Reviews in Food Science and Food Safety*, *21*(2), 811–842. https://doi.org/10.1111/1541-4337.12921

Rodrigues, W. J., Nekrakaleya, B., Ramaiah, C. K., & Poojary, B. (2023). Bioassay-guided Isolation and Identification of Antidiabetic Compounds from Naregamia alata. *Current Bioactive Compounds*, *19*(9), 21–32. https://doi.org/10.2174/1573407219666230413081819

Rovalino-Córdova, A. M., Fogliano, V., & Capuano, E. (2019). The effect of cell wall encapsulation on macronutrients digestion: A case study in kidney beans. *Food Chemistry*, *286*(September 2018), 557–566. https://doi.org/10.1016/j.foodchem.2019.02.057

Ruiz-García, I., Ortíz-Flores, R., Badía, R., García-Borrego, A., García-Fernández, M., Lara, E., Martín-Montañez, E., García-Serrano, S., Valdés, S., Gonzalo, M., Tapia-Guerrero, M. J., Fernández-García, J. C., Sánchez-García, A., Muñoz-Cobos, F., Calderón-Cid, M., El-Bekay, R., Covas, M. I., Rojo-Martínez, G., Olveira, G., … Bermúdez-Silva, F. J. (2023). Rich oleocanthal and oleacein extra virgin olive oil and inflammatory and antioxidant status in people with obesity and prediabetes. The APRIL study: A randomised, controlled crossover study. *Clinical Nutrition*, *42*(8), 1389–1398. https://doi.org/10.1016/j.clnu.2023.06.027

Sabater, C., Sáez, G. D., Suárez, N., Garro, M. S., Margolles, A., & Zárate, G. (2024). Fermentation with Lactic Acid Bacteria for Bean Flour Improvement: Experimental Study and Molecular Modeling as Complementary Tools. *Foods*, *13*(13), 2105. https://doi.org/10.3390/foods13132105

Sadeer, N. B., Montesano, D., Albrizio, S., Zengin, G., & Mahomoodally, M. F. (2020). The versatility of antioxidant assays in food science and safety—chemistry, applications, strengths, and limitations. In *Antioxidants* (Vol. 9, Issue 8, pp. 1–39). MDPI. https://doi.org/10.3390/antiox9080709

Sánchez-Medina, A., Redondo-Puente, M., Dupak, R., Bravo-Clemente, L., Goya, L., & Sarriá, B. (2023). Colonic Coffee Phenols Metabolites, Dihydrocaffeic, Dihydroferulic, and Hydroxyhippuric Acids Protect Hepatic Cells from TNF-α-Induced Inflammation and Oxidative Stress. *International Journal of Molecular Sciences*, *24*(2). https://doi.org/10.3390/IJMS24021440,

Sanvictores, T., & Chauhan, S. (2024). Vitamin B5 (Pantothenic Acid). *Clinical Guide to Nutrition & Dietary Supplements in Disease Management*, 699–701. https://doi.org/10.1016/B978-0-443-07193-5.50106-0

Sari, K. R. P., Ikawati, Z., Danarti, R., & Hertiani, T. (2023). Micro-titer plate assay for measurement of total phenolic and total flavonoid contents in medicinal plant extracts. *Arabian Journal of Chemistry*, *16*(9), 105003. https://doi.org/10.1016/j.arabjc.2023.105003

Sarijan, A., Surahman, M., Setiawan, A., & Giyanto. (2019). Analisa Pertumbuhan dan Produksi Benih Kacang Koro Pedang (*Canavalia ensiformis* L.) Melalui Aplikasi Pupuk NPK dan Pupuk Organik Cair. *Jurnal Penelitian Pertanian Tanaman Pangan* , *3*(1), 43.

Satarker, S., Gurram, P. C., Nassar, A., Manandhar, S., Vibhavari, R. J. A., Yarlagadda, D. L., Mudgal, J., Lewis, S., Arora, D., & Nampoothiri, M.

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

(2023). Evaluating the Role of N-Acetyl-L-Tryptophan in the Aβ 1-42-Induced Neuroinflammation and Cognitive Decline in Alzheimer's Disease. *Molecular Neurobiology 2023 61:7*, *61*(7), 4421–4440. https://doi.org/10.1007/S12035-023-03844-4

Sawada, Y., Sato, T., Fukushi, R., Kohari, Y., Takahashi, Y., Tomii, S., Yang, L., Yamagishi, T., & Arai, H. (2023). Fermentation of soybeans with *Pleurotus cornucopiae* and *Pleurotus ostreatus* increases isoflavone aglycones, total polyphenol content and antioxidant activity. *Mycoscience*, *64*(6), 156–165. https://doi.org/10.47371/mycosci.2023.09.004

Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T., Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., Tinevez, J. Y., White, D. J., Hartenstein, V., Eliceiri, K., Tomancak, P., & Cardona, A. (2012). Fiji: An open-source platform for biological-image analysis. *Nature Methods*, *9*(7), 676–682. https://doi.org/10.1038/NMETH.2019;SUBJMETA

Schneider, C. A., Rasband, W. S., & Eliceiri, K. W. (2012). NIH Image to ImageJ: 25 years of image analysis. *Nature Methods*, *9*(7), 671–675. https://doi.org/10.1038/NMETH.2089;SUBJMETA

Seidel, U., Eberhardt, K., Wiebel, M., Luersen, K., Ipharraguerre, I. R., Haegele, F. A., Winterhalter, P., Bosy-Westphal, A., Schebb, N. H., & Rimbach, G. (2024). Stearidonic acid improves eicosapentaenoic acid status: studies in humans and cultured hepatocytes. *Frontiers in Nutrition*, *11*, 1359958. https://doi.org/10.3389/FNUT.2024.1359958/BIBTEX

Sejbuk, M., Mirończuk-Chodakowska, I., Karav, S., & Witkowska, A. M. (2024). Dietary Polyphenols, Food Processing and Gut Microbiome: Recent Findings on Bioavailability, Bioactivity, and Gut Microbiome Interplay. *Antioxidants*, *13*(10). https://doi.org/10.3390/antiox13101220

Septiani, A., Mamangkey, J., Adinugraha, F., & Mendes, L. W. (2024). Production of tempe koro benguk using local starter and its implementation as a biotechnology module for high school students. *Jurnal Biolokus: Jurnal Penelitian Pendidikan Biologi Dan Biologi*, *7*, 207–225.

Sethi, S., Joshi, A., Arora, B., Bhowmik, A., Sharma, R. R., & Kumar, P. (2020). Significance of FRAP, DPPH, and CUPRAC assays for antioxidant activity determination in apple fruit extracts. *European Food Research and Technology*, *246*(3), 591–598. https://doi.org/10.1007/s00217-020-03432-z

Shahidi, F., & Yeo, J. D. (2016). Insoluble-bound phenolics in food. *Molecules*, *21*(9), 1216. https://doi.org/10.3390/molecules21091216

Shelton, C. D., Sing, E., Mo, J., Shealy, N. G., Yoo, W., Thomas, J., Fitz, G. N., Castro, P. R., Hickman, T. T., Torres, T. P., Foegeding, N. J., Zieba, J. K., Calcutt, M. W., Codreanu, S. G., Sherrod, S. D., McLean, J. A., Peck, S. H., Yang, F., Markham, N. O., … Byndloss, M. X. (2023). An early-life microbiota metabolite protects against obesity by regulating intestinal lipid metabolism. *Cell Host and Microbe*, *31*(10), 1604-1619.e10. https://doi.org/10.1016/j.chom.2023.09.002

Shihan, M. H., Novo, S. G., Le Marchand, S. J., Wang, Y., & Duncan, M. K. (2021). A simple method for quantitating confocal fluorescent images. *Biochemistry*

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

*and Biophysics Reports*, *25*, 100916. https://doi.org/10.1016/J.BBREP.2021.100916

Shrivastav, D., Dabla, P. K., Sharma, J., Viswas, A., & Mir, R. (2023a). Insights on antioxidant therapeutic strategies in type 2 diabetes mellitus: A narrative review of randomized control trials. *World Journal of Diabetes*, *14*(6), 919–929. https://doi.org/10.4239/wjd.v14.i6.919

Shrivastav, D., Dabla, P. K., Sharma, J., Viswas, A., & Mir, R. (2023b). Insights on antioxidant therapeutic strategies in type 2 diabetes mellitus: A narrative review of randomized control trials. *World Journal of Diabetes*, *14*(6), 919–929. https://doi.org/10.4239/wjd.v14.i6.919

Shu, P., Wang, Y., & Zhang, L. (2024). The Effect of α-Arbutin on UVB-Induced Damage and Its Underlying Mechanism. *Molecules 2024, Vol. 29, Page 1921*, *29*(9), 1921. https://doi.org/10.3390/MOLECULES29091921

Siddiqui, A. A., Siddiqui, S. A., Ahmad, S., Siddiqui, S. A., Ahsan, I., & Sahu, K. (2013). Diabetes: Mechanism, Pathophysiology and Management-A Review. *International Journal of Drug Development and Research*, *5*. https://api.semanticscholar.org/CorpusID:36358741

Sihag, J., & Jones, P. J. H. (2018). Oleoylethanolamide: The role of a bioactive lipid amide in modulating eating behaviour. *Obesity Reviews*, *19*(2), 178–197. https://doi.org/10.1111/OBR.12630,

Silva dos Santos, J., Gonçalves Cirino, J. P., de Oliveira Carvalho, P., & Ortega, M. M. (2021). The Pharmacological Action of Kaempferol in Central Nervous System Diseases: A Review. *Frontiers in Pharmacology*, *11*, 565700. https://doi.org/10.3389/FPHAR.2020.565700/XML

Sine, Y., & Soetarto, E. (2018). Perubahan Kadar Vitamin Dan Mineral Pada Fermentasi Tempe Gude (*Cajanus cajan* L.). *Jurnal Saintek Lahan Kering*, *1*, 1–3. https://doi.org/10.32938/slk.v1i1.414

Sirianni, A. C., Jiang, J., Zeng, J., Mao, L. L., Zhou, S., Sugarbaker, P., Zhang, X., Li, W., Friedlander, R. M., & Wang, X. (2015). N-acetyl- l -tryptophan, but not N-acetyl- d -tryptophan, rescues neuronal cell death in models of amyotrophic lateral sclerosis. *Journal of Neurochemistry*, *134*(5), 956–968. https://doi.org/10.1111/JNC.13190,

Sjamsuridzal, W., Khasanah, M., Febriani, R., Vebliza, Y., Oetari, A., Santoso, I., & Gandjar, I. (2021). The effect of the use of commercial tempeh starter on the diversity of Rhizopus tempeh in Indonesia. *Scientific Reports*, *11*(1), 23932. https://doi.org/10.1038/s41598-021-03308-6

Sloun, B. Van, Goossens, G. H., Erdos, B., Lenz, M., Riel, N. Van, & Arts, I. C. W. (2020). The impact of amino acids on postprandial glucose and insulin kinetics in humans: A quantitative overview. In *Nutrients* (Vol. 12, Issue 10, pp. 1–23). MDPI AG. https://doi.org/10.3390/nu12103211

Smoum, R., Bar, A., Tan, B., Milman, G., Attar-Namdar, M., Ofek, O., Stuart, J. M., Bajayo, A., Tam, J., Kram, V., O'Dell, D., Walker, M. J., Bradshaw, H. B., Bab, I., & Mechoulam, R. (2010). Oleoyl serine, an endogenous N-acyl amide, modulates bone remodeling and mass. *Proceedings of the National Academy of Sciences of the United States of America*, *107*(41), 17710–17715. https://doi.org/10.1073/PNAS.0912479107,

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Soetan, K. O., & Edem, A. R. (2018). Comparative Phytochemicals and In Vitro Antioxidative Effects of Jack Beans (*Canavalia ensiformis*) and Sword Beans (*Canavalia gladiata*). In *Annals. Food Science and Technology* (Vol. 19). www.afst.valahia.ro

Song, J., Wang, Y., Fan, X., Wu, H., Han, J., Yang, M., Lu, L., & Nie, G. (2019). Trans-vaccenic acid inhibits proliferation and induces apoptosis of human nasopharyngeal carcinoma cells via a mitochondrial-mediated apoptosis pathway. *Lipids in Health and Disease*, *18*(1), 46. https://doi.org/10.1186/S12944-019-0993-8

Sowndhararajan, K., Siddhuraju, P., & Manian, S. (2011). Antioxidant activity of the differentially processed seeds of Jack bean (*Canavalia ensiformis*) L. DC). *Food Science and Biotechnology*, *20*(3), 585–591. https://doi.org/10.1007/s10068-011-0083-9

Spínola, V., & Castilho, P. C. (2021). Assessing the in vitro inhibitory effects on key enzymes linked to type-2 diabetes and obesity and protein glycation by phenolic compounds of lauraceae plant species endemic to the laurisilva forest. *Molecules*, *26*(7), 2023. https://doi.org/10.3390/molecules26072023

Srinivasa, S. M., Girish, Y. R., Sharathkumar, K. S., Prashantha, K., Rangappa, S., & Sudhanva, M. S. (2023). *Significance of Antioxidants and Methods to Evaluate their Potency*. https://doi.org/10.22128/mch.2023.647.1037

Stadheim, T. A., & Kucera, G. L. (2002). C-Jun N-terminal kinase/stress-activated protein kinase (JNK/SAPK) is required for mitoxantrone- and anisomycin-induced apoptosis in HL-60 cells. *Leukemia Research*, *26*(1), 55–65. https://doi.org/10.1016/S0145-2126(01)00099-6

Steingass, C. B., Glock, M. P., Lieb, V. M., & Carle, R. (2017). Light-induced alterations of pineapple (*Ananas comosus* [L.] Merr.) juice volatiles during accelerated ageing and mass spectrometric studies into their precursors. *Food Research International*, *100*, 366–374. https://doi.org/10.1016/J.FOODRES.2017.06.030

Su, H. K., Chen, W. C., Lu, J. H., Chao, H. R., Liang, Y. F., Haruka, S., Hsu, W. L., Wu, M. L., & Tsai, M. H. (2023). The effects of using Tempeh as a supplement for type 2 diabetes. *Food Science and Nutrition*, *11*(6), 3339–3347. https://doi.org/10.1002/fsn3.3319

Sun, W., He, J., Wang, H., Zhang, Q., Li, W., & Rui, X. (2023). Solid-state fermentation alters the fate of red kidney bean protein during buccal and gastrointestinal digestion: Relationship with cotyledon cell wall integrity. *Food Chemistry*, *410*(December 2022), 135370. https://doi.org/10.1016/j.foodchem.2022.135370

Surya, R., Romulo, A., & Suryani, Y. (2021). Tempeh extract reduces cellular ROS levels and upregulates the expression of antioxidant enzymes. *Food Research*, *5*(3), 121–128. https://doi.org/10.26656/fr.2017.5(3).560

Surya, R., & Tedjakusuma, F. (2025). Effects of different cooking methods on the antioxidant activity and isoflavone profile of tempeh extract. *IOP Conference Series: Earth and Environmental Science*, *1490*(1), 012002. https://doi.org/10.1088/1755-1315/1490/1/012002

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Sutedja, A. M., Yanase, E., Batubara, I., Fardiaz, D., & Lioe, H. N. (2020). Identification and Characterization of α-Glucosidase Inhibition Flavonol Glycosides from Jack Bean (*Canavalia ensiformis*(L.) DC. *Molecules*, *25*(11), 460–470. https://doi.org/10.3390/molecules25112481

Tamam, B., Puryana, I. G. B. P., Suratiah, & Sutiari, N. K. (2023). Nutritional aspects and amino acid profiles of tempe from local, imported, and black soybean relating to the functional properties. *IOP Conference Series: Earth and Environmental Science*, *1177*(1). https://doi.org/10.1088/1755-1315/1177/1/012027

Telagari, M., & Hullatti, K. (2015). In-vitro α-amylase and α-glucosidase inhibitory activity of *Adiantum caudatum* Linn. and *Celosia argentea* Linn. extracts and fractions. *Indian Journal of Pharmacology*, *47*(4), 425–429. https://doi.org/10.4103/0253-7613.161270

Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S., & Lim, J. J. L. (2024). A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods*, *9*(March), 100330. https://doi.org/10.1016/j.fufo.2024.100330

Thomasz, E. O., Pérez-Franco, I., & García-García, A. (2024). Assessing the impact of climate change on soybean production in Argentina. *Climate Services*, *34*, 100458. https://doi.org/https://doi.org/10.1016/j.cliser.2024.100458

To, K. Il, Zhu, Z. X., Wang, Y. N., Li, G. A., Sun, Y. M., Li, Y., & Jin, Y. H. (2022). Integrative network pharmacology and experimental verification to reveal the anti-inflammatory mechanism of ginsenoside Rh4. *Frontiers in Pharmacology*, *13*. https://doi.org/10.3389/FPHAR.2022.953871/PDF

Torres-Villarreal, D., Camacho, A., Castro, H., Ortiz-Lopez, R., & de la Garza, A. L. (2019). Anti-obesity effects of kaempferol by inhibiting adipogenesis and increasing lipolysis in 3T3-L1 cells. *Journal of Physiology and Biochemistry*, *75*(1), 83–88. https://doi.org/10.1007/s13105-018-0659-4

Trepp, R., Muri, R., Maissen-Abgottspon, S., Haynes, A. G., Hochuli, M., & Everts, R. (2024). Cognition after a 4-week high phenylalanine intake in adults with phenylketonuria – a randomized controlled trial. *American Journal of Clinical Nutrition*, *119*(4), 908–916. https://doi.org/10.1016/j.ajcnut.2023.11.007

Tsalissavrina, I., Murdiati, A., Raharjo, S., & Lestari, L. A. (2023). The Effects of Duration of Fermentation on Total Phenolic Content, Antioxidant Activity, and Isoflavones of The Germinated Jack Bean Tempeh (*Canavalia ensiformis*). In *Indonesian Journal of Pharmacy Indonesian J Pharm* (Vol. 34, Issue 3).

Ukiya, M., Sato, D., Kimura, H., Hirai, Y., & Nishina, A. (2020). Tokoronin Contained in Dioscorea tokoro Makino ex Miyabe Suppressed α-MSH-Induced Melanogenesis in B16 Cells via Suppression of Classical MAPK Pathway Activation. *Chemistry & Biodiversity*, *17*(6), e2000077. https://doi.org/10.1002/CBDV.202000077

Usman, U., Rahim, I., & Ambar, A. A. (2013). Analisis Pertumbuhan dan Produksi Kacang Koro Pedang (Canavalia ensiformis) pada Berbagai Konsentrasi Pupuk Organik Cair dan Pemangkasan. *Jurnal Galung Tropika*, *2*(2), 85–96.

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Vadivel, V., Cheong, J. N., & Biesalski, H. K. (2012). Antioxidant and type II diabetes related enzyme inhibition properties of methanolic extract of an underutilized food legume, *Canavalia ensiformis* (L.) DC: Effect of traditional processing methods. *LWT*, *47*(2), 255–260. https://doi.org/10.1016/j.lwt.2012.01.014

Vasconcelos, J. F., Meira, C. S., Silva, D. N., Nonaka, C. K. V., Daltro, P. S., MacAmbira, S. G., Domizi, P. D., Borges, V. M., Ribeiro-Dos-Santos, R., De Freitas Souza, B. S., & Soares, M. B. P. (2017). Therapeutic effects of sphingosine kinase inhibitor N,N-dimethylsphingosine (DMS) in experimental chronic Chagas disease cardiomyopathy. *Scientific Reports*, *7*(1), 6171. https://doi.org/10.1038/S41598-017-06275-Z

Vitale, D. C., Piazza, C., Melilli, B., Drago, F., & Salomone, S. (2013). Isoflavones: estrogenic activity, biological effect and bioavailability. *European Journal of Drug Metabolism and Pharmacokinetics*, *38*(1), 15–25. https://doi.org/10.1007/S13318-012-0112-Y/METRICS

Vong, W. C., Hua, X. Y., & Liu, S. Q. (2018). Solid-state fermentation with Rhizopus oligosporus and Yarrowia lipolytica improved nutritional and flavour properties of okara. *LWT*, *90*, 316–322. https://doi.org/10.1016/J.LWT.2017.12.050

Waldmeier, P. C., De Herdt, P., & Maitre, L. (1990). Effects of the COMT inhibitor, CGP 28014, on plasma homovanillic acid and O-methylation of exogenous L-dopa in the rat. *Journal of Neural Transmission. Supplementum*, *32*, 381–386. https://doi.org/10.1007/978-3-7091-9113-2_52,

Walsh, N. E., Ramamurthy, S., Schoenfeld, L., & Hoffman, J. (1986). Analgesic effectiveness of D-phenylalanine in chronic pain patients. *Archives of Physical Medicine and Rehabilitation*, *67*(7), 436–439. https://doi.org/10.1016/0304-3959(87)90098-4

Wang, C., Hu, C., Li, X., Shen, R., Yin, L., Wu, Q., & Hu, T. (2025). Effects of Rhizopus oligosporus-Mediated Solid-State Fermentation on the Protein Profile and α-Glucosidase Inhibitory Activity of Selenium-Biofortified Soybean Tempeh. *Foods (Basel, Switzerland)*, *14*(16). https://doi.org/10.3390/FOODS14162899

Wang, H. L., & Hesseltine, C. W. (1966). Wheat tempeh. *Cereal Chemistry*, *43*, 563–570.

Wang, L., Lin, X., Zhang, J., Zhang, W., Hu, X., Li, W., Li, C., & Liu, S. (2019). Extraction methods for the releasing of bound phenolics from *Rubus idaeus* L. leaves and seeds. *Industrial Crops and Products*, *135*, 1–9. https://doi.org/10.1016/J.INDCROP.2019.04.003

Wang, L., Zhang, X., Xiong, X., Zhu, H., Chen, R., Zhang, S., Chen, G., & Jian, Z. (2022). Nrf2 Regulates Oxidative Stress and Its Role in Cerebral Ischemic Stroke. *Antioxidants*, *11*(12), 2377. https://doi.org/10.3390/ANTIOX11122377

Wei, F., Yang, X., Zhang, M., Xu, C., Hu, Y., & Liu, D. (2022). *Akkermansia muciniphila* Enhances Egg Quality and the Lipid Profile of Egg Yolk by Improving Lipid Metabolism. *Frontiers in Microbiology*, *13*, 927245. https://doi.org/10.3389/FMICB.2022.927245/FULL

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., Garnett, T., Tilman, D., DeClerck, F., Wood, A., Jonell, M., Clark, M., Gordon, L. J., Fanzo, J., Hawkes, C., Zurayk, R., Rivera, J. A., De Vries, W., Majele Sibanda, L., … Murray, C. J. L. (2019). Food in the Anthropocene: the EAT–Lancet Commission on healthy diets from sustainable food systems. *The Lancet*, *393*(10170), 447–492. https://doi.org/10.1016/S0140-6736(18)31788-4

Wilson, L. A. (1995). Chapter 22 - Soy Foods. In D. R. Erickson (Ed.), *Practical Handbook of Soybean Processing and Utilization* (pp. 428–459). AOCS Press. https://doi.org/https://doi.org/10.1016/B978-0-935315-63-9.50026-7

Wood, D. R., Reimherr, F. W., & Wender, P. H. (1985). Treatment of attention deficit disorder with DL-phenylalanine. *Psychiatry Research*, *16*(1), 21–26. https://doi.org/10.1016/0165-1781(85)90024-1,

Worthington, C. C., Worthington, V., Worthington, K., Decker, L., Hackler, D., & Worthington, A. (2016). *Worthington Enzyme Manual : Enzymes and Related Biochemicals*. Worthington Biochemical Corporation.

Wu, Y., Pi, D., Chen, Y., Zuo, Q., Zhou, S., & Ouyang, M. (2022). Ginsenoside Rh4 Inhibits Colorectal Cancer Cell Proliferation by Inducing Ferroptosis via Autophagy Activation. *Evidence-Based Complementary and Alternative Medicine : ECAM*, *2022*, 6177553. https://doi.org/10.1155/2022/6177553

Xiao, Y., Fan, J., Chen, Y., Rui, X., Zhang, Q., & Dong, M. (2016). Enhanced total phenolic and isoflavone aglycone content, antioxidant activity and DNA damage protection of soybeans processed by solid state fermentation with Rhizopus oligosporus RT-3. *RSC Advances*, *6*(35), 29741–29756. https://doi.org/10.1039/C6RA00074F

Xie, X., Wu, F., Tian, J., Liu, Z., He, H., Bao, D., Li, G., Li, H., Chen, J., Lai, Y., Chen, Z., Fan, J., Chen, G., & Lai, C. (2022). Pyrocatechol Alleviates Cisplatin-Induced Acute Kidney Injury by Inhibiting ROS Production. *Oxidative Medicine and Cellular Longevity*, *2022*, 2158644. https://doi.org/10.1155/2022/2158644

Xu, Y., Tan, Y., Zhang, Z., Chen, D., Zhou, C., Sun, L., Xia, S., Bao, X., Yang, H., & Xu, Y. (2025). 13-Docosenamide Enhances Oligodendrocyte Precursor Cell Differentiation via USP33-Mediated Deubiquitination of CNR1 in Chronic Cerebral Hypoperfusion. *Neuroscience Bulletin*, 1–18. https://doi.org/10.1007/S12264-025-01461-W/FIGURES/9

Yang, C., Shahidi, F., & Tsao, R. (2017). Biomarkers of oxidative stress and cellular-based assays of indirect antioxidant measurement. *Measurement of Antioxidant Activity and Capacity: Recent Trends and Applications*, 165–186. https://doi.org/10.1002/9781119135388.CH9

Yang, L., Gao, Y., Bajpai, V. K., El-Kammar, H. A., Simal-Gandara, J., Cao, H., Cheng, K. W., Wang, M., Arroo, R. R. J., Zou, L., Farag, M. A., Zhao, Y., & Xiao, J. (2023). Advance toward isolation, extraction, metabolism and health benefits of kaempferol, a major dietary flavonoid with future perspectives. *Critical Reviews in Food Science and Nutrition*, *63*(16), 2773–2789. https://doi.org/10.1080/10408398.2021.1980762;PAGE:STRING:ARTICLE/CHAPTER

UNIVERSITAS GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Yang, M., Moclair, B., Hatcher, V., Kaminetsky, J., Mekas, M., Chapas, A., & Capodice, J. (2014). A Randomized, Double-Blind, Placebo-Controlled Study of a Novel Pantothenic Acid-Based Dietary Supplement in Subjects with Mild to Moderate Facial Acne. *Dermatology and Therapy*, *4*(1), 93. https://doi.org/10.1007/S13555-014-0052-3

Yang, S., Wu, S., Dai, W., Pang, L., Xie, Y., Ren, T., Zhang, X., Bi, S., Zheng, Y., Wang, J., Sun, Y., Zheng, Z., & Kong, J. (2021). Tetramethylpyrazine: A Review of Its Antitumor Potential and Mechanisms. *Frontiers in Pharmacology*, *12*, 764331. https://doi.org/10.3389/FPHAR.2021.764331/XML

Yang, Y., Chen, Z., Zhao, X., Xie, H., Du, L., Gao, H., & Xie, C. (2022). Mechanisms of Kaempferol in the treatment of diabetes: A comprehensive and latest review. *Frontiers in Endocrinology*, *13*, 990299. https://doi.org/10.3389/FENDO.2022.990299

Yang, Y., Luo, L., Li, Y., Shi, X., Li, C., Chai, J., Jiang, S., & Zheng, R. (2024). Succinic Acid Improves the Metabolism of High-Fat Diet-Induced Mice and Promotes White Adipose Browning. *Nutrients* , *16*(22), 3828. https://doi.org/10.3390/NU16223828/S1

Yarlina, V. P., Nabilah, F., Djali, M., Andoyo, R., & Lani, M. N. (2023). Mold characterization in "RAPRIMA" tempeh yeast from LIPI and over-fermented Koro Pedang (Jack Beans) tempeh. *Food Research*, *7*, 125–132. https://doi.org/10.26656/fr.2017.7(S1).27

Yoshikawa, M., Morikawa, T., Toguchida, I., Harima, S., & Matsuda, H. (2000). Medicinal flowers. II. Inhibitors of nitric oxide production and absolute stereostructures of five new germacrane-type sesquiterpenes, kikkanols D, D monoacetate, E, F, and F monoacetate from the flowers of Chrysanthemum indicum L. *Chemical and Pharmaceutical Bulletin*, *48*(5), 651–656. https://doi.org/10.1248/CPB.48.651,

Yu, J., Hong, C., Yin, L., Ping, Q., & Hu, G. (2023). Antimicrobial activity of phenyllactic acid against *Klebsiella pneumoniae* and its effect on cell wall membrane and genomic DNA. *Brazilian Journal of Microbiology*, *54*(4), 3245. https://doi.org/10.1007/S42770-023-01126-8

Yudiono, K., Ayu, W. C., & Susilowati, S. (2021). Antioxidant activity, total phenolic, and aflatoxin contamination in tempeh made from assorted soybeans (*Glycine max* l *merill*). *Food Research*, *5*(3), 393–398. https://doi.org/10.26656/fr.2017.5(3).655

Zahir, M., Fogliano, V., & Capuano, E. (2018). Food matrix and processing modulate: In vitro protein digestibility in soybeans. *Food and Function*, *9*(12), 6326–6336. https://doi.org/10.1039/c8fo01385c

Zahir, M., Fogliano, V., & Capuano, E. (2020). Effect of soybean processing on cell wall porosity and protein digestibility. *Food and Function*, *11*(1), 285–296. https://doi.org/10.1039/c9fo02167a

Zhang, C., Chen, Y., Huang, S., Bian, X., Yang, B., Lu, S., Fu, X., Zhao, W., Pan, Y., & Zhao, S. (2025). 3,4-hydroxyphenyl lactic acid from Lactiplantibacillus plantarum prevents alcoholic liver injury in mice. *BioRxiv*, 2025.03.12.642873. https://doi.org/10.1101/2025.03.12.642873

UNIVERSITAS
GADJAH MADA
**PHENOLIC COMPOUNDS AND BIOLOGICAL PROPERTIES OF JACK BEAN (Canavalia ensiformis (L.) DC.) TEMPEH FERMENTATION**
Tamanda Sekar Setyani, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Dr. Worrapanit Chansuwan
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Zhang, Q., Yang, W., Liu, J., Liu, H., Lv, Z., Zhang, C., Chen, D., & Jiao, Z. (2020). Identification of Six Flavonoids as Novel Cellular Antioxidants and Their Structure-Activity Relationship. *Oxidative Medicine and Cellular Longevity*, *2020*, 4150897. https://doi.org/10.1155/2020/4150897

Zhang, Y., Su, D., He, J., Dai, Z., Asad, R., Ou, S., & Zeng, X. (2017). Effects of ciceritol from chickpeas on human colonic microflora and the production of short chain fatty acids by in vitro fermentation. *LWT - Food Science and Technology*, *79*, 294–299. https://doi.org/10.1016/J.LWT.2017.01.040

Zhang, Y., Wei, R., Azi, F., Jiao, L., Wang, H., He, T., Liu, X., Wang, R., & Lu, B. (2022). Solid-state fermentation with *Rhizopus oligosporus* RT-3 enhanced the nutritional properties of soybeans. *Frontiers in Nutrition*, *9*(September), 1–14. https://doi.org/10.3389/fnut.2022.972860

Zhao, Y. S., Eweys, A. S., Zhang, J. Y., Zhu, Y., Bai, J., Darwesh, O. M., Zhang, H. B., & Xiao, X. (2021). Fermentation Affects the Antioxidant Activity of Plant-Based Food Material through the Release and Production of Bioactive Components. *Antioxidants*, *10*(12), 2004. https://doi.org/10.3390/ANTIOX10122004

Zhou, H., Zhang, H., Ye, R., Yan, C., Lin, J., Huang, Y., Jiang, X., Yuan, S., Chen, L., Jiang, R., Zheng, K., Cheng, Z., Zhang, Z., Dong, M., & Jin, W. (2022). Pantothenate protects against obesity via brown adipose tissue activation. *American Journal of Physiology - Endocrinology and Metabolism*, *323*(1), E69–E79. https://doi.org/10.1152/AJPENDO.00293.2021/ASSET/IMAGES/LARGE/AJPENDO.00293.2021_F005.JPEG

Zhu, L., Li, W., Deng, Z., Li, H., & Zhang, B. (2020). The composition and antioxidant activity of bound phenolics in three legumes, and their metabolism and bioaccessibility of gastrointestinal tract. *Foods*, *9*(12), 1816. https://doi.org/10.3390/foods9121816

Zhu, L., Zhan, C., Yu, X., Hu, X., Gao, S., Zang, Y., Yao, D., Wang, C., & Xu, J. (2024). Extractions, Contents, Antioxidant Activities and Compositions of Free and Bound Phenols from Kidney Bean Seeds Represented by 'Yikeshu' Cultivar in Cold Region. *Foods*, *13*(11), 1704. https://doi.org/10.3390/FOODS13111704/S1