DAFTAR PUSTAKA

Abrahams, R. 1992. Ivermectin as a spray for treatment of snake mites. *Bull. Assoc. Rep. Amphib. Vet.,* 2: 8.

Abouheif, E., Zardoya, R., Meyer, A. 1998. Limitations of Metazoan 18S rRNA Sequence Data: Implications for Reconstructing a Phylogeny of the Animal Kingdom and Inferring the Reality of the Cambrian Explosion. *Journal of Molecular Evolution*, 47(4): 394-405.

Alderton, D., Davies, V., Mattison, C. 2007. *Snakes and reptiles of the world*. The Brown Reference Group plc. London: 448 pp.

Amaliah, N. dan Pudyatmoko, S. 2012. Status ekspor ular Kobra (*Naja sputatrix*), ular Sanca Batik (*Phyton reticulatus*), dan ular Jali (*Ptyas mucosus*) Indonesia. *Tesis*. Universitas Gadjah Mada. Yogyakarta.

Amanatfard, E., Youssefi, M.R., Barimani, A. 2014. Human dermatitis caused by *Ophionyssus natricis*, a snake mite. *Iranian J. Parasitol*., 9(4): 594-596.

Anonim. 1999. Peraturan Pemerintah Republik Indonesia Nomor 7 Tahun 1999 tentang Pengawetan Jenis Tumbuhan dan Satwa. Direktorat Jenderal Peraturan Perundang-undangan Kementerian Hukum dan Hak Asasi Manusia Republik Indonesia. Jakarta.

Anonim. 2008. Keputusan Kepala Badan Karantina Pertanian Nomor: 69.a/kpts/PD.670.210/L/10/2008 tentang Pedoman Persyaratan Teknis Instalasi Karantina Hewan untuk Reptil dan Amfibi (Herpetofauna). Badan Karantina Pertanian Kementerian Pertanian Republik Indonesia. Jakarta.

Anonim. 2013. Parasites. http://www.taurrus.fr/parasites_en.html. [diakses pada tanggal 9 Januari 2017]

Anonim. 2017. Indonesia - Country Profile: Biodiversity Facts. Convention on Biological Diversity. https://www.cbd.int. [diakses pada 9 Januari 2017]

Aprilyanto, V. dan Sembiring, L. 2016. *Filogenetika Molekuler; Teori dan Aplikasi*. Penerbit Innosain. Yogyakarta: 212 hal.

Arnold, E.N. 1986. Mite pockets of lizards: a possible means of reducing damage by ectoparasites. *Biological Journal of the Linnean Society,* 29: 1-21.

Axelsson, J. 2006. Natural history and captive management of the Grey-banded kingsnake, *Lampropeltis alterna* (Brown 1901): A review of the literature part 3. *Litteratura Serpentium*, 26(1): 1-27.

Baker, E.W., Evans, T.M., Gould, D.J., Hull, W.B., Keegan, H.L. 1956. *A manual of parasitic mites of medical or economic importance*. National Pest Control Association. New York: 170 pp.

Bannert, B., Karaca H.Y., Wohltmann, A. 2000. Life cycle and parasitic interaction of the lizard-parasitizing mite *Ophionyssus galloticolus* (Acari: Gamasida: Macronyssidae), with remarks about the evolutionary consequences of parasitism in mites. *Exp. Appl. Acarol.*, 24:597–613.

Beaulieu, F. 2009. Review of the mite genus Gaeolaelaps Evans & Till (Acari: Laelapidae), and description of a new species from North America, G. gillespiei n. sp. *Zootaxa*, 2158: 33-49.

Beck, W. and Pantchev, N. 2006. Snake mite (*Ophionyssus natricis*) infestation in a Green Iguana (*Iguana iguana*). A case report. *Klein tierpraxis*, 51(12): 648-652.

Beck, W. and Pfister, K. 2006. Humanpathogene Milben als Zoonoseerreger. *Wiener Klinische Wochenschrift*, 118 (Suppl 3): 27-32.

Belova, O.S., and Grigoriev, O.V. 1981. *Occurrence of gamasid and ixodid ticks of reptiles of Western Siberia*. In: Borkin, L.J. (ed.). *Herpetological investigations in Siberia and the Far East*. Zoological Institute of the USSR Academy of Sciences. [in Russian with English title]

Bilal, D. 2012. The first case of *Ophionyssus natricis* (Gervais, 1844) on a sea snake (*Natrix tessellata*, Laurente 1768) in Turkey. *Turkiye Parazitol Dernegi*, 36: 112-115. [In Turkish with English abstract]

Bochkov, A.V. 2002. The classification and phylogeny of the mite superfamily Cheyleitoidea (Acari, Prostigmata). *Entomol. Obozr.*, 81: 488-513.

Bonorris, J.S. and Ball, G.H. 1955. *Schellackia occidentalis* n. sp. a blood-inhabiting coccidian found in lizards in southern California. *The Journal of Parasitology*, 2: 31-34.

Boyer, D.M. and Boyer, T.H. 1992. Trichlorfon spray for snake mites *(Ophionyssus natricis). Bull. Assoc. Rept. Amphib. Vets.*, 2:2-3.

Camin, J.H. 1948. Mite transmission of a hemorrhagic septicemia in snakes. *The Journal of Parasitology*, 34: 345-354.

Camin, J.H. 1953. Observations on the life history and sensory behavior of the snake mite *Ophionyssus natricis* (Gervais). *Chicago Academy of Science Special Publication,* 10: 1-75.

Chang, L.W., and Jacobson, E.R. 2010. Inclusion Body Disease, a worldwide infectious disease of Boid snakes: Review. *Journal of Exotic Pet Medicine*, 19(3): 216-225.

Cranston, T. 1991. Notes on the natural history, husbandry, and breeding of the Gray-banded kingsnake (*Lampropeltis alterna*). *The Vivarium*, 3(2): 7-10.

Cruickshank, R.H. and Thomas, R.H. 1999. Evolution of haplodiploidy in dermanyssine mites (Acari: Mesostigmata). *Evolution,* 53: 1796-1803.

DeNardo, D. and Wozniak, E.J. 1997. Understanding the snake mite and current therapies for its control. *The Fourth Annual Conference of the Association of Reptilian and Amphibian Veterinarians*: 137-147.

Díaz, S., Panzera, F., Jaramillo-O, N., Pérez, R., Fernández, R., Vallejo, G., Saldanã, A., Calzada, J.E., Triana, O., Gómez-Palacio, A. 2014. Genetic, cytogenetic and morphological trends in the evolution of the *Rhodnius* (Triatominae: Rhodniini) trans-Andean group. *PLoS One,* 9: 87493.

Domrow, R. 1984. Acari from operation drake in New Guinea 3. Paramegistidae. *Acarologia,* 25:5-16.

Domrow, R. 1985. Species of *Ophionyssus* Megnin from Australian lizards and snakes (Acari: Dermanyssidae). *J. Aust. Entomol. Soc*., 24: 149-153.

Dowling, A.P.G. and O'Connor, B.M. 2010[a]. Phylogeny of Dermanyssoidea (Acari: Parasitiformes) suggests multiple origins parasitism. *Acarologia*, 50(1): 113-129.

Dowling, A.P.G. and O'Connor, B.M. 2010[b]. Phylogenetic relationships within the suborder Dermanyssina (Acari: Parasitiformes) and a test of dermanyssoid monophyly. *International Journal of Acarology*, 36(4): 299-312.

Egerton, R. F. 2005. *Physical principles of electron microscopy : an introduction to TEM, SEM, and AEM*. Springer Science+Business Media, Inc. USA: 122 pp.

El Abed, S., Ibnsouda, S.K., Latrache, H., Hamadi, F. 2012. *Scanning Electrone Microscopy (SEM) and Environmental SEM: Suitable Tools for Study of Adhesion Stage and Biofilm Formation*. In : Kazmiruk, V. (ed). *Scanning Electron Microscopy*. InTech. Croatia: 717-730.

Evans, G.O. 1992. *Principles of Acarology*. CAB International. Wallingford: 563 pp.

Evans, G.O. and Till, W.M. 1965. Studies on the British Dermanyssidae (Acari: Mesostigmata). Part I. External morphology. *Bulletin of The British Museum (Natural History): Zoology*, 13 (8): 249-294.

Evans, G.O. and Till, W.M. 1966. Studies on the British Dermanyssidae (Acari: Mesostigmata). Part II. Classification. *Bulletin of The British Museum (Natural History): Zoology*, 14 (5): 107-370.

Ewing, H.E. 1933. A new pit-producing mite from the scales of a South American snake. *J. Parasitol*, 20: 53-56.

Fain, A. 1958. Un nouvel Acarien Trombidiforme parasitant les fosses nasales d'un Serpent au Ruanda-Urundi. *Revue de Zoologie et de Botanique Africaines*, 57: 177-183.

Fain, A. 1961[a]. Une nouvelle famille d'acariens, parasites de serpents du genre Mehelya au Congo: Omentolaelaptidae fam. nov. (Mesostigmata). *Revue de Zoologie et de Botanique Africaines*, 66: 283-296.

Fain, A. 1961[b]. Les Acariens parasites endopulmonaires des Serpents (Entonyssidae: Mesostigmata). *Bulletin de I'lnstitut Royal des Sciences Naturelles de Belgique*, 37: 1-135.

Fain, A. 1962. Les Acariens Mesostigmatiques ectoparasites des Serpentes. *Institut Royal des Sciences Naturelles de Belgique*, 38: 1-133.

Fain, A. 1964. Les Ophioptidae Acariens parasites des ecailles des serpents (Trombidiformes). *Bulletin de I'lnstitut Royal des Sciences Naturelles de Belgique, Entomologie*, 40: l-57.

Fain, A. 1968. Notes sur les acariens de la familie Cloacaridae Camin *et al*. parasites du cloaque et des tissus profonde des tortues (Cheyletoidea: Trom Trombidiformes). *Bulletin de I'lnstitut Royal des Sciences Naturelles de Belgique, Entomologie*, 44: 1-33.

Fain, A. 1969. Adaptation to parasitism in mites. *Acarologia*, 9: 429-449.

Fain, A. and Bannert, B. 2000. Two new species of *Ophionyssus* Megin (Acari: Macronyssidae) parasitic on lizards of the genus *Gallotia* Boulenger (Reptilia: Lacertidae) from the Canary islands. *International Journal of Acarology*, 26: 41–50.

Fain, A. and Bannert, B. 2002. New observations on species of the genus *Ophionyssus* Mégnin (Acari: Macronyssidae) parasitic on lizard of the genus *Gallotia* Boulenger (Reptilia: Lacertidae) from the Canary islands, Spain with description of a new species. *International Journal of Acarology*, 28 (4): 361-366.

Felsenstein, J. 1981. Evolutionary trees from DNA sequences: a maximum likelihood approach. *Journal of Molecular Evolution*, 17: 368-376.

Finnegan, S. 1931. On a new species of mite of the family Heterozerconidae parasitic on a snake. *Proceedings of the Zoological Society of London*, 33: 1349-1357.

Flechtmann, C.H.W. and Johnston, D.E. 1990. *Zeterohercon*, a new genus of Heterozerconidae (Acari: Mesostigmata) and the description of *Zeterohercon amphisbaenae* n. sp. from Brasil. *Internat. J. Acarol.*, 16: 143-148.

Funk, R.S. 2006. *Snakes*. In: Mader, D.R. (ed). *Reptile Medicine and Surgery*. 2nd ed. W.B. Saunders Company. Philadelphia: 42-58.

Garrett, C.M. and Harwell G. 1991. Loreal pit impaction in a black speckled palm pitviper (*Bothriechis nigroviridis*). *Journal of Zoo and Wildlife Medicine*, 22: 249-251.

Gillespie, J.J., Johnston, J.S., Cannone, J.J., Gutell, R.R. 2006. Characteristics of the nuclear, 18S, 5.8S, 28S and 5S) and mitochondrial, 12S and 16S) rRNA genes of *Apis mellifera*, Insecta: Hymenoptera): structure, organization, and retrotransposable elements. *Insect. Mol. Biol*. 5: 657-686.

Gillespie, J.J., Munro, J.B., Heraty, J.M., Yoder, M.J., Owen, A.K., Carmichael, A.E. 2005. A secondary structural model of the 28S rRNA expansion segments D2 and D3 for *Chalcidoid* wasps (Hymenoptera: Chalcidoidea). *Mol. Biol. Evol.* 22: 1593-1608.

Giribet, G., Carranza, S., Riutort, M., Baguñà, J. Ribera, C. 1999[a]. Internal phylogeny of the Chilopoda (Myriapoda, Arthropoda) using complete 18S rDNA and partial 28S rDNA sequences. *Philosophical Transactions of the Royal Society of London*, B354: 215-222.

Giribet, G., Rambla, M., Carranza, S., Riutort, M., Baguñà, J., Ribera, C. 1999[b]. Phylogeny of the arachnid order Opiliones (Arthropoda) inferred from a combined approach of complete 18S, partial 28S ribosomal DNA sequences and morphology. *Molecular Phylogenetics and Evolution*, 11: 296-307.

Goff, M.L. 1980. The genus *Ophiomegistus* (Acari: Paramegistidae), with descriptions of five new species, a new structure and a key to the species. *Journal of Medical Entomology*, 17: 398-410.

Goldberg, S.R. and Bursey, C.R. 1991[a]. Integumental lesions caused by ectoparasites in a wild population of the sideblotched lizard (*Uta stansburiana*). *Journal of Wildlife Diseases*, 27(1): 68-73.

Goldberg, S.R. and Bursey C.R. 1991[b]. Duration of attachment by mites and ticks on the Iguanid lizards *Sceloporus graciosus* and *Uta stansburiana. Journal of Wildlife Diseases*, 27(4): 719-722.

Goldstein, J., Newbury, D.E., Echlin, P., Joy, D.C., Romig Jr., A.D., Lyman, C.E., Fiori, C., Lifshin, E. 1992. Scanning electron microscopy and X-ray microanalysis: A text for biologist, materials Scientist, and cytologists. 2nd ed. Plemun Press, New York: 820.

Groombridge, B. and Luxmoore, R. 1991. Pythons in South-east Asia. A review of distribution, status and trade in three selected species. *Report to CITES Secretariat*. Laussane, Switzerland: 123 pp.

Hariono, B. 2009. *Mikroskopi Elektron: pengenalan dan teknik preparasi*. Penerbit Kanisius. Yogyakarta: 99-132.

Harkewicz, K.A. 2002. Dermatologic problems of reptiles. *Seminars in Avian and Exotic Pet Medicine*, 11(3): 151-161.

Hassouna, N., Michot, B., Bachellerie, J.P. 1984. The complete nucleotide sequence of mouse 28S rRNA gene. Implications for the process of size increase of the large subunit rRNA in higher eukaryotes. *Nucleic Acids Res*., 12: 3563-3583.

Heath, A.C.G. 1985. First occurence of the reptile mite, *Ophionyssus natricis* (Acari: Dermanyssidae) in New Zealand. *New Zealand Veterinary Journal* (34): 78-79.

Hillis, D.M. and Dixon, M.T. 1991. Ribosomal DNA: molecular evolution and phylogenetic inference. *Q. Rev. Biol.*, 66: 411-453.

Hoppmann, E. and Barron, H.W. 2007. Dermatology in reptiles: Topics in Medicine and Surgery. *Journal of Exotic Pet Medicine,* 16(4): 210-224.

Hull, R.W. and Camin, J.H. 1959. *Macdonaldius seetae* (Khanna) in captive snakes. *Trans. American Micros. Soc.*, 78: 323-329.

Hull, R.W. and Camin, J.H. 1960. Hemogregarines in snakes: The incidence and identity of erythrocytic stages. *J. Parasitol.,* 46: 515-523.

Hwang, U.W. and Kim, W. 1999. General properties and phylogenetic utilities of nuclear ribosomal DNA and mitochondrial DNA commonly used in molecular systematics. *Korean J. Parasitol.,* 37(4): 215-228.

Jacobson, E.R. 1996. An update on Inclusion Body Disease of boid snakes. *Proc. Annu. Meet. Am. Assoc. Zoo. Vet.*: 228-229.

Jacobson, E.R. 2007. *Parasites and parasitic diseases of reptiles*. In: Jacobson, E.R. (ed.). *Infectious diseases and pathology of reptiles: color atlas and text*. CRC Press. Florida: 571-665.

Jenkins, M. and Broad, S. 1994. International Trade in Reptile Skins: a Review and Analysis of the Main Consumer Markets. *TRAFFIC International*. Cambridge, UK: 68 pp.

Johnston, D.E. and Fain, A. 1964. *Ophiocelaeno sellnicki* a new genus and species of Diplogyniidae associated with snakes (Acari-Mesostigmata). *Bull. Ann. Soc. R. Entomol. Belg.*, 100: 79-91.

Kahn, C.M., Line, S., Aiello, S.E. 2010. *Reptiles in the Merck Veterinary Manual*. 10th ed. Whitehouse Station: Merck & Co. Inc.: 1773.

Kimura, M. 1980. A simple method for estimating evolutionary rate of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16:111-120.

Klauder, L.M. 1997. *Rattlesnakes: their habits, life histories, and influence on mankind.* 2nd ed. University of California Press. Berkeley.

Klingenberg, R. 1993. *Understanding Reptile Parasites: A Basic manual for herpetoculturist and veterinarians*. Advanced vivarium systems. Lakeside, California: 81 pp.

Klompen, H. and Austin, C.C. 2007. A new species of *Ophiomegistus* Banks (Acari: Paramegistidae) from Papua New Guinea. *Zootaxa*, 1387: 47-57.

Klukowski, M. and Nelson, C.E. 2001. Ectoparasite loads in free-ranging northern fence lizards, *Sceloporus undulatus hyacinthinus*: Effects of testosterone and sex. *Behavioral Ecology and Sociobiology,* 49: 289-295.

Krantz, G.W. 1978. *A manual of Acarology*. 2nd ed. Corvallis. Oregon State University: 509 pp.

Krantz, G.W. and Walter, D.E. 2009. *A manual of Acarology*. 3rd ed. Texas Tech University Press. Lubbock, Texas: 5-232.

Lewis, J.F. and Wagner, E.D. 1964. *Hepatozoon sauromali* sp. n., a haemogregarine from the chuckwalla (*Sauromalus* spp.) with notes on the life history. *J. Parasitol.*, 50:11-14.

Lionel, H., Schilliger, Z.M., Damien, M., Jesse, H., Bonwitt, M.R. 2013. An effective candidate for the biological control of the snake mite (*Ophionyssus natricis*). *J. Zoo. Wild. Med*., 44(3): 654-659.

Lizaso, N.M. 1978/1979. Um novo acaro da familia Heterozerconidae coletado sobre serpentes brasileiras. Descricao de *Heterozercon elegans* sp. n. (Acarina: Mesostigmata). *Mem. Butantan.*, 42/43:139-144.

Lizaso, N.M. 1980/1981. Acaros ectoparasitas de serpentes. Descricao de *Ophioptes longipilis* sp.n. e *Ophioptes brevipilis* sp. n. (Trombidiformes, Ophiptidae). *Memorias-do-Instituto-Butantan-(Sao-Paulo)*, 44/45: 377-381.

Lizaso, N.M. 1983. Novos generos e especies de acaros (Mesostigmata, Ixodorhynchidae) ectoparasitas de serpentes. *Rev. Brasil. Zool.*, 1:193-201.

Machida, R.J. and Knowlton, N. 2012. PCR Primers for Metazoan Nuclear 18S and 28S Ribosomal DNA Sequences. *PLoS ONE*, 7(9): e46180. doi:10.1371/journal.pone.0046180.

Mader, D.R. 1996. *Reptile Medicine and Surgery*. W.B. Saunders Company. Philadelphia: 512 pp.

Mader, D.R. 2006. *Reptile Medicine and Surgery*. 2nd ed. W.B. Saunders Company. Philadelphia: 1242 pp.

Mallat, J. and Giribet, G. 2006. Further use of nearly complete 28S and 18S rRNA genes to classify Ecdysozoa: 37 more arthropods and a kinorhynch. *Molecular Phylogenetics and Evolution*, 40: 772-794.

Marcus, L.C. 1971. Infectious Diseases of Reptiles. *J. Amer. Vet. Med. Assoc.*, 159: 1626-1631.

Mariana, A., Vellayan, S., Halimaton, I., Ho, T.M. 2011. Acariasis on pet Burmese python, *Python molurus bivittatus* in Malaysia. *Asian Pacific Journal of Tropical Medicine,* 2011: 227-228.

Masan, P., Simpson, C., Perotti, M.A., Braig, H.R. 2012. Mites parasitic on Australasian and African spiders found in the pet trade; a redescription of *Ljunghia pulleinei* Womersley. *PLoS ONE*, 7: e39019.

Mazon-Suastegui, J.M., Fernandez, N.T., Valencia, I.L., Cruz-Hernandez, P., Latisnere-Barragan, H. 2016. 28S rDNA as an alternative marker for commercially important oyster identification. *Food Control*, 66: 205-214.

Micherdzinski, W. and Lukoschus, F.S. 1987. Eine neue *Ophionyssus*-Art von Java (Acarina: Mesostigmata: Macronyssidae). *Zoologische Mededelingen Leiden*, 61(29): 421-429.

Millar, I.M., Uys, V.M., Urban, R.P. 2000. *Collecting and Preserving Insects and Arachnids: A Manual for Entomology and Arachnology*. Safrinet, the Southern African (SADC) Loop of BioNET-International. Pretoria, South Africa: 25-79.

Miranda, R.J., Cleghorn, J.E., Bermudez, S.E., Perotti, M.A. 2017. Occurrence of the mite *Ophionyssus natricis* (Acari: Macronyssidae) on captive snakes from Panama. *Acarologia*, 57(2): 365-368.

Miron, L. and Ivan, O. 2003. A new species of *Ophionyssus Megnin* (1844) (Acari, Gamasida, Macronyssidae), ectoparasite in *Vipera ursinii. Scientia Parasitologica*, 1–2: 172–174. [In Romanian with English summary]

Mitchell, M.A. 2009. *Snakes*. In: Mitchell, M.A. and Tully Jr, T.N. (eds). *Manual of Exotic Pet Practice*. Saunders Elsevier. Missouri: 136-163.

Mitchell, M.A. 2011. Zoonotic Diseases Associated with reptiles and amphibians: An update. *Vet. Clin. Exot. Anim*., 14: 439-456.

Mitchot, B., Qu, L.H., Bachellerie, J.P. 1990. Evolution of large-subunit rRNA structure: The diversification of divergent D3 domain among major phylogenetic groups. *Eur. J. Biochem*., 188: 219-229.

Monteiro, F.A., Wesson, D.M., Dotson, E.M., Schofield, C.J., Beard, C.B. 2000. Phylogeny and molecular taxonomy of the Rhodniini derived from mitochondrial and nuclear DNA sequences. *Am. J. Trop. Med. Hyg*., 62: 460-465.

Monteiro, F.A., Barrett, T.V., Fitzpatrick, S., Cordon-Rosales, C., Feliciangeli, D., Neard, C.B. 2003. Molecular phylogeography of the Amazonian Chagas disease vectors *Rhodnius prolixus* and *R. robustus*. *Mol. Ecol.*, 12: 997-1006.

Moraza, M.L., Irwin, N.R., Godinho, R., Baird, S.J.E., Gouy de Bellocq, J. 2009. A new species of *Ophionyssus* Mégnin (Acari: Mesostigmata: Macronyssidae) parasitic on *Lacerta schreiberi* Bedriaga (Reptilia: Lacertidae) from the Iberian Peninsula, and a world key to species. *Zootaxa*, 2007: 58-68.

Mullis, K., Faloona, F., Scharf , S. 1986. Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction . *Cold Spring Harb Symp Quant Biol.*, 51 (1): 263–273.

Nadchatram, M. and Audy, J.R. 1965. The unusual life-history of *Vatacarus ipoides* Southcott (Acarina: T rombiculidae*). Med. J. Malaya.*, 20: 80–81.

Nadchatram, M. and Radovsky, F.J. 1971. A second species of *Vatacarus* (Prostigmata, Trombiculidae) infesting the trachea of amphibious sea snakes. *J. Med. Entomol.*, 8: 37-40.

Newell, I.M. and Ryckman, R.E. 1964. *Hirstiella pyriformis* sp. n. (Acari, Pterygosomidae), a new parasite of lizards from Baja California. *The Journal of Parasitology*, 50: 163-171.

Paredes-León, R., García-Prieto, L., Guzmán-Cornejo, C., León-Regagnon, V., Pérez, T.M. 2008. Metazoan parasites of Mexican amphibians and reptiles. *Zootaxa*, 1904: 1-166.

Peters, G., Locci, R. & Pulverer, G. 1982. Adherence and growth of coagulase-negative staphylococci on surfaces of intravenous catheters. *Journal of Infectious Diseases*, 146(4): 479-482.

Prihadi, Eros. 2013. Ular Asli Indonesia. http://ularindonesian.blogspot.co.id. (diakses 26 Juli 2017).

Rataj, A.V., Lindtner-Knific, R., Vlahovic, K., Mavri, U., Dovc, A. 2011. Parasites in pet reptiles. *Acta Veterinaria Scandinavica*, 53: 33.

Raymond, J.T., Garner, M.M., Nordhausen, R.W., Jacobson, E.R. 2001. A disease resembling Inclusion Body Disease of boid snakes in captive palm vipers (*Bothriechis marchi*). *J. Vet. Diagn. Invest*. 13: 82-86.

Reardon, J.T. and Norbury, G. 2004. Ectoparasite and hemoparasite infection in a diverse temperate lizard assemblage at Macraes Flat, South Island, New Zeland. *Journal of Parasitology*, 90: 1274-1278.

Reavill, D.R. and Griffin, C. 2014. *Common Pathology and Diseases Seen in Pet Store Reptiles*. In: Mader, D.R. and Divers, S.J. (eds). *Current Therapy in Reptile Medicine and surgery*. Elsevier Saunders. Canada: 13-19.

Rimbaud E., Pineda, N., Luna, L., Zepeda, N., Rivera, G. 2006. Primer reporte de *Ophionyssus natricis* (Arthropoda, Acarina, Macronyssidae, Gervais 1953) parasitando *Boa constrictor constrictor* en Nicaragua. *Bol. Parasitol. Esc. Med. Vet. Univ. Nac. Costa Rica*, 7: 1.

Rodríguez, M.L. and Lazcano, D. 1992. First report of the mite *Ophionyssus natricis* (Acarina: Macronyssidae) from Mexico. *Southwestern Nat*., 37: 426.

Rosskopf, W.J. 1992. Ivermectin as a treatment for snake mites. *Bull. Assoc. Rept. Amphib. Vets.*, 2:7-8.

Saitou, N. and Nei, M. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* 4: 406-425.

Sambon L W. 1928. *Ophioptes parkeri.* A new species and genus of cheyletid inhabiting the scales of reptiles. *Ann. Trop. Med. Parasitol.*, 22: 137-142.

Saputra, E.Y. 2006. Identifikasi Tungau Pada Ular Sanca Bodo (*Python mollurus*). *Skripsi*. Fakultas Kedokteran Hewan, Universitas Gadjah Mada. Yogyakarta.

Schroeder, C.R. 1934. The snake mite (*Ophionyssus Serpentium* Hirst.). *Journal of Economic Entomology*, 27 (5): 1004-1014.

Schultz, H. 1975. Human infestation by *Ophionyssus natricis* snake mite. *British Journal of Dermatology*, 93: 695-697.

Schumacher, J., Jacobson, E.R., Homer, B.L., Gaskin, J.M. 1994. Inclusion Body Disease in Boid snakes. *Journal of Zoo and Wildlife Medicine*, 25(4): 511-524.

Sellnick M. 1954. *Indogynium lindbergi* nov. gen., nov. spec., eine neue Acaride aus Indien. *Entomol. Tidskr.*, 75: 285-291.

Setianingrum, A. 2010. Tungau ektoparasit pada ular *Micropechis ikaheka, Leiophyton albertisi* dan *Stegonotus* sp. di Papua. *Skripsi*. Institut Pertanian Bogor. Bogor.

Shine, R., Ambariyanto, Harlow, P.S., Mumpuni. 1999. Reticulated pythons in Sumatra: biology, harvesting and sustainability. *Biological Conservation*, 87: 349-357.

Simonov, E. and Zinchenko, V. 2010. Intensive infestation of Siberian pit-viper, *Gloydius halys halys* by the common snake mite, *Ophionyssus natricis. North-Western Journal of Zoology*, 6(1): 134-137.

Southcott, R.V. 1956. Notes on the acarine genus *Ophioptes*, with description of a new Australian species. *Trans. Roy. Soc. South Australia*, 79:142–147.

Southcott, R.V. 1957. On *Vatacarus ipoides* n. gen., n. sp. (Acarina: Trombiculoidea). *Trans. Roy. Soc. South Australia*, 77: 98–102.

Stanyukovich, M., and Iohanssen, L. 2005. Observations on the gamasid mites (Parasitomorphes, Gamasina, Macronyssidae, Laelapidae) parasitizing reptiles (Reptilia) from Russia and adjacent countries (ex-USSR). Herpetologia Petropolitana: Proceedings of the 12th Ordinary General Meeting of the Societas Europea Herppetologica. *Russian Journal of Herpetology*, 12: 310-311.

Strandtman, R. W., and Wharton, G. W. 1958. *A manual of mesostigmatid mites parasitic on vertebrates*. Contr. Inst. Acar. Univ. Maryland, 4: 1-330.

Struck, T.H, Nesnidal, M.P., Purschke, G., Halanych, K.M. 2008. Detecting possibly saturated positions in 18S and 28S sequences and their influence on phylogenetic reconstruction of Annelida (Lophotrochozoa). *Molecular Phylogenetics and Evolution*, 48: 628-645.

Svahn, K. 1975. Incidence of blood parasites of the genus *Karyolysus* (Coccidia, Adeleidae) in Scandinavian lizards. Description and life cycle. *Norweg. J. Zool.*, 23: 277-295.

Taylor, M.A. Coop, R.L., and Wall, R.L. 2007. *Veternary Parasitology*. 3rd ed. Blackwell Publishing Ltd: 904 pp.

Uetz, P. 2017. The Reptile Database. http://www.reptile-database.org. [diakses pada tanggal 9 Januari 2017]

Vancraeynest, D., Pasmans, F., Martel, A., Chiers, K., Meulemans, G., Mast, J., Zwart, P., Ducatelle, R. 2006. Inclusion Body Disease in snakes: A review and description of three cases in *Boa constrictors* in Belgium. *The Veterinary Record*, 158: 757-761.

Vercammen-Grandjean, P.H. and Watkins, S.G. 1965. *Vatacarus* (*Iguanacarus*) *intermedius*, a third chigger mite from the nasal fossae of the marine iguana in the Galapagos Islands (Acarina: Trombiculidae). *Acarologia*, 7: 275-279.

Von Haeseler, A. and Trimmer, K. 2003. *Phylogeny inference based on maximum-likelihood methods with tree-puzzle*. In: Salemi and Vandamme (eds). *The Phylogenetic Handbook*. Cambridge University Press: 137-159.

Voss, W.J. 1966. Three trigynaspid mites from Philippine reptiles (Acarina: Paramegistidae). *J. Med. Entomol.*, 3: 261-268.

Voss, W.J. 1967. First ixodorhynchid mite from Philippine snakes. *J. Med. Entomol.*, 4: 387–390.

Walter, D.E. and Oliver Jr, J.H. 1989. *Geolaelaps oreithyiae*, n. sp. (Acari: Laelapidae), a thelytokous predator of arthropods and nematodes, and a discussion of clonal reproduction in the Mesostigmata. *Acarologia*, 30: 293-303.

Watharow, S. and Reid, A. 2002. The introduced snake mite (*Ophionyssus natricis*) infestation on wild populations of eastern blue-tongue lizards (*Tiliqua scincoides*). *Herpetofauna*, 32: 26-29.

Whiting, M.F., Carpenter, J.C., Wheeler Q.D., Wheeler, W.C. 1997. The Strepsiptera problem: phylogeny of the holometabolous insect orders inferred from 18S and 28S ribosomal DNA sequences and morphology. *Systematic Biology*, 46: 1-68.

Williams, S.T., Reid, D.G., Littlewood, D.T.J. 2003. A molecular phylogeny of the Littorininae (Gastropoda: Littorinidae): unequal evolutionary rates, morphological parallelism, and biogeography of the Southern Ocean Department of Zoology, The Natural History Museum, London, United Kingdom. *Molecular Phylogenetics and Evolution*, 28: 60-86.

Wozniak, E.J. and DeNardo, D.F. 2000. The biology, clinical significance, and control of the common snake mite, *Ophionyssus natricis*, in captive reptiles. *Journal of Herpetological Medicine and Surgery*, 10(3-4): 4-10.

Wuyts, J., Van de Peer, Y., Winkelmans, T., De Wachter, R. 2002. The European database on small subunit ribosomal RNA. *Nucleic Acids Res*., 30: 183-185.

Yunker, C.E. 1956. Studies on the snake mite, *Ophionyssus natricis*, in nature. *Science*, 124(3229): 979-980.

Zhao, Y.E., Wang, Z.H., Xu, Y., Wu, L.P., Hu, L. 2013. Secondary structure prediction for complete rDNA sequences (18S, 5.8S, and 28S rDNA) of *Demodex folliculorum*, and comparison of divergent domains structures across Acari. *Experimental Parasitology*, 135: 370-381.