

DAFTAR PUSTAKA

- Aadithya, B.G., Asokan, P., Vinodh, S., 2023. Lean manufacturing in fabrication industry: literature review and framework proposal. *Int. J. Qual. Reliab. Manag.* 40, 1485–1517. <https://doi.org/10.1108/IJQRM-03-2021-0084>
- Abdous, M.A., Delorme, X., Battini, D., Berger-Douce, S., 2023. Multi-objective collaborative assembly line design problem with the optimisation of ergonomics and economics. *Int. J. Prod. Res.* 61, 7830–7845. <https://doi.org/10.1080/00207543.2022.2153185>
- Adeyeri, M.K., Ayodeji, S.P., 2022. Comparative analysis of static and dynamic facility layouts design using the modeling of plantain flour as case study. *Prod. Eng. Arch.* 28, 12–20. <https://doi.org/10.30657/pea.2022.28.02>
- Africa, T., 2020. TMH International Video [WWW Document]. URL <https://www.youtube.com/watch?v=SGZAqJDtu4w> (accessed 1.29.24).
- Ahmadi-Javid, A., Ardestani-Jaafari, A., 2021. The unequal area facility layout problem with shortest single-loop AGV path: how material handling method matters. *Int. J. Prod. Res.* 59, 2352–2374. <https://doi.org/10.1080/00207543.2020.1733124>
- Al-Zubaidi, S.Q.D., Fantoni, G., Failli, F., 2021. Analysis of drivers for solving facility layout problems: Literature review. *J. Ind. Inf. Integr.* 21, 100187. <https://doi.org/10.1016/j.jii.2020.100187>
- Alstom, 2021a. Bogie production line in Motala, Sweden [WWW Document]. URL <https://www.youtube.com/watch?v=VDxwDWgs3q8> (accessed 2.28.24).
- Alstom, 2021b. Bogie production line in Motala, Sweden [WWW Document]. URL <https://www.youtube.com/watch?v=VDxwDWgs3q8> (accessed 1.29.24).
- Amaral, A.R.S., 2024. A mixed-integer programming formulation for optimizing the double row layout problem. *Optim. Methods Softw.* <https://doi.org/10.1080/10556788.2024.2349093>
- Amaral, A.R.S., 2022. A heuristic approach for the double row layout problem. *Ann. Oper. Res.* 316, 1–36. <https://doi.org/10.1007/s10479-020-03617-5>
- Amaral, A.R.S., 2021. A mixed-integer programming formulation of the double

- row layout problem based on a linear extension of a partial order. *Optim. Lett.* 15, 1407–1423. <https://doi.org/10.1007/s11590-020-01651-7>
- Amaral, A.R.S., 2018. A mixed-integer programming formulation for the double row layout of machines in manufacturing systems. *Int. J. Prod. Res.* 57, 34–47. <https://doi.org/10.1080/00207543.2018.1457811>
- Annamalai, S., Vinoth, K., Bagathsingh, N., 2020. Analysis of lean manufacturing layout in a textile industry. *Mater. Today Proc.* 33, 3486–3490. <https://doi.org/10.1016/j.matpr.2020.05.409>
- Annear, L.M., Akhavan-Tabatabaei, R., Verena, S., 2023. Dynamic assignment of a multi-skilled workforce in job shops: An approximate dynamic programming approach. *Eur. J. Oper. Res.* 306, 1109–1125.
- Azimi, P., Soofi, P., 2017. An ANN-based optimization model for facility layout problem using simulation technique. *Sci. Iran.* 24, 364–377. <https://doi.org/10.24200/sci.2017.4040>
- Babaei, S., Khalaj, M., Keramatpour, M., Enayati, R., 2025. Multi-Objective Optimization for Green BTS Site Selection in Telecommunication Networks Using NSGA-II and MOPSO. *Algorithms* 18. <https://doi.org/10.3390/a18010009>
- Balakrishnan, J., Cheng, C.H., Conway, D.G., Lau, C.M., 2003. A hybrid genetic algorithm for the dynamic plant layout problem. *Int. J. Prod. Econ.* 86, 107–120. [https://doi.org/10.1016/S0925-5273\(03\)00027-6](https://doi.org/10.1016/S0925-5273(03)00027-6)
- BEML, 2019. BEML RAIL & METRO VIDEO [WWW Document]. URL <https://www.youtube.com/watch?v=q6bNAO4bjp8> (accessed 2.28.24).
- BEML Limited, 2019. BEML RAIL & METRO VIDEO [WWW Document]. URL <https://www.youtube.com/watch?v=q6bNAO4bjp8> (accessed 1.29.24).
- Benjaafar, S., Sunderesh S, H., Shahrukh A, I., 2002. Next generation factory layouts: Research challenges and recent progress. *J. Allergy Clin. Immunol.* 130, 556.
- Bergantiños, G., Lorenzo, L., 2019. How to apply penalties to avoid delays in projects. *Eur. J. Oper. Res.* 275, 608–620. <https://doi.org/10.1016/j.ejor.2018.11.056>

- Besbes, M., Affonso, R.C., Zolghadri, M., Masmoudi, F., Haddar, M., 2017. Multi-criteria decision making for the selection of a performant manual workshop layout: a case study. IFAC-PapersOnLine 50, 12404–12409. <https://doi.org/10.1016/j.ifacol.2017.08.2424>
- Besbes, M., Zolghadri, M., Costa Affonso, R., Masmoudi, F., Haddar, M., 2020. A methodology for solving facility layout problem considering barriers: genetic algorithm coupled with A* search. J. Intell. Manuf. 31, 615–640. <https://doi.org/10.1007/s10845-019-01468-x>
- BPS, 2025. Penumpang Angkutan Kereta Api Nasional Bulanan 2025 [WWW Document]. URL <https://www.bps.go.id/id/statistics-table/2/MjM1MyMy/penumpang-angkutan-kereta-api-nasional-bulanan.html>
- BPS, 2024. Jumlah Barang Melalui Transportasi Kereta Api Menurut Pulau [WWW Document]. URL <https://www.bps.go.id/id/statistics-table/2/NzMjMg==/jumlah-barang-melalui-transportasi-kereta-api-menurut-pulau.html>
- Bradley, Hax, Magnanti, 1977. Applied Mathematic Programming. Addison-Wesley.
- Braga, E.M.H., Neto, L.L. de S., 2022. a Mathematical Optimization Approach Based on Linearized Mip Models for Solving Facility Layout Problems. Pesqui. Operacional 42, 1–25. <https://doi.org/10.1590/0101-7438.2022.042.00261044>
- Carlier, M., 2023. Rolling stock industry worldwide - statistics & facts [WWW Document]. Statista. URL <https://www.statista.com/topics/8217/rolling-stock-industry-worldwide/#topicOverview> (accessed 6.12.25).
- Castillo, I., Westerlund, T., 2005. An-accurate model for optimal unequal-area block layout design. Comput. Oper. Res. 32, 429–447. [https://doi.org/10.1016/S0305-0548\(03\)00246-6](https://doi.org/10.1016/S0305-0548(03)00246-6)
- Ceylan, C., Başkurt, H., Erkan, Y., Uğur, Ş., 2023. Process Analysis and Optimal Facility Layout Planning in Manufacturing Systems. Yugosl. J. Oper. Res. 33, 133–152. <https://doi.org/10.2298/YJOR2105015033C>

- Chae, J., Regan, A.C., 2020. A mixed integer programming model for a double row layout problem. *Comput. Ind. Eng.* 140, 106244. <https://doi.org/10.1016/j.cie.2019.106244>
- Chae, J., Regan, A.C., 2016. Layout design problems with heterogeneous area constraints. *Comput. Ind. Eng.* 102, 198–207. <https://doi.org/10.1016/j.cie.2016.10.016>
- Cho, J., Nam, M., Kim, Y., Park, K., 2023. Minimization of path lengths for materials and workers in smart factories using particle swarm optimization algorithm. *J. Mech. Sci. Technol.* 37, 3683–3690. <https://doi.org/10.1007/s12206-023-0633-0>
- Chung, J., Tanchoco, J.M.A., 2010. The double row layout problem. *Int. J. Prod. Res.* 48, 709–727. <https://doi.org/10.1080/00207540802192126>
- CNBC, 2023a. Why Passenger Train Manufacturing Is Booming In The U.S [WWW Document]. URL <https://www.youtube.com/watch?v=gAsRvSveOxI> (accessed 2.28.24).
- CNBC, 2023b. Why Passenger Train Manufacturing Is Booming In The U.S [WWW Document]. URL <https://www.youtube.com/watch?v=gAsRvSveOxI> (accessed 1.29.24).
- Coyle, J.J., Novack, R.A., Gibson, B., Bardi, E.J., 2010. *Transportation: A Supply Chain Perspective*. Cengage Learning.
- Dahlbeck, M., Fischer, A., Fischer, F., 2020. Decorous combinatorial lower bounds for row layout problems. *Eur. J. Oper. Res.* 286, 929–944. <https://doi.org/10.1016/j.ejor.2020.04.010>
- Daniyan, I., Adeodu, A., Mpofu, K., Maladhzi, R., Kanakana-Katumba, G.M., 2023. Improvement of production process variations of bolster spring of a bogie train manufacturing industry: a six-sigma approach. *Cogent Eng.* 10. <https://doi.org/10.1080/23311916.2022.2154004>
- Datta, D., Amaral, A.R.S., Figueira, J.R., 2011. Single row facility layout problem using a permutation-based genetic algorithm. *Eur. J. Oper. Res.* 213, 388–394. <https://doi.org/10.1016/j.ejor.2011.03.034>
- Deb, K., Pratap, A., Agarwal, S., Meyarivan, T., 2002. A fast and elitist

- multiobjective genetic algorithm: NSGA-II. *IEEE Trans. Evol. Comput.* 6, 182–197. <https://doi.org/10.1109/4235.996017>
- Deragu, S.S.D., 2016. *Facility Design*, 4th ed. CRC Press Taylor and Francis Group, New York, London.
- Derakhshan Asl, A., Wong, K.Y., 2017. Solving unequal-area static and dynamic facility layout problems using modified particle swarm optimization. *J. Intell. Manuf.* 28, 1317–1336. <https://doi.org/10.1007/s10845-015-1053-5>
- Devise, O., Pierreval, H., 2000. Indicators for measuring performances of morphology and material handling systems in flexible manufacturing systems. *Int. J. Prod. Econ.* 64, 209–218. [https://doi.org/10.1016/S0925-5273\(99\)00059-6](https://doi.org/10.1016/S0925-5273(99)00059-6)
- Dharsono, W.W., 2016. Analisa Tata Letak Fasilitas Produksi Untuk Meminimumkan Biaya Proses Produksi Mebel (Studi Kasus di PT Karya Papua). *J. Teknol. dan Rekayasa* 1, 51–60.
- Drira, A., Pierreval, H., Hajri-Gabouj, S., 2007. Facility layout problems: A survey. *Annu. Rev. Control* 31. <https://doi.org/10.1016/j.arcontrol.2007.04.001>
- Duan, S., Kang, L., 2022. An Enhanced Multiobjective Double Row Layout Model considering the Machine Breakdowns. *Comput. Intell. Neurosci.* 2022. <https://doi.org/10.1155/2022/6289609>
- Erik, A., Kuvvetli, Y., 2021. Integration of material handling devices assignment and facility layout problems. *J. Manuf. Syst.* 58, 59–74. <https://doi.org/10.1016/j.jmsy.2020.11.015>
- Esmikhani, S., Kazemipoor, H., Sobhani, F.M., Molana, S.M.H., 2022. Solving fuzzy robust facility layout problem equipped with cranes using MPS algorithm and modified NSGA-II. *Expert Syst. Appl.* 210, 118402. <https://doi.org/10.1016/j.eswa.2022.118402>
- Ferjani, A., Ammar, A., Pierreval, H., Elkosantini, S., 2017. A simulation-optimization based heuristic for the online assignment of multi-skilled workers subjected to fatigue in manufacturing systems. *Comput. Ind. Eng.* 112, 663–674. <https://doi.org/10.1016/j.cie.2017.02.008>

- Ferjani, A., Pierreval, H., Frikha, A., 2019. Evaluation of Layout Designs Taking into Account Workers' Fatigue. *Proc. 2019 Int. Conf. Ind. Eng. Syst. Manag. IESM 2019* 1–6. <https://doi.org/10.1109/IESM45758.2019.8948144>
- Freitas, A.A., Lima, T.M., Gaspar, P.D., 2022. Meta-Heuristic Model for Optimization of Production Layouts Based on Occupational Risk Assessment: Application to the Portuguese Wine Sector. *Appl. Syst. Innov.* 5, 1–29. <https://doi.org/10.3390/asi5020040>
- Garbie, I., 2014. Performance analysis and measurement of reconfigurable manufacturing systems. *J. Manuf. Technol. Manag.* 25, 934–957. <https://doi.org/10.1108/JMTM-07-2011-0070>
- Ghadirpour, S.M., Kamal, S., Mohammad, S., 2020. Stochastic programming models for dynamic facility layout problem in flexible manufacturing systems. *Adv. Ind. Eng.* 54, 267–291. <https://doi.org/10.22059/jieng.2021.324897.1768>
- Ghaseminejad, A., Kazemipoor, H., & Fallah, M., 2023. Modeling the robust facility layout problem for unequal space considering health and environmental safety criteria under uncertain parameters. *Decis. Mak. Appl. Manag. Eng.* 6, 426–460. <https://doi.org/https://doi.org/10.31181/dmame622023607>
- Ghaseminejad, A., Fallah, M., Kazemipoor, H., 2023. Modeling and Solving the Multi-Objective Robust Facilities Layout under Uncertainty with Multi-Objective Meta-Heuristic Algorithms. *J. Decis. Oper. Res.* 8, 196–223. <https://doi.org/10.22105/dmor.2021.289735.1418>
- Ghassemi Tari, F., Neghabi, H., 2015. A new linear adjacency approach for facility layout problem with unequal area departments. *J. Manuf. Syst.* 37, 93–103. <https://doi.org/10.1016/j.jmsy.2015.09.003>
- Ghosh, T., Doloi, B., Dan, P.K., 2016. Applying soft-computing techniques in solving dynamic multi-objective layout problems in cellular manufacturing system. *Int. J. Adv. Manuf. Technol.* 86, 237–257. <https://doi.org/10.1007/s00170-015-8070-6>
- Goldberg, D.E., 1989. *Genetic Algorithms in Search, Optimization and Machine Learning*, First Edit. ed.

- Golmohammadi, A.-M., Honarvar, M., Hosseini-Nasab, H., Tavakkoli-Moghaddam, R., 2018. Machine Reliability in a Dynamic Cellular Manufacturing System: A Comprehensive Approach to a Cell Layout Problem. *Int. J. Ind. Eng. Prod. Res.* 29, 175–196. <https://doi.org/10.22068/ijiepr.29.2.175>
- Golmohammadi, A.M., Honarvar, M., Tavakkoli-Moghaddam, R., Hosseini-Nasab, H., 2021a. A novel cell layout problem with reliability and stochastic failures. *Int. J. Supply Oper. Manag.* 8, 165–175. <https://doi.org/10.22034/IJSOM.2021.2.4>
- Golmohammadi, A.M., Rasay, H., Akhoundpour Amiri, Z., Solgi, M., Balajeh, N., 2021b. Soft Computing Methodology to Optimize the Integrated Dynamic Models of Cellular Manufacturing Systems in a Robust Environment. *Math. Probl. Eng.* 2021. <https://doi.org/10.1155/2021/3040391>
- Gong, J., Zhang, Z., Liu, J., Guan, C., Liu, S., 2021. Hybrid algorithm of harmony search for dynamic parallel row ordering problem. *J. Manuf. Syst.* 58, 159–175. <https://doi.org/10.1016/j.jmsy.2020.11.014>
- Gruat La Forme, F.A., Genoulaz, V.B., Campagne, J.P., 2007. A framework to analyse collaborative performance. *Comput. Ind.* 58, 687–697. <https://doi.org/10.1016/j.compind.2007.05.007>
- Guan, J., Lin, G., Feng, H., Ruan, Z., 2020. A decomposition-based algorithm for the double row layout problem 77, 963–979. <https://doi.org/10.1016/j.apm.2019.08.015>
- Haryanto, A.T., Hisjam, M., Yew, W.K., 2021. Redesign of Facilities Layout Using Systematic Layout Planning (SLP) on Manufacturing Company: A Case Study. *IOP Conf. Ser. Mater. Sci. Eng.* 1096, 012026. <https://doi.org/10.1088/1757-899x/1096/1/012026>
- Hasda, R.K., 2017. Contribution to the optimization of Unequal Area To cite this version : Ranjan Kumar HASDA Contribution to the optimization of Unequal Area Rectangular Facility Layout Problem 1–163.
- Hasda, R.K., Bhattacharjya, R.K., Bennis, F., 2017. Modified genetic algorithms for solving facility layout problems. *Int. J. Interact. Des. Manuf.* 11, 713–725.

<https://doi.org/10.1007/s12008-016-0362-z>

Hendra, Y.N.R., Pujiwat, R., Upahita, D.P., Utomo, D.P., Sucipto, 2023. Multiplier Effects Analysis of Development on The High Speed Train Industry on Indonesia National Economic Growth. Evergreen 10, 2006–2013. <https://doi.org/10.5109/7151767>

Heragu, Sundaresh Sesarangha, 2006. Facilities Design Second Edition, 2nd ed. iUniverse, Bloomington, Indiana.

Heragu, Sundaresh Sesharanga, 2006. Facilities Design, 2nd ed. iUniverse, Bloomington, Indiana.

Hiller, F., Lieberman, G., 2010. Introduction to Operations Research, 9th ed. McGrill-Hill, New York, London.

Hopp, W.J., Spearman, M.L., 2000. Factory Physics, 2nd ed. Irwin/McGraw-Hill, New York.

Hu, B., Yang, B., 2019. A particle swarm optimization algorithm for multi-row facility layout problem in semiconductor fabrication. J. Ambient Intell. Humaniz. Comput. 10, 3201–3210. <https://doi.org/10.1007/s12652-018-1037-3>

Hu, M.H., Wang, M.J., 2004. Using genetic algorithms on facilities layout problems. Int. J. Adv. Manuf. Technol. 23, 301–310. <https://doi.org/10.1007/s00170-003-1637-7>

Huda, 2018. Mengenal Istilah Bogie Pada Kereta Api (Bag.2) [WWW Document]. URL <https://www.inka.co.id/artikel/mengenal-istilah-bogie-pada-kereta-api-bag2?locale=en> (accessed 6.20.25).

Hunagund, I.B., Pillai, V.M., Kempaiah, U.N., 2020. Design of robust layout for unequal area dynamic facility layout problems with flexible bays structure. J. Facil. Manag. 18, 361–392. <https://doi.org/10.1108/JFM-04-2020-0028>

Hunagund, I.B., Pillai, V.M., Kempaiah, U.N., 2018. A simulated annealing algorithm for unequal area dynamic facility layout problems with flexible bay structure. Int. J. Ind. Eng. Comput. 9, 307–330. <https://doi.org/10.5267/j.ijiec.2017.8.004>

Hunagund, I.B., Pillai, V.M., U.N, K., 2022. A survey on discrete space and

- continuous space facility layout problems. *J. Facil. Manag.* 20, 235.
<https://doi.org/10.1108/JFM-02-2021-0019>
- Huo, J., Liu, J., Gao, H., 2021. An nsga-ii algorithm with adaptive local search for a new double-row model solution to a multi-floor hospital facility layout problem. *Appl. Sci.* 11, 1–21. <https://doi.org/10.3390/app11041758>
- Insight, F.B., 2023. Rolling Stock Market Size, Share and Industry Analysis By Type, By Application, and Regional Forecasts, 2023-2030 [WWW Document]. URL <https://www.fortunebusinessinsights.com/rolling-stock-market-102990> (accessed 2.1.23).
- Isnaini, W., 2022. Lean Production. UNIPMA Press, Madiun.
- Isnaini, W., Rifai, A.P., Nurmasari, N.M.E., Masruroh, N.A., Budi Dharma, I.G.B., Andriani, V.E., 2024. Sequential use of blocplan, solver, and particle swarm optimization (PSO) to optimize the double row facility layout. *Int. J. Prod. Manag. Eng.* 12, 117–124. <https://doi.org/10.4995/ijpme.2024.20061>
- Izadinia, N., Eshghi, K., Salmani, M.H., 2014. A robust model for multi-floor layout problem. *Comput. Ind. Eng.* 78, 127–134.
<https://doi.org/10.1016/j.cie.2014.09.023>
- Karagul, K., Sahin, Y., Aydemir, E., Oral, A., 2019. A Simulated Annealing Algorithm Based Solution Method for a Green Vehicle Routing Problem with Fuel Consumption. *Int. Ser. Oper. Res. Manag. Sci.* 273.
- Kelachankuttu, H., Batta, R., Nagi, R., 2007. Contour line construction for a new rectangular facility in an existing layout with rectangular departments. Elsevier *Eur. J. Oper. Res.* 180, 149–162.
<https://doi.org/https://doi.org/10.1016/j.ejor.2006.04.029>
- Keller, B., Buscher, U., 2015. Single Row Layout Models. *Eur. J. Oper. Res.* 3, 629–644. <https://doi.org/https://doi.org/10.1016/j.ejor.2015.03.016>
- Kemenristek, 2020. Kebijakan Untuk Mendorong Pengembangan dan Pemanfaatan Produksi Dalam Negeri. Surabaya, Indonesia.
- Khajemahalle, L., Emami, S., Keshteli, R.N., 2021. A hybrid nested partitions and simulated annealing algorithm for dynamic facility layout problem: A robust optimization approach. *INFOR* 59, 74–101.

<https://doi.org/10.1080/03155986.2020.1788328>

- Khariwal, S., Kumar, P., Bhandari, M., 2020. Layout improvement of railway workshop using systematic layout planning (SLP)-A case study. *Mater. Today Proc.* 44, 4065–4071. <https://doi.org/10.1016/j.matpr.2020.10.444>
- Kheirkhah, A., Navidi, H., Messi Bidgoli, M., 2015. Dynamic Facility Layout Problem: A New Bilevel Formulation and Some Metaheuristic Solution Methods. *IEEE Trans. Eng. Manag.* 62, 396–410. <https://doi.org/10.1109/TEM.2015.2437195>
- Kheirkhah, A.S., Bidgoli, M.M., 2016. Dynamic facility layout problem under competitive environment: a new formulation and some meta-heuristic solution methods. *Prod. Eng.* 10, 615–632. <https://doi.org/10.1007/s11740-016-0703-6>
- Khettabi, I., Benyoucef, L., Boutiche, M.A., 2021. Sustainable reconfigurable manufacturing system design using adapted multi-objective evolutionary-based approaches. *Int. J. Adv. Manuf. Technol.* 115, 3741–3759. <https://doi.org/10.1007/s00170-021-07337-3>
- Kia, R., Khaksar-Haghani, F., Javadian, N., Tavakkoli-Moghaddam, R., 2014. Solving a multi-floor layout design model of a dynamic cellular manufacturing system by an efficient genetic algorithm. *J. Manuf. Syst.* 33, 218–232. <https://doi.org/10.1016/j.jmsy.2013.12.005>
- Kim, J.-G., Goetschalckx, M., 2005. An integrated approach for the concurrent determination of the block layout and the input and output point locations based on the contour distance. *Int. J. Prod. Res.* 43.
- King, A.J., Wallace, S.W., 2012. Modeling the Objective Function, Modeling with Stochastic Programming. Springer, New York, London. https://doi.org/https://doi.org/10.1007/978-0-387-87817-1_3
- Kumar, R., Singh, S.P., Lamba, K., 2018. Sustainable robust layout using Big Data approach: A key towards industry 4.0. *J. Clean. Prod.* 204, 643–659. <https://doi.org/10.1016/j.jclepro.2018.08.327>
- Kuo, R. J., Fernanda Luthfiansyah, M., Aini Masrurah, N., Eva Zulvia, F., 2023. Application of improved multi-objective particle swarm optimization algorithm to solve disruption for the two-stage vehicle routing problem with

- time windows. Expert Syst. Appl. 225.
<https://doi.org/10.1016/j.eswa.2023.120009>
- Kuo, R J, Fernanda, M., Aini, N., Eva, F., 2023. Application of improved multi-objective particle swarm optimization algorithm to solve disruption for the two-stage vehicle routing problem with time windows 225.
- Lee, Y.H., Lee, M.H., 2002. A shape-based block layout approach to facility layout problems using hybrid genetic algorithm. Comput. Ind. Eng. 42, 237–248.
[https://doi.org/10.1016/S0360-8352\(02\)00018-9](https://doi.org/10.1016/S0360-8352(02)00018-9)
- Li, Jinying, Tan, X., Li, Jinchao, 2018. Research on Dynamic Facility Layout Problem of Manufacturing Unit Considering Human Factors. Math. Probl. Eng. 2018. <https://doi.org/10.1155/2018/6040561>
- Liang, L.Y., Chao, W.C., 2008. The strategies of tabu search technique for facility layout optimization. Autom. Constr. 17, 657–669.
<https://doi.org/10.1016/j.autcon.2008.01.001>
- Liu, J., Zhang, H., He, K., Jiang, S., 2018. Multi-objective particle swarm optimization algorithm based on objective space division for the unequal-area facility layout problem. Expert Syst. Appl. 102, 179–192.
<https://doi.org/10.1016/j.eswa.2018.02.035>
- Liu, S., Zhang, Z., Guan, C., Liu, J., Gong, J., Dewil, R., 2022. Mathematical formulation and two-phase optimisation methodology for the constrained double-row layout problem. Neural Comput. Appl. 34, 6907–6926.
<https://doi.org/10.1007/s00521-021-06817-7>
- Liu, Z., Guo, S., Wang, L., 2019. Integrated green scheduling optimization of flexible job shop and crane transportation considering comprehensive energy consumption. J. Clean. Prod. 211, 765–786.
<https://doi.org/10.1016/j.jclepro.2018.11.231>
- Lyons, A.C., Um, J., Sharifi, H., 2020. Product variety, customisation and business process performance: A mixed-methods approach to understanding their relationships. Int. J. Prod. Econ. 221.
<https://doi.org/10.1016/j.ijpe.2019.08.004>
- Matai, R., 2023. A Unique Discrete Formulation for Unequal Area Dynamic

- Facility Layout Problem. 2023 IEEE Int. Conf. Ind. Eng. Eng. Manag. IEEM 2023 622–626. <https://doi.org/10.1109/IEEM58616.2023.10406403>
- McKendall, A.R., Liu, W.H., 2012. New Tabu search heuristics for the dynamic facility layout problem. *Int. J. Prod. Res.* 50, 867–878. <https://doi.org/10.1080/00207543.2010.545446>
- Meyers, F.E., 1993. *Plant Layout and Material Handling*. Englewood Cliffs, NJ : Regents/Prentice Hall.
- MHI, 2023. Definition of Material Handling and Logistics [WWW Document]. URL <https://www.mhi.org/about> (accessed 1.10.24).
- Michael, G.K., 2012. Material Handling Equipment Guide. *Plant Eng.* (Barrington, Illinois) 34, 88–99.
- Moslemipour, G., 2018. A hybrid CS-SA intelligent approach to solve uncertain dynamic facility layout problems considering dependency of demands. *J. Ind. Eng. Int.* 14, 429–442. <https://doi.org/10.1007/s40092-017-0222-x>
- Moslemipour, G., Lee, T.S., Loong, Y.T., 2017. Performance Analysis of Intelligent Robust Facility Layout Design. *Chinese J. Mech. Eng.* (English Ed. 30, 407–418. <https://doi.org/10.1007/s10033-017-0073-9>
- Motahari, R., Alavifar, Z., Zareh Andaryan, A., Chipulu, M., Saberi, M., 2023. A multi-objective linear programming model for scheduling part families and designing a group layout in cellular manufacturing systems. *Comput. Oper. Res.* 151, 106090. <https://doi.org/10.1016/j.cor.2022.106090>
- Mulyana, I.J., Hartanti, L.P.S., Herdianto, V.A., Gunawan, I., Herwinarso, H., 2022. Lean Waste Identification in Higher Education Institution Using Waste Assessment Model. *Manag. Syst. Prod. Eng.* 30, 200–206. <https://doi.org/10.2478/mspe-2022-0025>
- Murray, C.C., Smith, A.E., Zhang, Z., 2013. An efficient local search heuristic for the double row layout problem with asymmetric material flow. *Int. J. Prod. Res.* 51, 6129–6139. <https://doi.org/10.1080/00207543.2013.803168>
- Neghabi, H., Eshghi, K., Salmani, M.H., 2014. A new model for robust facility layout problem. *Inf. Sci.* (Ny). 278, 498–509. <https://doi.org/10.1016/j.ins.2014.03.067>

- Nematian, J., 2014. A robust single row facility layout problem with fuzzy random variables. *Int. J. Adv. Manuf. Technol.* 72, 255–267. <https://doi.org/10.1007/s00170-013-5564-y>
- Nenzhelele, T., Trimble, J.A., Swanepoel, J.A., Kanakana-Katumba, M.G., 2023. MCDM Model for Evaluating and Selecting the Optimal Facility Layout Design: A Case Study on Railcar Manufacturing. *Processes* 11. <https://doi.org/10.3390/pr11030869>
- Othieno, L., & Shinyekwa, I., 2011. Materials Handling Management: A Case Study. *AgEcon Search* 4, 19–30.
- Palubeckis, G., Ostreika, A., Platužienė, J., 2022. A Variable Neighborhood Search Approach for the Dynamic Single Row Facility Layout Problem. *Mathematics* 10. <https://doi.org/10.3390/math10132174>
- Paolo, 2022a. How a Shinkansen Bullet Train Factory is Made in Japan [WWW Document]. URL <https://www.youtube.com/watch?v=XkmFDMPE4L0> (accessed 2.28.24).
- Paolo, 2022b. How a Shinkansen Bullet Train Factory is Made in Japan [WWW Document]. URL <https://www.youtube.com/watch?v=XkmFDMPE4L0> (accessed 1.29.24).
- Park, J., Lee, C., Oh, S.C., Do Noh, S., 2025. Multi-objective optimization for layout planning of matrix manufacturing system. *Int. J. Precis. Eng. Manuf. - Green Technol.* 12, 1049–1067. <https://doi.org/10.1007/s40684-025-00696-2>
- Pattanaik, L.N., Sharma, B.P., 2009. Implementing lean manufacturing with cellular layout: A case study. *Int. J. Adv. Manuf. Technol.* 42, 772–779. <https://doi.org/10.1007/s00170-008-1629-8>
- Pérez-Gosende, P., Mula, J., Díaz-Madroñero, M., 2023a. A conceptual framework for multi-objective facility layout planning by a bottom-up approach. *Int. J. Prod. Manag. Eng.* 11, 1–16. <https://doi.org/10.4995/ijpme.2023.19006>
- Pérez-Gosende, P., Mula, J., Díaz-Madroñero, M., 2023b. A bottom-up multi-objective optimisation approach to dynamic facility layout planning. *Int. J. Prod. Res.* <https://doi.org/10.1080/00207543.2023.2168308>
- Pérez-Gosende, P., Mula, J., Díaz-Madroñero, M., 2020. Overview of dynamic

- facility layout planning as a sustainability strategy. *Sustain.* 12, 13–15.
<https://doi.org/10.3390/su12198277>
- Phalke, S., Vaidya, Y., Metkar, S., 2022. Big-O Time Complexity Analysis Of Algorithm. 2022 Int. Conf. Signal Inf. Process. IConSIP 2022 3–7.
<https://doi.org/10.1109/ICoNSIP49665.2022.10007469>
- Phuluwa, H.S., Mpofu, K., Trimble, J.A., 2019. Cellular demanufacturing layout in a rail industry: End-of-life components reusability. *Procedia Manuf.* 38, 307–315. <https://doi.org/10.1016/j.promfg.2020.01.040>
- Pourhassan, M.R., Raissi, S., 2017. An integrated simulation-based optimization technique for multi-objective dynamic facility layout problem. *J. Ind. Inf. Integr.* 8, 49–58. <https://doi.org/10.1016/j.jii.2017.06.001>
- Pournaderi, N., Ghezavati, V.R., Mozafari, M., 2019. Developing a mathematical model for the dynamic facility layout problem considering material handling system and optimizing it using cloud theory-based simulated annealing algorithm. *SN Appl. Sci.* 1, 1–17. <https://doi.org/10.1007/s42452-019-0865-x>
- Pourvaziri, H., Salimpour, S., Akhavan Niaki, S.T., Azab, A., 2022. Robust facility layout design for flexible manufacturing: a doe-based heuristic. *Int. J. Prod. Res.* 60, 5633–5654. <https://doi.org/10.1080/00207543.2021.1967500>
- PT. INKA, 2019. No Title [WWW Document]. URL inka.co.id (accessed 6.6.22).
- Putri, N.T., Dona, L.S., 2019. Application of lean manufacturing concept for redesigning facilities layout in Indonesian home-food industry: A case study. *TQM J.* 31, 815–830. <https://doi.org/10.1108/TQM-02-2019-0033>
- Raghavan, V.A., Yoon, S., Srihari, K., 2014. Lean transformation in a high mix low volume electronics assembly environment. *Int. J. Lean Six Sigma* 5, 342–360. <https://doi.org/10.1108/IJLSS-07-2013-0042>
- Rahayu, I.R., Setiawan, S.R., 2023. KAI Usulkan PMN Rp 2 Triliun untuk Tambah Kereta Baru dan Peremajaan KRL [WWW Document]. URL <https://money.kompas.com/read/2023/09/20/085200026/kai-usulkan-pmn-rp-2-triliun-untuk-tambah-kereta-baru-dan-peremajaan-krl> (accessed 1.30.24).
- Ramli, L., Mohamed, Z., Abdullahi, A.M., Jaafar, H.I., Lazim, I.M., 2017. Control strategies for crane systems: A comprehensive review. *Mech. Syst. Signal*

- Process. 95, 1–23. <https://doi.org/10.1016/j.ymssp.2017.03.015>
- Rezaei, J., 2015. Best-worst multi-criteria decision-making method. *Omega (United Kingdom)* 53, 49–57. <https://doi.org/10.1016/j.omega.2014.11.009>
- Riaño, H.B., Escobar, J.W., Linfati, R., Ortiz-Araya, V., 2022. Disciplinary Categorization of the Cattle Supply Chain—A Review and Bibliometric Analysis. *Sustain.* 14. <https://doi.org/10.3390/su142114275>
- Rifai, A.P., Windras Mara, S.T., Ridho, H., Norcahyo, R., 2022. The double row layout problem with safety consideration: a two-stage variable neighborhood search approach. *J. Ind. Prod. Eng.* 39, 181–195. <https://doi.org/10.1080/21681015.2021.1968964>
- Ripon, K.S.N., Glette, K., Khan, K.N., Hovin, M., Torresen, J., 2013. Adaptive variable neighborhood search for solving multi-objective facility layout problems with unequal area facilities. *Swarm Evol. Comput.* 8, 1–12. <https://doi.org/10.1016/j.swevo.2012.07.003>
- Ripon, K.S.N., Torresen, J., 2014. Integrated job shop scheduling and layout planning: A hybrid evolutionary method for optimizing multiple objectives. *Evol. Syst.* 5, 121–132. <https://doi.org/10.1007/s12530-013-9092-7>
- Sadeghniaat-Haghighi, K., Yazdi, Z., 2015. Fatigue management in the workplace. *Ind. Psychiatry J.* 24, 12. <https://doi.org/10.4103/0972-6748.160915>
- Sakhaii, M., Tavakkoli-Moghaddam, R., Bagheri, M., Vatani, B., 2013. A robust optimization approach for an integrated dynamic cellular manufacturing system and production planning with unreliable machines. *Appl. Math. Model.* 40, 169–191. <https://doi.org/10.1016/j.apm.2015.05.005>
- Salimpour, S., Pourvaziri, H., Azab, A., 2021. Semi-robust layout design for cellular manufacturing in a dynamic environment. *Comput. Oper. Res.* 133, 105367. <https://doi.org/10.1016/j.cor.2021.105367>
- Salmani, M.H., Eshghi, K., Neghabi, H., 2015. A bi-objective MIP model for facility layout problem in uncertain environment. *Int. J. Adv. Manuf. Technol.* 81, 1563–1575. <https://doi.org/10.1007/s00170-015-7290-0>
- Secchin, L.D., Amaral, A.R.S., 2019. An improved mixed-integer programming model for the double row layout of facilities. *Optim. Lett.* 13, 193–199.

<https://doi.org/10.1007/s11590-018-1263-9>

- Seyed, M.G., Rahmani, D., Moslemipour, G., 2020. Routing flexibility for unequal-area stochastic dynamic facility layout problem in flexible manufacturing systems. *Int. J. Ind. Eng. Prod. Res.* 31, 269–285.
<https://doi.org/10.22068/ijiepr.31.2.269>
- Sharifi, M.R., Akbarifard, S., Qaderi, K., Madadi, M.R., 2021. OPEN A new optimization algorithm to solve multi - objective problems. *Sci. Rep.* 1–19.
<https://doi.org/10.1038/s41598-021-99617-x>
- Sharma, R.R.K., Singh, V., Mittal, K., Nithin, D., 2023. Multi Floor Unequal Area (Machine and Slots) Facility Layout Problem (MF-UA-FLP). *Am. J. Oper. Res.* 13, 8–12. <https://doi.org/10.5923/j.ajor.20231301.02>
- Sharyo, N., 2023. Annual Business Report.
- Singh, S., Khanduja, D., 2019. Improvement in Manufacturing System by Rearrangement in Layout Design - A Case Study. *J. Phys. Conf. Ser.* 1240, 1–9. <https://doi.org/10.1088/1742-6596/1240/1/012023>
- Snauwaert, J., Van Eynde, R., Vanhoucke, M., 2023. On the complexity of efficient multi-skilled team composition. *Comput. Oper. Res.* 157, 106277.
<https://doi.org/10.1016/j.cor.2023.106277>
- Stephens, M.P., 2019. *Manufacturing Facilities Design and Material Handling*, Sixth Edit. ed. Purdue University Press, Canada.
- Stephens, M.P., Meyers, F.E., 2013. *Manufacturing Facilities Design and Material Handling*. Purdue University Press.
- Suh, Y.J., Choi, J.Y., 2022. Efficient Fab facility layout with spine structure using genetic algorithm under various material-handling considerations. *Int. J. Prod. Res.* 60, 2816–2829. <https://doi.org/10.1080/00207543.2021.1904159>
- Sule, D.R., 1988. *Manufacturing Facilities Location, Planning, and Design*. PWS, United States USA.
- Sun, X., Lai, L.F., Chou, P., Chen, L.R., Wu, C.C., 2018. On GPU implementation of the island model genetic algorithm for solving the unequal area facility layout problem. *Appl. Sci.* 8. <https://doi.org/10.3390/app8091604>
- Tang, L., Zuo, X., Wang, C., Zhao, X., 2015. A MOEA/D based approach for

- solving robust double row layout problem. 2015 IEEE Congr. Evol. Comput. CEC 2015 - Proc. 1966–1973. <https://doi.org/10.1109/CEC.2015.7257126>
- Targhi, N.S., Sabzehparvar, M., Ebrahimnezhad, S., 2019. A Mathematical Model for Robust Facility Layout Problem in 3D Space with Possibility of Floors. Proc. 2019 15th Iran Int. Ind. Eng. Conf. IIIEC 2019 158–164. <https://doi.org/10.1109/IIIEC.2019.8720721>
- Tayal, A., Solanki, A., Singh, S.P., 2020. Integrated frame work for identifying sustainable manufacturing layouts based on big data, machine learning, meta-heuristic and data envelopment analysis. Sustain. Cities Soc. 62, 102383. <https://doi.org/10.1016/j.scs.2020.102383>
- Templier, M., Paré, G., 2015. A framework for guiding and evaluating literature reviews. Commun. Assoc. Inf. Syst. 37, 112–137. <https://doi.org/10.17705/1cais.03706>
- Thompkins, J.A., White, J.A., Bozer, Y.A., Tanchoco, J., 2010. Facilities Planning, 4th ed. John Wiley & Sons, New York, London.
- Ulutas, B., Islier, A.A., 2015. Dynamic facility layout problem in footwear industry. J. Manuf. Syst. 36, 55–61. <https://doi.org/10.1016/j.jmsy.2015.03.004>
- Vitayasak, S., Pongcharoen, P., 2018. Performance improvement of Teaching-Learning-Based Optimisation for robust machine layout design. Expert Syst. Appl. 98, 129–152. <https://doi.org/10.1016/j.eswa.2018.01.005>
- Wan, X., Zuo, X., Lu, T., Chen, G., 2024. A hybrid niching memetic algorithm for multi-modal optimization of double row layout problem. Int. J. Prod. Res. <https://doi.org/10.1080/00207543.2024.2410467>
- Wan, X., Zuo, X.Q., Zhao, X.C., 2021. A surrogate model-based hybrid approach for stochastic robust double row layout problem. Mathematics 9. <https://doi.org/10.3390/math9151711>
- Wang, C., Mu, D., Zhao, F., Sutherland, J.W., 2015. A parallel simulated annealing method for the vehicle routing problem with simultaneous pickup-delivery and time windows. Comput. Ind. Eng. 83, 111–122. <https://doi.org/10.1016/j.cie.2015.02.005>
- Wang, M.J., Hu, M.H., Ku, M.Y., 2005. A solution to the unequal area facilities

- layout problem by genetic algorithm. *Comput. Ind.* 56, 207–220.
<https://doi.org/10.1016/j.compind.2004.06.003>
- Wang, S., Zuo, X., Liu, X., Zhao, X., Li, J., 2015. Solving dynamic double row layout problem via combining simulated annealing and mathematical programming. *Appl. Soft Comput. J.* 37, 303–310.
<https://doi.org/10.1016/j.asoc.2015.08.023>
- Wang, Y., Fan, X., Ni, C., Gao, K., Jin, S., 2023. Collaborative Optimization of Workshop Layout and Scheduling. *J. Sched.* 43–59.
- Wei, X., Yuan, S., Ye, Y., 2019. Optimizing facility layout planning for reconfigurable manufacturing system based on chaos genetic algorithm. *Prod. Manuf. Res.* 7, 109–124. <https://doi.org/10.1080/21693277.2019.1602486>
- Wu, X., Chu, C.H., Wang, Y., Yue, D., 2007. Genetic algorithms for integrating cell formation with machine layout and scheduling. *Comput. Ind. Eng.* 53, 277–289. <https://doi.org/10.1016/j.cie.2007.06.021>
- Yang, T., Peters, B.A., Tu, M., 2005. Layout design for flexible manufacturing systems considering single-loop directional flow patterns. *Eur. J. Oper. Res.* 164, 440–455. <https://doi.org/10.1016/j.ejor.2003.04.004>
- Yang, X., Cheng, W., Smith, A.E., Amaral, A.R.S., 2020. An improved model for the parallel row ordering problem. *J. Oper. Res. Soc.* 71, 475–490.
<https://doi.org/10.1080/01605682.2018.1556570>
- Yin, Y., Stecke, K.E., Li, D., 2018. The evolution of production systems from Industry 2.0 through Industry 4.0. *Int. J. Prod. Res.* 56, 848–861.
<https://doi.org/10.1080/00207543.2017.1403664>
- Yu, Y., Tang, J., 2019. Review of seru production. *Front. Eng. Manag.* 6, 183–192.
<https://doi.org/10.1007/s42524-019-0028-1>
- Zha, S., Guo, Y., Huang, S., Wang, F., Huang, X., 2017. Robust Facility Layout Design under Uncertain Product Demands. *Procedia CIRP* 63, 354–359.
<https://doi.org/10.1016/j.procir.2017.03.079>
- Zha, S., Guo, Y., Huang, S., Wang, S., 2020. A Hybrid MCDM Method Using Combination Weight for the Selection of Facility Layout in the Manufacturing System: A Case Study. *Math. Probl. Eng.* 2020.

<https://doi.org/10.1155/2020/1320173>

Zhang, T., Rose, O., 2013. Simulation-based overhead-crane scheduling for a manufacturing plant. Proc. 2013 Winter Simul. Conf. - Simul. Mak. Decis. a Complex World, WSC 2013 2633–2642.

<https://doi.org/10.1109/WSC.2013.6721635>

Zhang, Z., Gong, J., Liu, J., Chen, F., 2022. A fast two-stage hybrid meta-heuristic algorithm for robust corridor allocation problem. Adv. Eng. Informatics 53, 101700. <https://doi.org/10.1016/j.aei.2022.101700>

Zhang, Z., Murray, C.C., 2012. A corrected formulation for the double row layout problem. Int. J. Prod. Res. 50, 4220–4223. <https://doi.org/10.1080/00207543.2011.603371>

Zheng, J., Zhai, L., Li, F., Wang, D., Li, Y., Li, Z., Qu, Q., 2024. Multi-objective optimization and multi-attribute decision-making support for optimal operation of multi stakeholder integrated energy system. Appl. Soft Comput. J. 167. <https://doi.org/10.1016/j.asoc.2024.112426>

Zitzler, E., Thiele, L., 1999. Multiobjective Evolutionary Algorithms: A Comparative Case Study and the Strength Pareto Approach. IEEE Trans. Eng. Manag. 3, 257–270.

Zolfi, K., Jouzdani, J., 2023. A mathematical model and a simulated annealing algorithm for unequal multi-floor dynamic facility layout problem based on flexible Bay structure with elevator consideration. J. Facil. Manag. 21, 352–386. <https://doi.org/10.1108/JFM-09-2021-0102>

Zuo, X., Murray, C.C., Smith, A.E., 2014. Solving an extended double row layout problem using multiobjective tabu search and linear programming. IEEE Trans. Autom. Sci. Eng. 11, 1122–1132. <https://doi.org/10.1109/TASE.2014.2304471>

Zuo, X.Q., Murray, C.C., Smith, A.E., 2016. Sharing clearances to improve machine layout. Int. J. Prod. Res. 54, 4272–4285. <https://doi.org/10.1080/00207543.2016.1142134>