



DAFTAR PUSTAKA

- Abd-Allah, F. I., Dawaba, H. M., dan Ahmed, A. M., 2010, Preparation, characterization, and stability studies of piroxicam-loaded microemulsions in topical formulations. *Drug Discov. Ther.*, **4**(4), 267–275.
- Abdou, H.M., 1989, *Dissolution, Bioavailability and Bioequivalence*, Mack Publ. Co., Easton, 11-72
- Abuasal, B. S., Lucas, C., Peyton, B., Alayoubi, A., Nazzal, S. dan Sylvester, P. W., 2012, Enhancement of Intestinal Permeability Utilizing Solid Lipid Nanoparticles Increases γ -Tocotrienol Oral Bioavailability, *Lipids*, **47**(5), 461–469.
- Ahuja, S., dan Dong, M.W., 2005, *Handbook of Pharmaceutical Analysis by HPLC*, Elsevier, London, hal. 20-22
- Amidon, G. L., Lennernäs, H., Shah, V. P., dan Crison, J. R., 1995, A theoretical basis for a biopharmaceutic drug classification: the correlation of in vitro drug product dissolution and in vivo bioavailability, *Pharm. Res.*, **12**(3), 413–420.
- Bajaj, A., Rao, M. R. P., Pardeshi, A., dan Sali, D., 2012. Nanocrystallization by evaporative antisolvent technique for solubility and bioavailability enhancement of telmisartan, *AAPS PharmSciTech*, **13**(4), 1331–1340.
- Banakar, U.V., 1992. *Pharmaceutical Dissolution Testingin Drugs and The Pharmaceutical Sciences*. 19-26; 322-330. Marcel Dekker.Inc., New York.
- Benet, L. Z., 2010. Predicting Drug Disposition via Application of a Biopharmaceutics Drug Disposition Classification System. *Basic Clin. Pharmacol. Toxicol.*, **106**(3), 162–167.
- Benet, L. Z., 2013. The role of BCS (biopharmaceutics classification system) and BDDCS (biopharmaceutics drug disposition classification system) in drug development. *J. Pharm. Sci.*, **102**(1), 34–42.
- Bernkop-Schnürch, A., Guggi, D., dan Pinter, Y., 2004. Thiolated kitosans: development and in vitro evaluation of a mucoadhesive, permeation enhancing oral drug delivery system. *J. Control. Release Off. J. Control. Release Soc.*, **94**(1), 177–186.
- Bolton, S., 1997, *Pharmaceutical Statistics: Practical and Clinical Applications*, 3nd Edition,Marcell Dekker, Inc., New York and Basel



- Breitenbach, J., Schrof, W., dan Neumann, J., 1999. Confocal Raman-spectroscopy: analytical approach to solid dispersions and mapping of drugs. *Pharm. Res.*, **16**(7), 1109–1113.
- Charumanee, S., Okonoki, S., Sirithunyalug, J., 2004, Improvement of the Dissolution Rate of Pyroxicam by Surface Solid Dispersion, *Chiang Mai Journal of Science*, **3**(2), 77-84
- Chen, Y., Mohanraj, V. J., Wang, F., dan Benson, H. A. E., 2007. Designing kitosan-dextran sulfate nanoparticles using charge ratios. *AAPS PharmSciTech*, **8**(4), 131–139.
- Cheng, J., Teply, B. A., Sherifi, I., Sung, J., Luther, G., Gu, F. X., 2007. Formulation of functionalized PLGA-PEG nanoparticles for in vivo targeted drug delivery. *Biomaterials*, **28**(5), 869–876.
- Chiou, W. L., dan Riegelman, S., 1971. Increased dissolution rates of water-insoluble cardiac glycosides and steroids via solid dispersions in polyethylene glycol 6000. *J. Pharm. Sci.*, **60**(10), 1569–1571.
- Costa, P., dan Lobo, J.M.S., 2001, Modelling and Comparison of Dissolution Profiles, *European Journal of Pharmaceutical Sciences*, **13**: 123-133
- Cho, W., Kim, M.-S., Kim, J.-S., Park, J., Park, H. J. dan Cha, K.-H., 2013. Optimized formulation of solid self-microemulsifying sirolimus delivery systems. *Int. J. Nanomedicine*, **8**, 1673–1682.
- Colombo, P., Santi, P., Bettini, R., Brazel, C.S., dan Peppas, N.A., 2000, Drug Release from Swelling controlled System, in *Handbook of Pharmaceutical Controlled Release Technology*, Marcel Dekker Inc., New York, 183-205
- Costa, P. dan Lobo, J.M.S., 2000, Modeling and comparison of dissolution profiles, *European Journal of Pharmaceutical Sciences*, **13** (2001), 123-133
- Couvreur, P., Kante, B., Grislain, L., Roland, M., dan Speiser, P., 1982. Toxicity of polyalkylcyanoacrylate nanoparticles II: Doxorubicin-loaded nanoparticles. *J. Pharm. Sci.*, **71**(7), 790–792.
- Couvreur, P., dan Puisieux, F., 1993. Nano- and microparticles for the delivery of polypeptides and proteins. *Adv. Drug Deliv. Rev.*, **10**(2–3), 141–162.
- Dadashzadeh, S., Vali, .AM., Rezagholi, N; 2002 , Determination of Piroxicam and Paracetamol in Pharmaceutical Formulation, *J. Pharm. Biomed. Anal.* **28**(6), 1201-1204



Dash, S., Murthy, P.N., Nath, L., dan Chowdury, P., 2010, Kinetic Modeling on Drug Release from Controlled Drug Delivery System, *Acta Poloniae Pharmaceutica Drug Research*, **67**: 217-223

Depkes RI., 1979. *Farmakope Indonesia* Edisi III, 6-8, 990. Jakarta, Departemen Kesehatan Republik Indonesia.

Dixit, A.R., Rajput S.D., Patel, G., 2010, Preparationand bioavaibility assessment of SNEDDS containing valsartan, AAPS PharmSciTech, 11, 314-321

Depkes RI., 1995. *Farmakope Indonesia* Edisi IV. 108, 488,683. Jakarta, Departemen Kesehatan Republik Indonesia.

Dragomiroiu, G.T.A.B., Cimpoiesu, A., Ginghina, O., 2015, Simultaneous determination of piroxicam and paracetamol in pharmaceutical formulations using stability indicating HPLC method, 1274-1279

Ermer, J., dan Burgess, C. 2005, ‘Detection and Quantitation Limit’, dalam Ermer, J., and Miller, J. H. M. (eds), *Method Validation in Pharmaceutical Analysis. A Guide to Best Practice*, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, 10

FDA, 2000, *Food and Drug Administration. Guidance for Industry: Waiver of In Vivo Bioavailability and Bioequivalence Studies for Immediate-Release Solid Oral Dosage Forms Based on a Biopharmaceutics Classification System*. Rockville, MD:.Retrieved from <http://www.fda.gov/> . viewed 5 December 2012.

Fernanda, L., 2011, Validasi Metode pada Penetapan Kadar Piroksikam dalam Sediaan Kapsul dengan Nama Generik dan Nama Dagang secara Spektrofotometri Ultra violet, Tesis

Food and Drug Administration. (2001). *Guidance for industry: bioanalytical methode validation*. U.S. Department of Health and Human Services Center for Drug Evaluation and Research (CDER), 1-20 25hlm.<http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidance/UCM070107.pdf>.

Fudholi, A., 2013, *Disolusi dan Pelepasan Obat in vitro*:2-3, Pustaka Pelajar, Yogyakarta, Indonesia

Ganjar, G.I., dan Rohman, A., 2007, Kimia Farmasi Analisis, Pustaka Pelajar, Yogyakarta, Indonesia



Garg V; Singh H; Singh S., 2014, Development and Validation of a Sensitive UV. Methode for Piroxicam: Application for Skin Studies, *International Journal of Recent Scientific Research (IJRSR)*, 5(5), 980-983

Ghanbarzadeh, S., dan Arami, S., 2013. Enhanced Transdermal Delivery of Diclofenac Sodium via Conventional Liposomes, Ethosomes, and Transfersomes. *BioMed Res. Int.*, 2013. Diakses dari <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3725948/>

Gordon, M.S., Ellis, D.J., Molony, B., 1994, In vitro Dissolution versus In vivo Evaluation of Four Different Aspirin Products, *Drug Dev Ind Pharm*, 20, 1711-1723

Gupta, M. K., Mishra, B., Prakash, D., dan Rai, S. K., 2009. Nanoparticulate drug delivery system of cyclosporine. *Int J Pharm Pharm Sci*, 1(2), 81–92.

Gursoy, R. N., dan Benita, S., 2004. Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomed. Pharmacother. Biomédecine Pharmacothérapie*, 58(3), 173–182.

Harmita, 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Majalah Ilmu Kefarmasian*, 1(3) : 117-135

Hasanah, U., Ardana, M., Rusli, R., 2015, Pengaruh pH Medium Terhadap Disolusi Ibuprofen dengan Metode Dispersi Padat, Proseding, 5

Haskell, R., 2006. Physical Characterization of Nanoparticles. Dalam R. Gupta dan U. Kompella (Eds.), *Nanoparticle Technol. Drug Deliv.* (Vol. 159). CRC Press. Diakses dari <http://www.crcnetbase.com/doi/abs/10.1201/9780849374555.ch5?prevSearch=%255BFulltext%253A%2BPhysical%2BCharacterization%2Bof%2BNanoparticle%255D&searchHistoryKey=>, viewed 21 Agustus 2013.

Higuchi, T., 1963, Mechanism of Sustained Release Medication, Theoretical Analysis of Rate of Release of Solid Drug Disperse in Solid Matrices, *J. Pharm. Sci.*, 52, 1145-1149

Hirani, J. J., Rathod, D. A., dan Vadalia, K. R., 2009. Orally Disintegrating Tablets: A Review. *Trop. J. Pharm. Res.*, 8(2). Diakses dari <http://www.ajol.info/index.php/tjpr/article/view/44525>

Hixson, A. W.Crowell J. H., 1931, Dependence of Reaction Velocity upon surface and Agitation, *Ind. Eng. Chem.*, 23 (8), 923–931

Ho Song, H., Choi, K.S., Wha Kim, C., dan Ee Kwon, Y., 2009, Pharmacokinetic Profiles of Two Kapsul pembanding Formulations of Piroxicam 20mg in Healthy Korean Volunteers by a Rapid Isocratic HPLC Method, *Journal of Bioequivalence & Bioavailability (JBB)*, 1(3): 074-079



- Hu, J., Johnston, K. P., dan Williams, R. O., 3rd., 2004. Nanoparticle engineering processes for enhancing the dissolution rates of poorly water soluble drugs. *Drug Dev. Ind. Pharm.*, **30**(3), 233–245.
- de Jaeghere, F., Allémann, E., Leroux, J. C., Stevles, W., Feijen, J., Doelker, E., dkk., 1999. Formulation and lyoprotection of poly(lactic acid-co-ethylene oxide) nanoparticles: influence on physical stability and in vitro cell uptake. *Pharm. Res.*, **16**(6), 859–866.
- Jahanshahi, M., Zhang, Z., dan Lyddiatt, A., 2005. Subtractive chromatography for purification and recovery of nano-bioproducts. *IEE Proc. Nanobiotechnol.*, **152**(3), 121–126.
- Jain, R. A., 2000. The manufacturing techniques of various drug loaded biodegradable poly(lactide-co-glycolide) (PLGA) devices. *Biomaterials*, **21**(23), 2475–2490.
- Jia, L., 2005. Nanoparticle Formulation Increases Oral Bioavailability of Poorly Soluble Drugs: Approaches Experimental Evidences and Theory. *Curr. Nanosci.*, **1**(3), 237–243.
- Junghanns, J.-U. A. H., dan Müller, R. H., 2008. Nanocrystal technology, drug delivery and clinical applications. *Int. J. Nanomedicine*, **3**(3), 295–309.
- Kakran, M., Sahoo, N. G., Li, L., Judeh, Z., Wang, Y. dan Chong, K., 2010. Fabrication of drug nanoparticles by evaporative precipitation of nanosuspension. *Int. J. Pharm.*, **383**(1-2), 285–292.
- Katzung B.G., 1998, *Farmakologi Dasar dan Klinik*, ed. VI, diterjemahkan oleh Tim Farmakologi Fakultas Kedokteran , 567, UI Press, Jakarta
- Kawabata, Y., Wada, K., Nakatani, M., Yamada, S., dan Onoue, S., 2011. Formulation design for poorly water-soluble drugs based on biopharmaceutics classification system: basic approaches and practical applications. *Int. J. Pharm.*, **420**(1), 1–10.
- Kesisoglou, F., dan Mitra, A., 2012. Crystalline nanosuspensions as potential toxicology and clinical oral formulations for BCS II/IV compounds. *AAPS J.*, **14**(4), 677–687.
- Kesisoglou, F., Panmai, S., dan Wu, Y., 2007. Nanosizing--oral formulation development and biopharmaceutical evaluation., *Adv. Drug Deliv. Rev.*, **59**(7), 631–644.
- Khan, K.A., 1975, The Concept of Dissolution Efficiency, *J. Pharm. Pharmac.*, **27**, 48-49



- Khan, T. A., Peh, K. K., dan Ch'ng, H. S., 2002. Reporting degree of deacetylation values of kitosan: the influence of analytical methods. *J. Pharm. Sci.*, **5**(3), 205–212.
- Kreuter, J., 1995. Nanoparticulate Systems in Drug Delivery and Targeting. *J. Drug Target.*, **3**(3), 171–173.
- Kumar R.V., Madhukar. A, Sanjeeva. Y, Sameer G N., dan Uma Mahesh K., 2010, Analytical method development and validation of Piroxicam by RP-HPLC, *Der Pharmacia Lettre*, 2010, **2**(2): 217-222
- Ladani, R.K., Patel, M.J., Rakesh, P.P., dan Bhatt, T., 2010, Modern Optimization Techniques in Field of Pharmacy, Research Journal of Pharmaceutical, Biological and Chemical Sciences, **1**: 148-157
- Lai, F., Pini, E., Angioni, G., Manca, M. L., Perricci, J., Sinico, C., dkk., 2011. Nanocrystals as tool to improve piroxicam dissolution rate in novel orally disintegrating tablets. *Eur. J. Pharm. Biopharm. Off. J. Arbeitsgemeinschaft Für Pharm. Verfahrenstechnik EV*, **79**(3), 552–558.
- Liu, D., Xu, H., Tian, B., Yuan, K., Pan, H. dan Ma, S., 2012. Fabrication of carvedilol nanosuspensions through the anti-solvent precipitation-ultrasonication method for the improvement of dissolution rate and oral bioavailability. *AAPS PharmSciTech*, **13**(1), 295–304.
- Lode, J., Fichtner, I., Kreuter, J., Berndt, A., Diederichs, J. E., dan Reszka, R., 2001. Influence of surface-modifying surfactants on the pharmacokinetic behavior of 14C-poly (methylmethacrylate) nanoparticles in experimental tumor models. *Pharm. Res.*, **18**(11), 1613–1619.
- Mao, Y., 2012. *Monoclonal Antibody and Liposomal Nanoparticle-based Targeting Therapies for Chronic Lymphocytic Leukemia* (thesis). Ohio State University. Diakses dari http://etd.ohiolink.edu/view.cgi?acc_num=osu1354299911
- Mc Evoy, G. K., 2007. *AHFS Drug Information 2007*. American Society of Health-System Pharmacists (ASHP).
- Meirista, I, 2014, Formulasi dan uji aktivitas Nanoherbal Anti Hiper Kolesterol dari Kombinasi ekstrak Temulawak (*Curcuma xanthorrhiza*) dan Sambung Nyawa (*Gynura procumbens*, Menggunakan Myritol 318 sebagai fase minyak, *Tesis*, Fakultas Farmasi, UGM , Yogyakarta
- Meka, V.S., Nali, S.R., Songa, A.S., dan Battu, J.R., 2012, Statistical Optimization of a Novel Excipient (CEMC)Based Gastro Retentive Floating Tablets of Propanolol HCl and It's in vivo Buoyancy



Characterization in Healthy Human Volunteers, *DARU Journal of Pharmaceutical Sciences*, **20**, 1-12

- Merisko-Liversidge, E. M., dan Liversidge, G. G., 2008. Drug Nanoparticles: Formulating Poorly Water-Soluble Compounds. *Toxicol. Pathol.*, **36**(1), 43–48.
- Miyoshi, N., Wakao, Y., Tomono, S., Tatemichi, M., Yano, T., dan Ohshima, H., 2011. The enhancement of the oral bioavailability of γ -tocotrienol in mice by γ -cyclodextrin inclusion. *J. Nutr. Biochem.*, **22**(12), 1121–1126.
- Muller, R. H., dan Keck, C. M., 2004. Challenges and solutions for the delivery of biotech drugs--a review of drug nanocrystal technology and lipid nanoparticles. *J. Biotechnol.*, **113**(1-3), 151–170.
- Muller, R. H., Nadiem Bushrab, F., dan Moschwitzer J., 2006. Manufacturing of Nanoparticles by Milling and Homogenization Techniques. Dalam R. Gupta dan U. Kompella (Eds.), *Nanoparticle Technol. Drug Deliv.* (Vol. 159). CRC Press. Diakses dari <http://www.crcnetbase.com/doi/abs/10.1201/9780849374555.ch2>, viewed 21 Agustus 2013
- Murtaza, G., Ahmad, M., Khan, S.A., Hussein, I., 2012, Evaluation of Cefixim-Loaded Kitosan Microspheres, Analysis of dissolution data using DDSolver, *Dissolution Technologies*, May, 13-19
- Nagpal, K., Singh, S. K., dan Mishra, D. N., 2010. Kitosan Nanoparticles: A Promising System in Novel Drug Delivery. *Chem. Pharm. Bull. (Tokyo)*, **58**(11), 1423–1430.
- Nazar, M. F., Khan, A. M., dan Shah, S. S., 2009. Microemulsion System with Improved Loading of Piroxicam: A Study of Microstructure. *AAPS PharmSciTech*, **10**(4), 1286–1294.
- Nekkanti, V., Karatgi, P., Prabhu, R., dan Pillai, R., 2009. Solid Self-Microemulsifying Formulation for Candesartan Cilexetil. *AAPS PharmSciTech*, **11**(1), 9–17.
- Niwa, T., Miura, S., dan Danjo, K., 2011. Universal wet-milling technique to prepare oral nanosuspension focused on discovery and preclinical animal studies - Development of particle design method. *Int. J. Pharm.*, **405**(1-2), 218–227.
- Patil, P., Patil, V., Paradkar,A., 2007, Formulation of self-emulsifyng system for oral delivery of simvastatin: invitro and in vivo evaluation,Acta Pharm.Zagreb Croat,57, 111-122



- Peltonen, L., dan Hirvonen, J., 2010. Pharmaceutical nanocrystals by nanomilling: critical process parameters, particle fracturing and stabilization methods. *J. Pharm. Pharmacol.*, **62**(11), 1569–1579.
- Pentecost, A., Gour, S., Mochalin, V., Knoke, I., dan Gogotsi, Y., 2010. Deaggregation of nanodiamond powders using salt- and sugar-assisted milling. *ACS Appl. Mater. Interfaces*, **2**(11), 3289–3294.
- Ponce, A., Mejía-Rosales, S., dan José-Yacamán, M., 2012. Scanning Transmission Electron Microscopy Methods for the Analysis of Nanoparticles. Dalam M. Soloviev (Ed.), *Nanoparticles Biol. Med.*, Methods in Molecular Biology (hal. 453–471). Humana Press. Diakses dari http://link.springer.com/protocol/10.1007/978-1-61779-953-2_37
- Pouton, C. W., 2000. Lipid formulations for oral administration of drugs: non-emulsifying, self-emulsifying and “self-microemulsifying” drug delivery systems. *Eur. J. Pharm. Sci.*, **11**, Supplement 2, S93–S98.
- Prajapati, S., Laxmanbhai, P., and Chhaganbhai P., 2011, Floating matrix tablets of domperidone formulation and optimization using simplex lattice design, *Iran J Pharm Res.*, **10**(3): 447–455
- Reis, C.P., Neufeld, R.J., Ribeiro, A.J., Veiga, F., 2005, Nanoencapsulation: A method for preparation of drug loaded polymeric nanoparticle. Nanomed: *Nanotechnol, Bio Med* **2**:8-21
- Rohman, A., 2007, *Kimia Farmasi Analisis*, Yogyakarta: Pustaka Pelajar
- Rosario, P., Marinella, F., Giovanni, P., 2002, Preparation of solid dispersions of nonsteroidal anti-inflammatory drugs with acrylic polymers and studies on mechanisms of drug polymer interactions, *AAPS Pharm Sci Tech*, **3** (2) article 10.
- Rowe, R. C., Sheskey, P. J., Owen, S. C., dan Association, A. P., 2006. *Handbook of pharmaceutical excipients*. 6th Edition. The Pharmaceutical Press and American Pharmaceutical Assosiation. Washington DC.
- Richard W. Korsmeyer, Robert Gurny, Eric Doelker, Pierre Buri, Nikolaos A. Peppas, 1983, Mechanisms of solute release from porous hydrophilic polymers, *International Journal of Pharmaceutics*, **15** (1), 25-35
- Sahoo, S., K., Ma, W., Labhsetwar, V., 2004, Efficacy of Transferrin-conjugated Paclitaxelloaded Nanoparticles in a Murine Model of Prostate Cancer, *Int. J. Cancer*, **112**:335–340.
- Salah F., Abd- El Aal; Esmat I. A. dan Rania M. K., 2012, Prevalence of Some Trace and Toxic Elements in Raw and Sterilized Cow's Milk, *.J Am. Sci.* 2012; **8**(9):753-761.



Sanjeev Dogra, 2011, A kitosan-polymer hydrogel bead system for a metformin HCl controlled release oral dosage form, *Thesis*, 93-94

Shaikh, K. A. dan Devkhile, A. B., 2010, Development and Validation of LC Method for Simultaneous Determination of Piroxicam and Paracetamol in New Pharmaceutical Formulation, *Scholars Research Library*, 2(5): 237-244

State Ease, 2007, Design Expert 7.1., User's Guide

Shargel, L., dan Wu-Pong., 2012. *Applied biopharmaceutics & pharmacokinetics*. New York: McGraw-Hill Medical, 230-243.

Shargel, L., dan Yu, A. B. C., 1999. *Applied biopharmaceutics & pharmacokinetics*. Appleton & Lange, 383-387.

Sinko, P. J., 2006. *Martin's Physical Pharmacy and Pharmaceutical Sciences: Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Sciences*. Lippincott Williams & Wilkins.

Snyder, L.r., Kirkland, J.J., Glajeh, J.L., 1997, *Practical High Performance Liquid Chro Method Development*, 2 nd ed, USA, John Willey& Sons

Soppimath, K. S., Aminabhavi, T. M., Kulkarni, A. R., dan Rudzinski, W. E., 2001. Biodegradable polymeric nanoparticles as drug delivery devices. *J. Control. Release Off. J. Control. Release Soc.*, 70(1-2), 1-20.

Suharmati, S., Dyatmiko, W., Ifansyah, N., 2001, Pengaruh PVP K30 Terhadap Peningkatan Laju Disolusi Androgafolida dengan Sistem Dispersi Solida, *Buletin of Health System Research*, 4(1),53-66

Tantishaiyakul, V., Kaewnopparat, N., dan Ingkatawornwong, S., 1999. Properties of solid dispersions of piroxicam in polyvinylpyrrolidone. *Int. J. Pharm.*, 181(2), 143–151.

Tanuwijaya, J., dan Harahap, U., 2014. Characterization of Piroxicam Nanoparticles in Orally Disintegrating Tablet (ODT). *SOURCE Int. J. ChemTech Res. Vol 6 Issue 2 P955*, 6(2), 955.

Tjay T. H. dan Rahardja, K., 2007. *Obat-obat Penting*. Khasiat, Penggunaan dan Efek-Efek Samping. 303-305. Elex Media Komputindo.Kelompok Gramedia. Jakarta.

USP Pharmacopoeia., 2009. *United State Pharmacopoeia USP30 National Formulary NF25*. The US Pharmacopeial Convention Inc. Twinbook Parkway, Rockville.



- Vahabi, S., Nazemi Salman, B., dan Javanmard, A., 2013. Atomic Force Microscopy Application in Biological Research: A Review Study. *Iran. J. Med. Sci.*, **38**(2), 76–83.
- J. Varshosaz, A. Khajavinia, M. Ghasemlu, E. Ataei, K. Golshiri, and I. Khayam, 2013, Enhancement in Dissolution Rate of Piroxicam by Two Micronization Techniques, *Dissolution Technologies, August*, 15-23
- Venishetty, V. K., Chede, R., Komuravelli, R., Adepu, L., Sistla, R., dan Diwan, P. V., 2012. Design and evaluation of polymer coated carvedilol loaded solid lipid nanoparticles to improve the oral bioavailability: A novel strategy to avoid intraduodenal administration. *Colloids Surf. B Biointerfaces*, **95**, 1–9.
- Vijayanathan, V., Thomas, T., dan Thomas, T. J., 2002. DNA nanoparticles and development of DNA delivery vehicles for gene therapy. *Biochemistry (Mosc.)*, **41**(48), 14085–14094.
- de Waard, H., Frijlink, H. W., dan Hinrichs, W. L. J., 2011. Bottom-Up Preparation Techniques for Nanocrystals of Lipophilic Drugs. *Pharm. Res.*, **28**(5), 1220–1223.
- Wagner, J. G., 1971. *Biopharmaceutics and relevant pharmacokinetics*. Drug Intelligence Publications.
- Wang T, He Yang W, Fu J, 2009, Kitosan/sodium tripolyphosphate nanoparticles: preparation, characterization and application as drug carrier, *J Biomed Nanotechnol*, **5**(5):591-5.
- Watson, D.G., 2005, *Pharmaceutical Analysis: A Text Book for Pharmacy Student and Pharmaceutical Chemists*, Churcill Livingstone, London, 20-25,85
- Wells.J., 2002, Pharmaceutical Preformulation: The Physicochemical Properties of Drug Substances, in *Pharmaceutics: The Science of Dosage Form Design*, Churcihill Livingstone, Edinburg, 113-138
- Yang, T., Nyiawung, D., Silber, A., Hao, J., Lai, L., dan Bai, S., 2012. Comparative studies on kitosan and polylactic-co-glycolic acid incorporated nanoparticles of low molecular weight heparin. *AAPS PharmSciTech*, **13**(4), 1309–1318.
- Yang, X., 2009. *Development of Nanoparticle Systems for Therapeutic Drug Delivery* (thesis). Ohio State University. Diakses dari http://etd.ohiolink.edu/view.cgi?acc_num=osu1248972068, viewed 7 Juni 2013.



Yee Lyn, L., Rajendran, A., Adhinarayana, G., Dua, K., dan Garg, S., 2011. Crystal Modifications and Disolutions Rate of Piroxicam. *Acta Pharm*, **61**, 391–402.

Zaini, E., Putri, ZE., Octavia, MD., Ismed, F., 2017, Peningkatan Laju Disolusi Dispersi Padat Amorf Genistein dengan PVP K-30, *Jurnal Sains Farmasi & Klinis (JSFK)*, **4**(2), 67–72.

Zhang Y, Huo M, Zhou J, Zou A, Li W, Yao C, Xie S, 2010a, DDSolver: an add-in program for modeling and comparison of drug dissolution profiles, *AAPS J*, **12**(3):263-71

Zhang Y, Huo M, Zhou J, Xie S, 2010b, PKSolver: An add-in program for pharmacokinetic and pharmacodynamic data analysis in Microsoft Excel, *Comput Methods Programs Biomed*, **99** (3):306-314

Zhao, C., Hobbs, B.E., Ord , A., Peng S., 2010, Effect of Mineral DissolutionRatios on chemical DissolutionFront Instability in Fluid Saturated Porous Media,, *transp.Porous Medica*, **82**, 317-355

Zimmermann, A., Elema, M. R., Hansen, T., Müllertz, A., dan Hovgaard, L., 2007. Determination of surface-adsorbed excipients of various types on drug particles prepared by antisolvent precipitation using HPLC with evaporative light scattering detection. *J. Pharm. Biomed. Anal.*, **44**(4), 874–880.

Zeng, X.;; Yi Feng; Liu Yang; Yu Huang; Dan Zhou; Jing Sun; Yiming Liu; Yuanhui Deng, 2008, Single-and Mukiple-Dose Pharmacokinetics of Genistein Capsules in Healthy Chinese Subjects: A Phase I, Randomized, Open-Label Study, *Current Therapeutic Research*, **69** (4), 318-333