

DAFTAR PUSTAKA

- [1] D. Fonseca, M. Á. Conde, and F. J. García-Peñalvo, "Improving the information society skills: Is knowledge accessible for all?," *Univers. Access Inf. Soc.*, vol. 17, no. 2, pp. 229–245, Jun. 2018, doi: 10.1007/s10209-017-0548-6.
- [2] S. Graf, "Adaptivity in Learning Management Systems Focussing on Learning Styles," 2007. [Online]. Available: <https://resolver.obvsg.at/urn:nbn:at:at-ubtuw:1-20983> <http://hdl.handle.net/20.500.12708/10843>
- [3] I. Karagiannis and M. Satratzemi, "An adaptive mechanism for Moodle based on automatic detection of learning styles," *Educ. Inf. Technol.*, vol. 23, no. 3, pp. 1331–1357, May 2018, doi: 10.1007/s10639-017-9663-5.
- [4] Y.-C. Hung, "The Effect of Teaching Methods and Learning Style on Learning Program Design in Web-Based Education Systems," *J. Educ. Comput. Res.*, vol. 47, no. 4, pp. 409–427, Dec. 2012, doi: 10.2190/EC.47.4.d.
- [5] H. Chen, C. Yin, R. Li, W. Rong, Z. Xiong, and B. David, "Enhanced learning resource recommendation based on online learning style model," *Tsinghua Sci. Technol.*, vol. 25, no. 3, pp. 348–356, Jun. 2020, doi: 10.26599/TST.2019.9010014.
- [6] S. Missaoui and A. Maalel, "Student's profile modeling in an adaptive gamified learning environment," *Educ. Inf. Technol.*, vol. 26, no. 5, pp. 6367–6381, Sep. 2021, doi: 10.1007/s10639-021-10628-7.
- [7] A. Agarwal, D. S. Mishra, and S. V. Kolekar, "Knowledge-based recommendation system using semantic web rules based on Learning styles for MOOCs," *Cogent Eng.*, vol. 9, no. 1, p. 2022568, Dec. 2022, doi: 10.1080/23311916.2021.2022568.
- [8] R.-S. Shaw, "The Learning Performance of Different Knowledge Map Construction Methods and Learning Styles Moderation for Programming Language Learning," *J. Educ. Comput. Res.*, vol. 56, no. 8, pp. 1407–1429, Jan. 2019, doi: 10.1177/0735633117744345.
- [9] C. Troussas, F. Giannakas, C. Sgouropoulou, and I. Voyiatzis, "Collaborative activities recommendation based on students' collaborative learning styles using ANN and WSM," *Interact. Learn. Environ.*, pp. 1–14, May 2020, doi: 10.1080/10494820.2020.1761835.
- [10] A. Gonzalez-Nucamendi, J. Noguez, L. Neri, V. Robledo-Rella, R. M. G. García-Castelán, and D. Escobar-Castillejos, "The prediction of academic performance using engineering student's profiles," *Comput. Electr. Eng.*, vol. 93, p. 107288, Jul. 2021, doi: 10.1016/j.compeleceng.2021.107288.
- [11] Ö. Özyurt, H. Özyurt, and A. Baki, "Design and development of an innovative individualized adaptive and intelligent e-learning system for teaching–learning of probability unit: Details of UZWEBMAT," *Expert Syst. Appl.*, vol. 40, no. 8, pp. 2914–2940, Jun. 2013, doi: 10.1016/j.eswa.2012.12.008.
- [12] M. Soflano, T. M. Connolly, and T. Hainey, "An application of adaptive games-based learning based on learning style to teach SQL," *Comput. Educ.*, vol. 86, pp. 192–211, Aug. 2015, doi: 10.1016/j.compedu.2015.03.015.

- [13] A. Klačnja-Milićević, B. Vesin, M. Ivanović, and Z. Budimac, “E-Learning personalization based on hybrid recommendation strategy and learning style identification,” *Comput. Educ.*, vol. 56, no. 3, pp. 885–899, Apr. 2011, doi: 10.1016/j.compedu.2010.11.001.
- [14] O. C. Santos and J. G. Boticario, *Educational Recommender Systems and Technologies: Practices and Challenges*. IGI Global, 2012. doi: 10.4018/978-1-61350-489-5.
- [15] H. E. Gardner, *Frames Of Mind_ The Theory Of Multiple Intelligences*. BasicBooks, 1983.
- [16] C. B. Shearer, “Multiple Intelligences in Gifted and Talented Education: Lessons Learned From Neuroscience After 35 Years,” *Roeper Rev.*, vol. 42, no. 1, pp. 49–63, Jan. 2020, doi: 10.1080/02783193.2019.1690079.
- [17] “Thomas Armstrong - Multiple Intelligences in the Classroom 3rd Edition (2009).pdf.”
- [18] M. Ferrero, M. A. Vadillo, and S. P. León, “A valid evaluation of the theory of multiple intelligences is not yet possible: Problems of methodological quality for intervention studies,” *Intelligence*, vol. 88, p. 101566, Sep. 2021, doi: 10.1016/j.intell.2021.101566.
- [19] F. Rasheed and A. Wahid, “Learning Style Recognition: A Neural Network Approach,” in *First International Conference on Artificial Intelligence and Cognitive Computing*, vol. 815, R. S. Bapi, K. S. Rao, and M. V. N. K. Prasad, Eds., in *Advances in Intelligent Systems and Computing*, vol. 815, Singapore: Springer Singapore, 2019, pp. 301–312. doi: 10.1007/978-981-13-1580-0_29.
- [20] L. Assis, A. C. Rodrigues, A. Vivas, C. G. Pitangui, C. M. Silva, and F. A. Dorça, “Relationship Between Learning Styles and Learning Objects: A Systematic Literature Review,” *Int. J. Distance Educ. Technol.*, vol. 20, no. 1, pp. 1–18, Jan. 2022, doi: 10.4018/IJDET.296698.
- [21] D. Goštautaitė and L. Sakalauskas, “Multi-Label Classification and Explanation Methods for Students’ Learning Style Prediction and Interpretation,” *Appl. Sci.*, vol. 12, no. 11, p. 5396, May 2022, doi: 10.3390/app12115396.
- [22] F. Rasheed and A. Wahid, “Learning style detection in E-learning systems using machine learning techniques,” *Expert Syst. Appl.*, vol. 174, p. 114774, Jul. 2021, doi: 10.1016/j.eswa.2021.114774.
- [23] P. Wongthongtham, K. Y. Chan, V. Potdar, B. Abu-Salih, S. Gaikwad, and P. Jain, “State-of-the-Art Ontology Annotation for Personalised Teaching and Learning and Prospects for Smart Learning Recommender Based on Multiple Intelligence and Fuzzy Ontology,” *Int. J. Fuzzy Syst.*, vol. 20, no. 4, pp. 1357–1372, Apr. 2018, doi: 10.1007/s40815-018-0467-6.
- [24] Q. Ni, Y. Mi, Y. Wu, L. He, Y. Xu, and B. Zhang, “Design and Implementation of the Reliable Learning Style Recognition Mechanism Based on Fusion Labels and Ensemble Classification,” *IEEE Trans. Learn. Technol.*, vol. 17, pp. 241–257, 2024, doi: 10.1109/TLT.2023.3263568.

- [25] C. Lwande, L. Muchemi, and R. Oboko, "Identifying learning styles and cognitive traits in a learning management system," *Heliyon*, vol. 7, no. 8, p. e07701, Aug. 2021, doi: 10.1016/j.heliyon.2021.e07701.
- [26] C. Lwande, R. Oboko, and L. Muchemi, "Learner behavior prediction in a learning management system," *Educ. Inf. Technol.*, vol. 26, no. 3, pp. 2743–2766, May 2021, doi: 10.1007/s10639-020-10370-6.
- [27] F. Ricci, L. Rokach, and B. Shapira, Eds., *Recommender Systems Handbook*, Third Edition. New York, NY: Springer US, 2022. doi: 10.1007/978-1-0716-2197-4.
- [28] D. Ralph, Y. Li, G. Wills, and N. G. Green, "Recommendations from cold starts in big data," *Computing*, vol. 102, no. 6, pp. 1323–1344, Jun. 2020, doi: 10.1007/s00607-020-00792-y.
- [29] R. Duan, C. Jiang, and H. K. Jain, "Combining review-based collaborative filtering and matrix factorization: A solution to rating's sparsity problem," *Decis. Support Syst.*, vol. 156, p. 113748, May 2022, doi: 10.1016/j.dss.2022.113748.
- [30] Y. Afoudi, M. Lazaar, and M. Al Achhab, "Hybrid recommendation system combined content-based filtering and collaborative prediction using artificial neural network," *Simul. Model. Pract. Theory*, vol. 113, p. 102375, Dec. 2021, doi: 10.1016/j.simpat.2021.102375.
- [31] H. Drachsler, K. Verbert, O. C. Santos, and N. Manouselis, "Panorama of Recommender Systems to Support Learning," in *Recommender Systems Handbook*, F. Ricci, L. Rokach, and B. Shapira, Eds., Boston, MA: Springer US, 2015, pp. 421–451. doi: 10.1007/978-1-4899-7637-6_12.
- [32] G. M. Machado, V. Maran, G. M. Lunardi, L. K. Wives, and J. P. M. de Oliveira, "AwARE: a framework for adaptive recommendation of educational resources," *Computing*, vol. 103, no. 4, pp. 675–705, Apr. 2021, doi: 10.1007/s00607-021-00903-3.
- [33] S. Souabi, A. Retbi, M. K. I. Khalidi Idrissi, and S. Bennani, "Recommendation Systems on E-Learning and Social Learning: A Systematic Review," *Electron. J. E-Learn.*, vol. 19, no. 5, pp. pp432-451, Nov. 2021, doi: 10.34190/ejel.19.5.2482.
- [34] N. R. I. Alsalhi, "The representation of multiple intelligences in the science textbook and the extent of awareness of science teachers at the intermediate stage of this theory," *Think. Ski. Creat.*, vol. 38, p. 100706, Dec. 2020, doi: 10.1016/j.tsc.2020.100706.
- [35] A. Pujahari and D. S. Sisodia, "Pair-wise Preference Relation based Probabilistic Matrix Factorization for Collaborative Filtering in Recommender System," *Knowl.-Based Syst.*, vol. 196, p. 105798, May 2020, doi: 10.1016/j.knosys.2020.105798.
- [36] S. Qu, G. Guo, Y. Liu, Y. Yao, and W. Wei, "Fast discrete factorization machine for personalized item recommendation," *Knowl.-Based Syst.*, vol. 193, p. 105470, Apr. 2020, doi: 10.1016/j.knosys.2019.105470.
- [37] X. Zhao, S. Long, and D. Hu, "Analysis and Construction of the User Characteristic Model in the Adaptive Learning System for Personalized

- Learning,” *Comput. Intell. Neurosci.*, vol. 2022, pp. 1–14, Oct. 2022, doi: 10.1155/2022/5503153.
- [38] O. Mazhoud, A. Kalboussi, and A. H. Kacem, “Educational Recommender System based on Learner’s Annotative Activity,” *Int. J. Emerg. Technol. Learn. IJET*, vol. 16, no. 10, p. 108, May 2021, doi: 10.3991/ijet.v16i10.19955.
- [39] H. Khosravi, K. Kitto, and J. J. Williams, “RiPPLE: A Crowdsourced Adaptive Platform for Recommendation of Learning Activities,” *J. Learn. Anal.*, vol. 6, no. 3, Dec. 2019, doi: 10.18608/jla.2019.63.12.
- [40] H. Wan and S. Yu, “A recommendation system based on an adaptive learning cognitive map model and its effects,” *Interact. Learn. Environ.*, pp. 1–19, Dec. 2020, doi: 10.1080/10494820.2020.1858115.
- [41] S. Graf and S. R. Viola, “AUTOMATIC STUDENT MODELLING FOR DETECTING LEARNING STYLE PREFERENCES IN LEARNING MANAGEMENT SYSTEMS,” *IADIS Int. Conf. Cogn. Explor. Learn. Digit. Age CELDA 2007*, 2007.
- [42] S. Graf and T.-C. Liu, “Supporting Teachers in Identifying Students’ Learning Styles in Learning Management Systems: An Automatic Student Modelling Approach,” *Int. Forum Educ. Technol. Soc.*, vol. 14, no. 2, pp. 3–14, 2009.
- [43] Q. D. Pham and A. M. Florea, “A METHOD FOR DETECTION OF LEARNING STYLES IN LEARNING MANAGEMENT SYSTEMS,” Apr. 2013.
- [44] M. S. Hasibuan, L. E. Nugroho, and P. I. Santosa, “Model detecting learning styles with artificial neural network,” *J. Technol. Sci. Educ.*, vol. 9, no. 1, p. 85, Feb. 2019, doi: 10.3926/jotse.540.
- [45] T. Sheeba and R. Krishnan, “Automatic Detection of Students Learning Style in Learning Management System,” in *Smart Technologies and Innovation for a Sustainable Future*, A. Al-Masri and K. Curran, Eds., in Advances in Science, Technology & Innovation. , Cham: Springer International Publishing, 2019, pp. 45–53. doi: 10.1007/978-3-030-01659-3_7.
- [46] D. Du, “Implementation of Arabic Private Education Course Resource Recommendation Method Based on Collaborative Filtering,” in *2023 7th Asian Conference on Artificial Intelligence Technology (ACAIT)*, Jiaying, China: IEEE, Nov. 2023, pp. 687–691. doi: 10.1109/ACAIT60137.2023.10528628.
- [47] H. Ko, S. Lee, Y. Park, and A. Choi, “A Survey of Recommendation Systems: Recommendation Models, Techniques, and Application Fields,” *Electronics*, vol. 11, no. 1, p. 141, Jan. 2022, doi: 10.3390/electronics11010141.
- [48] Y. Zhu, L. Hu, N. Ning, W. Zhang, and B. Wu, “A lexical psycholinguistic knowledge-guided graph neural network for interpretable personality detection,” *Knowl.-Based Syst.*, vol. 249, p. 108952, Aug. 2022, doi: 10.1016/j.knosys.2022.108952.
- [49] C. Suman, S. Saha, A. Gupta, S. K. Pandey, and P. Bhattacharyya, “A multi-modal personality prediction system,” *Knowl.-Based Syst.*, vol. 236, p. 107715, Jan. 2022, doi: 10.1016/j.knosys.2021.107715.

- [50] C.-H. Lai and Y.-C. Chang, "Document recommendation based on the analysis of group trust and user weightings," *J. Inf. Sci.*, vol. 45, no. 6, pp. 845–862, Dec. 2019, doi: 10.1177/0165551518819973.
- [51] Z. Wu, M. Li, Y. Tang, and Q. Liang, "Exercise recommendation based on knowledge concept prediction," *Knowl.-Based Syst.*, vol. 210, p. 106481, Dec. 2020, doi: 10.1016/j.knosys.2020.106481.
- [52] L. Zhang, Z. Kang, X. Sun, H. Sun, B. Zhang, and D. Pu, "KCRec: Knowledge-aware representation Graph Convolutional Network for Recommendation," *Knowl.-Based Syst.*, vol. 230, p. 107399, Oct. 2021, doi: 10.1016/j.knosys.2021.107399.
- [53] Y. Lin, B. Xu, J. Feng, H. Lin, and K. Xu, "Knowledge-enhanced recommendation using item embedding and path attention," *Knowl.-Based Syst.*, vol. 233, p. 107484, Dec. 2021, doi: 10.1016/j.knosys.2021.107484.
- [54] Y. Li, S. Wang, Q. Pan, H. Peng, T. Yang, and E. Cambria, "Learning binary codes with neural collaborative filtering for efficient recommendation systems," *Knowl.-Based Syst.*, vol. 172, pp. 64–75, May 2019, doi: 10.1016/j.knosys.2019.02.012.
- [55] Z. Jiang, C. Chi, and Y. Zhan, "Let Knowledge Make Recommendations for You," *IEEE Access*, vol. 9, pp. 118194–118204, 2021, doi: 10.1109/ACCESS.2021.3106914.
- [56] Q. Li, X. Tang, T. Wang, H. Yang, and H. Song, "Unifying Task-Oriented Knowledge Graph Learning and Recommendation," *IEEE Access*, vol. 7, pp. 115816–115828, 2019, doi: 10.1109/ACCESS.2019.2932466.
- [57] K. Zhang, X. Liu, W. Wang, and J. Li, "Multi-criteria recommender system based on social relationships and criteria preferences," *Expert Syst. Appl.*, vol. 176, p. 114868, Aug. 2021, doi: 10.1016/j.eswa.2021.114868.
- [58] A. Razia Sulthana and S. Ramasamy, "Ontology and context based recommendation system using Neuro-Fuzzy Classification," *Comput. Electr. Eng.*, vol. 74, pp. 498–510, Mar. 2019, doi: 10.1016/j.compeleceng.2018.01.034.
- [59] N. W. Rahayu, R. Ferdiana, and S. S. Kusumawardani, "A systematic review of ontology use in E-Learning recommender system," *Comput. Educ. Artif. Intell.*, vol. 3, p. 100047, 2022, doi: 10.1016/j.caeai.2022.100047.
- [60] G. R. and V. Uma, "Ontology based knowledge representation technique, domain modeling languages and planners for robotic path planning: A survey," *ICT Express*, vol. 4, no. 2, pp. 69–74, Jun. 2018, doi: 10.1016/j.ict.2018.04.008.
- [61] R. Baumann and H. Strass, "An abstract, logical approach to characterizing strong equivalence in non-monotonic knowledge representation formalisms," *Artif. Intell.*, vol. 305, p. 103680, Apr. 2022, doi: 10.1016/j.artint.2022.103680.
- [62] Y. Du, S. Ranwez, N. Sutton-Charani, and V. Ranwez, "Is diversity optimization always suitable? Toward a better understanding of diversity within recommendation approaches," *Inf. Process. Manag.*, vol. 58, no. 6, p. 102721, Nov. 2021, doi: 10.1016/j.ipm.2021.102721.

- [63] A. Tizkar Sadabadi and A. Abdul Manaf, "IKML approach to integrating knowledge management and learning for software project management," *Knowl. Manag. Res. Pract.*, vol. 16, no. 3, pp. 343–355, Jul. 2018, doi: 10.1080/14778238.2018.1474165.
- [64] A. Nitchot, W. Wettayaprasit, and L. Gilbert, "Personalized learning system for visualizing knowledge structures and recommending study materials links," *E-Learn. Digit. Media*, vol. 16, no. 1, pp. 77–91, Jan. 2019, doi: 10.1177/2042753018817615.
- [65] Y. Rosmansyah, B. L. Putro, A. Putri, N. B. Utomo, and Suhardi, "A simple model of smart learning environment," *Interact. Learn. Environ.*, pp. 1–22, Jan. 2022, doi: 10.1080/10494820.2021.2020295.
- [66] D. Hooshyar *et al.*, "From Gaming to Computational Thinking: An Adaptive Educational Computer Game-Based Learning Approach," *J. Educ. Comput. Res.*, vol. 59, no. 3, pp. 383–409, Jun. 2021, doi: 10.1177/0735633120965919.
- [67] W. Xing and X. Wang, "Understanding students' effective use of data in the age of big data in higher education," *Behav. Inf. Technol.*, pp. 1–18, Jun. 2021, doi: 10.1080/0144929X.2021.1936176.
- [68] I. Uddin, A. S. Imran, K. Muhammad, N. Fayyaz, and M. Sajjad, "A Systematic Mapping Review on MOOC Recommender Systems," *IEEE Access*, vol. 9, pp. 118379–118405, 2021, doi: 10.1109/ACCESS.2021.3101039.
- [69] M. C. Urdaneta-Ponte, A. Mendez-Zorrilla, and I. Oleagordia-Ruiz, "Recommendation Systems for Education: Systematic Review," *Electronics*, vol. 10, no. 14, p. 1611, Jul. 2021, doi: 10.3390/electronics10141611.
- [70] M. Deschênes, "Recommender systems to support learners' Agency in a Learning Context: a systematic review," *Int. J. Educ. Technol. High. Educ.*, vol. 17, no. 1, p. 50, Dec. 2020, doi: 10.1186/s41239-020-00219-w.
- [71] S. Y. Chen and J.-H. Wang, "Individual differences and personalized learning: a review and appraisal," *Univers. Access Inf. Soc.*, vol. 20, no. 4, pp. 833–849, Nov. 2021, doi: 10.1007/s10209-020-00753-4.
- [72] W. Ding, Z. Zhu, and Q. Guo, "A New Learner Model in Adaptive Learning System," in *2018 3rd International Conference on Computer and Communication Systems (ICCCS)*, Nagoya, Japan: IEEE, Apr. 2018, pp. 440–443. doi: 10.1109/CCOMS.2018.8463316.
- [73] M. Bustos López, G. Alor-Hernández, J. L. Sánchez-Cervantes, M. A. Paredes-Valverde, and M. del P. Salas-Zárate, "EduRecomSys: An Educational Resource Recommender System Based on Collaborative Filtering and Emotion Detection," *Interact. Comput.*, vol. 32, no. 4, pp. 407–432, Jun. 2021, doi: 10.1093/iwc/iwab001.
- [74] P. Peng and W. Fu, "A Pattern Recognition Method of Personalized Adaptive Learning in Online Education," *Mob. Netw. Appl.*, vol. 27, no. 3, pp. 1186–1198, Jun. 2022, doi: 10.1007/s11036-022-01942-6.
- [75] A. Abyaa, M. Khalidi Idrissi, and S. Bennani, "Learner modelling: systematic review of the literature from the last 5 years," *Educ. Technol. Res. Dev.*, vol. 67, no. 5, pp. 1105–1143, Oct. 2019, doi: 10.1007/s11423-018-09644-1.

- [76] G. George and A. M. Lal, "Review of ontology-based recommender systems in e-learning," *Comput. Educ.*, vol. 142, p. 103642, Dec. 2019, doi: 10.1016/j.compedu.2019.103642.
- [77] E. Özpolat and G. B. Akar, "Automatic detection of learning styles for an e-learning system," *Comput. Educ.*, vol. 53, no. 2, pp. 355–367, Sep. 2009, doi: 10.1016/j.compedu.2009.02.018.
- [78] M. S. Hasibuan and L. Nugroho, "Detecting learning style using hybrid model," in *2016 IEEE Conference on e-Learning, e-Management and e-Services (IC3e)*, Langkawi, Malaysia: IEEE, Oct. 2016, pp. 107–111. doi: 10.1109/IC3e.2016.8009049.
- [79] R. Balti, A. Hedhili, W. L. Chaari, and M. Abed, "Hybrid analysis of the learner's online behavior based on learning style," *Educ. Inf. Technol.*, Mar. 2023, doi: 10.1007/s10639-023-11595-x.
- [80] J. Bernard, T.-W. Chang, E. Popescu, and S. Graf, "Learning style Identifier: Improving the precision of learning style identification through computational intelligence algorithms," *Expert Syst. Appl.*, vol. 75, pp. 94–108, Jun. 2017, doi: 10.1016/j.eswa.2017.01.021.
- [81] N. Hidayat, R. Wardoyo, A. Sn, and H. Dwi, "Enhanced Performance of the Automatic Learning Style Detection Model using a Combination of Modified K-Means Algorithm and Naive Bayesian," *Int. J. Adv. Comput. Sci. Appl.*, vol. 11, no. 3, 2020, doi: 10.14569/IJACSA.2020.0110380.
- [82] I. Azzi, A. Jeghal, A. Radouane, A. Yahyaouy, and H. Tairi, "A robust classification to predict learning styles in adaptive E-learning systems," *Educ. Inf. Technol.*, vol. 25, no. 1, pp. 437–448, Jan. 2020, doi: 10.1007/s10639-019-09956-6.
- [83] A. B. Rashid, R. R. Raja Ikram, Y. Thamilarasan, L. Salahuddin, N. F. A. Yusof, and Z. B. Rashid, "A Student Learning Style Auto-Detection Model in a Learning Management System," *Eng. Technol. Appl. Sci. Res.*, vol. 13, no. 3, pp. 11000–11005, Jun. 2023, doi: 10.48084/etasr.5751.
- [84] M. S. Hasibuan, R. Z. Abdul Aziz, D. A. Dewi, T. B. Kurniawan, and N. A. Syafira, "Recommendation Model for Learning Material Using the Felder Silverman Learning Style Approach," *HighTech Innov. J.*, vol. 4, no. 4, pp. 811–820, Dec. 2023, doi: 10.28991/HIJ-2023-04-04-010.
- [85] H. Bryn and G. John R, *E-learning : concepts and pratice*. SAGE Publications Ltd, 2006.
- [86] A. Bessadok, "Analyzing student aspirations factors affecting e-learning system success using a structural equation model," *Educ. Inf. Technol.*, Mar. 2022, doi: 10.1007/s10639-022-11015-6.
- [87] P. I. Santosa, "Student Engagement with Online Tutorial: A Perspective on Flow Theory," *Int. J. Emerg. Technol. Learn. IJET*, vol. 10, no. 1, p. 60, Feb. 2015, doi: 10.3991/ijet.v10i1.4348.
- [88] H. Pashler, M. McDaniel, D. Rohrer, and R. Bjork, "Learning Styles: Concepts and Evidence," *Psychol. Sci. Public Interest*, vol. 9, no. 3, pp. 105–119, Dec. 2008, doi: 10.1111/j.1539-6053.2009.01038.x.

- [89] L. Childs-Kean, M. Edwards, and M. D. Smith, "Use of Learning Style Frameworks in Health Science Education," *Am. J. Pharm. Educ.*, vol. 84, no. 7, p. ajpe7885, Jul. 2020, doi: 10.5688/ajpe7885.
- [90] M. Raleiras, A. H. Nabizadeh, and F. A. Costa, "Automatic learning styles prediction: a survey of the State-of-the-Art (2006–2021)," *J. Comput. Educ.*, vol. 9, no. 4, pp. 587–679, Dec. 2022, doi: 10.1007/s40692-021-00215-7.
- [91] "Howard Gardner - Frames of Mind_ The Theory of Multiple Intelligences-Basic Books (2011).pdf."
- [92] S. Kadam and V. Vaidya, "Cognitive Evaluation of Machine Learning Agents," *Cogn. Syst. Res.*, vol. 66, pp. 100–121, Mar. 2021, doi: 10.1016/j.cogsys.2020.11.003.
- [93] S. Heras, J. Palanca, P. Rodriguez, N. Duque-Méndez, and V. Julian, "Recommending Learning Objects with Arguments and Explanations," *Appl. Sci.*, vol. 10, no. 10, p. 3341, May 2020, doi: 10.3390/app10103341.
- [94] H. Gardner, *Multiple intelligences: new horizons*, Completely rev. and Updated. New York: BasicBooks, 2006.
- [95] H. Gardner, *Intelligence reframed: multiple intelligences for the 21st century*. New York, NY: Basic Books, 1999.
- [96] I. Duckett and M. Tatarkowski, *Practical strategies for learning and teaching on vocational programmes*. London: Learning and Skills Development Agency, 2005.
- [97] A. Cichocki and A. P. Kuleshov, "Future Trends for Human-AI Collaboration: A Comprehensive Taxonomy of AI/AGI Using Multiple Intelligences and Learning Styles," *Comput. Intell. Neurosci.*, vol. 2021, pp. 1–21, Feb. 2021, doi: 10.1155/2021/8893795.
- [98] G. L. Pritalia, S. Wibirama, T. B. Adji, and S. Kusrohmaniah, "Classification of Learning Styles in Multimedia Learning Using Eye-Tracking and Machine Learning," in *2020 FORTEI-International Conference on Electrical Engineering (FORTEI-ICEE)*, Bandung, Indonesia: IEEE, Sep. 2020, pp. 145–150. doi: 10.1109/FORTEI-ICEE50915.2020.9249875.
- [99] A. Salah Hashim, W. Akeel Awadh, and A. Khalaf Hamoud, "Student Performance Prediction Model based on Supervised Machine Learning Algorithms," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 928, no. 3, p. 032019, Nov. 2020, doi: 10.1088/1757-899X/928/3/032019.
- [100] N. Endut, W. M. A. F. W. Hamzah, I. Ismail, M. Kamir Yusof, Y. Abu Baker, and H. Yusoff, "A Systematic Literature Review on Multi-Label Classification based on Machine Learning Algorithms," *TEM J.*, pp. 658–666, May 2022, doi: 10.18421/TEM112-20.
- [101] H. Song, Y. Zhou, E. Quayson, Q. Zhu, and X. Shen, "Robust Ranking Kernel Support Vector Machine via Manifold Regularized Matrix Factorization for Multi-Label Classification," *Appl. Sci.*, vol. 14, no. 2, p. 638, Jan. 2024, doi: 10.3390/app14020638.
- [102] S. Feng, P. Fu, and W. Zheng, "A hierarchical multi-label classification method based on neural networks for gene function prediction," *Biotechnol. Biotechnol. Equip.*, vol. 32, no. 6, pp. 1613–1621, Nov. 2018, doi: 10.1080/13102818.2018.1521302.

- [103] R. Cerri, R. C. Barros, and A. C. P. L. F. De Carvalho, "Hierarchical multi-label classification using local neural networks," *J. Comput. Syst. Sci.*, vol. 80, no. 1, pp. 39–56, Feb. 2014, doi: 10.1016/j.jcss.2013.03.007.
- [104] Q. Ma, C. Yuan, W. Zhou, and S. Hu, "Label-Specific Dual Graph Neural Network for Multi-Label Text Classification," in *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, Online: Association for Computational Linguistics, 2021, pp. 3855–3864. doi: 10.18653/v1/2021.acl-long.298.
- [105] A. A. Lydia and F. S. Francis, "Multi-Label Classification using Deep Convolutional Neural Network," in *2020 International Conference on Innovative Trends in Information Technology (ICITIIT)*, Kottayam, India: IEEE, Feb. 2020, pp. 1–6. doi: 10.1109/ICITIIT49094.2020.9071539.
- [106] B. Ghasemkhani, K. F. Balbal, and D. Birant, "A New Predictive Method for Classification Tasks in Machine Learning: Multi-Class Multi-Label Logistic Model Tree (MMLMT)," *Mathematics*, vol. 12, no. 18, p. 2825, Sep. 2024, doi: 10.3390/math12182825.
- [107] L. Zhou, X. Zheng, D. Yang, Y. Wang, X. Bai, and X. Ye, "Application of multi-label classification models for the diagnosis of diabetic complications," *BMC Med. Inform. Decis. Mak.*, vol. 21, no. 1, p. 182, Dec. 2021, doi: 10.1186/s12911-021-01525-7.
- [108] Y. Zhang, Y. Ma, and X. Yang, "Multi-label feature selection based on logistic regression and manifold learning," *Appl. Intell.*, vol. 52, no. 8, pp. 9256–9273, Jun. 2022, doi: 10.1007/s10489-021-03008-8.
- [109] A. Estabrooks, T. Jo, and N. Japkowicz, "A Multiple Resampling Method for Learning from Imbalanced Data Sets," *Comput. Intell.*, vol. 20, no. 1, pp. 18–36, Feb. 2004, doi: 10.1111/j.0824-7935.2004.t01-1-00228.x.
- [110] M. Kim and K.-B. Hwang, "An empirical evaluation of sampling methods for the classification of imbalanced data," *PLOS ONE*, vol. 17, no. 7, p. e0271260, Jul. 2022, doi: 10.1371/journal.pone.0271260.
- [111] R. Ghorbani and R. Ghousi, "Comparing Different Resampling Methods in Predicting Students' Performance Using Machine Learning Techniques," *IEEE Access*, vol. 8, pp. 67899–67911, 2020, doi: 10.1109/ACCESS.2020.2986809.
- [112] B. W. Yap, K. A. Rani, H. A. A. Rahman, S. Fong, Z. Khairudin, and N. N. Abdullah, "An Application of Oversampling, Undersampling, Bagging and Boosting in Handling Imbalanced Datasets," in *Proceedings of the First International Conference on Advanced Data and Information Engineering (DaEng-2013)*, vol. 285, T. Herawan, M. M. Deris, and J. Abawajy, Eds., in *Lecture Notes in Electrical Engineering*, vol. 285, Singapore: Springer Singapore, 2014, pp. 13–22. doi: 10.1007/978-981-4585-18-7_2.
- [113] Xu-Ying Liu, Jianxin Wu, and Zhi-Hua Zhou, "Exploratory Undersampling for Class-Imbalance Learning," *IEEE Trans. Syst. Man Cybern. Part B Cybern.*, vol. 39, no. 2, pp. 539–550, Apr. 2009, doi: 10.1109/TSMCB.2008.2007853.

- [114] M. Galar, A. Fernandez, E. Barrenechea, H. Bustince, and F. Herrera, "A Review on Ensembles for the Class Imbalance Problem: Bagging-, Boosting-, and Hybrid-Based Approaches," *IEEE Trans. Syst. Man Cybern. Part C Appl. Rev.*, vol. 42, no. 4, pp. 463–484, Jul. 2012, doi: 10.1109/TSMCC.2011.2161285.
- [115] N. V. Chawla, K. W. Bowyer, L. O. Hall, and W. P. Kegelmeyer, "SMOTE: Synthetic Minority Over-sampling Technique," *J. Artif. Intell. Res.*, vol. 16, pp. 321–357, Jun. 2002, doi: 10.1613/jair.953.
- [116] S. S. Bagui, D. Mink, S. C. Bagui, and S. Subramaniam, "Determining Resampling Ratios Using BSMOTE and SVM-SMOTE for Identifying Rare Attacks in Imbalanced Cybersecurity Data," *Computers*, vol. 12, no. 10, p. 204, Oct. 2023, doi: 10.3390/computers12100204.
- [117] H. Mubarak, N. Sofiana, D. Kristina, and D. Rochsantiningsih, "Meaningful Learning Model: The Impact on Students' Reading Comprehension," *J. Educ. Soc. Res.*, vol. 12, no. 1, p. 346, Jan. 2022, doi: 10.36941/jesr-2022-0027.
- [118] B. He, R. Tang, and Q. Tagn, "Identifying the best common factor model via exploratory factor analysis," *Appl. Math.-J. Chin. Univ.*, vol. 39, no. 1, pp. 24–33, Mar. 2024, doi: 10.1007/s11766-024-3544-7.
- [119] K.-K. Zhang, Y.-M. Chen, Y.-G. Li, S. Yao, Y. Su, and I.-L. Wang, "Different Drop Heights in Bilateral Asymmetry and Interjoint Coordination during Repetitive Drop-Jumps," *Symmetry*, vol. 13, no. 9, p. 1590, Aug. 2021, doi: 10.3390/sym13091590.
- [120] P. J. Senden, L. W. Sabelis, M. L. Zonderland, E. H. Hulzebos, E. Bol, and W. L. Mosterd, "The effect of physical training on workload, upper leg muscle function and muscle areas in patients with chronic heart failure," *Int. J. Cardiol.*, vol. 100, no. 2, pp. 293–300, Apr. 2005, doi: 10.1016/j.ijcard.2004.10.039.
- [121] W.-T. Huang, C.-C. Lu, and J.-F. Dang, "Improving the Return Loading Rate Problem in Northwest China Based on the Theory of Constraints," *Mathematics*, vol. 9, no. 12, p. 1397, Jun. 2021, doi: 10.3390/math9121397.
- [122] M. Friedman, "The Use of Ranks to Avoid the Assumption of Normality Implicit in the Analysis of Variance," *J. Am. Stat. Assoc.*, vol. 32, no. 200, pp. 675–701, Dec. 1937, doi: 10.1080/01621459.1937.10503522.
- [123] N. Hazrati and F. Ricci, "Recommender systems effect on the evolution of users' choices distribution," *Inf. Process. Manag.*, vol. 59, no. 1, p. 102766, Jan. 2022, doi: 10.1016/j.ipm.2021.102766.
- [124] S. Bag, S. Kumar, A. Awasthi, and M. K. Tiwari, "A noise correction-based approach to support a recommender system in a highly sparse rating environment," *Decis. Support Syst.*, vol. 118, pp. 46–57, Mar. 2019, doi: 10.1016/j.dss.2019.01.001.
- [125] X. Huang, H. Hou, and M. Sun, "A novel temporal recommendation method based on user query topic evolution," *Knowl.-Based Syst.*, vol. 241, p. 108239, Apr. 2022, doi: 10.1016/j.knosys.2022.108239.
- [126] V. Kovanovic, D. Gašević, S. Dawson, S. Joksimovic, and R. Baker, "Does Time-on-task Estimation Matter? Implications on Validity of Learning

Analytics Findings,” *J. Learn. Anal.*, vol. 2, no. 3, pp. 81–110, Feb. 2016, doi: 10.18608/jla.2015.23.6.

- [127] Q. Nguyen, “Rethinking time-on-task estimation with outlier detection accounting for individual, time, and task differences,” in *Proceedings of the Tenth International Conference on Learning Analytics & Knowledge*, Frankfurt Germany: ACM, Mar. 2020, pp. 376–381. doi: 10.1145/3375462.3375538.