UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abramson, J., Adler, J., Dunger, J., Evans, R., Green, T., Pritzel, A., ... & Jumper, J. M. (2024). Accurate structure prediction of biomolecular interactions with AlphaFold 3. *Nature*, *630*(8016), 493-500.

Agustriana, E., Nuryana, I., Laksmi, F. A., Dewi, K. S., Wijaya, H., Rahmani, N., & Cameliawati Djohan, A. (2023). Optimized expression of large fragment DNA polimerase I from Geobacillus stearothermophilus in *Escherichia coli* expression system. *Preparative Biochemistry & Biotechnology*, *53*(4), 384-393.

Akdel, M., Pires, D. E., Pardo, E. P., Jänes, J., Zalevsky, A. O., Mészáros, B., ... & Beltrao, P. (2022). A structural biology community assessment of AlphaFold2 applications. *Nature Structural & Molecular Biology*, *29*(11), 1056-1067.

Ali, S. F., Rashid, N., Imanaka, T., & Akhtar, M. (2011). Family B DNA polimerase from a hyperthermophilic archaeon Pyrobaculum calidifontis: cloning, characterization and PCR application. *Journal of bioscience and bioengineering*, *112*(2), 118-123.

Ausili, A., Cobucci-Ponzano, B., Di Lauro, B., D'Avino, R., Scirè, A., Rossi, M., ... & Moracci, M. (2006). Structural basis of the destabilization produced by an amino-terminal tag in the β-glycosidase from the hyperthermophilic archeon Sulfolobus solfataricus. *Biochimie*, *88*(7), 807-817.

Baranovskiy, A. G., Lisova, A. E., Morstadt, L. M., Babayeva, N. D., & Tahirov, T. H. (2022). Insight into RNA–DNA primer length counting by human primosome. *Nucleic acids research*, *50*(11), 6264-6270.

Bauer, R. J., Begley, M. T., & Trakselis, M. A. (2012). Kinetics and fidelity of polymerization by DNA polimerase III from Sulfolobus solfataricus. *Biochemistry*, *51*(9), 1996-2007.

Bhatwa, A., Wang, W., Hassan, Y. I., Abraham, N., Li, X. Z., & Zhou, T. (2021). Challenges associated with the formation of recombinant protein inclusion bodies in Escherichia coli and strategies to address them for industrial applications. *Frontiers in bioengineering and*

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Nasrudi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

biotechnology, *9*, 630551.

Bębenek, A., & Ziuzia-Graczyk, I. (2018). Fidelity of DNA replication—a matter of proofreading. *Current genetics*, *64*(5), 985-996.

Bedi, A. K., Sharma, M., & Sharma, S. (2025). Immuno-PCR: Advancements, and applications for infectious diseases diagnosis. *Clinica Chimica Acta*, 120409.

Benedikter, B. J., Bouwman, F. G., Vajen, T., Heinzmann, A. C., Grauls, G., Mariman, E. C., ... & Stassen, F. R. (2017). Ultrafiltration combined with size exclusion chromatography efficiently isolates extracellular vesicles from cell culture media for compositional and functional studies. *Scientific reports*, *7*(1), 15297.

Bergkessel, M., & Guthrie, C. (2013). Colony PCR. In *Methods in enzymology* (Vol. 529, pp. 299-309). Academic Press.

Beygmoradi, A., Homaei, A., Hemmati, R., & Fernandes, P. (2023). Recombinant protein expression: challenges in production and folding related matters. *International journal of biological macromolecules*, *233*, 123407.

Bhatwa, A., Wang, W., Hassan, Y. I., Abraham, N., Li, X. Z., & Zhou, T. (2021). Challenges associated with the formation of recombinant protein inclusion bodies in Escherichia coli and strategies to address them for industrial applications. *Frontiers in bioengineering and biotechnology*, *9*, 630551.

Böhlke, K., Pisani, F. M., Vorgias, C. E., Frey, B., Sobek, H., Rossi, M., & Antranikian, G. (2000). PCR performance of the B-type DNA polimerase from the thermophilic euryarchaeon Thermococcus aggregans improved by mutations in the Y-GG/A motif. *Nucleic Acids Research*, *28*(20), 3910- 3917.

Brenkman, A. B., Heideman, M. R., Truniger, V., Salas, M., & van der Vliet, P.C. (2001). The (I/Y) XGG motif of adenovirus DNA polimerase affects template DNA binding and the transition from initiation to elongation. *Journal of Biological Chemistry*, *276*(32), 29846-29853.

Cha, R. S., & Thilly, W. G. (1993). Specificity, efficiency, and fidelity of PCR. *Genome Research*, *3*(3), S18-S29.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Nasrudin Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ceylan, H. K. (2023). Enhanced biomass production of recombinant pfu DNA polimerase producer *Escherichia coli* BL21 (DE3) by optimization of induction variables using response surface methodology. *The Protein Journal*, *42*(4), 451-462.

Chang, C., Luo, C. L., Eleraky, S., Lin, A., Zhou, G., & Gao, Y. (2023). Primer terminal ribonucleotide alters the active site dynamics of DNA polimerase η and reduces DNA synthesis fidelity. *Journal of Biological Chemistry*, *299*(3).

Chan, R. C. H., Lam, S. S. W., Fong, F. L. Y., Chan, D. T. W., Lee, F. W. F., & Sze, E. T. P. (2018). Optimization of protein extraction and two-dimensional gel electrophoresis profiles for the identification of Cordyceps sinensis and other similar species. *Plos one*, *13*(8), e0202779.

Chen, Y., Li, Q., Yang, J., & Xie, H. (2017). Promoting tag removal of a MBP- fused integral membrane protein by TEV protease. *Applied biochemistry and biotechnology*, *181*(3), 939-947.

Cho, S. S., Kim, K. P., Lee, K. K., Youn, M. H., & Kwon, S. T. (2012). Characterization and PCR application of a new high-fidelity DNA polimerase from Thermococcus waiotapuensis. *Enzyme and Microbial Technology*, *51*(6-7), 334-341.

Daimon, K., Ishino, S., Imai, N., Nagumo, S., Yamagami, T., Matsukawa, H., & Ishino, Y. (2018). Two family B DNA polimerases from Aeropyrum pernix, based on revised translational frames. *Frontiers in Molecular Biosciences*, *5*, 37.

de Marco, A., Deuerling, E., Mogk, A., Tomoyasu, T., & Bukau, B. (2007). Chaperone-based procedure to increase yields of soluble recombinant proteins produced in E. coli. *BMC biotechnology*, *7*(1), 32.

Del Prado, A., Rodríguez, I., Lázaro, J. M., Moreno-Morcillo, M., de Vega, M., & Salas, M. (2019). New insights into the coordination between the polymerization and 3′-5′ exonuclease activities in ϕ29 DNA polimerase. *Scientific Reports*, *9*(1), 923.

Desai, D., Kantliwala, S. V., Vybhavi, J., Ravi, R., Patel, H., & Patel, J. (2024). Review of AlphaFold 3: transformative advances in drug design and therapeutics. *Cureus*, *16*(7), e63646.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Din, R. U., Khan, M. I., Jan, A., Khan, S. A., & Ali, I. (2020). A novel approach for high-level expression and purification of GST-fused highly thermostable Taq DNA polimerase in Escherichia coli. *Archives of Microbiology*, *202*(6), 1449-1458.

Du, Y., Wang, M., Sun, C. C., & Yu, H. (2022). Construction of an ultra-strong PtacM promoter via engineering the core-element spacer and 5′ untranslated region for versatile applications in Corynebacterium glutamicum. *Biotechnology Notes*, *3*, 88-96.

Einsfeldt, K., Júnior, J. B. S., Argondizzo, A. P. C., Medeiros, M. A., Alves, T. L. M., Almeida, R. V., & Larentis, A. L. (2011). Cloning and expression of protease ClpP from Streptococcus pneumoniae in Escherichia coli: study of the influence of kanamycin and IPTG concentration on cell growth, recombinant protein production and plasmid stability. *Vaccine*, *29*(41), 7136-7143.

Eisenbrandt, R., Lázaro, J. M., Salas, M., & Vega, M. D. (2002). Φ29 DNA polimerase residues Tyr59, His61 and Phe69 of the highly conserved ExoII motif are essential for interaction with the terminal protein. *Nucleic acids research*, *30*(6), 1379-1386.

Eliseev, R., Alexandrov, A., & Gunter, T. (2004). High-yield expression and purification of p18 form of Bax as an MBP-fusion protein. *Protein expression and purification*, *35*(2), 206-209.

Elleuche, S., Schröder, C., Sahm, K., & Antranikian, G. (2014). Extremozymes—biocatalysts with unique properties from extremophilic microorganisms. *Current opinion in biotechnology*, *29*, 116-123.

Fan, Q., Neubauer, P., & Gimpel, M. (2021). Production of soluble regulatory hydrogenase from Ralstonia eutropha in *Escherichia coli* using a fed-batch-based autoinduction system. *Microbial Cell Factories*, *20*(1), 201.

Farrar, J. S., & Wittwer, C. T. (2015). Extreme PCR: efficient and specific DNA amplification in 15–60 seconds. *Clinical chemistry*, *61*(1), 145-153.

Feng, X., Liu, X., Xu, R., Zhao, R., Feng, W., Liao, J., ... & She, Q. (2020). A unique B-Family DNA polymerase facilitating error-prone DNA damage tolerance in crenarchaeota. *Frontiers in microbiology*, *11*,

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

1585.

Feng, X., Zhang, B., Gao, Z., Xu, R., Liu, X., Ishino, S., ... & She, Q. (2022). A well-conserved archaeal B-family polymerase functions as an extender in translesion synthesis. *Mbio*, *13*(1), e02659-21.

Fernández-Rhodes, M., Adlou, B., Williams, S., Lees, R., Peacock, B., Aubert, D., & Davies, O. G. (2023). Defining the influence of size-exclusion chromatography fraction window and ultrafiltration column choice on extracellular vesicle recovery in a skeletal muscle model. *Journal of Extracellular Biology*, *2*(4), e85.

Finn, Robert D., Teresa K. Attwood, Patricia C. Babbitt, Alex Bateman, Peer Bork, Alan J. Bridge, Hsin-Yu Chang et al. "InterPro in 2017—beyond protein family and domain annotations." *Nucleic acids research* 45, no. D1 (2017): D190-D199.

Francis, D. M., & Page, R. (2010). Strategies to optimize protein expression in E. coli. *Current protocols in protein science*, *61*(1), 5-24.

Freudenthal, B. D., Beard, W. A., & Wilson, S. H. (2012). Structures of dNTP intermediate states during DNA polimerase active site assembly. *Structure*, *20*(11), 1829-1837.

Froger, A., & Hall, J. E. (2007). Transformation of plasmid DNA into E. coli using the heat shock method. *Journal of Visualized Experiments (JoVE)*, (6), e253.

Fronza, F., Verardo, R., & Schneider, C. (2025). A streamlined tandem affinity purification of His-MBP-SpyCas9, without buffer exchange, suitable for in vitro cleavage applications. *MethodsX*, 103368.

Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S. E., Wilkins, M. R., Appel, R. D., & Bairoch, A. (2005). Protein identification and analysis tools on the ExPASy server. In *The proteomics protocols handbook* (pp. 571-607). Totowa, NJ: Humana press.

Gong, P., Lei, P., Wang, S., Zeng, A., & Lou, H. (2020). Post-translational modifications aid archaeal survival. *Biomolecules*, *10*(4), 584.

Gong, S., Kirmizialtin, S., Chang, A., Mayfield, J. E., Zhang, Y. J., & Johnson, K.A. (2021). Kinetic and thermodynamic analysis defines roles for two

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

metal ions in DNA polimerase specificity and catalysis. *Journal of Biological Chemistry*, *296*.

Goyon, A., Tang, S., Fekete, S., Nguyen, D., Hofmann, K., Wang, S., ... & Zhang, K. (2023). Separation of plasmid DNA topological forms, messenger RNA, and lipid nanoparticle aggregates using an ultrawide pore size exclusion chromatography column. *Analytical Chemistry*, *95*(40), 15017-15024.

Greenough, L., Menin, J. F., Desai, N. S., Kelman, Z., & Gardner, A. F. (2014). Characterization of family D DNA polimerase from Thermococcus sp. 9 N. *Extremophiles*, *18*(4), 653-664.

Guo, H. B., Perminov, A., Bekele, S., Kedziora, G., Farajollahi, S., Varaljay, V., ... & Berry, R. (2022). AlphaFold2 models indicate that protein sequence determines both structure and dynamics. *Scientific reports*, *12*(1), 10696.

Güssow, D., & Clackson, T. (1989). Direct clone characterization from plaques and colonies by the polimerase chain reaction. *Nucleic acids research*, *17*(10), 4000.

Han, P., Fan, H., & Tong, Y. (2023). Identifikasi DNA polimerase keluarga B baru dari Enterococcus phage IME199 dan produksi berlebihnya di *Escherichia coli* BL21 (DE3). *Pabrik Sel Mikroba* , *22* (1), 217.

Harmalkar, A., Lyskov, S., & Gray, J. J. (2025). Reliable protein–protein docking with AlphaFold, Rosetta, and replica exchange. *Elife*, *13*, RP94029.

Harper, S., & Speicher, D. W. (2010). Purification of proteins fused to glutathione S-transferase. In *Protein chromatography: Methods and protocols* (pp. 259-280). Totowa, NJ: Humana Press.

HEA-JIN, S. H. I. N., JIN, C. J., SUK-HOON, K. O. H., & SUK-TAE, K. W. O. N. (2005). Cloning, expression, and characterization of a family B-type DNA polimerase from the hyperthermophilic crenarchaeon Pyrobaculum arsenaticum and its application to PCR. *Journal of microbiology and biotechnology*, *15*(6), 1359-1367.

Hillis, D. M., & Bull, J. J. (1993). An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Systematic biology*, *42*(2), 182-192.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, Y., An, Y., Fang, N., Li, Y., Jin, H., Nazarali, A., & Ji, S. (2015). The optimization of soluble PTEN expression in escherichia coli. *The Open Biochemistry Journal*, *9*, 42.

Hao, L., Zhang, Z. G., Shi, Z. D., Pang, K., Zhang, J. J., Dong, Y., & Han, C. H. (2015). Optimization Studies on Prokaryotic Cell Expression of the Human Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand (TRAIL). *Cell biochemistry and biophysics*, *73*(2), 275-279.

Hussain, A., & Brooks III, C. L. (2024). Guiding discovery of protein sequence-structure-function modeling. *Bioinformatics*, *40*(1), btae002.

İncir, İ., & Kaplan, Ö. (2024). *Escherichia coli* as a versatile cell factory: Advances and challenges in recombinant protein production. *Protein Expression and Purification*, *219*, 106463.

Iwai, T., Kurosawa, N., Itoh, Y. H., Kimura, N., & Horiuchi, T. (2000). Sequence analysis of three family B DNA polymerases from the thermoacidophilic crenarchaeon Sulfurisphaera ohwakuensis. *DNA research*, *7*(4), 243-251.

Johnson, K. A. (2010). The kinetic and chemical mechanism of high-fidelity DNA polimerases. *Biochimica et Biophysica Acta (BBA)-Proteins and Proteomics*, *1804*(5), 1041-1048.

Jumper, J., Evans, R., Pritzel, A., Green, T., Figurnov, M., Ronneberger, O., ... & Hassabis, D. (2021). Highly accurate protein structure prediction with AlphaFold. *nature*, *596*(7873), 583-589.

Kähler, M., & Antranikian, G. (2000). Cloning and characterization of a family B DNA polymerase from the hyperthermophilic crenarchaeon Pyrobaculum islandicum. *Journal of Bacteriology*, *182*(3), 655-663.

Kakui, Y., Sunaga, T., Arai, K., Dodgson, J., Ji, L., Csikász-Nagy, A., ... & Sato, M. (2015). Module-based construction of plasmids for chromosomal integration of the fission yeast Schizosaccharomyces pombe. *Open Biology*, *5*(6), 150054.

Kaur, J., Kumar, A., & Kaur, J. (2018). Strategies for optimization of heterologous protein expression in E. coli: Roadblocks and reinforcements. *International journal of biological macromolecules*, *106*, 803-822.

Kazlauskas, D., Krupovic, M., Guglielmini, J., Forterre, P., & Venclovas, Č.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(2020). Diversity and evolution of B-family DNA polimerases. *Nucleic acids research*, *48*(18), 10142-10156.

Kim, S., Jeong, H., Kim, E. Y., Kim, J. F., Lee, S. Y., & Yoon, S. H. (2018).Genomic and transcriptomic landscape of *Escherichia coli* BL21 (DE3). *Nucleic acids research*, *45*(9), 5285-5293.

Kim, H. J., Lee, J. H., Lee, K. B., Shin, J. W., Kwon, M. A., Lee, S., & Kim, I. G. (2021). Transglutaminase 2 crosslinks the glutathione S-transferase tag, impeding protein–protein interactions of the fused protein. *Experimental & molecular medicine*, *53*(1), 115-124.

Kobashigawa, Y., Namikawa, M., Sekiguchi, M., Inada, Y., Yamauchi, S., Kimoto, Y., & Morioka, H. (2021). Expression, purification and characterization of CAR/NCOA-1 tethered protein in E. coli using maltose-binding protein fusion tag and gelatinized corn starch. *Biological and Pharmaceutical Bulletin*, *44*(1), 125-130.

Kozlowski, L. P. (2022). Proteome-pI 2.0: proteome isoelectric point database update. *Nucleic acids research*, *50*(D1), D1535-D1540.

Kunkel, T. A., & Erie, D. A. (2015). Eukaryotic mismatch repair in relation to DNA replication. *Annual review of genetics*, *49*(1), 291-313.

Kurniasari, H., Noviannisa, F. A., Dzakiyyah, S. A., Zahrani, M., Habibi, M. R., Fauzia, K. A., & Alfaray, R. I. (2023). Helicobacter pylori Strain 26695 versus J99: Analysis on the Protein Structure and Physicochemical Characteristics. *Biomolecular and Health Science Journal*, *6*(1), 20-24.

Kuri, P. R., & Goswami, P. (2024). Unravelling aggregation propensity of rotavirus A VP6 expressed as E. coli inclusion bodies through in silico prediction. *Scientific Reports*, *14*(1), 21464.

Kazlauskas, D., Krupovic, M., Guglielmini, J., Forterre, P., & Venclovas, Č. (2020). Diversity and evolution of B-family DNA polimerases. *Nucleic acids research*, *48*(18), 10142-10156.

Kumar, S., Tsai, C. J., & Nussinov, R. (2000). Factors enhancing protein thermostability. *Protein engineering*, *13*(3), 179-191.

Kuznetsova, A. A., & Kuznetsov, N. A. (2023). Direct Enzyme Engineering of B Family DNA Polimerases for Biotechnological Approaches.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bioengineering, *10*(10), 1150.

Kuznetsova, AA, Bedritskikh, KS, Bulygin, AA, & Kuznetsov, NA (2023). Kloning, Ekspresi, dan Karakterisasi Polimerase DNA Keluarga A dari Massilia aurea. *Fermentasi* , *9* (7), 650.

Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *nature*, *227*(5259), 680-685.

Laksmi, F. A., Dewi, K. S., Nuryana, I., Yulianti, S. E., Ramadhan, K. P., Hadi, M. I., & Nugraha, Y. (2024). High-level expression of codon-optimized Taq DNA polimerase under the control of rhaBAD promoter. *Analytical Biochemistry*, *692*, 115581.

Laskowski, R. A., MacArthur, M. W., Moss, D. S., & Thornton, J. M. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *Applied Crystallography*, *26*(2), 283-291.

Lee, H. R., Helquist, S. A., Kool, E. T., & Johnson, K. A. (2008). Importance of hydrogen bonding for efficiency and specificity of the human mitochondrial DNA polimerase. *Journal of Biological Chemistry*, *283*(21), 14402-14410.

Lee, J., Jeong, S., Ye, Y., Chen, V., Vigneswaran, S., Leiknes, T., & Liu, Z. (2017). Protein fouling in carbon nanotubes enhanced ultrafiltration membrane: fouling mechanism as a function of pH and ionic strength. *Separation and Purification Technology*, *176*, 323-334.

Lee, J. I., Kim, Y. J., Bae, H., Cho, S. S., Lee, J. H., & Kwon, S. T. (2010). Biochemical properties and PCR performance of a family B DNA polimerase from hyperthermophilic euryarchaeon Thermococcus peptonophilus. *Applied biochemistry and biotechnology*, *160*(6), 1585-1599.

Levy, M. S., Lotfian, P., O'Kennedy, R., Lo-Yim, M. Y., & Shamlou, P. A. (2000). Quantitation of supercoiled circular content in plasmid DNA solutions using a fluorescence-based method. *Nucleic Acids Research*, *28*(12), e57-e57.

Li, L., Li, H., Tian, Q., Ge, B., Xu, X., Chi, Y., ... & Zhou, Y. (2022). Expression

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

and purification of soluble recombinant β-lactamases using *Escherichia coli* as expression host and pET-28a as cloning vector. *Microbial Cell Factories*, *21*(1), 244.

Liu, B., Li, G., Sui, X., Yin, J., Wang, H., & Ren, X. (2009). Expression and functional analysis of porcine aminopeptidase N produced in prokaryotic expression system. *Journal of biotechnology*, *141*(1-2), 91-96.

Li, X., Jin, J., Guo, Z., & Liu, L. (2022). Evolution of plasmid- construction. *International Journal of Biological Macromolecules*, *209*, 1319-1326.

Lobb, R. J., Becker, M., Wen Wen, S., Wong, C. S., Wiegmans, A. P., Leimgruber, A., & Möller, A. (2015). Optimized exosome isolation protocol for cell culture supernatant and human plasma. *Journal of extracellular vesicles*, *4*(1), 27031.

Luis, I. M., Alexandre, B. M., Oliveira, M. M., & Abreu, I. A. (2016). Selection of an appropriate protein extraction method to study the phosphoproteome of maize photosynthetic tissue. *PloS one*, *11*(10), e0164387.

Makarova, K. S., Krupovic, M., & Koonin, E. V. (2014). Evolution of replicative DNA polymerases in archaea and their contributions to the eukaryotic replication machinery. *Frontiers in microbiology*, *5*, 354.

McInerney, P., Adams, P., & Hadi, M. Z. (2014). Error rate comparison during polymerase chain reaction by DNA polymerase. *Molecular biology international*, *2014*(1), 287430.

Menacho-Melgar, Romel, Zhixia Ye, Eirik A. Moreb, Tian Yang, John P. Efromson, John S. Decker, and Michael D. Lynch. "Improved, scalable, two-stage, autoinduction of recombinant protein expression in E. coli utilizing phosphate depletion." *bioRxiv* (2019): 820787.

Miyabayashi, H., Sakai, H. D., & Kurosawa, N. (2021). DNA polymerase B1 binding protein 1 is important for DNA repair by holoenzyme PolB1 in the extremely thermophilic crenarchaeon Sulfolobus acidocaldarius. *Microorganisms*, *9*(2), 439.

Morra, R., Shankar, J., Robinson, C. J., Halliwell, S., Butler, L., Upton, M., ... & Dixon, N. (2016). Dual transcriptional-translational cascade permits cellular level tuneable expression control. *Nucleic acids research*,

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswa'di Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

44(3), e21-e21.

Murat, P., GuiLbaud, G., & Sale, J. E. (2020). DNA polimerase stalling at structured DNA constrains the expansion of short tandem repeats. *Genome biology*, *21*(1), 209.

Nguyen, M. T., Krupa, M., Koo, B. K., Song, J. A., Vu, T. T. T., Do, B. H., & Choe, H. (2016). Prokaryotic soluble overexpression and purification of human VEGF165 by fusion to a maltose binding protein tag. *PloS one*, *11*(5), e0156296.

Nguyen, M. T., Heo, Y., Do, B. H., Baek, S., Kim, C. J., Jang, Y. J., & Choe, H. (2020). Bacterial overexpression and purification of soluble recombinant human serum aLbumin using maltose-binding protein and protein disulphide isomerase. *Protein Expression and Purification*, *167*, 105530.

Nuryana, I., Laksmi, FA, Dewi, KS, Akbar, FR, & Harmoko, R. (2023). Optimalisasi kodon gen yang mengkode DNA polimerase dari Pyrococcus furiosus dan ekspresinya pada Escherichia coli. *Jurnal Rekayasa Genetika dan Bioteknologi* , *21* (1), 129.

Opdensteinen, P., Clodt, J. I., Müschen, C. R., Filiz, V., & Buyel, J. F. (2019). A combined ultrafiltration/diafiltration step facilitates the purification of cyanovirin-N from transgenic tobacco extracts. *Frontiers in bioengineering and biotechnology*, *6*, 206.

Qing, R., Hao, S., Smorodina, E., Jin, D., Zalevsky, A., & Zhang, S. (2022). Protein design: From the aspect of water solubility and stability. *Chemical Reviews*, *122*(18), 14085-14179.

Paraskevopoulou, V., & Falcone, F. H. (2018). Polyionic tags as enhancers of protein solubility in recombinant protein expression. *Microorganisms*, *6*(2), 47.

Parida, P. P., Saraswathi, D., Mopidevi, S. M., & Raran-Kurussi, S. (2023). Advancing large-scale production of TEV protease through an innovative NT* tag-based fusion construct. *Current Research in Structural Biology*, *6*, 100106.

Parkash, V., Kulkarni, Y., Bylund, G. O., Osterman, P., Kamerlin, S. C. L., &

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Johansson, E. (2023). A sensor complements the steric gate when DNA polimerase ϵ discriminates ribonucleotides. *Nucleic Acids Research*, *51*(20), 11225-11238.

Perdikari, T. M., Murthy, A. C., Ryan, V. H., Watters, S., Naik, M. T., & Fawzi, N. L. (2020). SARS-CoV-2 nucleocapsid protein phase-separates with RNA and with human hnRNPs. *The EMBO journal*, *39*(24), e106478.

Ravitchandirane, G., Bandhu, S., & Chaudhuri, T. K. (2022). Multimodal approaches for the improvement of the cellular folding of a recombinant iron regulatory protein in E. coli. *Microbial Cell Factories*, *21*(1), 20.

Ribeiro, C., Santos, E. T., Costa, L., Brazinha, C., Saraiva, P., & Crespo, J. G. (2022). Nannochloropsis sp. Biorefinery: recovery of soluble protein by membrane ultrafiltration/diafiltration. *Membranes*, *12*(4), 401.

Rizki, W. O. S., Ratnaningsih, E., & Hertadi, R. (2025). Enhanced production of polyhydroxybutyrate in recombinant *Escherichia coli* for sustainable material. *Next Materials*, *9*, 101050.

Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in Escherichia coli: advances and challenges. Frontiers in microbiology, 5, 172.

Roske, J. J., & Yeeles, J. T. (2024). Structural basis for processive daughter-strand synthesis and proofreading by the human leading-strand DNA polimerase Pol ε. *Nature Structural & Molecular Biology*, *31*(12), 1921-1931.

Rasooli, F., & Hashemi, A. (2019). Efficient expression of EpEX in the cytoplasm of *Escherichia coli* using thioredoxin fusion protein. *Research in Pharmaceutical Sciences*, *14*(6), 554-565.

Raran-Kurussi, S., Cherry, S., Zhang, D., & Waugh, D. S. (2017). Removal of affinity tags with TEV protease. In *Heterologous Gene Expression in E. coli: Methods and Protocols* (pp. 221-230). New York, NY: Springer New York.

Raper, A. T., Reed, A. J., & Suo, Z. (2018). Kinetic mechanism of DNA polimerases: contributions of conformational dynamics and a third divalent metal ion. *Chemical reviews*, *118*(12), 6000-6025.

Reuten, R., Nikodemus, D., Oliveira, M. B., Patel, T. R., Brachvogel, B., Breloy,

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

I., ... & Koch, M. (2016). Maltose-binding protein (MBP), a secretion-enhancing tag for mammalian protein expression systems. PloS one, 11(3), e0152386.

Robert, X., & Gouet, P. (2014). Deciphering key features in protein structures with the new ENDscript server. *Nucleic acids research*, *42*(W1), W320-W324.

Rogozin, I. B., Makarova, K. S., Pavlov, Y. I., & Koonin, E. V. (2008). A highly conserved family of inactivated archaeal B family DNA polymerases. *Biology Direct*, *3*(1), 32.

Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in Escherichia coli: advances and challenges. *Frontiers in microbiology*, *5*, 172.

Rouches, M. V., Xu, Y., Cortes, L. B. G., & Lambert, G. (2022). A plasmid system with tunable copy number. *Nature communications*, *13*(1), 3908.

Rudinger, N. Z., Kranaster, R., & Marx, A. (2007). Hydrophobic amino acid and single-atom substitutions increase DNA polimerase selectivity. *Chemistry & biology*, *14*(2), 185-194.

Saghatelyan, A., Panosyan, H., & Birkeland, N. K. (2021). The genus Thermus: A brief history of cosmopolitan extreme thermophiles: Diversity, distribution, biotechnological potential and applications. In *Microbial Communities and their Interactions in the Extreme Environment* (pp. 141-175). Singapore: Springer Singapore.

Sakai, H. D., Nur, N., Suwanto, A., & Kurosawa, N. (2024). Complete genome sequence of strain KD-1T, the type strain of Sulfurisphaera javensis, isolated from an Indonesian hot spring. *Microbiology Resource Announcements*, *13*(12), e00664-24.

Samman, N., Al-Muhalhil, K., & Nehdi, A. (2023). A simple and efficient method for Taq DNA polimerase purification based on heat denaturation and affinity chromatography. *Journal of King Saud University-Science*, *35*(3), 102565.

Saraswat, M., Musante, L., Ravidá, A., Shortt, B., Byrne, B., & Holthofer, H. (2013). Preparative purification of recombinant proteins: current status

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

and future trends. *BioMed research international*, *2013*(1), 312709.

Shad, M., Liaqat, A., Nazir, A., Hussain, N., Yaqoob, K., Akhtar, M. W., & Sajjad, M. (2025). Exploration of Comprehensive Structural and Functional Potential of Recombinant Proteins Using Cutting-Edge Bioinformatics Tools. *Applied Biochemistry and Biotechnology*, *197*(11), 7015-7043.

Shendge, A. A., & D'Souza, J. S. (2022). Strategic optimization of conditions for the solubilization of GST-tagged amphipathic helix-containing ciliary proteins overexpressed as inclusion bodies in E. coli. *Microbial Cell Factories*, *21*(1), 258.

Shi, T., Zhang, L., Liang, M., Wang, W., Wang, K., Jiang, Y., ... & Tan, G. Y. (2021). Screening and engineering of high-activity promoter elements through transcriptomics and red fluorescent protein visualization in Rhodobacter sphaeroides. *Synthetic and Systems Biotechnology*, *6*(4), 335- 342.

Sievers, F., Wilm, A., Dineen, D., Gibson, T. J., Karplus, K., Li, W., ... & Higgins, D. G. (2011). Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Molecular systems biology*, *7*, 539.

Silaban, S., Gaffar, S., Simorangkir, M., Maksum, I. P., & Subroto, T. (2018, December). Effect of IPTG concentration on recombinant human prethrombin-2 expression in *Escherichia coli* BL21 (DE3) ArcticExpress. In *IOP Conference Series: Earth and Environmental Science* (Vol. 217, No. 1, p. 012039). IOP Publishing.

Simas, R. G., Pessoa Junior, A., & Long, P. F. (2023). Mechanistic aspects of IPTG (isopropylthio-β-galactoside) transport across the cytoplasmic membrane of Escherichia coli—a rate limiting step in the induction of recombinant protein expression. *Journal of Industrial Microbiology and Biotechnology*, *50*(1), kuad034.

Singh, S. M., & Panda, A. K. (2005). Solubilization and refolding of bacterial inclusion body proteins. *Journal of bioscience and bioengineering*, *99*(4), 303-310.

Smith, M. A., & Bidochka, M. J. (1998). Bacterial fitness and plasmid loss: the importance of culture conditions and plasmid size. *Canadian journal of microbiology*, *44*(4), 351-355.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswardi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Subekti, D., Hidayat, S. H., & Damayanti, T. A. (2020). Quantitative polimerase chain reaction (Q-PCR) for detection of sugarcane streak mosaic virus. In *IOP conference series: earth and environmental science* (Vol. 418, No. 1, p. 012062). IOP Publishing.

Taycher, E., Rolfs, A., Hu, Y., Zuo, D., Mohr, S. E., Williamson, J., & LaBaer, J. (2007). A novel approach to sequence validating protein expression clones with automated decision making. *BMC bioinformatics*, *8*(1), 198.

Taylor, S. C., Laperriere, G., & Germain, H. (2017). Droplet Digital PCR versus qPCR for gene expression analysis with low abundant targets: from variable nonsense to publication quality data. *Scientific reports*, *7*(1), 2409.

Tripathi, S., Srivastava, Y., Sangwan, R. S., & Sangwan, N. S. (2020). In silico mining and functional analysis of AP2/ERF gene in Withania somnifera. *Scientific reports*, *10*(1), 4877.

Tsuboi, K., Sakai, HD, Nur, N., Stedman, KM, Kurosawa, N., & Suwanto, A. (2018). Sulfurisphaera javensis sp. nov., archaeon hipertermofilik dan asidofilik yang diisolasi dari sumber air panas Indonesia, dan klasifikasi ulang Sulfolobus tokodaii Suzuki *et al*. 2002 sebagai sisir Sulfurisphaera tokodaii. November *Jurnal Internasional Mikrobiologi Sistematis dan Evolusioner* , *68* (6), 1907-1913.

Vashishtha, A. K., Wang, J., & Konigsberg, W. H. (2016). Different divalent cations alter the kinetics and fidelity of DNA polimerases. *Journal of Biological Chemistry*, *291*(40), 20869-20875.

Veisi, K., Farajnia, S., Zarghami, N., Khorshid, H. R. K., Samadi, N., Khosroshahi, S. A., & Jaliani, H. Z. (2015). Chaperone-assisted soluble expression of a humanized anti-EGFR ScFv antibody in E. Coli. *Advanced pharmaceutical bulletin*, *5*(Suppl 1), 621.

Vera, A., González-MontaLbán, N., Arís, A., & Villaverde, A. (2007). The conformational quality of insoluble recombinant proteins is enhanced at low growth temperatures. *Biotechnology and bioengineering*, *96*(6), 1101-1106.

Vieira, D. D. S., Polveiro, R. C., Butler, T. J., Hackett, T. A., Braga, C. P., Puniya,

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

B. L., ... & Feitosa, F. L. (2021). An in silico, structural, and biological analysis of lactoferrin of different mammals. *International journal of biological macromolecules*, *187*, 119-126.

Vieille, C., & Zeikus, G. J. (2001). Hyperthermophilic enzymes: sources, uses, and molecular mechanisms for thermostability. *Microbiology and molecular biology reviews*, *65*(1), 1-43.

Vu, T. T. T., Koo, B. K., Song, J. A., Chong, S. H., Park, C. R., Nguyen, M. T., & Choe, H. (2015). Soluble overexpression and purification of bioactive human CCL2 inE. coli by maltose-binding protein. *Molecular biology reports*, *42*(3), 651-663.

Wang, F., & Yang, W. (2009). Structural insight into translesion synthesis by DNA Pol II. *Cell*, *139*(7), 1279-1289.

Wang, M., Liu, J. K., Gao, T., Xu, L. L., Zhang, X. X., Nie, J. H., & Chen, H. X. (2022). A platform method for plasmid isoforms analysis by capillary gel electrophoresis. *Electrophoresis*, *43*(11), 1174-1182.

Wang, S., Wang, S., Shi, D., & Lv, R. (2025). Improving process robustness of cation exchange chromatography with cationic buffers for the reduction of aggregates. *Protein Expression and Purification*, *228*, 106657.

Wang, X., Gui, P., Li, X., Lu, F., Jing, W., Li, C., ... & Ma, F. (2025). A safety and absolute activity measurement method for Phi29 DNA polimerase based on chemiluminescent detection of dATP consumption. *Analytica Chimica Acta*, *1353*, 343952.

Wang, Y., Demir, B., Mohammad, H., Oren, E. E., & Anantram, M. P. (2023). Computational study of the role of counterions and solvent dielectric in determining the conductance of B-DNA. *Physical Review E*, *107*(4), 044404.

Wiederstein, M., & Sippl, M. J. (2007). ProSA-web: interactive web service for the recognition of errors in three-dimensional structures of proteins. *Nucleic acids research*, *35*(suppl_2), W407-W410.

Yamashige, R., Kimoto, M., Takezawa, Y., Sato, A., Mitsui, T., Yokoyama, S., & Hirao, I. (2012). Highly specific unnatural base pair systems as a third base pair for PCR amplification. *Nucleic acids research*, *40*(6), 2793-2806.

UNIVERSITAS
GADJAH MADA
Analisis Bioinformatika, Kloning, dan Ekspresi Heterolog DNA Polimerase B3 Asal Sulfurisphaera javensis KD-1 pada Sel Inang Escherichia coli
Awal Nur Rahmat, Dr. rer. nat. Lucia Dhiantika Witasari, S.Farm., Apt., M.Biotech; Dr. Naswandi Nur, M.Si
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yılmaz, M., Ozic, C., & Gok, İ. (2012). Principles of nucleic acid separation by agarose gel electrophoresis. *Gel Electrophoresis–Principles and Basics*, *4*, 33.

Yoda, T., Tanabe, M., Tsuji, T., Yoda, T., Ishino, S., Shirai, T., & Nishida, H. (2017). Exonuclease processivity of archaeal replicative DNA polymerase in association with PCNA is expedited by mismatches in DNA. *Scientific reports*, *7*(1), 44582.

Yong, C., Zhou, Y., & Gyorgy, A. (2024, December). The impact of plasmid copy number on leaky gene expression and on the behavior of an activator-based genetic switch. In *2024 IEEE 63rd Conference on Decision and Control (CDC)* (pp. 5592-5597). IEEE.

Yuan, H., Wang, Y., & Liu, X. P. (2022). The thumb subdomain of Pyrococcus furiosus DNA polimerase is responsible for deoxyuracil binding, hydrolysis and polymerization of nucleotides. *The International Journal of Biochemistry & Cell Biology*, *144*, 106171.

Zhang, L., Jiang, D., Shi, H., Wu, M., Gan, Q., Yang, Z., & Oger, P. (2020). Characterization and application of a family B DNA polimerase from the hyperthermophilic and radioresistant euryarchaeon Thermococcus gammatolerans. *International journal of biological macromolecules*, *156*, 217-224.

Zhang, L., Kang, M., Xu, J., & Huang, Y. (2015). Archaeal DNA polimerases in biotechnology. *Applied microbiology and biotechnology*, *99*(16), 6585-6597.

Zhang, L., Zhang, L., Liu, Y., Yang, S., Gao, C., Gong, H., ... & He, Z. G. (2009). Archaeal eukaryote-like Orc1/Cdc6 initiators physically interact with DNA polymerase B1 and regulate its functions. *Proceedings of the National Academy of Sciences*, *106*(19), 7792-7797.

Zhou, H. X., & Pang, X. (2018). Electrostatic interactions in protein structure, folding, binding, and condensation. *Chemical reviews*, *118*(4), 1691-1741.

Zhu, B., Cai, G., Hall, E. O., & Freeman, G. J. (2007). In-Fusion™ assembly: seamless engineering of multidomain fusion proteins, modular vectors, and mutations. *Biotechniques*, *43*(3),354-359.