

DAFTAR PUSTAKA

- Abuhatira, A. A., Salim, S. M., & Vorstius, J. B. (2023). CFD-FEA based model to predict leak-points in a 90-degree pipe elbow. *Engineering with Computers*, 39(6), 3941–3954. <https://doi.org/10.1007/s00366-023-01853-4>
- Adrian, H., Roswandi, I., Gunawan, H. A., Sukarno, R., Syaka, D. R. B., & Juarsa, M. (2023). Perhitungan Estimasi Laju Aliran Sirkulasi Alami Pada Untai Bertekanan Fassip-05. *Jurnal Ilmiah Teknik Mesin*, 9(2), 86–92.
- Aguirre, C., Caruge, D., Castrillo, F., Dominicus, G., Geutjes, A. J., Saldo, V., Hagen, T. H. J. J. Van Der, Hennig, D., Huggenberger, M., Ketelaar, K. C. J., Manera, A., Munoz-cobo, J. L., Prasser, H., Rohde, U., Royer, E., & Yadigaroglu, G. (2005). Natural circulation and stability performance of BWRs (NACUSP). *Nuclear Engineering and Design*, 235, 401–409. <https://doi.org/10.1016/j.nucengdes.2004.08.048>
- Antariksawan, A. R., & Juarsa, M. (2018). *Keselamatan Reaktor Nuklir: Kecelakaan Dasar Desain dan Kecelakaan Parah in Journal of Chemical Information and Modeling*.
- Aulia, N. F., Faradis, L. E., Su'udy, A. H., Safarudin, Y. M., Mulyono, M., Hermawan, B. M., & Sutanto, B. (2024). Numerical Study Of The Influence Of Air Flow Through Rectangular Elbow 90 ° With Triangle Inlet Body Disturbance. *Eksergi*, 20(01), 18–22. <https://doi.org/10.32497/eksergi.v20i01.5440>
- Basu, D. N., Bhattacharyya, S., & Das, P. K. (2012). Performance comparison of rectangular and toroidal natural circulation loops under steady and transient conditions. *International Journal of Thermal Sciences*, 57, 142–151. <https://doi.org/10.1016/j.ijthermalsci.2012.02.011>
- Basu, D. N., Bhattacharyya, S., & Das, P. K. (2013). Influence of geometry and operating parameters on the stability response of single-phase natural circulation loop. *International Journal of Heat and Mass Transfer*, 58(1–2), 322–334. <https://doi.org/10.1016/j.ijheatmasstransfer.2012.11.063>
- Basu, D. N., Bhattacharyya, S., & Das, P. K. (2015). A review of modern advances in analyses and applications of single-phase natural circulation loop in nuclear thermal hydraulics. In *Nuclear Engineering and Design* (Vol. 280, hal. 326–348). Elsevier B.V. <https://doi.org/10.1016/j.nucengdes.2014.09.011>
- BATAN. (n.d.). *Pengenalan Pembangkit Listrik Tenaga Nuklir*. <http://www.batan.go.id/index.php/id/infonuklir/pltn-infonuklir/generasi-pltn/924-pengenalan-pembangkit-listrik-tenaga-nuklir>
- Bau, H., & Torrance, K. (1981). Transient and Steady State Behaviour of An Open, Symmetrically heated, Free Convection Loop. *International Journal of Heat and Mass Transfer*, 597–609.
- Bernier, M. A., & Baliga, B. R. (1992). A 1-D/2-D model and experimental results for a closed-loop thermosyphon with vertical heat transfer sections. *International Journal of Heat and Mass Transfer*, 35, 2969–2982.
- Cammarata, G., Fichera, A., & Pagano, A. (2000). Non Linear Analysis of A

- Rectangular Natural Circulation Loop. *International Communications in Heat and Mass Transfer*, 27(8), 1077–1089.
- Catrawedarma, I. G. N. B., Deendarlianto, & Indarto. (2021). Statistical Characterization of Flow Structure of Air–water Two-phase Flow in Airlift Pump–Bubble Generator System. *International Journal of Multiphase Flow*, 138, 103596. <https://doi.org/10.1016/j.ijmultiphaseflow.2021.103596>
- Creveling, H. F., de Paz, J. F., Baladi, J. Y., & Schoenhals, R. J. (1975). Stability characteristics of a single-phase free convection loop. *Journal of Fluid Mechanics*, 67(1), 65–84. <https://doi.org/10.1017/S0022112075000171>
- Doganay, S., & Turgut, A. (2015). Enhanced effectiveness of nanofluid based natural circulation mini loop. *Applied Thermal Engineering*, 75, 669–676. <https://doi.org/10.1016/j.applthermaleng.2014.10.083>
- Ekariansyah, A. S., Widodo, S., Susyadi, & Tjahjono, H. (2021). Preliminary Assessment of Engineered Safety Features Against Station Blackout in Selected PWR Models. *Jurnal Teknologi Reaktor Nuklir Tri Dasa Mega*, 23(2), 47–56. <https://doi.org/10.17146/tdm.2021.23.2.6204>
- Elton, D. N., Arunachala, U. C., & Vijayan, P. K. (2020). Investigations on the dependence of the stability threshold on different operating procedures in a single-phase rectangular natural circulation loop. *International Journal of Heat and Mass Transfer*, 161, 120264. <https://doi.org/10.1016/j.ijheatmasstransfer.2020.120264>
- Garibaldi, P., & Misale, M. (2008). Experiments in single-phase natural circulation miniloops with different working fluids and geometries. *Journal of Heat Transfer*, 130(10). <https://doi.org/10.1115/1.2948393>
- Ghosh, S., Kumawat, K., Sajish, S. D., Arul, J., & Bhattacharya, B. (2025). Time-dependent fatigue reliability of main vessel steel structural components in sodium cooled fast breeder reactors. *Nuclear Engineering and Design*, 433(November 2024), 113820. <https://doi.org/10.1016/j.nucengdes.2024.113820>
- Giarno, Juarsa, M., & Witoko, J. P. (2015). Perancangan sistem heat-sink untai fassip-01 menggunakan software cycle tempo. *AIP Conference Proceedings*, 489–495.
- Hariyanto, D., & Permana, S. (2019). Experimental Study of Thermal Behavior of a Single-phase Natural Circulation Loop with Vertical Heater and Cooler. *Journal of Physics: Conference Series*, 1949(1). <https://doi.org/10.1088/1742-6596/1949/1/012024>
- Hariyanto, D., & Permana, S. (2020). Experimental Investigation of Natural Circulation in a Single-Phase Loop with Different Widths. *International Journal of Electronics and Electrical Engineering*, 8(2), 24–30. <https://doi.org/10.18178/ijeee.8.2.24-30>
- Hariyanto, D., Permana, S., & Suprijadi. (2020). Experimental and simulation approach of the loop geometry effect on the natural circulation system of the advanced nuclear reactor. *International Journal of Energy Research*, 45(8), 11892–11903. <https://doi.org/10.1002/er.5903>
- Hariyanto, D., Permana, S., Waris, A., Mustari, A. P. A., Kinoshita, M., Aji, I. K., Maulana, A., & Setiadipura, T. (2024). Irregular pentagon loop for nuclear

- reactor natural circulation system test apparatus. *Nuclear Engineering and Design*, 416(October 2023), 112753. <https://doi.org/10.1016/j.nucengdes.2023.112753>
- Haryanto, D., Giarno, Pamungkas, A. E., Rosidi, A., Kusnugroho, G. B. H., & Juarsa, M. (2022). Analisis Kekuatan Mekanik pada Struktur Cooling Tank Section Untai FASSIP-03 NT Berbasis Simulasi Software. *Semesta Teknika*, 25(1), 24–32. <https://doi.org/10.18196/st.v25i1.13470>
- Haware, S. K., Grover, R. B., & Venkat Raj, V. (1983). Experimental investigation into natural convection heat transfer in an open-loop thermosyphon with horizontal tubes. *Proc. VIIth National Heat and Mass Transfer Conference*.
- Ho, C. J., Chiou, S. P., & Hu, C. S. (1997). Heat transfer characteristics of a rectangular natural circulation loop containing water near its density extreme. *International Journal of Heat and Mass Transfer*, 40(15), 3553–3558. [https://doi.org/10.1016/S0017-9310\(97\)00007-0](https://doi.org/10.1016/S0017-9310(97)00007-0)
- Holman, J. P., & Boggs, J. H. (1960). Heat Transfer to Freon 12 Near the Critical State in a Natural-Circulation Loop. *Journal of Heat Transfer*, 221–226.
- Huang, B. J., & Zelaya, R. (1988). Heat transfer behaviour of a rectangular thermosyphon loop. *Journal of Heat Transfer*, 110, 487–493.
- International Atomic Energy Agency. (2009). Passive Safety Systems and Natural Circulation in Water Cooled Nuclear Power Plants. In *IAEA-TECDOC-1624* (hal. 1–147). Publishing Section International Atomic Energy Agency Vienna International Centre.
- International Atomic Energy Agency. (2013). *Passive Safety System in Advanced Water Cooled Reactors (AWCRs)*. IAEA.
- International Energy Agency. (2021). *World Energy Outlook 2020*. Paris: IEA. <https://www.iea.org/>
- Ito, H. (1960). Pressure Losses in Smooth Pipe Bends. *Journal of Basic Engineering*, March 1960, 131–143. <https://doi.org/https://doi.org/10.1115/1.3662501>
- Jain, V., Nayak, A. K., Vijayan, P. K., Saha, D., & Sinha, R. K. (2010). Experimental Investigation On the Flow Instability Behavior of A Multi-channel Boiling Natural Circulation Loop at Low-Pressures. *Experimental Thermal and Fluid Science*, 34(6), 776–787.
- Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Haryanto, D., & Putra, N. (2018). Estimation of natural circulation flow based on temperature in the FASSIP-02 large-scale test loop facility. *IOP Conference Series: Earth and Environmental Science*, 105(1), 0–7. <https://doi.org/10.1088/1755-1315/105/1/012091>
- Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Putra, N., & Moniaga, P. P. (2019a). Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on Experimental Data Pre-FASSIP-02. *Journal of Physics: Conference Series*, 1198(2), 1–7. <https://doi.org/10.1088/1742-6596/1198/2/022073>
- Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Putra, N., & Moniaga, P. P. (2019b). Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on Experimental Data Pre-FASSIP-02 Preliminary Investigation on Natural Circulation Flow using CFD and Calculation Base on

- Experimental Data Pre-FASSIP-02. *SENTEN 2018 - Symposium of Emerging Nuclear Technology and Engineering Novelty*, 0–7. <https://doi.org/10.1088/1742-6596/1198/2/022073>
- Juarsa, M., Antariksawan, A. R., Kusuma, M. H., Widodo, S., & Putra, N. (2019). The effect of power and cooler flow on time responds of flow stability in natural circulation phenomenon using FASSIP-01 loop. *AIP Conference Proceedings*, 2062. <https://doi.org/10.1063/1.5086555>
- Juarsa, M., Antariksawan, A. R., Widodo, S., Kusuma, M. H., Rohman, A. N., Giarno, & Subki, M. H. (2018). Backward phenomenon on natural circulation flow based on power differences in FASSIP-01 loop. *AIP Conference Proceedings*, 2001(August). <https://doi.org/10.1063/1.5049996>
- Juarsa, M., Giarno, G. B., Heru, K., Haryanto, D., & Prasetyo, J. (2016). Passive System Simulation Facility (Fassip) Loop for Natural Circulation Study. *Prosiding Seminar Nasional Teknologi Energi Nuklir*, 4–5.
- Juarsa, M., Purba, J. H., Kusuma, H. M., Setiadipura, T., & Widodo, S. (2014). Preliminary study on mass flow rate in passive cooling experimental simulation during transient using NC-queen apparatus. *Atom Indonesia*, 40(3), 141–147. <https://doi.org/10.17146/aij.2014.333>
- Keller, J. B. (1966). Periodic oscillations in a model of thermal convection. *Journal of Fluid Mechanics*, 26(3), 599–606. <https://doi.org/10.1017/S0022112066001423>
- Kudariyawan, J. Y., Mohan, A., & Kumar, N. (2016). Computational study of instabilities in a rectangular natural circulation loop using 3D CFD simulation. *International Journal of Thermal Sciences*, 101, 193–206. <https://doi.org/10.1016/j.ijthermalsci.2015.11.003>
- Kurniawan, I. (2023). Pressure Drop for Laminar Flow in 3D Straight and Elbow Pipes Using Computational Fluid Dynamics. *Proksima*, 1(2), 66–71. <https://doi.org/10.31258/proksima.v1i2.16>
- Kusuma, M. H., Sundari, T., Antariksawan, A. R., Ismarwanti, S., Juarsa, M., Putra, N., Widodo, S., Ardiyati, T., Subekti, M., & Artiani, P. A. (2019). Numerical investigation of temperature distribution in a water cooling tank under natural convection. *AIP Conference Proceedings*, 2062(January), 1–9. <https://doi.org/10.1063/1.5086557>
- Lai, Z., Tian, W., Chen, C., Wang, M., Zhang, K., Qiu, S., & Su, G. (2022). Experimental study on thermal hydraulic characteristics of natural circulation loop under motion condition. *Applied Thermal Engineering*, 207(118122), 2–10.
- Lee, K., & Kim, M. H. (2008). *Modeling of condensation heat transfer for a PRHRS heat exchanger in a SMART-P plant*. 238, 3253–3262. <https://doi.org/10.1016/j.nucengdes.2008.07.005>
- Misale, M., Devia, F., & Garibaldi, P. (2012). Experiments with Al₂O₃ nanofluid in a single-phase natural circulation mini-loop: Preliminary results. *Applied Thermal Engineering*, 40, 64–70. <https://doi.org/10.1016/j.applthermaleng.2012.01.053>
- Misale, M., Garibaldi, P., Passos, J. C., & de Bitencourt, G. G. (2007). Experiments in a single-phase natural circulation mini-loop. *Experimental Thermal and*

- Fluid Science*, 31(8), 1111–1120.
<https://doi.org/10.1016/j.expthermflusci.2006.11.004>
- Mousavian, S. K., Misale, M., Auria, F. D., & Salehi, M. A. (2004). *Transient and stability analysis in single-phase natural circulation*. 31, 1177–1198.
<https://doi.org/10.1016/j.anucene.2004.01.005>
- Ningsih, L. F., Sofyan, A. R., Giarno, G., Haryanto, D., Witoko, J. P., & Juarsa, M. (2018). Estimasi Perhitungan Kalor Dan Laju Aliran Kalor Pada Untai Fassip-02. *SIGMA EPSILON - Buletin Ilmiah Teknologi Keselamatan Reaktor Nuklir*, 22(1), 26–34. <https://doi.org/10.17146/sigma.2018.22.1.4321>
- Noufal, M., Giarno, G., Prasetio, J., Haryanto, D., & Juarsa, M. (2016). Analisis Unjuk Kerja Pemanas Dan Pendingin Di Untai Fasilitas Simulasi Sistem Pasif. *SIGMA EPSILON-Jurnal Ilmiah Teknologi Keselamatan Reaktor Nuklir*, 19(2), 92–101.
- Nuclear Energy Agency. (2021). *Fukushima Daichii Nuclear Power Plant Accident, Ten Years On : Progress, Lesson, and Challenge*.
- Nuryoto, N., Rahmayetty, R., Yusuf Rumbino, Astrilia Damayanti, & Doni Rahmat Wicakso. (2024). Observasi Penurunan Tekanan (Pressure Drop) Pada Sistem Perpipaan: Pengaruh Panjang Dan Diameter Pipa, Elbow, Dan Tee. *Jurnal Rekayasa Mesin*, 15(2), 1023–1039. <https://doi.org/10.21776/jrm.v15i2.1666>
- Osama, A., Elsayed, K., & El-Telbany, M. (2017). Pressure Loss Reduction in U-Bend Using the Adjoint Method. *Journal of Engineering Science and Military Technologies*, 17(17th International Conference), 1–15.
<https://doi.org/10.21608/ejmtc.2017.21130>
- Putra, M. G., Deendarlianto, Pamungkas, A. E., Ariesta, E. P., Oktaviandi, R., Setiawan, P. H., Roshanti, F., Budiyo, N. R., Akbar, R., & Juarsa, M. (2025). Investigation of natural circulation flow instability based on thermal effect during steady-state condition using wavelet and chaotic analysis. *Nuclear Engineering and Design*, 443(July), 114299.
<https://doi.org/10.1016/j.nucengdes.2025.114299>
- Raharjo, E. P. A., Giarno, Pamungkas, A. E., Heru, K. G. B., Shevaladze, A. A., & Juarsa, M. (2022). Karakteristik Perubahan Temperatur Bagian Pendingin Selama Sirkulasi Alam untuk Kondisi Tunak pada Untai Uji FASSIP-02. *JMPM (Jurnal Material dan Proses Manufaktur)*, 5(2), 114–122.
<https://doi.org/10.18196/jmpm.v5i2.14064>
- Rahman, Z. ., Haryanto, D., Giarno, Heru, K. G. B., Suryawan, I. G. P. ., Wirawan, I. K. ., Widodo, S., & Juarsa, M. (2021). Analisis Simulasi Efek Perbedaan Fluida Kerja terhadap Aliran Sirkulasi Alam di Untai FASSIP-01 Mod. 02. *Seminar Nasional Energi, Telekomunikasi dan Otomasi*, 81–89.
<https://e-proceeding.itenas.ac.id/index.php/sneto/article/view/721%0Ahttps://e-proceeding.itenas.ac.id/index.php/sneto/article/download/721/593>
- Rinaldi, A., Gabriella N, L., Giarno, G., Prasetio, J., & Juarsa, M. (2019). Estimasi Laju Aliran Sirkulasi Alam Berdasarkan Beda Temperatur pada Untai FASSIP-01. *SIGMA EPSILON - Buletin Ilmiah Teknologi Keselamatan Reaktor Nuklir*, 23(2), 58. <https://doi.org/10.17146/sigma.2019.23.2.5669>
- Sahu, M., Sarkar, J., & Chandra, L. (2021). Single-phase natural circulation loop using oils and ternary hybrid nanofluids: Steady-state and transient thermo-

- hydraulics. *Journal of Thermal Science and Engineering Applications*, 13(2), 1–10. <https://doi.org/10.1115/1.4049428>
- Sahu, M., Sarkar, J., & Chandra, L. (2023). Experimental thermal-hydraulic characteristics of single-phase natural circulation loop using water-based hybrid nanofluids. *International Journal of Thermal Sciences*, 187(February). <https://doi.org/10.1016/j.ijthermalsci.2023.108198>
- Sandhu, H. K., Bodda, S. S., Sauers, S., & Gupta, A. (2023). Condition Monitoring of Nuclear Equipment-Piping Systems Subjected to Normal Operating Loads Using Deep Neural Networks. *Journal of Pressure Vessel Technology*, 145(4), 1–12. <https://doi.org/10.1115/1.4062462>
- Sharma, R., & Bisht, A. (2020). Effect of buoyancy and suction on Sisko nanofluid over a vertical stretching sheet in a porous medium with mass flux condition. *Indian Journal of Pure and Applied Physics*, 58(3), 178–188. <https://doi.org/10.56042/ijpap.v58i3.23660>
- Shevaladze, A. A., Giarno, Enggar, A. P., Haryanto, D., Rosidi, A., Heru K, G. B., Tasri, A., & Juarsa, M. (2021). Karakteristik Temperatur Tangki Pemanas dan Bilangan Reynolds Selama Aliran Sirkulasi Alam pada Untai Uji FASSIP-02. *Prosiding Seminar Nasional Energi, Telekomunikasi dan Otomasi (SNETO)*, 27–35.
- Swapnalee, B. T., & Vijayan, P. K. (2011). A generalized flow equation for single phase natural circulation loops obeying multiple friction laws. *International Journal of Heat and Mass Transfer*, 54(11–12), 2618–2629. <https://doi.org/10.1016/j.ijheatmasstransfer.2011.01.023>
- Taylor, J. R. (1997). An Introduction to Error Analysis. *Journal of the Acoustical Society of America*, 101, 330. <http://link.aip.org/link/?JAS/101/1779/1&Agg=doi>
- Vijayan, P. K. (2002). Experimental observations on the general trends of the steady state and stability behaviour of single-phase natural circulation loops. *Nuclear Engineering and Design*, 215(1–2), 139–152. [https://doi.org/10.1016/S0029-5493\(02\)00047-X](https://doi.org/10.1016/S0029-5493(02)00047-X)
- Vijayan, P. K., & Date, A. W. (1992). The limits of conditional stability for single-phase natural circulation with throughflow in a figure-of-eight loop. *Nuclear Engineering and Design*, 136(3), 361–380. [https://doi.org/10.1016/0029-5493\(92\)90034-S](https://doi.org/10.1016/0029-5493(92)90034-S)
- Vijayan, P. K., Nayak, A. K., & Kumar, N. (2019). *Single-Phase, Two-Phase and Supercritical Natural Circulation Systems*. Woodhead Publishing.
- Vijayan, P. K., Nayak, A. K., Saha, D., & Gartia, M. R. (2008). Effect of loop diameter on the steady state and stability behaviour of single-phase and two-phase natural circulation loops. *Science and Technology of Nuclear Installations, 2008*. <https://doi.org/10.1155/2008/672704>
- Vijayan, P. K., Sharma, M., Pilkhwal, D. S., Saha, D., & Sinha, R. K. (2010). A comparative study of single-phase, two-phase, and supercritical natural circulation in a rectangular loop. *Journal of Engineering for Gas Turbines and Power*, 132(10). <https://doi.org/10.1115/1.4000866>
- Vijayan, P. K., Sharma, M., & Saha, D. (2007). Steady state and stability characteristics of single-phase natural circulation in a rectangular loop with

- different heater and cooler orientations. *Experimental Thermal and Fluid Science*, 31(8), 925–945. <https://doi.org/10.1016/j.expthermflusci.2006.10.003>
- Wang, J., Song, C., Pan, W., Yan, Y., & Zhao, K. (2024). *Study on the Internal Flow State and Local Resistance of a Bend under Different Operating Conditions*. 0–23. <https://doi.org/https://doi.org/10.21203/rs.3.rs-3868646/v1>
License:
- Wardhani, V. I. S., Joni, I. M., Panatarani, C., Hanam, E. S., Kharisma, S., Maryadi, S. A., Rosidi, A., Budiman, A. A., Ismarwanti, S., Setiawan, P. H., Roswandi, I., Ariesta, E. P., Akbar, R., Gunawan, H. A., Pamungkas, A. E., & Juarsa, M. (2025). Enhancing the natural circulation flow using ultrafine bubbles: Simulation and experimental. *International Journal of Thermal Sciences*, 218(35), 110181. <https://doi.org/10.1016/j.ijthermalsci.2025.110181>
- Welander, P. (1967). On the oscillatory instability of a differentially heated fluid loop. *Journal of Fluid Mechanics*, 29(1), 17–30. <https://doi.org/10.1017/S0022112067000606>
- White, F. M. (2011). *Fluid Mechanics* (7 ed.). McGraw-Hill.
- Wu, M., Chen, F., Li, A., & Sun, G. (2024). Study on flow behavior of fresh concrete in elbow using the dense discrete phase approach. *Journal of Physics: Conference Series*, 2756(1). <https://doi.org/10.1088/1742-6596/2756/1/012029>
- Wu, Q., & Sienicki, J. J. (2003). Stability analysis on single-phase natural circulation in Argonne lead loop facility. *Nuclear Engineering and Design*, 224(1), 23–32. [https://doi.org/10.1016/S0029-5493\(03\)00099-2](https://doi.org/10.1016/S0029-5493(03)00099-2)
- Yeoh, G. H. (2019). Thermal hydraulic considerations of nuclear reactor systems : Past, present and future challenges. *Experimental and Computational Multiphase Flow*, 1(1), 3–27. <https://doi.org/10.1007/s42757-019-0002-5>
- Yudiartono, Windarta, J., & Adiarso. (2022). Analisis Prakiraan Kebutuhan Energi Nasional Jangka Panjang untuk Mendukung Peta Jalan Transisi Energi Menuju Karbon Netral. *JEBT: Jurnal Energi Baru & Terbarukan*, 3(3), 201–217. <https://doi.org/10.1410/jebt.2022.14264>
- Yuliaji, D., Waluyo, R., Pramono, G. E., Setiawan, P. H., & Juarsa, M. (2023). Uji Komisioning Fasilitas Sistem Simulasi Pasif 04 Versi 2 (FASSIP 04 VER.2) untuk Studi Kemampuan Pendinginan Pasif pada Sistem Keselamatan Reaktor Nuklir. *Jurnal Ilmiah Teknik Mesin*, 9(1), 57–63.
- Zhang, X. (2024). Research on the Internal Flow Properties of the Bending Pipeline Based on the CFD. *Journal of Physics: Conference Series*, 2860(1). <https://doi.org/10.1088/1742-6596/2860/1/012026>
- Zhou, M., Costa Garrido, O., Ma, S., & Zhang, N. (2023). Numerical investigation of turbulent thermal stratification at a horizontally oriented 90° pipe-elbow with varied elbow radiuses. *International Journal of Thermal Sciences*, 185(December 2022). <https://doi.org/10.1016/j.ijthermalsci.2022.108092>
- Zvirin, Y. (1982). A review of natural circulation loops in pressurized water reactors and other systems. *Nuclear Engineering and Design*, 67(2), 203–225. [https://doi.org/10.1016/0029-5493\(82\)90142-X](https://doi.org/10.1016/0029-5493(82)90142-X)