



DAFTAR PUSTAKA

- Aarnio, K., Haapaniemi, E., Melkas, S., Kaste, M., Tatlisumak, T., & Putaala, J., 2014. Long-term mortality after first-ever and recurrent stroke in young adults. *Stroke*. 45: 2670–2676. doi:10.1161/STROKEAHA.114.005648
- Abrahamson, V., & Wilson, P.M., 2019. How unmet are unmet needs post-stroke? A policy analysis of the six-month review. *BMC Health Serv. Res.* 19: 1–9. doi:10.1186/s12913-019-4210-2
- Abu, M., Arafat, R., & Syahrul, S., 2020. The readiness of family in treating post-stroke patients at home: A literature review. *Enferm. Clin.* 30: 293–296. doi:10.1016/j.enfcli.2019.07.106
- Aburto, N.J., Ziolkovska, A., Hooper, L., Elliott, P., Cappuccio, F.P., & Meerpohl, J.J., 2013. Effect of lower sodium intake on health : systematic review and meta-analyses 1326: 1–20. doi:10.1136/bmj.f1326
- Ackerson, T., Adeoye, O.M., Brown, M., Demaerschalk, B.M., Leslie-mazwi, T.M., Ovbiagele, B., et al., 2019. Guidelines for the early management of patients with acute ischemic stroke : 2019 Update to the 2018 guidelines for the early management of acute ischemic stroke. *Stroke* 50: 344–418. doi:10.1161/STR.0000000000000211
- Adeoye, O., Nyström, K. V., Yavagal, D.R., Luciano, J., Nogueira, R.G., Zorowitz, R.D., et al., 2019. Recommendations for the establishment of stroke systems of care: A 2019 update: A policy statement from the American Stroke Association. *Stroke* 50: e187–e210. doi:10.1161/STR.0000000000000173
- Afrin, M., Huq, K.A.T.M.E., & Khan, S.U., 2025. Effectiveness of a health education program to reduce recurrence of stroke by controlling modifiable risk factors in a specialized Hospital in Bangladesh : Randomized controlled trial. *JMIR Public Heal. Surveill.* 11: 1–14. doi:10.2196/72233
- Agianto, & Nuntaboot, K., 2018. Role and function of family in care of patients with stroke in community. *Dunia Keperawatan* 6: 134–144.
- Ahmad, N.A., Mat Ludin, A.F., Shahar, S., Mohd Noah, S.A., & Mohd Tohit, N., 2022. Willingness, perceived barriers and motivators in adopting mobile applications for health-related interventions among older adults: A scoping review. *BMJ Open* 12: 1–13. doi:10.1136/bmjopen-2021-054561
- Akbar, M., Misbach, J., Alfa, A.Y., Syamsudin, T., Tjahjadi, M., Haddani, M.H., et al., 2018. Clinical features of transient ischemic attack or ischemic stroke patients at high recurrence risk in Indonesia 23: 107–113.
- Akosile, C.O., Banjo, T.O., Okoye, E.C., Ibikunle, P.O., & Odole, A.C., 2018. Informal caregiving burden and perceived social support in an acute stroke care facility. *Health Qual. Life Outcomes* 16: 1–7. doi:10.1186/s12955-018-0885-z
- Akosile, C.O., Okoye, E.C., Adegoke, B., & Mbada, C.E., 2016. Burden, Health And Quality Of Life Of Nigerian Stroke Caregivers. *Heal. Care Curr. Rev.* 4: 3–8. doi:10.4172/hccr.1000105
- Allan, L.P., Beilei, L., Cameron, J., Olaiya, M.T., Silvera-Tawil, D., Adcock, A.K., et al., 2023. A scoping review of mHealth interventions for secondary



- prevention of stroke: Implications for policy and practice. *Stroke* 54: 2935–2945. doi:10.1161/STROKEAHA.123.043794
- Alshaikh, S. Al, Quinn, T., Dunn, W., Walters, M., & Dawson, J., 2016. Predictive factors of non-adherence to secondary preventative medication after stroke or transient ischaemic attack: A systematic review and meta-analyses. *Eur. Stroke J.* 1: 65–75. doi:10.1177/2396987316647187
- Alshammari, H.M., Almutairi, R.I., Ghazwan, A.Y., & Aditya, R.S., 2025. Evaluating user satisfaction and engagement in mHealth: Insights from the integrated digital health engagement model (IDHEM). *Digital Heal.* 11: 1–4. doi:10.1177/20552076251346698
- Alwan, A., Doan, J., & Garcia, E., 2018. Microaggressions as a barrier to effective collaboration between teaching faculty and academic librarians: an analysis of the results of a U.S. and Canadian survey. *Int. J. Information, Divers. Incl.* 2: 26–58. doi:10.33137/ijidi.v2i3.32191
- Alzahrani, A., Gay, V., & Alturki, R., 2022. Exploring Saudi individuals' perspectives and needs to design a hypertension management mobile technology solution: Qualitative study. *Int. J. Environ. Res. Public Health* 19: 1–13. doi:10.3390/ijerph191912956
- Amarenco, P., Kim, J.S., Labreuche, J., Giroud, M., Lee, B.C., Mahagne, M.H., et al., 2019. Treat stroke to target trial design: First trial comparing two LDL targets in patients with atherothrombotic strokes. *Eur. Stroke J.* 4: 271–280. doi:10.1177/2396987319838100
- Ambarika, R., & Anggraini, N.A., 2022. Family support for prevention of recurrent stroke events for stroke patients. *J. Glob. Res. Public Heal.* 7: 8–16.
- Ambrose, J.A., & Barua, R.S., 2004. The Pathophysiology of Cigarette Smoking and Cardiovascular Disease. *J. Am. Coll. Cardiol.* 43: 1731–1737. doi:10.1016/j.jacc.2003.12.047
- Ameliah, R., Negara, R.A., & Rahmawati, I., 2021. Status Literasi Digital di Indonesia Ringkasan Eksekutif. Katadata Insight Center.
- American Stroke Association, 2013. Caregiver Guide to Stroke, in: American Heart Association/American Stroke Association. pp. 1–10.
- Andersen, K.K., & Olse, T.S., 2013. The obesity paradox in stroke: Lower mortality and lower risk of readmission for recurrent stroke in obese stroke patients. *Int. J. Stroke* 99–104. doi:10.1111/ijvs.12016
- Anderson, C.A.M., 2018. Low-calorie sweetened beverages and cardiometabolic health. *Circulation* 138: e126–e140. doi:10.1161/CIR.0000000000000569
- Arsava, E.M., Kim, G.-M., Oliveira-Filho, J., Gungor, L., Noh, H.J., Lordelo, M. de J., et al., 2016. Prediction of early recurrence after acute ischemic stroke. *JAMA Neurology* 73: 396–401. doi:10.1001/jamaneurol.2015.4949
- Atteih, S., Mellon, L., Hall, P., Brewer, L., Horgan, F., & Williams, D., 2015. Implications of stroke for caregiver outcomes: findings from the SPIRE-S study. *World Stroke Organ.* 10: 918–923. doi:10.1111/ijvs.12535
- Aune, D., Keum, N.N., Giovannucci, E., Fadnes, L.T., Boffetta, P., Greenwood, D.C., et al., 2016. Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: A systematic review and dose-response meta-analysis of prospective studies. *BMC Med.* 14: 1–14.



doi:10.1186/s12916-016-0730-3

- Ayaz, M., Sarwar, H., Yaqoob, A., & Khan, M.A., 2022. Enhancing knowledge of family caregivers and quality of life of patients with ischemic stroke. *Pakistan J. Neurol. Surg.* 25: 558–568. doi:10.36552/pjns.v25i4.625
- Aziz, N.A., Pindus, D.M., Mullis, R., Walter, F.M., & Mant, J., 2016. Understanding stroke survivors' and informal carers' experiences of and need for primary care and community health services — a systematic review of the qualitative literature : protocol 1–7. doi:10.1136/bmjopen-2015-009244
- Baatar, U., 2013. Clinical Guideline of Stroke Rehabilitation Management of Patient with Stroke: Rehabilitation, Prevention and Management of Complication, and Discharge Planning.
- Bailey, R.R., 2016. Lifestyle modification for secondary stroke prevention. *Am. J. Lifestyle Med.* 12: 1–8. doi:10.1177/1559827616633683.
- Bakar, A.F.A., Aizuddin, A.N., Ibrahim, R., Zubir, Z., Zaidi, W.A.W., & Khazaei, H., 2025. mHealth apps for family caregivers of stroke patients : A systematic review. *Iran J. Public Heal.* 54: 2114–2126. doi:10.18502/ijph.v54i10.20132
- Bakas, T., Clark, P.C., Kelly-Hayes, M., King, R.B., Lutz, B.J., & Miller, E.L., 2014. Evidence for stroke family caregiver and dyad interventions: A statement for healthcare professionals from the American Heart Association and American Stroke Association. *Stroke* 45: 2836–2852. doi:10.1161/STR.0000000000000033
- Bauler, S., & Julie, J., 2014. Barriers and facilitators for medication adherence in stroke patients : a qualitative study conducted in French neurological rehabilitation units. *Eur. Neurol.* 72: 262–270. doi:10.1159/000362718
- Baumel, A., Muench, F., Edan, S., & Kane, J.M., 2019. Objective user engagement with mental health apps: Systematic search and panel-based usage analysis. *J. Med. Internet Res.* 21: 1–15. doi:10.2196/14567
- Benjamin, E.J., Muntner, P., Alonso, A., Bittencourt, M.S., Callaway, C.W., Carson, A.P., et al., 2019. Heart disease and stroke statistics-2019 update: A report from the American Heart Association. *Circulation* 139: e56–e66. doi:10.1161/CIR.0000000000000659
- Berg, J., Chong, B.W., Gross, H., Nystrom, K., Adeoye, O., Schwamm, L., et al., 2017. American telemedicine association: Telestroke guidelines. *Telemed. e-Health* 23: 376–389. doi:10.1089/tmj.2017.0006
- Bernstein, A.M., Pan, A., Rexrode, K.M., Stampfer, M., Hu, F.B., Mozaffarian, D., et al., 2012. Dietary protein sources and the risk of stroke in men and women. *Stroke* 43: 637–644. doi:10.1161/STROKEAHA.111.633404
- Bhimanapati, V.B.R., Pandian, P.K.G., & Goel, P., 2024. UI/UX design principles for mobile health applications. *Int. J. Res. Publ. Semin.* 15: 216–231. doi:10.36676/jrps.v15.i3.1485
- Billinger, S.A., Arena, R., Bernhardt, J., Eng, J.J., Franklin, B.A., Johnson, C.M., et al., 2014a. Physical activity and exercise recommendations for stroke survivors: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 45: 2532–2553. doi:10.1161/STR.0000000000000022
- Billinger, S.A., Ross, A., Bernhardt, J., Eng, J.J., Franklin, B.A., Johnson, C.M., et



- al., 2014b. Physical activity and exercise recommendations for stroke survivors: a statement for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 45: 2532–2553. doi:10.1161/STR.0000000000000022
- Binyamin, S.S., 2022. Understanding Factors Affecting the Use of Mobile Health Innovation , Attitude and Synthesis. *Eeurasia Proceeding Heal. Environemnt Life Sci.* 7: 1–7.
- Binyamin, S.S., 2021. Proposing a mobile apps acceptance model for users in the health area : A systematic literature review and meta-analysis. *Health Informatics J.* 27: 1–27. doi:10.1177/1460458220976737
- Birns, J., & Bhalla, A., 2015. Secondary prevention of stroke. *Br. J. Hosp. Med.* 76: C104–C107. doi:10.12968/hmed.2015.76.7.C104
- Bjerkreim, A.T., Khanevski, A.N., Selvik, H.A., Waje-andreassen, U., Thomassen, L., Naess, H., et al., 2018. The impact of ischaemic stroke subtype on 30-day hospital readmissions. *Stroke Res. Treat.* 2018: 1–7. doi:10.1155/2018/7195369
- Bjerkreim, A.T., Thomassen, L., Brøgger, J., Waje-andreassen, U., & Næss, H., 2015. Causes and predictors for hospital readmission after ischemic stroke. *J. Stroke Cerebrovasc. Dis.* 24: 2095–2101. doi:10.1016/j.jstrokecerebrovasdis.2015.05.019
- Blacquièrè, D., Lindsay, M.P., Foley, N., Taralson, C., Alcock, S., Balg, C., et al., 2017. Canadian stroke best practice recommendations: Telestroke best practice guidelines update 2017. *Int. J. Stroke* 12: 886–895. doi:10.1177/1747493017706239
- Boehme, A.K., Esenwa, C., & Elkind, M.S. V, 2017. Stroke risk factors, genetics, and prevention. *Circ. Res.* 120: 472–495. doi:10.1161/CIRCRESAHA.116.308398
- Bonura, A., Motolese, F., Capone, F., Iaccarino, G., Alessiani, M., Ferrante, M., et al., 2022. Smartphone app in stroke management: a narrative updated review. *J. Stroke* 24: 323–334. doi:10.5853/jos.2022.01410
- Boonsin, S., Deenan, A., & Wacharasin, C., 2020. Factors influencing the burden of family caregiving for survivors of stroke. *Pacific Rim Int. J. Nurs. Res.* 25: 102–113.
- Boulangèr, M., Béjot, Y., Rothwell, P.M., & Touzé, E., 2018. Long-term risk of myocardial infarction compared to recurrent stroke after transient ischemic attack and ischemic stroke: Systematic review and meta-analysis. *J. Am. Heart Assoc.* 7: 1–13. doi:10.1161/JAHA.117.007267
- Braun, V., & Clarke, V., 2008. Using thematic analysis in psycholog. *Qual. Res. Psychol.* 3: 77–101. doi:10.1191/1478088706qp063oa
- Brennen, J.S., Lazard, A.J., & Adams, E.T., 2020. Multimodal mental models: Understanding users’ design expectations for mHealth apps. *Health Informatics J.* 26: 1493–1506. doi:10.1177/1460458219882271
- Brutto, V.J. Del, Chaturvedi, S., Diener, H., Romano, J.G., & Sacco, R.L., 2020. Antithrombic therapy to prevent recurrent strokes in ischemic cerebrovascular disease. *HHS Public Access* 74: 786–803. doi:10.1016/j.jacc.2019.06.039.Antithrombotic



- Burgos, R., Bretón, I., Cereda, E., Desport, J.C., Dziewas, R., Genton, L., et al., 2018. ESPEN guideline clinical nutrition in neurology. *Clin. Nutr.* 37: 354–396. doi:10.1016/j.clnu.2017.09.003
- Burns, S.P., Terblanche, M., Perea, J., Lillard, H., Delapena, C., Grinage, N., et al., 2021. Mhealth intervention applications for adults living with the effects of stroke: A scoping review. *Arch. Rehabil. Res. Clin. Transl.* 3: 100095. doi:10.1016/j.arrct.2020.100095
- Calahorra, J., Shenk, J., Wielenga, V.H., Verweij, V., Geenen, B., Dederen, P.J., et al., 2019. Hydroxytyrosol, the major phenolic compound of olive oil, as an acute therapeutic strategy after ischemic stroke. *Nutrients* 11: 1–31. doi:10.3390/nu11102430
- Callaway, C.W., Carson, A.P., Chamberlain, A.M., Chang, A.R., Knutson, K.L., Lewis, T.T., et al., 2020. Heart disease and stroke statistics — 2020 update A report from the American Heart Association 139–596. doi:10.1161/CIR.0000000000000757
- Cao, Y., Li, J., Qin, X., & Hu, B., 2020. Examining the effect of overload on the mhealth application resistance behavior of elderly users: An sor perspective. *Int. J. Environ. Res. Public Health* 17: 1–23. doi:10.3390/ijerph17186658
- Caro, C.C., Costa, J.D., & Da Cruz, D.M.C., 2018. Burden and quality of life of family caregivers of stroke patients. *Occup. Ther. Heal. Care* 32: 154–171. doi:10.1080/07380577.2018.1449046
- Chang, H., Zhao, J., Qiao, Y., Yao, H., Wang, X., Li, J., et al., 2018. Mobile phone application for self-Assessment of acute stroke patients: A tool for extended care and follow-up. *Med. (United States)* 97: 1–5. doi:10.1097/MD.00000000000011263
- Chatzipavlou, I.A., Christoforidou, S.A., & Vlachopoulou, M., 2016. A recommended guideline for the development of mHealth Apps. *mHealth* 2: 21–21. doi:10.21037/mhealth.2016.05.01
- Cheah, K.J., Manaf, Z.A., Ludin, A.F.M., Razalli, N.H., Mokhtar, N.M., & Ali, S.H.M., 2024. Mobile Apps for common noncommunicable disease management: Systematic search in app stores and evaluation using the mobile app rating scale. *JMIR mHealth uHealth* 12: 1–13. doi:10.2196/49055
- Chen, G., Lv, D., Pang, Z., & Liu, Q., 2016. Red and processed meat consumption and risk of stroke : A meta-analysis of prospective cohort studies. *J. Stroke Cerebrovasc. Dis.* 25: 1177–1186. doi:10.1038/ejcn.2012.180
- Chen, Li, S., Zheng, K., Wang, H., & Xie, Y., 2019. Impact of smoking status on stroke recurrence. *J. Am. Heart Assoc.* 8: 1–8. doi:10.1161/JAHA.118.011696
- Chen, Pan, Y., Jing, J., Zhao, X., Liu, L., Meng, X., et al., 2017. Recurrent Stroke in Minor Ischemic Stroke or Transient Ischemic. *J. Am. Heart Assoc.* 6: 1–12. doi:10.1161/JAHA.116.005446
- Chen, T., Zhang, B., Deng, Y., Fan, J., & Zhang, L., 2019. Long-term unmet needs after stroke : systematic review of evidence from survey studies. *BMJ Open* 9: 1–8. doi:10.1136/bmjopen-2018-028137
- Chen, Z., Zhou, X., Jiang, L., Song, C., Wang, S., Zhao, H., et al., 2024. Knowledge, attitudes, and practices of family caregivers for patients with cerebral infarction toward home-based care. *Front. Public Heal.* 12: 1–11.



doi:10.3389/fpubh.2024.1436423

- Cholisoh, Z., Karuniawati, H., Azizah, T., Hekmah, L.N., & Farmasi, F., 2018. Faktor-faktor yang mempengaruhi ketidakpatuhan dalam melakukan terapi pencegahan sekunder pada pasien stroke iskemik. *J Jmpf* 8: 10.
- Christensen, E.R., Golden, S.L., & Gesell, S.B., 2019. Perceived benefits of peer support groups for stroke survivors and caregivers in rural north Carolina. *N. C. Med. J.* 80: 143–148. doi:10.18043/ncm.80.3.143
- Chróinin, D., Asplund, K., Åsberg, S., Callaly, E., Cuadrado-Godia, E., Díez-Tejedor, E., et al., 2013. Statin therapy and outcome after ischemic stroke: Systematic review and meta-analysis of observational studies and randomized trials. *Stroke* 44: 448–456. doi:10.1161/STROKEAHA.112.668277
- Chuka Ifeanyi, U., Shehu Sa'ad, F., Chukwukdi Martin, O., Stanley Monday, M., & Juliet Onyinyechukwu, N., 2018. Prevalence of Depression Among Primary Caregivers of Stroke Survivors in Nigeria. *Middle East J. Rehabil. Heal.* 5: 1–6. doi:10.5812/mejrh.65080
- Claudio, M.C., Rehany, Z., Stachtari, K., Guadagno, E., Osmanlliu, E., & Poenaru, D., 2024. Exploring the digital divide: results of a survey informing mobile application development. *Front. Digit. Heal.* 6: 1–10. doi:10.3389/fdgth.2024.1382507
- Cohen, S.M., 2009. Concept analysis of adherence in the context of cardiovascular risk reduction. *Nurs. Forum* 44: 25–36. doi:10.1111/j.1744-6198.2009.00124.x
- Coull, A.J., & Rothwell, P.M., 2004. Underestimation of the early risk of recurrent stroke: Evidence of the need for a standard definition. *Stroke* 35: 1925–1929. doi:10.1161/01.STR.0000133129.58126.67
- Coutts, S.B., Wein, T.H., Lindsay, M.P., Buck, B., Cote, R., Ellis, P., et al., 2015. Canadian stroke best practice recommendations: Secondary prevention of stroke guidelines, update 2014. *Int. J. Stroke* 10: 282–291. doi:10.1111/ijvs.12439
- Cramer, J.A., Roy, A., Burrell, A., Fairchild, C.J., Fuldeore, M.J., Ollendorf, D.A., et al., 2008. Medication compliance and persistence: Terminology and definitions. *Value Heal.* 11: 44–47. doi:10.1111/j.1524-4733.2007.00213.x
- Crewell, J.W., & Clark, V.L.P., 2018. Designing and Conducting Mixed Methods Research Third Edition. SAGE Publication Inc, United States of America.
- Cronin, E.M., Deswal, A., Eckhardt, L.L., Mccarthy, P.M., Patel, N., Patton, K.K., et al., 2024. 2023 ACC / AHA / ACCP / HRS guideline for the diagnosis and management of atrial fibrillation: A report of the american college of cardiology / American Heart Association joint committee on clinical practice guidelines. *Circulation* 149: 149–156. doi:10.1161/CIR.0000000000001193
- Crow, J., 2018. A 2-week stroke review identifies unmet needs in patients discharged home from a hyperacute stroke unit. *Br. J. Neurosci. Nurs.* 14: 29–35. doi:10.12968/bjnn.2018.14.1.29
- Dahlan, M., Setyopranoto, I., & Trisnantoro, L., 2017. Evaluasi Implementasi Program Jaminan Kesehatan Nasional terhadap Pasien Stroke di RSUP Dr. Sardjito. *J. Kebijak. Kesehat. Indones. JKKI* 6: 73–82. doi:10.22146/JKKI.V6I2.28934



- Dalvandi, A., Fallahi-khoshknab, M., & Sciences, R., 2015. Family caregivers ' experiences of stroke recovery among older adults living in Iran : a qualitative study. *Iran. Red Crescent Med. J.* doi:10.5812/ircmj.27686
- Danzl, M.M., Harrison, A., Hunter, E.G., Otr, L., Kuperstein, J., Sylvia, V., et al., 2016. " A Lot of Things Passed Me by ": Rural Stroke Survivors ' and Caregivers ' Experience of Receiving Education From Health Care Providers 32: 13–24. doi:10.1111/jrh.12124
- Davis, F.D., Bagozzi, R.P., & Warshaw, P.R., 1989. User Acceptance of Computer Technology : A Comparison of Two Theoretical Models.
- Day, C.B., Bierhals, C.C.B.K., Santos, N.O. dos, Mocellin, D., Predebon, M.L., Dal Pizzol, F.L.F., et al., 2018. Nursing home care educational intervention for family caregivers of older adults post stroke (SHARE): Study protocol for a randomised trial. *Trials* 19: 1–9. doi:10.1186/s13063-018-2454-5
- Deniz-Garcia, A., Fabelo, H., Rodriguez-Almeida, A.J., Zamora-Zamorano, G., Castro-Fernandez, M., del Pino Alberiche Ruano, M., et al., 2023. Quality, usability, and effectiveness of mHealth apps and the role of artificial intelligence: Current scenario and challenges. *J. Med. Internet Res.* 25: 1–26. doi:10.2196/44030
- Department of Veterans Affairs, & Department of Defense, 2024. VA/DoD Clinical Practice Guidelines for Management of Stroke Rehabilitation.
- Dharma, K.K., Damhudi, D., Yarden, N., & Haeriyanto, S., 2018. Increase in the functional capacity and quality of life among stroke patients by family caregiver empowerment program based on adaptation model. *Int. J. Nurs. Sci.* 5: 357–364. doi:10.1016/j.ijnss.2018.09.002
- Dianti, F.E., 2015. Pengalaman Klien Stroke Dalam Melakukan Pencegahan Stroke Berulang di RSUD Dr. M. Yunus Provinsi Bengkulu Tahun 2015. Universitas Muhamamdiyah Jakarta.
- Dixe, M.D.A.C.R., Da Conceição Teixeira, L.F., Areosa, T.J.T.C.C., Frontini, R.C., De Jesus Almeida Peralta, T., & Querido, A.I.F., 2019. Needs and skills of informal caregivers to care for a dependent person: A cross-sectional study. *BMC Geriatr.* 19: 1–9. doi:10.1186/s12877-019-1274-0
- Dreslin, J., 2011. Stroke Caregivers Handbook. *Nursing (Lond)*.
- Efi, P., Fani, K., Eleni, T., Stylianos, K., Vassilios, K., Konstantinos, B., et al., 2017. Quality of life and psychological distress of caregivers ' of stroke people. *Acta Neuro Taiwan* 26: 154–166.
- Elnady, H.M., Mohammed, G.F., Elhewag, H.K., & Mohamed, M.K., 2020. Risk factors for early and late recurrent ischemic strokes. *Egypt. J. Neurol. Psychiatry Neurosurg.* 56: 0–6. doi:10.1186/s41983-020-00190-3
- Erwin, & Darussalam, M., 2024. Hubungan pengetahuan terhadap sikap family caregiver dalam merawat penderita stroke di rumah. *J. Indones. Sehat* 3: 8–15.
- Fadhilah, H., & Permanasari, V.Y., 2020. Economic burden bore by patients and families because of stroke: Policy assessment. *J. Indones. Heal. Policy Adm.* 5: 91–95. doi:10.7454/ihpa.v5i3.3180
- Fadilah, N., Kusnanto, Nursalam, & Rahariyani, L.D., 2019. Analysis of influencing factors of burden of caregiver among stroke patients at home. *Junral Public Heal. Africa* 10: 70–73. doi:10.4081/jphia.2019



- Faiz, K.W., Labberton, A.S., Thommessen, B., Rønning, O.M., & Barra, M., 2019. Stroke-related knowledge and lifestyle behavior among stroke survivors. *J. Stroke Cerebrovasc. Dis.* 28: 1–7. doi:10.1016/j.jstrokecerebrovasdis.2019.104359
- Farahani, M.A., Bahloli, S., Jamshidiorak, R., & Ghaffari, F., 2020. Investigating the needs of family caregivers of older stroke patients : A longitudinal study in Iran. *BMC Geriatr.* 20: 1–12. doi:10.1186/s12877-020-01670-0
- Farao, J., Malila, B., Conrad, N., Mutsvangwa, T., Rangaka, M.X., & Douglas, T.S., 2020. A user-centred design framework for mHealth. *PLoS One* 15: 1–18. doi:10.1371/journal.pone.0237910
- Farpour, H., Mashhadiagha, A., Edrisi, F., & Farpour, S., 2023. Knowledge, attitude, and practice regarding stroke potential complications among stroke survivors' family members in Shiraz, Iran. *Turkish J. Phys. Med. Rehabil.* 69: 83–88. doi:10.5606/tftrd.2022.9512
- Feigin, V.L., Norrving, B., & Mensah, G.A., 2017. Global Burden of Stroke. *Circ. Res.* 120: 439–448. doi:10.1161/CIRCRESAHA.116.308413
- Feigin, V.L., & Owolabi, M.O., 2023. The Lancet Neurology Commissions Pragmatic solutions to reduce the global burden of stroke : a World Stroke Organization – Lancet Neurology Commission 22. doi:10.1016/S1474-4422(23)00277-6
- Feigin, V.L., Roth, G.A., Naghavi, M., Parmar, P., Krishnamurthi, R., Chugh, S., et al., 2016. Global burden of stroke and risk factors in 188 countries , during 1990 – 2013 : a systematic analysis for the Global Burden of Disease Study 2013. *Lancet Glob. Heal.* 4422: 1–12. doi:10.1016/S1474-4422(16)30073-4
- Fernández-Gutiérrez, M., Bas-Sarmiento, P., Jesús Marín-Paz, A., Castro-Yuste, C., Sánchez-Sánchez, E., Hernández-Encuentra, E., et al., 2023. Self-management in heart failure using mHealth: A content validation. *Int. J. Med. Inform.* 171: 1–9. doi:10.1016/j.ijmedinf.2023.104986
- Fidel, L., De, M., Canal-mac, L., Moran, J.M., Vera, V., Gomez-luque, A., et al., 2020. Depressed Mood after Stroke : Predictive Factors at Six Months Follow-Up. *Int. J. Environ. Res. Public Heal.* 17: 1–11. doi:10.3390/ijerph17249542
- Firdaus, A., Noor, A.A., Wan, A.W., & Fairuz, A., 2022. Explorative survey on the usage and needs of mobile health applications (mHealth) amongst caregivers in taking care of stroke survivors. *Med. Health* 17: 85–100. doi:10.17576/mh.2022.1702.07
- Firmawati, E., Setyopranoto, I., & Pangastuti, H.S., 2021. Mobile Health Application to Support Family Recurrent Stroke Prevention: Scoping Review. *Open Access Maced. J. Med. Sci.* 9: 142–151. doi:10.3889/oamjms.2021.7859
- Fitzpatrick, P.J., 2023. Improving health literacy using the power of digital communications to achieve better health outcomes for patients and practitioners. *Front. Digit. Heal.* 5: 1–13. doi:10.3389/fdgth.2023.1264780
- Flach, C., Muruet, W., Wolfe, C. DA, Bhalla, A., & Douiri, A., 2020. Risk and Secondary Prevention of Stroke. *Stroke* 51: 2435–2444. doi:10.1161/STROKEAHA.120.028992
- Floriano, L.A., Azevedo, R.C. de S., Reiners, A.A.O., & Sudré, M.R.S., 2012. Care Performed by Family Caregivers to Dependent Elderly, at Home, within the



- Context of the Family Health Strategy. *Text Context Nurs.* 21: 543–548. doi:10.1590/S0104-07072012000300008
- Friedman, M., Bowden, R, V., & Jones, elaine G., 2013. Buku Ajar Keperawatan Keluarga (Riset, Teori, Practice Edisi 5), in: Buku Kedokteran EGC. Jakarta, pp. 15–16.
- Friedman, M.M., Bowden, V.R., & Jones, elaine G., 2003. Buku Ajar Keperawatan Keluarga Riset, Teori & Praktik Edisi 5 (Family Nursing; Research, Theory & Practice), 5th ed. Penerbit Buku Kedokteran EGC, New Jersey.
- Fruhworth, V., Berger, L., Gattringer, T., Fandler-höfler, S., Enzinger, C., & Pinter, D., 2022. Evaluation of a newly developed smartphone app for risk factor management in young patients with ischemic stroke : a pilot study. *Front. Neurol.* 12: 1–12. doi:10.3389/fneur.2021.791545
- Gaglani, S.M., & Topol, E.J., 2014. iMedEd: The role of mobile health technologies in medical education. *Natl. Inst. Heal. Public Access* 89: 1207–1209. doi:10.1097/ACM.0000000000000361.iMedEd
- GBD 2021 Stroke Risk Factor Collaborators, 2024. Global , regional , and national burden of stroke and its risk factors , 1990 – 2021 : a systematic analysis for the Global Burden of Disease Study 2021. *Lancet Neurol.* 23: 973–1003. doi:10.1016/S1474-4422(24)00369-7
- Gbiri, C.A., Olawale, O.A., & Isaac, S.O., 2015. Stroke management: Informal caregivers' burdens and strians of caring for stroke survivors. *Ann. Phys. Rehabil. Med.* 58: 98–103. doi:10.1016/j.rehab.2014.09.017
- Gladstone, D.J., Patrice Lindsay, M., Douketis, J., Smith, E.E., Dowlatsahi, D., Wein, T., et al., 2022. Canadian stroke best practice recommendations: Secondary prevention of stroke update 2020, Canadian Journal of Neurological Sciences. doi:10.1017/cjn.2022.57
- Gladstone, J.D., Poppe, A.Y., Douketis, J., Semchuk, W., Bourgoin, A., Cox, J., et al., 2021. Canadian stroke best practice recommendation: Secondary prevention of stroke seventh edition , Update 2020, in: Heart and Stroke Foundation of Canada. pp. 1–132.
- Go, A.S., Mozaffarian, D., Roger, V.L., Benjamin, E.J., Berry, J.D., Blaha, M.J., et al., 2014. AHA statistical update heart disease and stroke statistics — 2014 update a report from the American Heart Association. *Circulation* 129: 28–292. doi:10.1161/01.cir.0000441139.02102.80
- Gorelick, P.B., Qureshi, S., & Farooq, M.U., 2019. Management of blood pressure in stroke. *Int. J. Cardiol. Hypertens.* 3: 1–6. doi:10.1016/j.ijchy.2019.100021
- Grossman, M.R., Psych, B.A., Zak, D.K., Psych, M.A., & Zelinski, E.M., 2018. Mobile apps for caregivers of olderaAdults : Quantitative content analysis. *JMIR mHealth uHealth* 6: 1–10. doi:10.2196/mhealth.9345
- Guan, L., Collet, J., Mazowita, G., & Claydon, victoria E., 2018. Autonomic nervous system and stress to predict secondary ischemic events after transient ischemic attack or minor stroke: possible implications of heart rate variability. *Front. Neurol.* 9: 1–16. doi:10.3389/fneur.2018.00090
- Guasch-Ferré, M., Liu, G., Li, Y., Sampson, L., Manson, J.A.E., Salas-Salvadó, J., et al., 2020. Olive oil consumption and cardiovascular risk in U.S. adults. *J. Am. Coll. Cardiol.* 75: 1729–1739. doi:10.1016/j.jacc.2020.02.036



- Guo, & Liu, Y., 2015. Family functioning and depression in primary caregivers of stroke patients in China. *Int. J. Nurs. Sci.* 2: 184–189. doi:10.1016/j.ijnss.2015.05.002
- Guo, Y.L., & Liu, Y.J., 2015. Family functioning and depression in primary caregivers of stroke patients in China. *Int. J. Nurs. Sci.* 2: 184–189. doi:10.1016/j.ijnss.2015.05.002
- Gurjar, N.R., 2019. Effectiveness of Educational Program on Knowledge and Competence of Home Care Of Stroke Patients among Care Givers. *Int. J. Heal. Sci. Res.* 9: 260–265.
- Hackam, D.G., & Spence, J.D., 2007. Combining multiple approaches for the secondary prevention of vascular events after stroke: A quantitative modeling study. *Stroke* 38: 1881–1885. doi:10.1161/STROKEAHA.106.475525
- Hafsteinsdóttir, T.B.B., Vergunst, M., Lindeman, E., & Schuurmans, M., 2011. Educational needs of patients with a stroke and their caregivers: A systematic review of the literature. *Patient Educ. Couns.* 85: 14–25. doi:10.1016/j.pec.2010.07.046
- Haley, W.E., Roth, D.L., Hovater, M., & Clay, O.J., 2015. Long-term impact of stroke on family caregiver well-being. *Am. Acad. Neurol.* 84: 1323–1329. doi:10.1212/WNL.0000000000001418
- Handayani, F., Setyowati, Pudjonarko, D., & Sawitri, D.R., 2019. Psychosocial associated and predictors of post stroke Depression 3- 6 months after onset: A systematic review. *Pakistan J. Med. Heal. Sci.* 13: 1219–1223.
- Hansen, K., & Świdarska, A., 2024. Integrating open- and closed-ended questions on attitudes towards outgroups with different methods of text analysis. *Behav. Res. Methods* 56: 4802–4822. doi:10.3758/s13428-023-02218-x
- Hedna, V.S., Bodhit, A.N., Ansari, S., Falchook, A.D., Stead, L., Heilman, K.M., et al., 2013. Hemispheric differences in ischemic stroke: Is left-hemisphere stroke more common? *J. Clin. Neurol.* 9: 97–102. doi:10.3988/jcn.2013.9.2.97
- Heim, R., Satink, T., & van Nes, F., 2024. “Standing alone”: understanding the self-management of family caregivers of persons post-stroke at the time of acute care. *Disabil. Rehabil.* 46: 2871–2879. doi:10.1080/09638288.2023.2236020
- Hong, Y., Goldberg, D., Dahlke, D.V., Ory, M.G., Cargill, J.S., Coughlin, R., et al., 2014. Testing usability and acceptability of a web application to promote physical activity (iCanFit) among older adults. *JMIR Hum. Factors* 13: 1–14. doi:10.2196/humanfactors.3787
- Hosomi, N., Kitagawa, K., Nagai, Y., Nakagawa, Y., Aoki, S., Nezu, T., et al., 2018. Desirable low-density lipoprotein cholesterol levels for preventing stroke recurrence a post hoc analysis of the J-STARS study (Japan statin treatment against recurrent stroke). *Stroke* 49: 865–871. doi:10.1161/STROKEAHA.117.018870
- Husseini, N. El, Hackett, M.L., Jorge, R.E., Kissela, B.M., Mitchell, P.H., Skolarus, L.E., et al., 2017. Post stroke depression: A scientific for healthcare professionals from the American Heart Association/American Stroke Associations. *Stroke* 48: 30–43. doi:10.1161/STR.0000000000000113
- Hutton, L., Price, B.A., Kelly, R., McCormick, C., Bandara, A.K., Hatzakis, T., et al., 2018. Assessing the privacy of mhealth apps for self-tracking: Heuristic



- evaluation approach. *JMIR mHealth uHealth* 6: 1–16. doi:10.2196/mhealth.9217
- Iacoviello, L., Bonaccio, M., Cairella, G., Catani, M. V, Costanzo, S., & Elia, L.D., 2018. Diet and primary prevention of stroke : Systematic review and dietary recommendations by the ad hoc working group of the Italian society of human nutrition. *Nutr. , Metab. Cardiovasc. Dis.* 28: 309–334. doi:10.1016/j.numecd.2017.12.010
- Ifejika, N.L., Bhadane, M., Cai, C.C., Noser, E.A., Grotta, J.C., & Savitz, S.I., 2020. Use of a smartphone-based mobile app for weight management in obese minority stroke survivors: pilot randomized controlled trial with open blinded end point. *JMIR mHealth uHealth* 8: 1–12. doi:10.2196/17816
- International Organization for Standardization., 2019. International Standard: ISO 9241-210 Ergonomic of Human-System Interaction Part 210, <https://www.iso.org/standard/77520.html><https://www.iso.org/standard/77520.html>.
- Istepanian, R., Laxminarayan, S., & Pattichis, C.S., 2006. M-health emerging mobile health systems: Topics in biomedical engineering international book series. Springer.
- Jamison, J., Graffy, J., Mullis, R., Mant, J., & Sutton, S., 2016. Barriers to medication adherence for the secondary prevention of stroke : a qualitative interview study in primary care. *Br. J. Gen. Pract.* 568–576. doi:10.3399/bjgp16X685609
- Jamison, J., Sutton, S., Mant, J., & Simoni, A. De, 2017. Barriers and facilitators to adherence to secondary stroke prevention medications after stroke : analysis of survivors and caregivers views from an online stroke forum. *BMJ Open* 7: 1–14. doi:10.1136/bmjopen-2017-016814
- Jaracz, K., Grabowska-Fudala, B., Górna, K., Jaracz, J., Moczko, J., & Kozubski, W., 2015. Burden in caregivers of long-term stroke survivors: Prevalence and determinants at 6 months and 5 years after stroke. *Patient Educ. Couns.* 98: 1011–1016. doi:10.1016/j.pec.2015.04.008
- Jayedi, A., Ghomashi, F., Sadat, M., & Shab-bidar, S., 2018. Dietary sodium , sodium-to-potassium ratio , and risk of stroke : A systematic review and nonlinear dose-response meta-analysis. *Clin. Nutr.* 1–9. doi:10.1016/j.clnu.2018.05.017
- Jiang, S., Shen, L., Ruan, H., & Li, L., 2014. Family function and health behaviours of stroke survivors. *Int. J. Nurs. Sci.* 1: 272–276. doi:10.1016/j.ijnss.2014.05.024
- Johari, N.F.M., Ali, N.M., Salim, M.H.M., & Abdullah, N.A., 2025. Factors driving the use of mobile health app : insights from a survey. *mHealth* 11: 1–17. doi:10.21037/mhealth-24-44
- Jones, F., & Riazi, A., 2011. Self-efficacy and self-management after stroke: A systematic review. *Disabil. Rehabil.* 33: 797–810. doi:10.3109/09638288.2010.511415
- Junaidi, Widiyawati, W., Suminar, E., & Widiharti, 2024. Effort to prevent recurrence of stroke in stroke patients. *Innov. Reseach Jpurnal* 5: 121–130.
- Kaakinen, J.R., Gedaly-Duff, V., Coehlo, D.P., & Hanson, S.M.H., 2010. Family



- Health Theory, Practice and Research 4th Edition. F.A. Davis Company, Philadelphia.
- Kaluza, J., Wolk, A., & Larsson, S.C., 2012. Red meat consumption and risk of stroke a meta-analysis of prospective studies. *Stroke* 43: 2556–2560. doi:10.1161/STROKEAHA.112.663286
- Kamal, A., Khoja, A., Usmani, B., Magsi, S., & Malani, A., 2020. Effect of 5-minute movies shown via a mobile phone app on risk factors and mortality after stroke in a low- to middle-income country : Randomized controlled trial for the stroke caregiver dyad education intervention (Movies4Stroke). *JMIR mHealth uHealth* 8: 1–23. doi:10.2196/12113
- Kamwesiga, J.T., Eriksson, G.M., Tham, K., Fors, U., Ndiwalana, A., von Koch, L., et al., 2018. A feasibility study of a mobile phone supported family-centred ADL intervention, F@ce™, after stroke in Uganda. *Global. Health* 14: 1–13. doi:10.1186/s12992-018-0400-7
- Kanjak, J., Likitdee, N., Kietpeerakool, C., & Temtanakitpaisan, A., 2022. Evaluation of mobile health applications for cervical cancer in the digital marketplace. *Obstet. Gynecol. Sci.* 65: 244–255. doi:10.5468/ogs.22037
- Karahan, A.Y. avu., Kucuksen, S., Yilmaz, H., Salli, A., Gungor, T., & Sahin, M., 2014. Effects of rehabilitation services on anxiety, depression, care-giving burden and perceived social support of stroke caregivers. *Acta Medica (Hradec Kralove)* 57: 68–72. doi:10.14712/18059694.2014.42
- Karakus, K., Memis, C.O., Kunt, D.A., & Dogan, B., 2017. The factors related to early-onset depression after first stroke. *Japanese Psychogeriatr. Soc.* 17: 1–9. doi:10.1111/psyg.12266
- Kariasa, I.M., 2022. Antisipasi Serangan Stroke Berulang, in: Nasrudin, M. (Ed.), . PT Nasya Expanding Management (Penerbit NEWM-Anggota IKAPI), Pekalongan, Jawa Tengah, p. 2022.
- Kariasa, I.M., Nurachmah, E., & Artono, R., 2019a. Analysis of participants ' characteristics and risk factors for stroke recurrence. *Enferm. Clin.* 29: 286–290. doi:10.1016/j.enfcli.2019.04.035 Full text access
- Kariasa, I.M., Nurachmah, E., Setyowati, S., & Koestoer, R.A., 2019b. Optimizing the use of digital sensors (non-invasive) for early detection of risk factors for recurrent stroke to improve quality of care: A systematic review. *F1000Research* 8: 192.
- Karuniawati, H., Ikawati, Z., & Gofir, A., 2015. Pencegahan sekunder untuk menurunkan kejadian stroke berulang pada stroke iskemik. *J. Manaj. dan Pelayanan Farm. (JMPF) J. Manag. Pharm. Pract.* 1: 14–21.
- Kase, C.S., Wolf, P.A., & Seshadri, S., 2017. Overweight, Obesity, and Survival After Stroke in the Framingham Heart Study. *J. Am. Heart Assoc.* 6: 1–10. doi:10.1161/JAHA.116.004721
- Kasemmala, S., 2016. Factors influencing outcomes of stroke persons receiving continuity of care at Tumbon Health Promoting Hospitals. 2016. Burapha University.
- Katsanos, A.H., Filippatou, A., Manios, E., Deftereos, S., Parissis, J., Frogoudaki, A., et al., 2016. Blood pressure reduction and secondary stroke prevention A systematic review and metaregression analysis. *Hypertension* 69: 171–179.



doi:10.1161/HYPERTENSIONAHA.116.08485

- Kavga, A., Govina, O., Galanis, P., Kalemikerakis, I., Vlachou, E., Fotos, N., et al., 2021. Determinants of Health Promotion Behaviors among Family Caregivers of Stroke Survivors. *Diseases* 9: 1–15. doi:10.3390/diseases9010010
- Kazemi, A., Azimian, J., Mafi, M., Allen, K.A., & Motalebi, S.A., 2021. Caregiver burden and coping strategies in caregivers of older patients with stroke. *BMC Psychol.* 9: 1–9. doi:10.1186/s40359-021-00556-z
- Kemntrian Kesehatan Republik Indonesia, 2023. Survei Kesehatan Indonesia (SKI) 2023 Dalam Angka, Badan Kebijakan Pembangunan Kesehatan.
- Kemntrian Kesehatan Republik Indonesia, 2019. Pedoman Nasional Pelayanan Kedokteran Tata Laksana Stroke. Direktorat Jendral Pelayanan Kesehatan.
- Kemntrian Kesehatan Republik Indonesia, 2013. Pedoman Pengendalian Stroke.
- Kempen, E.J. Van, Schellekens, M.M.I., Verhoeven, J.I., Arntz, R.M., Dijk, G.W. Van, & Gons, R.A.R., 2025. Prevalence and factors associated with atrial fibrillation among young patients with ischemic stroke. *J. Am. Heart Assoc.* 14: 1–11. doi:10.1161/JAHA.125.043996
- Kernan, W.N., Ovbiagele, B., Black, H.R., Bravata, D.M., Chimowitz, M.I., Ezekowitz, M.D., et al., 2014. Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 45: 2160–2236. doi:10.1161/STR.0000000000000024
- Kernan, W.N., Viera, A.J., Billinger, S.A., Bravata, D.M., Stark, S.L., Kasner, S.E., et al., 2021. Primary care of adult patients after stroke: A scientific statement from the American Heart Association/American Stroke Association. *Stroke* 52: E558–E571. doi:10.1161/STR.0000000000000382
- Khanevski, A.N., Bjerkreim, A.T., Thomassen, L., Logallo, N., & Kvistad, C.E., 2019. Recurrent ischemic stroke: Incidence, predictors, and impact on mortality 3–8. doi:10.1111/ane.13093
- Khedr, E.M., Abdelrahman, A.A., Desoky, T., Zaki, A.F., & Gamea, A., 2020. Post-stroke depression: frequency, risk factors, and impact on quality of life among 103 stroke patients—hospital-based study. *Egypt. J. Neurol. Psychiatry Neurosurg.* 56: 1–8. doi:10.1186/s41983-020-00199-8
- Khoja, A., Ali, N.A., Akber, N., Harrison, J., & Kazim, F., 2023. Role of virtual modality for stroke caregivers in facilitating stroke survivors and assessing their perceptions in the midst of COVID-19 pandemic: A short review. *F1000Research* 11: 1–23. doi:10.12688/f1000research.125156.2
- Kim, Jae-il, Lee, S., & Kim, Jung-hee, 2013. Effects of a web-based stroke education program on recurrence prevention behaviors among stroke patients: a pilot study. *Health Educ. Res.* 28: 488–501. doi:10.1093/her/cyt044
- King, R.B., Ainsworth, C.R., Ronen, M., & Hartke, R.J., 2010. Stroke caregivers: Pressing problems reported during the first months of caregiving. *J. Neurosci. Nurs.* 42: 302–311. doi:10.1097/JNN.0b013e3181f8a575
- Kitagawa, K., Hosomi, N., Nagai, Y., Kagimura, T., Ohtsuki, T., & Maruyama, H., 2019a. Cumulative effects of LDL cholesterol and CRP levels on recurrent. *J. Atheroscler. Thromb.* 26: 432–441. doi:10.5551/jat.45989
- Kitagawa, K., Yamamoto, Y., Arima, H., Maeda, T., Sunami, N., Kanzawa, T., et



- al., 2019b. Effect of standard vs intensive blood pressure control on the risk of recurrent stroke A randomized clinical trial and meta-analysis. *JAMA Neurology* 76: 1309–1318. doi:10.1001/jamaneurol.2019.2167
- Kleindorfer, D.O., Towfighi, A., Chaturvedi, S., Cockcroft, K.M., Gutierrez, J., Lombardi-Hill, D., et al., 2021. 2021 Guideline for the prevention of stroke in patients with stroke and transient ischemic attack; A guideline from the American Heart Association/American Stroke Association. *Stroke* E364–E467. doi:10.1161/STR.0000000000000375
- Klijn, C.J.M., Paciaroni, M., Berge, E., Lal, A., & Putaala, J., 2019. Antithrombotic treatment for secondary prevention of stroke and other thromboembolic events in patients with stroke or transient ischemic attack and non-valvular atrial fibrillation : A European Stroke Organisation guideline. *Eur. Stroke J.* 4: 199–223. doi:10.1177/2396987319841187
- Knapp, P., Dunn-roberts, A., Sahib, N., Cook, L., Astin, F., Kontou, E., et al., 2020. Frequency of anxiety after stroke : An updated systematic review and meta-analysis of observational studies. *Int. J. Stroke* 0: 1–12. doi:10.1177/1747493019896958
- Ko, S.-H., & Shin, Y.-I., 2022. Nutritional Supplementation in Stroke Rehabilitation: A Narrative Review. *Brain & Neurorehabilitation* 15: 1–8. doi:10.12786/bn.2022.15.e3
- Kocaman, G., Dürüyen, H., Koçer, A., & Asıl, T., 2015. Recurrent ischemic stroke characteristics and assessment of sufficiency of secondary stroke prevention 139–144. doi:10.5152/npa.2015.7499
- Krakauer, J.W., 2005. Arm function after stroke: From physiology to recovery. *Semin. Neurol.* 25: 384–395. doi:10.1055/s-2005-923533
- Kristensson, L., & Björkdahl, A., 2020. Experience of information provision at the stroke unit from the perspective of relatives to stroke survivors. *Rehabil. Process Outcome* 9: 1–8. doi:10.1177/1179572720947086
- Kruithof, W.J., Post, M.W.M., van Mierlo, M.L., van den Bos, G.A.M., de Man-van Ginkel, J.M., & Visser-Meily, J.M.A., 2016. Caregiver burden and emotional problems in partners of stroke patients at two months and one year post-stroke: Determinants and prediction. *Patient Educ. Couns.* 99: 1632–1640. doi:10.1016/j.pec.2016.04.007
- Kumar, A., Khurana, D., Pattanaik, S., Kumar, M., Kaur, S., Krishnan, N.C., et al., 2024. A mobile application-based post-stroke care strategy for survivors and their caregivers for prevention and management of post-stroke complications – “Stroke Home Care:” Development and feasibility. *J. Neurosci. Rural Pract.* 15: 217–226. doi:10.25259/JNRP_411_2023
- Kuriakose, D., & Xiao, Z., 2020. Pathophysiology and treatment of stroke: Present status and future perspectives. *Int. J. Mol. Sci.* doi:10.3390/ijms21207609
- Kurniasih, I.H., Azali, L.M.P., Syolihan, D., & Putri, R., 2025. The Description Of Family Caregiver Knowledge Levels On Post-Hospitalization Stroke. *Heal. Med. Sci.* 2: 1–10.
- Kusmaryono, I., Wijayanti, D., & Maharani, H.R., 2022. Number of response options, reliability, validity, and potential bias in the use of the Likert scale education and social science research: A literature review. *Int. J. Educ.*



- Methodol.* 8: 625–637. doi:10.12973/ijem.8.4.625
- Lakkur, S., & Judd, S.E., 2015. Diet and stroke recent evidence supporting a mediterranea-style diet and food in the primary prevention of stroke 2007–2011. doi:10.1161/STROKEAHA.114.006306
- Lalanza, J.F., & Capdevila, L., 2019. Impact of mHealth technology on adherence to healthy PA after stroke : a randomized study randomized study. *Top. Stroke Rehabil.* 27: 1–15. doi:10.1080/10749357.2019.1691816
- Larsson, S.C., 2017. Topical review dietary approaches for stroke prevention 2905–2911. doi:10.1161/STROKEAHA.117.017383
- Lawrence, M., Pringle, J., Kerr, S., Booth, J., Lawrence, M., Pringle, J., et al., 2015. Stroke survivors ' and family members ' perspectives of multimodal lifestyle interventions for secondary prevention of stroke and transient ischemic attack : a qualitative review and meta- aggregation. *Disabil. Rehabil.* 38: 1–11. doi:10.3109/09638288.2015.1031831
- Lee, J.H., & Jung, M.S., 2023. Factors influencing the quality of life of family Caregivers of stroke patients: A cross-sectional survey. *J. Korean Acad. Fundam. Nurs.* 30: 479–488. doi:10.7739/jkafn.2023.30.4.479
- Lennon, O.C., Doody, C., Choidealbh, C.N., & Blake, C., 2013. Barriers to healthy-lifestyle participation in stroke : consumer participation in secondary prevention design. *Wolters Kluwer Heal. Lippincott Williams Wilkins* 354–361. doi:10.1097/MRR.0b013e3283643d48
- Leyden, B.T., 2025. Platform design and innovation incentives: Evidence from the product rating system on apple's app store. *Int. J. Ind. Organ.* 99: 1–14. doi:10.1016/j.ijindorg.2024.103133
- Li, D., Guo, H., Sun, Y., Zhang, Z., & Liu, H., 2025. Journal of stroke and cerebrovascular diseases knowledge , attitude , and practice of stroke patients ' family members towards stroke rehabilitation : A cross-sectional study. *J. Stroke Cerebrovasc. Dis.* 34: 108177. doi:10.1016/j.jstrokecerebrovasdis.2024.108177
- Li, L., Huang, J., Wu, J., Jiang, C., Chen, S., & Xie, G., 2020. A mobile health app for the collection of functional outcomes after inpatient stroke rehabilitation : Pilot randomized controlled trial. *JMIR Mhealth Uhealth* 8: 1–15. doi:10.2196/17219
- Lilipory, M., Pattipelohy, M.H., & Tuarissa, Y.S., 2019. Motivasi dan sumber informasi berhubungan dengan pencegahan stroke berulang. *Moluccas Heal. J.* 1: 74–81.
- Lin, K., Lindsay, P., Shams, T., Smith, E., Jean-Martin, B., Butcher, K., et al., 2018. A summary of the Canadian stroke best practice recommendations, sixth edition (2018): Updates relevant to prehospital and emergency medicine providers. *CJEM J. Can. Assoc. Emerg. Physicians* 20: 685–692. doi:http://dx.doi.org/10.1017/cem.2018.438
- Lin, Y.H., & Lou, M.F., 2021. Effects of mHealth-based interventions on health literacy and related factors: A systematic review. *J. Nurs. Manag.* 29: 385–394. doi:10.1111/jonm.13175
- Lindsay, M., Norrvin, B., Furie, K., Donnan, G., Langhorne, P., & Davis, S., 2019. Global Stroke Guidelines and Action Plan : A Road Map for Quality Stroke



Care Secondary Stroke Prevention A Road Map for Quality Stroke Care, World Stroke Organization.

- Lindsay, Norrving, B., Saccon, R.L., Brainin, M., Hacke, W., Martins, S., et al., 2019. World stroke organization (WSO): Global stroke fact sheet 2019. *J. Stroke* 14: 806–817. doi:10.1177/1747493019881353
- Liu, C.Z., Jozani, M.M., & Choo, K.K.R., 2018. Canalization or increased diffusion? An empirical analysis on the impact of the recommendation system in the mobile app market. *Proc. Annu. Hawaii Int. Conf. Syst. Sci.* 2018-Janua: 1432–1441. doi:10.24251/hicss.2018.178
- Liu, J., Liu, Q., Huang, Y., Wang, W., He, G., & Zeng, Y., 2020. Effects of personal characteristics, disease uncertainty and knowledge on family caregivers' preparedness of stroke survivors: a cross-sectional study. *Nurs. Heal. Sci.* 22: 892–902. doi:10.1111/nhs.12743
- Liu, X., Guasch-Ferre, M., Drouin-Chartier, J.-P., Tobias, D.K., Bhupathiraju, S.N., Rexrode, K.M., et al., 2020. Changes in nut consumption and subsequent cardiovascular disease risk prospective cohort studies. *J. Am. Heart Assoc.* 9: 1–12. doi:10.1161/JAHA.119.013877
- Liu, Y., Liang, Z., Li, C., Guo, J., & Zhao, G., 2022. An Investigation into the adoption behavior of mHealth users : From the perspective of the push-pull-mooring framework. *Sustainability* 14: 1–17. doi:10.3390/su142114372
- Llorens-Vernet, P., & Miró, J., 2020. Standards for mobile health-related apps: Systematic review and development of a guide. *JMIR mHealth uHealth* 8: 1–9. doi:10.2196/13057
- Lobo, E.H., Abdelrazek, M., Frølich, A., Rasmussen, L.J., Livingston, P.M., Islam, S.M.S., et al., 2023a. Detecting user experience issues from mHealth apps that support stroke caregiver needs: an analysis of user reviews. *Front. Public Heal.* 11: 1–9. doi:10.3389/fpubh.2023.1027667
- Lobo, E.H., Abdelrazek, M., Frølich, A., Rasmussen, L.J., Livingston, P.M., Mohammed, S., et al., 2022a. Detecting Usability and User Experience Issues in Stroke Caregiving Apps : An Analysis of User Reviews 1–10. doi:10.20944/preprints202202.0093.v1
- Lobo, E.H., Frølich, A., Abdelrazek, M., Rasmussen, L.J., Grundy, J., Livingston, P.M., et al., 2023b. Information, involvement, self-care and support-The needs of caregivers of people with stroke: A grounded theory approach. *PLoS One* 18: 1–25. doi:10.1371/journal.pone.0281198
- Lobo, E.H., Kensing, F., Frølich, A., Rasmussen, L.J., Livingston, P.M., Islam, S.M.S., et al., 2022b. MHealth intervention for carers of individuals with a history of stroke: Heuristic evaluation and user perspectives. *Digit. Heal.* 29: 1–10. doi:10.1177/20552076221089070
- Lou, S., Carstensen, K., Jørgensen, C.R., Lou, S., Carstensen, K., & Jørgensen, C.R., 2016. Stroke patients ' and informal carers ' experiences with life after stroke : An overview of qualitative systematic reviews. *Disabil. Rehabil.* 39: 1–13. doi:10.3109/09638288.2016.1140836
- Louw, Q.A., 2024. The Impact of Stroke Support Groups on Stroke Patients and Their Caregivers. *Rehabil. Adv. Dev. Heal. Syst.* 1: 1–12. doi:10.4102/radhs.v1i1.9



- Lu, C., Hu, Y., Xie, J., Fu, Q., Leigh, I., Governor, S., et al., 2018. The use of mobile health applications to improve patient experience: cross-sectional study in chinese public hospitals. *JMIR mHealth uHealth* 6: 1–9. doi:10.2196/mhealth.9145
- Luengo-fernandez, R., & Gray, A.M., 2012. A population-based study of hospital care costs during 5 years after transient ischemic attack and stroke. *Stroke* 43: 3343–3351. doi:10.1161/STROKEAHA.112.667204
- Lutz, B.J., Young, M.E., Creasy, K.R., Martz, C., Eisenbrandt, L., Brunny, J.N., et al., 2017. Improving stroke caregiver readiness for transition from inpatient rehabilitation to home. *Gerontologist* 57: 880–889. doi:10.1093/geront/gnw135
- Magid-Bernstein, J., Girard, R., Polster, S., Srinath, A., Romanos, S., Awad, I.A., et al., 2022. Cerebral hemorrhage: Pathophysiology, treatment, and future directions. *Circ. Res.* 130: 1204–1229. doi:10.1161/CIRCRESAHA.121.319949
- Magwood, G.S., Ellis, C., Nichols, M., Burns, S.P., Jenkins, C., Woodbury, M., et al., 2019. Barriers and facilitators of stroke recovery: Perspectives from African Americans with stroke, caregivers and healthcare professionals. *J. Stroke Cerebrovasc.* 28: 2506–2516. doi:10.1016/j.jstrokecerebrovasdis.2019.06.012.Barriers
- Maida, C.D., Norrito, R.L., Rizzica, S., Mazzola, M., Scarantino, E.R., & Tuttolomondo, A., 2024. Molecular pathogenesis of ischemic and hemorrhagic strokes: background and therapeutic approaches. *Int. J. Mol. Sci.* 25: 1–35. doi:10.3390/ijms25126297
- Malik, A.N., Afridi, A., & Rathore, F.A., 2024. Mobile health (mHealth) applications for stroke rehabilitation: A mini review. *J. Pak. Med. Assoc.* 74: 1723–1726. doi:10.47391/JPMA.24-74
- Marcolino, M.S., Oliveira, J.A.Q., D’Agostino, M., Ribeiro, A.L., Alkmim, M.B.M., & Novillo-Ortiz, D., 2018. The impact of mHealth interventions: Systematic review of systematic reviews. *JMIR mHealth uHealth* 6: 1–11. doi:10.2196/mhealth.8873
- Martínez-González, M.A., Dominguez, L.J., & Delgado-Rodríguez, M., 2014. Olive oil consumption and risk of CHD and/or stroke: A meta-analysis of case-control, cohort and intervention studies. *Br. J. Nutr.* 112: 248–259. doi:10.1017/S0007114514000713
- Martinez, M., Prabhakar, N., Drake, K., Coull, B., Chong, J., & Ritter, L., 2016. Identification of barriers to stroke awareness and risk factor management unique to hispanics. *Environ. Res. Public Health* 13: 1–9. doi:10.3390/ijerph13010023
- Martins, S.C.O., Weiss, G., Almeida, A.G., Brondani, R., Carbonera, L.A., Souza, A.C. De, et al., 2019. Validation of a smartphone application in the evaluation and treatment of acute stroke in a comprehensive stroke center. *Stroke* 51: 240–246. doi:10.1161/STROKEAHA.119.026727
- Mazzone, P., Tierney, W., Hossain, M., & Puvenna, V., 2010. Pathophysiological impact of cigarette smoke exposure on the cerebrovascular system with a focus on the blood-brain barrier : Expanding the awareness of smoking toxicity in



- an underappreciated area 4111–4126. doi:10.3390/ijerph7124111
- Mellon, L., Brewer, L., Hall, P., Horgan, F., Williams, D., Hickey, A., et al., 2015. Cognitive impairment six months after ischaemic stroke: A profile from the ASPIRE-S study. *BMC Neurol.* 15: 1–9. doi:10.1186/s12883-015-0288-2
- Melti, S., 2017. Hubungan motivasi dengan pelaksanaan perawatan pasien pasca stroke Rsup Dr. M.Djamil Padang 2016. *Menara Ilmu* XI: 89–95.
- Mendyk, A.-M., Duhamel, A., Bejot, Y., Leys, D., Derex, L., Dereeper, O., et al., 2018. Controlled education of patients after stroke (CEOPS)- nurse-led multimodal and long-term interventional program involving a patient's caregiver to optimize secondary prevention of stroke: study protocol for a randomized controlled trial. *Trials* 19: 1–8. doi:10.1186/s13063-018-2483-0
- Merati-Fashi, F., Dalvandi, A., & Yekta, Z.P., 2022. Stroke Survivors and Their Family Caregivers' Experiences of Health Information Seeking: A Qualitative Study. *Int. J. Community Based Nurs. Midwifery* 10: 269–278. doi:10.30476/IJCBNM.2022.94489.1997
- Mercado, M.A., 2018. Burdens of family caregivers of stroke patients: An integrative literature review. *Heal. Notions* 2: 88–95. doi:10.33846/HN.V2I1.100
- Mishra, A., Mishra, N., & Gajjar, K., 2016. Financial burden of stroke on family and caregiver in India: a literature review. *Int. J. Res. Med. Sci.* 3675–3678. doi:10.18203/2320-6012.ijrms20162900
- Mohan, K.M., Wolfe, C.D.A., Rudd, A.G., Heuschmann, P.U., Kolominsky-rabas, P.L., & Grieve, A.P., 2011. Risk and cumulative risk of stroke recurrence a systematic review and meta-analysis. *Stroke* 42: 1489–1494. doi:10.1161/STROKEAHA.110.602615
- Moon, M., 2017. The unprepared caregiver. *Gerontologist* 57: 26–31. doi:10.1093/geront/gnw080
- Morrison, J., Akter, K., Jennings, H., Ahmed, N., Kumer Shaha, S., Kuddus, A., et al., 2022. Learning from a diabetes mHealth intervention in rural Bangladesh: what worked, what did not and what next? *Glob. Public Health* 17: 1299–1313. doi:10.1080/17441692.2021.1923776
- Mossavar-rahmani, Y., Kamensky, V., Manson, J.E., Silver, B., Rapp, S.R., Haring, B., et al., 2019. Artificially sweetened beverages and stroke, coronary heart disease, and all-cause mortality in the women's health initiative 555–562. doi:10.1161/STROKEAHA.118.023100
- Mueller, E.L., Cochrane, A.R., Campbell, M.E., Nikkhah, S., & Miller, A.D., 2022. An mHealth app to support caregivers in the medical management of their child with cancer: co-design and user testing study. *JMIR Cancer* 8: 1–11. doi:10.2196/33152
- Muhrodji, P., Wicaksono, H.D.A., Satiti, S., Trisnantoro, L., Setyopranoto, I., & Vidyanti, A.N., 2021. Roles and problems of stroke caregivers: a qualitative study in Yogyakarta, Indonesia. *F1000Research* 10: 1–24. doi:10.12688/f1000research.52135.1
- Mukhti, M. iqbal haji, Ibrahim, M.I., Ismail, T.A. tengku, Nadal, I.P., Kamalakannan, S., Kinra, Sanjay, Abdullah, J.M., et al., 2022. Exploring the need for mobile application in stroke management by nformal caregivers : a



- qualitative study. *Int. J. Environ. Res. Public Heal.* 19: 1–15. doi:10.3390/ijerph191912959
- Muro-Culebras, A., Escriche-Escuder, A., Martin-Martin, J., Roldán-Jiménez, C., De-Torres, I., Uiz-Muñoz, M., et al., 2021. Tools for evaluating the content, efficacy, and usability of mobile health apps according to the consensus-based standards for the selection of health measurement instruments: Systematic review. *JMIR mHealth uHealth* 9: 1–11. doi:10.2196/15433
- Musrah, A.S., Pratiwi, A., Ginting, D.S., Nurhanifah, D., & Anshari, M., 2024. Edukasi peran keluarga untuk meningkatkan pengetahuan dalam mencegah serangan pada pasien pasca stroke. *Abdimas Polsaka* 20–25. doi:10.35816/abdimaspolsaka.v3i1.63
- Muthucumarana, W.M., Samarasinghe, K., & Elgán, C., 2018. Caring for stroke survivors: experiences of family caregivers in Sri Lanka—a qualitative study. *Top. Stroke Rehabil.* 25: 397–402. doi:10.1080/10749357.2018.1481353
- Nadler, J.T., Weston, R., & Voyles, E.C., 2015. Stuck in the middle: The use and interpretation of mid-points in items on questionnaires. *J. Gen. Psychol.* 142: 71–89. doi:10.1080/00221309.2014.994590
- National Stroke Association, n.d. Stroke Risk Scorecard [WWW Document]. <https://health.hawaii.gov/nt/files/2021/04/Stroke-Risk-Scorecard.pdf>. URL <https://health.hawaii.gov/nt/files/2021/04/Stroke-Risk-Scorecard.pdf>
- Nezamdoust, S., Abdekhoda, M., Ranjbaran, F., & Azami-Aghdash, S., 2022. Adopting mobile health applications by nurses: a scoping review. *J. Res. Nurs.* 27: 480–491. doi:10.1177/17449871221077080
- Nielsen, J., 2012. How Many Test Users in a Usability Study? *Nielsen Norman Gr.* <https://www.nngroup.com/articles/how-many-test-use>.
- Nimitphuwadon, S., Jullamate, P., Piphatvanitcha, N., Nadarajan, S., & Tabootwong, W., 2023. Factors predicting burden among male caregivers of older adults with stroke. *Work. with Older People* 27: 202–210. doi:10.1108/WWOP-08-2022-0032
- Nkhwashu, E., & Matthee, M., 2024. The use of user-centred design strategies to design wearable mobile health technologies: A systematic literature review, in: Springer Nature. pp. 269–284. doi:10.1007/978-981-97-3562-4
- Nurani, R.R.S., & Martini, S., 2018. Risk factors for cognitive impairment after ischemic stroke. *KnE Life Sci.* 4: 87–96. doi:10.18502/cls.v4i9.3560
- Okere, A.N., Sanogo, V., Balkrishnan, R., & Diaby, V., 2020. A quantitative analysis of the effect of continuity of care on 30-day readmission and in-hospital mortality among patients with acute ischemic stroke. *J. Stroke Cerebrovasc. Dis.* 29: 1–10. doi:10.1016/j.jstrokecerebrovasdis.2020.105053
- Okolo, C.A., Babawarun, O., & Olorunsogo, T.O., 2024. Mobile Health (Mhealth) Innovations for Public Health Feedback: a Global Perspective. *Int. Med. Sci. Res. J.* 4: 235–246. doi:10.51594/imsrj.v4i3.915
- Oliva-Moreno, J., Peña-Longobardo, L.M., Mar, J., Masjuan, J., Soulard, S., Gonzalez-Rojas, N., et al., 2018. Determinants of informal care, burden, and risk of burnout in caregivers of stroke survivors the CONOCES Study. *Stroke* 49: 140–146. doi:10.1161/STROKEAHA.117.017575
- Ommeren, van A.L., Smulders, L.C., Prange-Lasonder, G.B., Buurke, J.H.,



- Veltink, P.H., & Rietman, J.S., 2018. Assistive technology for the upper extremities after stroke: Systematic review of users' needs. *JMIR Rehabil. Assist. Technol.* 5: 1–18. doi:10.2196/10510
- Ortega-Navas, M.C., 2017. The use of new technologies as a tool for the promotion of health education. *Procedia - Soc. Behav. Sci.* 237: 23–29. doi:10.1016/j.sbspro.2017.02.006
- Ovbiagele, B., Kautz, S., Feng, W., & Adkins, D.L., 2014. Poststroke outcomes. *Stroke Res. Treat.* 2014: 1–2. doi:10.1155/2014/828435
- Pacheco, L.S., Lacey, J. V, Martinez, M.E., Lemus, H., Araneta, M.R.G., Sears, D.D., et al., 2020. Sugar-sweetened beverage intake and cardiovascular disease risk in the California teachers study. *J. Am. Geriatr. Soc.* 9: 1–11. doi:10.1161/JAHA.119.014883
- Pan, B., Jin, X., Jun, L., Qiu, S., Zheng, Q., & Pan, M., 2019. The relationship between smoking and stroke. *Medicine (Baltimore)*. 98: 1–8. doi:10.1097/MD00000000000014872
- Pangastuti, H.S., Rustina, Y., Kamso, S., & Sitorus, R., 2020. Success stories from patients with stroke recurrence prevention: A qualitative study. *Indones. Nurs. J. Educ. Clin.* 4: 168–175. doi:10.24990/injec.v4i2.271
- Parappilly, B.P., Field, T.S., Mortenson, W.B., Sakakibara, B.M., & Eng, J.J., 2018. Effectiveness of interventions involving nurses in secondary stroke prevention: A systematic review and meta-analysis. *Eur. J. Cardiovasc. Nurs.* 17: 728–736. doi:10.1177/1474515118779732
- Parappilly, B.P., Mortenson, W.B., Field, T.S., & Eng, J.J., 2020. Exploring perceptions of stroke survivors and caregivers about secondary prevention: a longitudinal qualitative study. *Disabil. Rehabil.* 42: 2020–2026. doi:10.1080/09638288.2018.1544296
- Parappilly, B.P., Mortenson, W.B., Field, T.S., & Eng, J.J., 2019. Exploring perceptions of stroke survivors and caregivers about secondary prevention: a longitudinal qualitative study. *Disabil. Rehabil.* 1–7. doi:10.1080/09638288.2018.1544296 Exploring
- Perez, H., Miguel-Cruz, A., Daum, C., Comeau, A.K., Rutledge, E., King, S., et al., 2022. Technology acceptance of a mobile application to support family caregivers in a long-term care facility. *Appl. Clin. Inform.* 13: 1181–1193. doi:10.1055/a-1962-5583
- Pesantes, M.A., Brandt, L.R., Ipince, A., Miranda, J.J., & Diez-canseco, F., 2017. An exploration into caring for a stroke-survivor in Lima , Peru : Emotional impact , stress factors , coping mechanisms and unmet needs of informal caregivers. *eNeurologicalSci* 6: 33–50. doi:10.1016/j.ensci.2016.11.004
- Phandurand, C., 2024. Mobile Health App Usability Questionnaire (MAUQ) Versi Bahasa Indonesia: Studi Terjemahan, Adaptasi, dan Validasi. Universitas Lambung Mangkurat.
- Pindus, D.M., Mullis, R., Lim, L., Wellwood, I., Rundell, A.V., Aziz, N.A.A., et al., 2018. Stroke survivors' and informal caregivers' experiences of primary care and community healthcare services – A systematic review and meta-ethnography. *PLoS One* 13: 1–23. doi:10.1371/journal.pone.0192533
- Pinzon, R.T., Sanyasi, R.D.L., & Totting, S., 2018. The prevalence and determinant



- factors of post-stroke cognitive impairment. *Asian Pacific J. Heal. Sci.* 5: 78–83. doi:10.21276/apjhs.2018.5.1.17
- Pitthayapong, S., Thiangtam, W., Powwattana, A., Leelacharas, S., & Waters, C.M., 2017. A community based program for family caregivers for post stroke survivors in Thailand. *Asian Nurs. Res. (Korean. Soc. Nurs. Sci.)*. 11: 150–157. doi:10.1016/j.anr.2017.05.009
- Polit, D.F., & Beck, C.T., 2003. Nursing Research: Principles and Methods Seventh Edition, in: Philadelphia, PA: Lippincott Williams & Wilkins.
- Popping, R., 2015. Analyzing open-ended questions by means of text analysis procedures. *Bull. Methodol. Sociol.* 128: 23–39. doi:10.1177/0759106315597389
- Pramudita, K., & Notobroto, H.B., 2017. Analisis survival kecepatan kekambuhan stroke. *Biometrika dan Kependud.* 6: 62–69. doi:10.20473/jbk.v6i1.2017.62-69
- Pucciarelli, G., Savini, S., Byun, E., Simeone, S., Barbaranelli, C., Vela, R.J., et al., 2014. Psychometric properties of the caregiver preparedness scale incaregivers of stroke survivors. *Hear. Lung J. Acute Crit. Care* 43: 555–560. doi:10.1016/j.hrtlng.2014.08.004
- Pugliese, M., Ramsay, T., Johnson, D., & Dowlatsahi, D., 2018. Mobile tablet-based therapies following stroke: A systematic scoping review of administrative methods and patient experiences. *PLoS One* 13: 1–16. doi:10.1371/journal.pone.0191566
- Putra, I.D.G.R.C., Pinzon, R.T., & Pramudita, E.A., 2016. Hubungan antara tingkat kepatuhan minum obat antiplatelet aspirin dengan kejadian stroke iskemik berulang di RS Bethesda Yogyakarta. *Media Farm.* 13: 49–60.
- Quigley, P.A., 2016. Redesigned fall and injury management of patients with stroke. *Stroke* 47: e92–e94. doi:10.1161/STROKEAHA.116.012094
- Quinn, C.C., Staub, S., Barr, E., & Gruber-Baldini, A., 2019. Mobile support for older adults and their caregivers: Dyad usability study. *JMIR Aging* 2: 1–10. doi:10.2196/12276
- Rahajeng, E., Riyadina, W., & Kesehatan, P., 2016. Survival rate penyandang hipertensi dengan konsumsi natrium rendah terhadap kejadian stroke. *J. Indones. Assoc.* 39: 71–80.
- Rahayu, L.P., Sudrajat, D.A., & Nurdina, G., 2019. The risk factor of recurrence stroke among stroke and transient ischemic attack patients in Indonesia. *Know* 2019: 931–941. doi:10.18502/kls.v4i13.5353
- Rahayu, S., Said, M.S.M., Sansuwito, T., & Mulyono, S., 2025. Validating a mobile application for anemia prevention: Insights from expert feedback on AneMia_Prev®. *J. Keperawatan Padjadjaran* 13: 74–83. doi:10.24198/jkp.v13i1.2365
- Rahayu, T.G., 2020. Hubungan pengetahuan dan sikap keluarga dengan risiko kejadian stroke berulang. *JIKP J. Ilm. Kesehat. Pencerah* 9: 140–146. doi:10.12345/jikp.v9i02.187
- Rahmawati, R.N., Lahdji, A., & Anggraini, M.T., 2024. The relationship of perceived severity and recurrent stroke prevention behavior at post-non-hemorrhagic stroke patients. *South East Asia Nurs. Res.* 6: 25–31.



- doi:10.26714/seanr.6.1.2024.25-31
- Ramdani, B., Duan, B., & Berrou, I., 2020. Exploring the determinants of mobile health adoption by hospitals in China: Empirical study. *JMIR Med. Informatics* 8: 1–17. doi:10.2196/14795
- Rao, A., Barrow, E., Vuik, S., Darzi, A., & Aylin, P., 2016. Systematic review of hospital readmissions in stroke patients. *Stroke Res. Treat.* 2016: 1–11. doi:10.1155/2016/9325368
- Rathnayake, S., Moyle, W., Jones, C., & Calleja, P., 2021. Co-design of an mHealth application for family caregivers of people with dementia to address functional disability care needs. *Informatics Heal. Soc. Care* 46: 1–17. doi:10.1080/17538157.2020.1793347
- Refaat, G., & Said, E., 2023. Factors affecting mHealth technology adoption in developing countries: The case of Egypt. *Computers* 12: 1–16. doi:10.3390/computers12010009
- Rigby, H., Gubitz, G., & Phillips, S., 2009. A systematic review of caregiver burden following stroke. *Int. J. Stroke* 4: 285–292. doi:10.1111/j.1747-4949.2009.00289.x
- Rintala, A., Kossi, O., Bonnechère, B., Evers, L., Printemps, E., & Feys, P., 2023. Mobile health applications for improving physical function, physical activity, and quality of life in stroke survivors: a systematic review. *Disabil. Rehabil.* 45: 4001–4015. doi:10.1080/09638288.2022.2140844
- Ross, J., Stevenson, F., Lau, R., & Murray, E., 2016. Factors that influence the implementation of e-health: A systematic review of systematic reviews (an update). *Implement. Sci.* 11: 1–12. doi:10.1186/s13012-016-0510-7
- Rumiati, R., Kariasa, I.M., & Waluyo, A., 2021. The effectiveness of post-stroke patient care education intervention in stroke caregivers: a literature review. *IJNP (Indonesian J. Nurs. Pract.)* 5: 67–75. doi:10.18196/ijnp.v5i2.11437
- Saad, S., Waqar, Z., Islam, F., Iqbal, H., & Nomani, A.Z., 2017. The awareness of stroke in caregivers of stroke patients in Pakistan. *J. Neurol. Disord.* 5: 1–4. doi:10.4172/2329-6895.1000359
- Sacco, R.L., Adams, R., Albers, G., Alberts, M.J., Benavente, O., Furie, K., et al., 2014. AHA / ASA guideline guidelines for prevention of stroke in patients with ischemic stroke or transient ischemic attack a statement for healthcare professionals from the American Heart Association / American Stroke Association council on stroke co-sponsored. *Stroke* 37: 577–617. doi:10.1161/01.STR.0000199147.30016.74
- Sacco, R.L., Kasner, S.E., Broderick, J.P., Caplan, L.R., Connors, J.J.B., Culebras, A., et al., 2013. An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association/American stroke association. *Stroke* 44: 2064–2089. doi:10.1161/STR.0b013e318296aeca
- Sala-González, M., Pérez-Jover, V., Guilabert, M., & Mira, J.J., 2021. Mobile apps for helping informal caregivers: A systematic review. *Int. J. Environ. Res. Public Health* 18: 1–17. doi:10.3390/ijerph18041702
- Sandercock, P.A.G., Counsell, C., & Kane, E.J., 2015. Anticoagulants for acute ischaemic stroke. *Cochrane Database Syst. Rev.* 2015: 1–60.



- doi:10.1002/14651858.CD000024.pub4
- Sarecka-hujar, B., & Kopyta, I., 2020. Risk Factors for Recurrent Arterial Ischemic Stroke in Children and Young Adults. *Brain Sci.* 10: 1–20. doi:10.3390/brainsci10010024
- Sari, Ika W., Putra, F.N., & Puspitasari, I., 2023. Hubungan dukungan keluarga terhadap kepatuhan minum obat pada pasien stroke berulang. *Prof. Heal. J.* 5: 341–348. doi:10.54832/phj.v5i1.642
- Saunders, D.H., Greig, C.A., & Mead, G.E., 2014. Physical activity and exercise after stroke. *Stroke* 45: 3742–3747. doi:10.1161/STROKEAHA.114.004311
- Schaapsmeeders, P., Maaijwee, N.A.M., Van Dijk, E.J., Rutten-Jacobs, L.C.A., Arntz, R.M., Schoonderwaldt, H.C., et al., 2013. Long-term cognitive impairment after first-ever ischemic stroke in young adults. *Stroke* 44: 1621–1628. doi:10.1161/STROKEAHA.111.000792
- Schellinger, P.D., Bryan, R.N., & Caplan, L.R., 2010. Evidence-based guideline: The role of diffusion and perfusion MRI for the diagnosis of acute ischemic stroke. *Chinese J. Cerebrovasc. Dis.* 7: 668–672. doi:10.3969/j.issn.1672-5921.2010.12.012
- Schmid, A.A., Van Puymbroeck, M., Altenburger, P.A., Dierks, T.A., Miller, K.K., Damush, T.M., et al., 2012. Balance and balance self-efficacy are associated with activity and participation after stroke: A cross-sectional study in people with chronic stroke. *Arch. Phys. Med. Rehabil.* 93: 1101–1107. doi:10.1016/j.apmr.2012.01.020
- Schnall, R., Rojas, M., Bakken, S., Brown, W., Carballo-Diequez, A., Carry, M., et al., 2016. A user-centered model for designing consumer mobile health (mHealth) applications (apps). *J. Biomed. Inform.* 60: 243–251. doi:10.1016/j.jbi.2016.02.002
- Schroeder, T., Dodds, L., Georgiou, A., Gewalt, H., & Siette, J., 2023. Older adults and new technology: mapping review of the factors associated with older adults' intention to adopt digital technologies. *JMIR Aging* 6: 1–21. doi:10.2196/44564
- Schwab, T., & Langell, J., 2018. Human Factors–Based Mobile Application Design for Global Health. *Surg. Innov.* 25: 557–562. doi:10.1177/1553350618814643
- Schwamm, L.H., 2019. Digital health strategies to improve care and continuity within stroke systems of care in the United States. *Circulation* 139: 149–151. doi:10.1161/CIRCULATIONAHA.117.029234
- Scorrano, M., Ntsiea, V., & Maleka, D., 2018. Enablers and barriers of adherence to home exercise programmes after stroke: Caregiver perceptions. *Int. J. Ther. Rehabil.* 25: 1–11. doi:10.12968/ijtr.2018.25.7.353
- Septiani, W., Rahmawati, N., Safitri, D.M., & Luis, M., 2024. Usability evaluation for mobile health application: Systematic Literature Review. *Sinergi (Indonesia)* 28: 287–304. doi:10.22441/sinergi.2024.2.009
- Sexton, E., McLoughlin, A., Williams, D.J., Merriman, N.A., Donnelly, N., Rohde, D., et al., 2019. Systematic review and meta-analysis of the prevalence of cognitive impairment no dementia in the first year post-stroke. *Eur. Stroke J.* 4: 160–171. doi:10.1177/2396987318825484
- Sharma, N., Sharma, M., Lopchan, M., Thapa, L., & Rana, P., 2014. Low level of



- stroke care awareness among stroke patients' caregivers: an important but neglected area of stroke care. *J. Coll. Med. Sci.* 9: 1–11. doi:10.3126/jcmsn.v9i3.10208
- Shaw, G., Nadkarni, D., Phann, E., Sielaty, R., Ledenyi, M., Abnowf, R., et al., 2022. Separating features from functionality in vaccination apps: computational analysis. *JMIR Form. Res.* 6: 1–12. doi:10.2196/36818
- Shi, Y., Yang, D., Zeng, Y., & Wu, W., 2017. Risk factors for post-stroke depression: A meta-analysis. *Front. Aging Neurosci.* 9: 1–14. doi:10.3389/fnagi.2017.00218
- Shi, Z.Q., Tang, J.J., Wu, H., Xie, C.Y., & He, Z.Z., 2014. Consumption of nuts and legumes and risk of stroke: A meta-analysis of prospective cohort studies. *Nutr. Metab. Cardiovasc. Dis.* 24: 1262–1271. doi:10.1016/j.numecd.2014.06.009
- Shou, J., Zhou, L., Zhu, S., & Zhang, X., 2015. Diabetes is an independent risk factor for stroke recurrence in stroke patients: a meta-analysis. *J. Stroke Cerebrovasc. Dis.* 24: 1961–1968. doi:10.1016/j.jstrokecerebrovasdis.2015.04.004
- Shulver, W., Killington, M., Morris, C., & Crotty, M., 2017. 'Well, if the kids can do it, I can do it': older rehabilitation patients' experiences of telerehabilitation. *Heal. Expect.* 20: 120–129. doi:10.1111/hex.12443
- Sidek, N.N., Alina, T., Ismail, T., Kamalakannan, S., Chen, X.W., Romli, M.H., et al., 2023. A mixed-methods study on the implementation of a mobile health application (mHealth app) for stroke caregivers in Malaysia : healthcare providers ' perspective. *Front. Neurol.* 14: 1–11. doi:10.3389/fneur.2023.1222260
- Silva, D., Venketasubramanian, N., Roxas, A., Kee, L., & Lampl, Y., 2014. Understanding Stroke: A Guide for Stroke Survivors and Their Families, in: Singapore National Stroke Association. pp. 1–97.
- Simandalahi, T., 2016. Analisis Hubungan Tingkat Pengetahuan dan Sikap Keluarga dengan Kemampuan Keluarga Merawat Pasien Pasca Stroke. *J. Kesehat. Med. Saintika* 9: 41–48.
- Singer, J., Conigliaro, A., Burton, D., & Levine, S., 2018. Developing a user-centered mobile application for stroke caregivers : a pilot national survey. *J. Mob. Technol. Med.* 7: 35–43. doi:10.7309/jmtm.7.2.5
- Siregar, P.A., Harahap, A., & Aidha, 2020. Promosi Kesehatan Lanjutan dalam Teori dan Aplikasi Edisi Pertama, in: Kencana. Rawamangun, Jakarta.
- Sjöholm, M.E., Eriksson, G., Bii, A., Asungu, J., Koch, L. Von, & Guidetti, S., 2021. Living with consequences of stroke and risk factors for unhealthy diet-experiences among stroke survivors and caregivers in Nairobi , Kenya. *BMC Public Health* 21: 1–12. doi:10.1186/s12889-021-10522-4 (2021)
- Skolarus, L.E., Piette, J.D., Pfeiffer, P.N., Williams, L.S., Mackey, J., Hughes, R., et al., 2017. Interactive voice response—an innovative approach to post-stroke depression self-management support. *Transl. Stroke Res.* 8: 77–82. doi:10.1007/s12975-016-0481-7
- Skolarus, L.E., Sanchez, B.N., Levine, D.A., Baek, J., Kerber, K.A., Morgenstern, L.B., et al., 2014. Association of body mass index and mortality after acute



- ischemic stroke. *Circ. Cardiovasc. Qual. Outcomes* 7: 64–69. doi:10.1161/CIRCOUTCOMES.113.000129
- Slark, J., & Sharma, P., 2013. Risk awareness in secondary stroke prevention: a review of the literature. *JRSM Cardiovasc. Dis.* 0: 1–6. doi:10.1177/2048004013514737
- Smith, G.C., Egbert, N., Dellman-Jenkins, M., Nanna, K., & Palmieri, P.A., 2012. Reducing depression in stroke survivors and their informal caregivers: A randomized clinical trial of a web-based intervention. *Rehabil. Psychol.* 57: 196–206. doi:10.1037/a0029587
- Sowatli, S.N., Harith, S.H., & Mohamed, C.R., 2013. Secondary stroke prevention through patient education intervention on lifestyle risk factors: a review. *Heal. Environement J.* 4: 127–151.
- StatCounter GlobalStat, 2023. Mobile & Tablet Android Version Market Share Indonesia Agustus 2022 - Agustus 2023 [WWW Document]. <https://gs.statcounter.com/os-market-share/mobile/indonesia>.
- Stone, N.J., Robinson, J.G., Lichtenstein, A.H., Merz, C.N.B., Blum, C.B., Eckel, R.H., et al., 2014. ACC / AHA prevention guideline 2013 ACC / AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults a report of the American college of Cardiology / American Heart Association task force on practiceGuidel. *Circulation* 63: 1–45. doi:10.1161/01.cir.0000437738.63853.7a
- Sun, J.H., Tan, L., & Yu, J.T., 2014. Post-stroke cognitive impairment: Epidemiology, mechanisms and management. *Ann. Transl. Med.* 2: 1–16. doi:10.3978/j.issn.2305-5839.2014.08.05
- Sureshkumar, K., Murthy, G.V.S., Natarajan, S., Naveen, C., Goenka, S., & Kuper, H., 2016. Evaluation of the feasibility and acceptability of the “Care for Stroke” intervention in India, a smartphone-enabled, carer-supported, educational intervention for management of disability following stroke. *BMJ Open* 6: 1–10. doi:10.1136/bmjopen-2015-009243
- Tajudeen, F.P., Bahar, N., Tan, M.P., Peer Mustafa, M.B., Saedon, N.I., & Jesudass, J., 2022. Understanding user requirements for a senior-friendly mobile health application. *Geriatr.* 7: 1–21. doi:10.3390/geriatrics7050110
- Tan, C.-E., Hi, M.-Y., Azmi, N.S., Ishak, N.K., Mohd Farid, F. alyaa, & Abdul Aziz, A.F., 2020. Caregiving self-efficacy and knowledge regarding patient positioning among Malaysian caregivers of stroke patients. *Cureus* 12: 1–12. doi:10.7759/cureus.7390
- Tijmstra, J., & Bolsinova, M., 2025. Modeling within- and between-person differences in the use of the middle category in Likert scales. *Appl. Psychol. Meas.* 49: 266–281. doi:10.1177/01466216251322285
- Tini, K., Samatra, I.D.P.G.P., Wiryadana, K.A., & Supadmanaba, I.G.P., 2020. Clinical profile of patients with cerebrovascular disease at stroke unit, Sanglah general hospital, Denpasar, Bali. *Bali Med. J.* 9: 129–136. doi:10.15562/bmj.v9i1.1665
- Tong, C., Kernoghan, A., Lemmon, K., Fernandes, P., Elliott, J., Sacco, V., et al., 2022. Lessons and Reflections From an Extended Co-design Process Developing an mHealth App With and for Older Adults: Multiphase, Mixed



- Methods Study. *JMIR Aging* 5: 1–14. doi:10.2196/39189
- Towfighi, A., Markovic, D., & Ovbiagele, B., 2012. Impact of a healthy lifestyle on all-cause and cardiovascular mortality after stroke in the USA. *J. Neurol. Neurosurg. Psychiatry* 83: 146–151. doi:10.1136/jnnp-2011-300743
- Towfighi, A., Ovbiagele, B., Hussein, N. El, Hackett, M.L., Jorge, R.E., Kissela, B.M., et al., 2017. Post stroke depression: A scientific for healthcare professionals from the American Heart Association/American Stroke Associations. *Stroke* 48: 30–43. doi:10.1161/STR.000000000000113
- Tramacere, I., Boncoraglio, G.B., Banzi, R., Del Giovane, C., Kwag, K.H., Squizzato, A., et al., 2019. Comparison of statins for secondary prevention in patients with ischemic stroke or transient ischemic attack: A systematic review and network meta-analysis. *BMC Med.* 17: 1–12. doi:10.1186/s12916-019-1298-5
- Tremonti, C., & Thieben, M., 2021. Drugs in secondary stroke prevention. *Aust. Prescr.* 44: 85–90. doi:10.18773/austprescr.2021.018
- Trisetiawati, L., Yuniar, P., & . B., 2018. Recurrent Stroke among Patients at Indonesia's National Brain Center Hospital: Contributing Factors. *KnE Life Sci.* 4: 19–26. doi:10.18502/cls.v4i4.2259
- Tsai, P.C., Yip, P.K., Tai, J.J., & Lou, M.F., 2015. Needs of family caregivers of stroke patients: A longitudinal study of caregivers' perspectives. *Patient Prefer. Adherence* 9: 449–457. doi:10.2147/PPA.S77713
- Tyagi, S., Lim, D.S.Y., Ho, W.H.H., Koh, Y.Q., Cai, V., Koh, G.C.H., et al., 2018. Acceptance of tele-rehabilitation by stroke patients: perceived barriers and facilitators. *Arch. Phys. Med. Rehabil.* 99: 2472–2477.e2. doi:10.1016/j.apmr.2018.04.033
- Tyagi, S., Luo, N., Tan, C.S., Tan, K.B., Tan, B.Y., Menon, E., et al., 2021. Seeking healthcare services post-stroke: a qualitative descriptive study exploring family caregiver and stroke survivor perspectives in an asian setting. *BMC Neurol.* 21: 1–16. doi:10.1186/s12883-021-02463-7
- Utaiang, A., 2021. Experiences of Family Members in Caring of Stroke Patients : A Case Study in the Border Provinces of the Upper Northeast of Thailand. *Open Access Maced. J. Med. Sci.* 9: 172–179.
- Utarini, A., 2021. Tak Kenal Maka Tak Sayang: Penelitian Kualitatif dalam Pelayanan Kesehatan, in: Gadjah Mada University Press (Ed.), Gadjah Mada University Press. Gadjah Mada University Press, Gadjah Mada University Press, p. 2021.
- Vaghefi, I., & Tulu, B., 2019. The continued use of mobile health apps: Insights from a longitudinal study. *JMIR mHealth uHealth* 7: 1–11. doi:10.2196/12983
- Vibane, K., 2018. Stroke literacy among stroke survivors' family caregivers. *19th Int. Sci. Conf. "Economic Sci. Rural Dev. 2018". Bioeconomy. Financ. Taxes. Home Econ. New Dimens. Dev. Soc.* 49: 434–442. doi:10.22616/esrd.2018.163
- Viprey, M., Gouillet, M., Puppo, C., Termoz, A., Vecchia, C. Della, Derex, L., et al., 2020. A qualitative study of barriers and facilitators to adherence to secondary prevention medications among French patients suffering from stroke and transient ischemic attack. *Patient Prefer. Adherence* 14: 1213–



1223. doi:10.2147/PPA.S257323
- Vloothuis, J.D., Mulder, M., Nijland, R.H.M., Goedhart, Q.S., Konijnenbelt, M., Mulder, H., et al., 2019. Caregiver-mediated exercises with e-health support for early supported discharge after stroke (CARE4STROKE): A randomized controlled trial. *PLoS One* 8: 1–14. doi:10.1371/journal.pone.0214241 April
- Wan-Fei, K., Syed Hassan, S.T., Munn Sann, L., Fadhilah Ismail, S.I., Abdul Raman, R., & Ibrahim, F., 2017. Depression, anxiety and quality of life in stroke survivors and their family caregivers: A pilot study using an actor/partner interdependence model. *Electron. Physician* 9: 4924–4933. doi:10.19082/4924
- Wang, C., & Qi, H., 2021. Influencing factors of acceptance and use behavior of mobile health application users: Systematic review. *Healthc.* 9: 1–13. doi:10.3390/healthcare9030357
- Wang, J., & Cao, Y., 2023. Factors affecting users ' continuance intention toward mobile health : Integration of theory of consumption value and expectation confirmation. *Open Access Libr. J.* 10: 1–15. doi:10.4236/oalib.1109851
- Wang, Q., Liu, J., Zhou, L., Tian, J., Chen, X., Zhang, W., et al., 2022. Usability evaluation of mHealth apps for elderly individuals: a scoping review. *BMC Med. Inform. Decis. Mak.* 22: 1–17. doi:10.1186/s12911-022-02064-5
- Wang, S., & Liu, Z., 2025. Mechanisms and treatment of atrial fibrillation and stroke. *J. Transl. Intern. Med.* 13: 305–307. doi:10.1515/jtim-2025-0024
- Wang, X., Du, K., Zhu, K., Xu, S., & Zhang, S., 2021. Where shpuld mobile health application providers focus their goals ? *Int. J. Comput. Intell. Syst.* 14: 1–12. doi:10.2991/ijcis.d.210305.001
- Wang, X., Zhang, Z., Lin, B., Mei, Y., Wang, W., Zhang, C., et al., 2023. Relationship between perceived social support and health behavior in stroke patients: the mediating role of recurrence risk perception. *Res. Sq.* 23: 1–19. doi:10.21203/rs.3.rs-2788873/v1 License:
- Wang, Yilong, Xu, J., Zhao, X., Wang, D., Wang, C., Liu, L., et al., 2013. Association of hypertension with stroke recurrence depends on ischemic stroke subtype. *Stroke* 44: 1232–1237. doi:10.1161/STROKEAHA.111.000302
- Wangqin, R., Wang, X., Wang, Yilong, Xian, Y., Zhao, X., Liu, L., et al., 2017. Risk factors associated with 90-day recurrent stroke in patients on dual antiplatelet therapy for minor stroke or high-risk TIA : a subgroup analysis of the CHANCE trial. *Stroke Vasc. Neurol.* 0: 170–183. doi:10.1136/svn-2017-000088
- Weber, L.M., & Stein, J., 2018. The use of robots in stroke rehabilitation: A narrative review. *NeuroRehabilitation* 43: 99–110. doi:10.3233/NRE-172408
- Wei, Y., Zheng, P., Deng, H., Wang, X., Li, X., & Fu, H., 2020. Design features for improving mobile health intervention user engagement: Systematic review and thematic analysis. *J. Med. Internet Res.* 22: 1–14. doi:10.2196/21687
- Wein, T., Lindsay, M.P., Co, R., Foley, N., Berlingieri, J., Bhogal, S., et al., 2017. Canadian stroke best practice recommendations : Secondary prevention of stroke , sixth edition practice guidelines , update 2017. *Int. J. Stroke* 0: 1–24. doi:10.1177/1747493017743062



- Wen, T., Liu, B., Wan, X., Zhang, X., Zhang, J., Zhou, X., et al., 2018. Risk factors associated with 31-day unplanned readmission in 50,912 discharged patients after stroke in China. *BMC Neurol.* 18: 1–11. doi:10.2147/PPA.S351001
- Wentink, M., Bodegom-Vos, L. van, Brouns, B., Arwert, H., Houdik, S., Kewalbansing, P., et al., 2019. How to improve eRehabilitation programs in stroke care? A focus group study to identify requirements of end-users. *BMC Med. Inform. Decis. Mak.* 19: 1–11. doi:10.1186/s12911-019-0871-3
- Whelton, P.K., Appel, L.J., Sacco, R.L., Anderson, C.A.M., Antman, E.M., Campbell, N., et al., 2012. Sodium, blood pressure, and cardiovascular disease further evidence supporting the American Heart Association sodium reduction recommendations. *Circulation* 126: 2880–2889. doi:10.1161/CIR.0b013e318279acbf
- White, C.L., Barrientos, R., & Dunn, K., 2014. Dimensions of uncertainty after stroke: perspectives of the stroke survivor and family caregiver. *J. Neurosci. Nurs.* 46: 233–240. doi:10.1097/JNN.0000000000000066
- White, C.L., Brady, T.L., Saucedo, L.L., Motz, D., Sharp, J., & Birnbaum, L.A., 2015. Towards a better understanding of readmissions after stroke: Partnering with stroke survivors and caregivers. *J. Clin. Nurs.* 24: 1091–1100. doi:10.1111/jocn.12739
- WHO, 2016. Stroke: A global response is needed. *Bull. World Health Organ.* 94: 634A–635A. doi:10.2471/BLT.16.181636
- WHO, 2011. mHealth New Horizons for health through mobile technologies. *Proc. - Int. Work. Content-Based Multimed. Index.* 3: 130–135. doi:10.1109/CBMI.2010.5529886
- WHO, 2003. Adherence to Long-Term Therapies: Evidence for Action, in: Geneva, Switzerland. pp. 1–194.
- Wijayanti, S., 2025. Relationship between family knowledge and prevention of recurrent stroke attacks at the neurological polyclinic. *Lentera Perawat* 6: 10–15.
- Wildenbos, G.A., Peute, L., & Jaspers, M., 2018. Aging barriers influencing mobile health usability for older adults: A literature based framework (MOLD-US). *Int. J. Med. Inform.* 114: 66–75. doi:10.1016/j.ijmedinf.2018.03.012
- William, R., & Edastama, P., 2024. What factors affect continuous usage intention in health applications? *J. Ekon.* 13: 1380–1390. doi:10.54209/ekonomi.v13i04
- Winstein, C.J., Stein, J., Arena, R., Bates, B., Cherney, L.R., Cramer, S.C., et al., 2016. Guidelines for adult stroke rehabilitation and recovery: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke* 47: e98–e169. doi:10.1161/STR.0000000000000098
- Wirth, R., Smoliner, C., Jäger, M., Warnecke, T., Leischker, A.H., Dziewas, R., et al., 2013. Guideline clinical nutrition in patients with stroke. *Exp. Transl. Stroke Med.* 5: 1–11. doi:10.1186/2040-7378-5-14
- Wong, H.J., Harith, S., Lua, P.L., & Ibrahim, K.A., 2021. A Qualitative study exploring understanding and perceptions of stroke survivors regarding healthy lifestyle changes for secondary prevention. *Malaysian J. Med. Heal. Sci.* 17:



- 33–41. doi:eISSN 2636-9346
- World Health Organization, 2021. Leading causes of death, Indonesia [WWW Document]. www.data.who.int/countries/360.
- World Health Organization, 2018. Continuity and coordination of care A practice brief to support implementation of the WHO Framework on integrated people-centred health services, in: World Health Organization. World health Organization, pp. 1–68.
- World Health Organization, 2015. Guideline : Sugars intake for adults and children. Geneva, Switzerland, pp. 1–49.
- Wu, P., Zhang, R., Zhu, X., & Liu, M., 2022. Factors influencing continued usage behavior on mobile health applications. *Healthc.* 10: 1–18. doi:10.3390/healthcare10020208
- Wu, Q., Zhou, A., Han, Y., Liu, Y., Yang, Y., Wang, X., et al., 2019. Poststroke depression and risk of recurrent stroke A meta-analysis of prospective studie. *Medicine (Baltimore)*. 98: 1–6. doi:10.1097/MD.00000000000017235
- Wu, X., Liang, Y., Zheng, B., Wang, H., Ning, M., Zheng, H., et al., 2020. Care stress in caregivers of disabled stroke patients: A cross-sectional survey. *Ann. Palliat. Med.* 9: 2211–2220. doi:10.21037/apm-20-1369
- Wulansari, Y.P., Nurmala, I., & Hargono, R., 2020. Needs of family caregiver education for caring stroke patients at home. *Indian J. Public Heal. Res. Dev.* 11: 1375–1379.
- Xiao, L., Gao, Y., & Zhang, L., 2019. Consensus development of components of continuity of care for stroke patients: a Delphi methodology. *J. Public Heal.* 27: 273–279. doi:10.1007/s10389-018-0964-y
- Xiao, L.D., Wang, J., He, G.P., De Bellis, A., Verbeeck, J., & Kyriazopoulos, H., 2014. Family caregiver challenges in dementia care in Australia and China: A critical perspective. *BMC Geriatr.* 14: 1–13. doi:10.1186/1471-2318-14-6
- Xu, G., Liu, X., Wu, W., Zhang, R., & Yin, Q., 2007. Recurrence after Ischemic stroke in Chinese patients : impact of uncontrolled modifiable risk factors. *Cerebrovasc. Dis.* 23: 117–120. doi:10.1159/000097047
- Xu, J., Ding, X., Huang, K., & Chen, G., 2014. A pilot study of an inspection framework for automated usability guideline reviews of mobile health applications. *Proc. - Wirel. Heal. 2014, WH 2014* 1–8. doi:10.1145/2668883.2669585
- Xu, M.A., & Storr, G.B., 2012. Learning the concept of researcher as instrument in qualitative research. *Qual. Rep.* 17: 1–18. doi:10.46743/2160-3715/2012.1768
- Yang, C.P., Cheng, H.M., Lu, M.C., & Lang, H.C., 2019. Association between continuity of care and long-term mortality in Taiwanese first-ever stroke survivors: An 8-year cohort study. *PLoS One* 14: 1–13. doi:10.1371/journal.pone.0216495
- Ye, G., Gao, Q., Qi, P., Wang, J., Hu, S., Chen, K., et al., 2020. The role of diabetes mellitus on the thrombus composition in patients with acute ischemic stroke. *Interv. Neuroradiol.* 26: 1–8. doi:10.1177/1591019919896940
- Yeh, P.M., & Chang, Y., 2015. Use of Zarit Burden Interview in analysis of family caregivers' perception among Taiwanese caring with hospitalized relatives. *Int. J. Nurs. Pract.* 21: 622–634. doi:10.1111/ijn.12333



- Yesilbalkan, O.U., Karadakovan, A., Dogru, B.V., Akman, P., Ozel, E., & Bozturk, Y., 2019. Awareness of risk factors and warning signs of stroke among caregivers of patient with and not with stroke: results from questionnaire. *J. Pak. Med. Assoc.* 69: 1114–1118.
- Yin, J., Zhu, Y., Malik, V., Li, X., Peng, X., Zhang, F.F., et al., 2020. Intake of sugar-sweetened and low-calorie sweetened beverages and risk of cardiovascular disease : a meta-analysis and systematic review. *Adv. Nutr.* 12: 89–101. doi:10.1093/advances/nmaa084.
- Ying, C.Y., Harith, S., Ahmad, A., & Mukhali, H.B., 2018. Prevalence , risk factors and secondary prevention of stroke recurrence in eight countries from south , east and southeast asia : a scoping review. *Med. J. Malaysia* 73: 90–99.
- Yoon, B., & Uliassi, C., 2022. Researcher-as-instrument” in qualitative research: the complexities of the educational researcher’s identities. *Qual. Rep.* 27: 1088–1102. doi:10.46743/2160-3715/2022.5074
- Young, M.E., Lutz, B.J., Creasy, K.R., Cox, K.J., & Martz, C., 2016. A comprehensive assessment of family caregivers of stroke survivors during inpatient rehabilitation. *Disabil. Rehabil.* 36: 1892–1902. doi:10.3109/09638288.2014.881565.A
- Yuliana, T., Mahmudah, R., Palimbo, A., & Santoso, B.R., 2025. Hubungan tingkat pengetahuan keluarga dengan kejadian serangan berulang pasien stroke. *J. Penelit. Perawat Prof.* 7: 525–534.
- Zamanzadeh, V., Ghahramanian, A., Rassouli, M., Abbaszadeh, A., Alavi-Majd, H., & Nikanfar, A.-R., 2015. Design and implementation content validity study: development of an instrument for measuring patient-centered communication. *J. Caring Sci.* 4: 165–178. doi:10.15171/jcs.2015.017
- Zhang, C., Wang, Y., Zhao, X., & Liu, L., 2017. Prediction of recurrent stroke or transient ischemic attack after noncardiogenic posterior circulation ischemic stroke 1835–1841. doi:10.1161/STROKEAHA.116.016285
- Zhang, C., Zhao, X., Wang, C., Liu, L., & Ding, Y., 2015. Prediction factors of recurrent ischemic events in one year after minor stroke. *PLoS One* 1–12. doi:10.1371/journal.pone.0120105
- Zhang, H., Wang, T., Zhang, Z., Lin, B., Mei, Y., Zhang, Y., et al., 2020. The current status of stroke-related smartphone applications available to adopt in China. *Medicine (Baltimore)*. 99: 1–8. doi:10.1097/MD0000000000020656
- Zhang, S., & Song, J., 2023. An empirical investigation into the preferences of the elderly for user interface design in personal electronic health record systems. *Front. Digit. Heal.* 5: 1–11. doi:10.3389/fdgth.2023.1289904
- Zhao, J., Zeng, Z., Yu, J., Xu, J., Chen, P., Chen, Y., et al., 2021. Effect of main family caregiver’s anxiety and depression on mortality of patients with moderate-severe stroke. *Sci. Rep.* 11: 1–9. doi:10.1038/s41598-021-81596-8
- Zhao, W., Tang, H., Yang, X., Luo, X., Wang, X., Shao, C., et al., 2019. Fish consumption and stroke risk: A meta-analysis of prospective cohort studies. *J. Stroke Cerebrovasc. Dis.* 28: 604–611. doi:10.1016/j.jstrokecerebrovasdis.2018.10.036
- Zheng, J., 2024. Download behavior analysis based on google play store data. *Proc. 2nd Int. Conf. Financ. Technol. Bus. Anal.* 59: 116–126. doi:10.54254/2754-



1169/59/20231091

- Zheng, S., & Yao, B., 2018. Impact of risk factors for recurrence after the first ischemic stroke in adults : A systematic review and meta-analysis. *J. Clin. Neurosci.* 1–7. doi:10.1016/j.jocn.2018.10.026
- Zhou, L., Bao, J., Setiawan, I.M.A., Saptono, A., & Parmanto, B., 2019. The mHealth app usability questionnaire (MAUQ): Development and validation study. *JMIR Mhealth Uhealth* 7: 1–15. doi:10.2196/11500
- Zhu, R., Xu, K., Shi, J., & Yan, Q., 2016. Time interval between first ever and recurrent stroke in a population hospitalized for second stroke : A retrospective study. *Neurol. asia* 21: 209–216.