

DAFTAR PUSTAKA

- Abdalla, M.M.I., 2024. Therapeutic potential of adiponectin in prediabetes: strategies, challenges, and future directions. *Ther. Adv. Endocrinol. Metab.* 15, 20420188231222371. <https://doi.org/10.1177/20420188231222371>
- Abdullah, N., Kasim, K.F., 2017. In-vitro antidiabetic activity of clinacanthus nutans extracts. *Int. J. Pharmacogn. Phytochem. Res.* 9, 846–852.
- Afzal, S., Sattar, M.A., Johns, E.J., Eseyin, O.A., Attiq, A., 2021. Antioxidant potential of adiponectin and full PPAR- γ agonist in correcting streptozotocin-induced vascular abnormality in spontaneously hypertensive rats. *PPAR Res.* 2021, 1–17. <https://doi.org/10.1155/2021/6661181>
- Ağagündüz, D., Yeşildemir, Ö., Koçyiğit, E., Koçak, T., Özen Ünalı, B., Ayakdaş, G., Budán, F., 2024. Oxylipins derived from PUFAs in cardiometabolic diseases: mechanism of actions and possible nutritional interactions. *nutrients* 16, 3812. <https://doi.org/10.3390/nu16223812>
- Agu, P.C., Afuikwa, C.A., Orji, O.U., Ezeh, E.M., Ofoke, I.H., Ogbu, C.O., Ugwuja, E.I., Aja, P.M., 2023. Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management. *Sci. Rep.* 13. <https://doi.org/10.1038/s41598-023-40160-2>
- Alam, A., Ferdosh, S., Ghafoor, K., Hakim, A., Juraimi, A.S., Khatib, A., Sarker, Z.I., 2016. *Clinacanthus nutans*: a review of the medicinal uses, pharmacology and phytochemistry. *Asian Pac. J. Trop. Med.* 9, 402–409. <https://doi.org/10.1016/j.apjtm.2016.03.011>
- American Type Culture Collection (ATCC), 2021. C2C12 CRL-1772. American Type Culture Collection, Virginia.
- Awaluddin, F., Mas Jaya Putra, A., Supandi, S., 2015. Molecular docking studies of flavonoids of noni fruit (*Morinda citrifolia* L.) to peroxisome proliferator-activated receptor-gamma (PPAR- γ), in: advances in computer science research. Presented at the 3rd International Conference on Computation for Science and Technology (ICCST-3), Atlantis Press, Bali, Indonesia. <https://doi.org/10.2991/iccst-15.2015.18>
- Azemi, A.K., Mokhtar, S.S., Sharif, S.E.T., Rasool, A.H.G., 2021. *Clinacanthus nutans* attenuates atherosclerosis progression in rats with type 2 diabetes by reducing vascular oxidative stress and inflammation. *Pharm. Biol.* 59, 1430–1438. <https://doi.org/10.1080/13880209.2021.1990357>
- Baker, E.J., Miles, E.A., Calder, P.C., 2021. A review of the functional effects of pine nut oil, pinolenic acid and its derivative eicosatrienoic acid and their potential health benefits. *Prog. Lipid Res.* 82, 101097. <https://doi.org/10.1016/j.plipres.2021.101097>
- Chiu, Y.-J., Lo, Y.-H., Yang, J.-S., Kuo, S.-C., Tsai, S.-C., 2021. Curcumin derivative MTH-3 regulates palmitate-induced insulin resistance in mouse myoblast C₂C₁₂ cells. *In Vivo* 35, 3181–3191. <https://doi.org/10.21873/invivo.12613>
- Choi, S.H., Chung, S.S., Park, K.S., 2018. Re-highlighting the action of PPAR γ in treating metabolic diseases. *F1000Research* 7, 1127. <https://doi.org/10.12688/f1000research.14136.1>

- Choi, S.-S., Park, J., Choi, J.H., 2014. Revisiting PPAR γ as a target for the treatment of metabolic disorders. *BMB Rep.* 47, 599–608. <https://doi.org/10.5483/BMBRep.2014.47.11.174>
- Da Paixão, A.O., Bolin, A.P., Silvestre, J.G., Rodrigues, A.C., 2021. Palmitic acid impairs myogenesis and alters temporal expression of miR-133a and miR-206 in C2C12 Myoblasts. *Int. J. Mol. Sci.* 22, 2748. <https://doi.org/10.3390/ijms22052748>
- Dekina, S., Alexandrov, T., Drotleff, B., 2024. EMBL-MCF 2.0: an LC-MS/MS method and corresponding library for high-confidence targeted and untargeted metabolomics using low-adsorption HILIC chromatography. *Metabolomics* 20, 114. <https://doi.org/10.1007/s11306-024-02176-1>
- Denes, L.T., Riley, L.A., Mijares, J.R., Arboleda, J.D., McKee, K., Esser, K.A., Wang, E.T., 2019. Culturing C2C12 myotubes on micromolded gelatin hydrogels accelerates myotube maturation. *Skelet. Muscle* 9, 17. <https://doi.org/10.1186/s13395-019-0203-4>
- Deng, Y.-T., Chang, T.-W., Lee, M.-S., Lin, J.-K., 2012. Suppression of free fatty acid-induced insulin resistance by phytopolyphenols in C2C12 mouse skeletal muscle cells. *J. Agric. Food Chem.* 60, 1059–1066. <https://doi.org/10.1021/jf204496f>
- Dewinta, N.R., Mukono, I.S., Mustika, A., 2020. Pengaruh pemberian ekstrak dandang gendis (*Clinacanthus nutans*) terhadap kadar glukosa darah pada tikus wistar model diabetes melitus. *J. Med. Vet.* 3, 76. <https://doi.org/10.20473/jmv.vol3.iss1.2020.76-81>
- Diabetes Atlas 2025, 11th edn, International Diabetes Federation, Brussels
- Dimitriadis, G.D., Maratou, E., Kountouri, A., Board, M., Lambadiari, V., 2021. Regulation of postabsorptive and postprandial glucose metabolism by insulin-dependent and insulin-independent mechanisms: an integrative approach. *Nutrients* 13, 159. <https://doi.org/10.3390/nu13010159>
- Feng, X.-T., Wang, T.-Z., Leng, J., Chen, Y., Liu, J.-B., Liu, Y., Wang, W.-J., 2012. Palmitate contributes to insulin resistance through downregulation of the src-mediated phosphorylation of Akt in C2C12 myotubes. *Biosci. Biotechnol. Biochem.* 76, 1356–1361. <https://doi.org/10.1271/bbb.120107>
- Freeman AM, Acevedo LA, Pennings N. Insulin resistance. [Updated 2023 Aug 17]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025Jan. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK507839/>
- Fu, W.-C., Li, H.-Y., Li, T.-T., Yang, K., Chen, J.-X., Wang, S.-J., Liu, C.-H., Zhang, W., 2021. Pentadecanoic acid promotes basal and insulin-stimulated glucose uptake in C2C12 myotubes. *Food Nutr. Res.* 65. <https://doi.org/10.29219/fnr.v65.4527>
- GBIF. (n.d.) *Clinacanthus nutans* (Burm.fil.) Lindau. [online] Available at: <https://www.gbif.org/species/3774284> [Accessed 11 May 2025].
- Goyal R, Singhal M, Jialal I. Type 2 Diabetes. [Updated 2023 Jun 23]. In: Stat Pearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK513253/>

- Hu, S., Yao, J., Howe, A.A., Menke, B.M., Sivitz, W.I., Spector, A.A., Norris, A.W., 2012. Peroxisome proliferator-activated receptor- γ decouples fatty acid uptake from lipid inhibition of insulin signaling in skeletal muscle. *Mol. Endocrinol.* 26, 977–988. <https://doi.org/10.1210/me.2011-1253>
- Jang, J.H., Park, J.E., Han, J.S., 2020. Scopoletin increases glucose uptake through activation of PI3K and AMPK signaling pathway and improves insulin sensitivity in 3T3-L1 cells. *Nutrition Research.* 74, 52–61. <https://doi.org/10.1016/j.nutres.2019.12.006>
- Jung, T.W., Kim, H., Park, S.Y., Cho, W., Oh, H., Lee, H.J., Abd El-Aty, A.M., Hacimuftuoglu, A., Jeong, J.H., 2022. Stachydrine alleviates lipid-induced skeletal muscle insulin resistance via AMPK/HO-1-mediated suppression of inflammation and endoplasmic reticulum stress. *J. Endocrinol. Invest.* 45, 2181–2191. <https://doi.org/10.1007/s40618-022-01866-8>
- Kakisina, 2024. Uji Mekanisme Aksi Sediaan Polih herbal Sebagai Analgesik: Kajian In vivo dan In silico. [Thesis]. Universitas Gadjah Mada, Yogyakarta.
- Kampmann, U., Christensen, B., Nielsen, T.S., Pedersen, S.B., Ørskov, L., Lund, S., Møller, N., Jessen, N., 2011. GLUT-4 and UBC9 protein expression is reduced in muscle from type 2 diabetic patients with severe insulin resistance. *PLoS ONE* 6, e27854. <https://doi.org/10.1371/journal.pone.0027854>
- Kopál, M., Muchová, J., Ďuračková, Z., 2013. Modulation of insulin resistance by PUFA in metabolic tissues. *Eur. J. Lipid Sci. Technol.* 115, 475–482. <https://doi.org/10.1002/ejlt.201200229>
- Kosgei, V.J., Coelho, D., Guéant-Rodriguez, R.-M., Guéant, J.-L., 2020. Sirt1-PPARS cross-talk in complex metabolic diseases and inherited disorders of the one-carbon metabolism. *Cells* 9, 1882. <https://doi.org/10.3390/cells9081882>
- Kroetz, D.L., Zeldin, D.C., 2002. Cytochrome P450 pathways of arachidonic acid metabolism. *Curr. Opin. Lipidol.* 13, 273–283. <https://doi.org/10.1097/00041433-200206000-00007>
- Kroker, A.J., Bruning, J.B., 2015. Review of the structural and dynamic mechanisms of PPAR- γ partial agonism. *PPAR Res.* 2015, 1–15. <https://doi.org/10.1155/2015/816856>
- Kumar, N., Goel, N., 2019. Phenolic acids: Natural versatile molecules with promising therapeutic applications. *Biotechnol. Rep.* 24, e00370. <https://doi.org/10.1016/j.btre.2019.e00370>
- Kuna, M.R. & Mappa, M.R., 2022. Isolasi dan identifikasi senyawa flavonoid ekstrak metanol biji buah dumbaya (*Momordica cochinchinensis*) menggunakan metode liquid chromatography-mass spectrometry. *Jurnal Farmasi Tinctura*, 3(2), pp.72–83.
- Lankatillake, C., Huynh, T., Dias, D.A., 2019. Understanding glycaemic control and current approaches for screening antidiabetic natural products from evidence-based medicinal plants. *Plant Methods* 15, 105. <https://doi.org/10.1186/s13007-019-0487-8>

- Lee, S.-H., Park, S.-Y., Choi, C.S., 2022. Insulin resistance: from mechanisms to therapeutic strategies. *diabetes metab. J.* 46, 15–37. <https://doi.org/10.4093/dmj.2021.0280>
- Leonardini, A., Laviola, L., Perrini, S., Natalicchio, A., Giorgino, F., 2009. Cross-talk between PPAR- γ and insulin signaling and modulation of insulin sensitivity. *PPAR Res.* 2009, 818945. <https://doi.org/10.1155/2009/818945>
- Li, J., Dou, X., Li, S., Zhang, X., Zeng, Y., Song, Z., 2015. Nicotinamide ameliorates palmitate-induced ER stress in hepatocytes via cAMP/PKA/CREB pathway-dependent Sirt1 upregulation. *Biochim. Biophys. Acta BBA - Mol. Cell Res.* 1853, 2929–2936. <https://doi.org/10.1016/j.bbamer.2015.09.003>
- Mackenzie, R., Elliott, B., 2014. Akt/PKB activation and insulin signaling: a novel insulin signaling pathway in the treatment of type 2 diabetes. *Diabetes Metab. Syndr. Obes. Targets Ther.* 55. <https://doi.org/10.2147/DMSO.S48260>
- Medjakovic, S., Mueller, M., Jungbauer, A., 2010. Potential health-modulating effects of isoflavones and metabolites via activation of PPAR and AhR. *Nutrients* 2, 241–279. <https://doi.org/10.3390/nu2030241>
- Merz, K.E., Thurmond, D.C., 2020. Role of skeletal muscle in insulin resistance and glucose uptake, in: Terjung, R. (Ed.), *Comprehensive Physiology*. Wiley, pp. 785–809. <https://doi.org/10.1002/cphy.c190029>
- Morris, G.M., Lim-Wilby, M., 2008. Molecular docking. *Methods Mol. Biol.* Clifton NJ 443, 365–382. https://doi.org/10.1007/978-1-59745-177-2_19
- Muralikumar, S., Vetrivel, U., Narayanasamy, A., N. Das, U., 2017. Probing the intermolecular interactions of PPAR γ -LBD with polyunsaturated fatty acids and their anti-inflammatory metabolites to infer most potential binding moieties. *Lipids Health Dis.* 16, 17. <https://doi.org/10.1186/s12944-016-0404-3>
- Murini, T., Wahyuningsih, M.S.H., Satoto, T.B.T., Fudholi, A., Hanafi, M., 2018. Isolation and identification of a naturally occurring larvicidal compound isolated from *Zingiber zerumbet* (L). *J.E. SMITH. Asian J. Pharm. Clin. Res.* 11, 189. <https://doi.org/10.22159/ajpcr.2018.v11i2.21703>
- Mustika, A., Fatimah, N., Safitri, I., Susanti, N., Noor, N.S., 2023. *Clinacanthus nutans* L extracts reduce the serum tumor necrosis factor- α , malondialdehyde, and interleukin-6 levels and improve the Langerhans islet area in diabetic rat models. *Clin. Med. Insights Endocrinol. Diabetes* 16, 11795514231196462. <https://doi.org/10.1177/11795514231196462>
- Pereira, R.M., Moura, L.P.D., Muñoz, V.R., Silva, A.S.R.D., Gaspar, R.S., Ropelle, E.R., Pauli, J.R., 2017. Molecular mechanisms of glucose uptake in skeletal muscle at rest and in response to exercise. *Mot. Rev. Educ. Física* 23. <https://doi.org/10.1590/s1980-6574201700si0004>
- Perry, B.D., Caldow, M.K., Brennan-Speranza, T.C., Sbaraglia, M., Jerums, G., Garnham, A., Wong, C., Levinger, P., *et al.*, 2016. Muscle atrophy in patients with Type 2 Diabetes Mellitus: roles of inflammatory pathways, physical activity and exercise. *Exerc. Immunol. Rev.* 22, 94–109

- PERKENI, 2021. Pedoman pengelolaan dan pencegahan diabetes mellitus tipe 2 di Indonesia 2021. PB PERKENI.
- Phua, W.W.T., Wong, M.X.Y., Liao, Z., Tan, N.S., 2018. An aPPARent functional consequence in skeletal muscle physiology via peroxisome proliferator-activated receptors. *Int. J. Mol. Sci.* 19, 1425. <https://doi.org/10.3390/ijms19051425>
- Pinel, A., Morio-Liondore, B., Capel, F., 2014. n-3 polyunsaturated fatty acids modulate metabolism of insulin-sensitive tissues: implication for the prevention of type 2 diabetes. *J. Physiol. Biochem.* 70, 647–658. <https://doi.org/10.1007/s13105-013-0303-2>
- Pinzi, L., Rastelli, G., 2019. Molecular docking: shifting paradigms in drug discovery. *Int. J. Mol. Sci.* 20, 4331. <https://doi.org/10.3390/ijms20184331>
- Prasetyo, Y.C., 2023. Efek fraksi aktif herba ciplukan (*Physalis Angulata* Linn) terhadap konsumsi glukosa sel C2C12 myotube resisten insulin. [Thesis]. Universitas Gadjah Mada.
- Rakhmawati, R., 2024. Bioassay guided isolation senyawa aktif herba ciplukan (*Physalis angulata* L.) termonitor glucose consumption assay: isolasi dan identifikasi, molecular docking, dan penelusuran mekanisme aksinya pada sel myoblast [Disertasi]. Universitas Gadjah Mada
- Ríos, J., Francini, F., Schinella, G., 2015. Natural products for the treatment of type 2 diabetes mellitus. *Planta Med.* 81, 975–994. <https://doi.org/10.1055/s-0035-1546131>
- Sabindo, N.H., Yatim, R.M., Ponnuraj, K.T., 2024. Phytochemical composition of *Clinacanthus nutans* based on factors of environment, genetics and postharvest processes: A review. *BioMedicine* 14. <https://doi.org/10.37796/2211-8039.1451>
- Sands, C.J., Gómez-Romero, M., Correia, G., Chekmeneva, E., Camuzeaux, S., Izzi-Engbeaya, C., Dhillon, W.S., Takats, Z., Lewis, M.R., 2021. Representing the metabolome with high fidelity: range and response as quality control factors in LC-MS-based global profiling. *Anal. Chem.* 93, 1924–1933. <https://doi.org/10.1021/acs.analchem.0c03848>
- Sari, I.W., Junaidin, J., Pratiwi, D., 2020. Studi molecular docking senyawa flavonoid herba kumis kucing (*Orthosiphon Stamineus* B.) pada reseptor α -glukosidase sebagai antidiabetes tipe 2. *J. Farmagazine* 7, 54. <https://doi.org/10.47653/farm.v7i2.194>
- Schrimpe-Rutledge, A.C., Codreanu, S.G., Sherrod, S.D., McLean, J.A., 2016. Untargeted metabolomics strategies-challenges and emerging directions. *J. Am. Soc. Mass Spectrom.* 27, 1897–1905. <https://doi.org/10.1007/s13361-016-1469-y>
- Septaningsih, D.A., Darusman, L.K., Afendi, F.M., Heryanto, R., 2018. Liquid chromatography mass spectrometry (LC-MS) fingerprint combined with chemometrics for identification of metabolites content and biological activities of *Curcuma aeruginosa*. *Indones. J. Chem.* 18, 43. <https://doi.org/10.22146/ijc.25456>

- Sharma, V., Patial, V., 2022. *Peroxisome Proliferator-Activated Receptor gamma* and its natural agonists in the treatment of kidney diseases. *Front. Pharmacol.* 13, 991059. <https://doi.org/10.3389/fphar.2022.991059>
- Shi, L., Jia, W., Zhang, L., Xu, C., Chen, X., Yin, L., *et al.*, 2019. Glucose consumption assay discovers coptisine with beneficial effect on diabetic mice. *Eur. J. Pharmacol.* 859, 172523. <https://doi.org/10.1016/j.ejphar.2019.172523>
- Stöckli, J., Fazakerley, D.J., James, D.E., 2011. GLUT-4 exocytosis. *J. Cell Sci.* 124, 4147–4159. <https://doi.org/10.1242/jcs.097063>
- Susanti, N., 2023. Potential of *Clinacanthus nutans* as an alternative therapeutic agent for diabetes mellitus, in: Yueniwati, Y., Tchoyoson, L.C.C., Hamid, H.B.A., Arsana, P.M., Nakagoshi, N. (Eds.), *Proceedings of the International Conference of Medical and Life Science (ICoMELISA 2021)*. Atlantis Press International BV, Dordrecht, pp. 27–36. https://doi.org/10.2991/978-94-6463-208-8_6
- Syarif, R.A., Wahyuningsih, M.S.H., Mustofa, M., Ngatidjan, N., 2019. Antiplasmodial and onset speed of growth inhibitory activities of *Tithonia diversifolia* (Hemsley) A Gray leaf fractions against *Plasmodium falciparum*. *Trop. J. Pharm. Res.* 17, 2213. <https://doi.org/10.4314/tjpr.v17i11.15>
- Tontonoz, P., Spiegelman, B.M., 2008. Fat and beyond: the diverse biology of PPAR γ . *Annu. Rev. Biochem.* 77, 289–312. <https://doi.org/10.1146/annurev.biochem.77.061307.091829>
- Umeno, A., Horie, M., Murotomi, K., Nakajima, Y., Yoshida, Y., 2016. Antioxidative and antidiabetic effects of natural polyphenols and isoflavones. *Molecules* 21, 708. <https://doi.org/10.3390/molecules21060708>
- Verma, N.K., Singh, J., Dey, C.S., 2004. PPAR- γ expression modulates insulin sensitivity in C2C12 skeletal muscle cells. *Br. J. Pharmacol.* 143, 1006–1013.
- Wahyuningsih, M.S.H., Putri, S.U., Viktaria, V., Nugrahaningsih, D.A.A., Wicaksono, A.J., 2025. Bioassay-guided partition of dandang gendis (*Clinacanthus nutans* L.) monitored by glucose consumption assay on myoblast cells and GLUT-4 molecular docking analysis. *Trop. J. Nat. Prod. Res.* 9. <https://doi.org/10.26538/tjnpr/v9i3.31>
- Wahyuningsih, M.S.H., Rakhmawati, R., 2024. *Penemuan dan pengembangan senyawa obat dari bahan alam*. Gadjah Mada University Press, Yogyakarta.
- Wahyuningsih, M.S.H., Wijayanti, M.A., Budiyanto, A., 2015. Isolation and identification of potential cytotoxic compound from Kembang Bulan [*Tithonia Diversifolia* (Hemsley) A Gray] Leaves. *Int. J. Pharm. Pharm. Sci.* 7, 298–301.
- Wahyuningsih, M.S.H., Wiwekananda, K.S.S., Putri, A.P.R., Nugrahaningsih, D.A.A., Yuniyanti, M.M., 2023. Bioassay-guided fractionation of Ciplukan (*Physalis angulata* L.) monitored by glucose consumption assay and thin-layer chromatography on myoblast cells. *Maj. Obat Tradis.* 28, 22. <https://doi.org/10.22146/mot.79783>

- Wahyuningsih, M.S.H., Yuliani, F.S., Rahmawati, D.Y., Pratiwi, A.N., 2018. Efek antifibrotik ekstrak etanol *Nerium indicum* Mill. dengan marker 5 α -oleandrin pada sel fibroblas keloid. *Tradit. Med. J.* 23, 70–78.
- Wang, L., Waltenberger, B., Pferschy-Wenzig, E.-M., Blunder, M., Liu, X., Malainer, C., *et al.*, 2014. Natural product agonists of *Peroxisome Proliferator-Activated Receptor gamma* (PPAR γ): a review. *Biochem. Pharmacol.* 92, 73–89. <https://doi.org/10.1016/j.bcp.2014.07.018>
- Wang, Y., Ma, L., Zhang, M., Chen, M., Li, P., He, C., Yan, C., Wan, J.-B., 2019. A simple method for peak alignment using relative retention time related to an inherent peak in Liquid Chromatography-Mass Spectrometry-Based Metabolomics. *J. Chromatogr. Sci.* 57, 9–16. <https://doi.org/10.1093/chromsci/bmy074>
- Wong, Chun Y, Al-Salami, H., Dass, C.R., 2020. C2C12 cell model: its role in understanding of insulin resistance at the molecular level and pharmaceutical development at the preclinical stage. *J. Pharm. Pharmacol.* 72, 1667–1693. <https://doi.org/10.1111/jphp.13359>
- Wulan, F.F., Astuti, E., Prasetyo, N., Kumar, N., Wahyuningsih, T.D., 2025. Investigating chlorothiophene-based chalcones as anticancer agents: Synthesis, biological evaluation, and computational insight via the p53-targeted pathway. *Arab. J. Chem.* 18, 312024. https://doi.org/10.25259/AJC_31_2024
- Yahfoufi, N., Alsadi, N., Jambi, M., Matar, C., 2018. The immunomodulatory and anti-inflammatory role of polyphenols. *Nutrients* 10, 1618. <https://doi.org/10.3390/nu10111618>
- Yang, M., Wei, D., Mo, C., Zhang, J., Wang, X., Han, X., Wang, Z., Xiao, H., 2013. Saturated fatty acid palmitate-induced insulin resistance is accompanied with myotube loss and the impaired expression of health benefit myokine genes in C2C12 myotubes. *Lipids Health Dis.* 12, 104. <https://doi.org/10.1186/1476-511X-12-104>
- Yang, Z.-J., Huang, S.-Y., Cheng, J., Zeng, J.-W., Wusiman, M., Li, H.-B., Zhu, H.-L., 2025. Betaine: a comprehensive review on dietary sources, health benefits, mechanisms of action, and application. *Trends Food Sci. Technol.* 159, 104993. <https://doi.org/10.1016/j.tifs.2025.104993>
- Yoon, G., Park, S., 2014. Antioxidant action of soy isoflavones on oxidative stress and antioxidant enzyme activities in exercised rats. *Nutr. Res. Pract.* 8, 618–624. <https://doi.org/10.4162/nrp.2014.8.6.618>
- Yudhani, R.D., Sari, Y., Nugrahaningsih, D.A.A., Sholikhah, E.N., Rochmanti, M., Purba, A.K.R., Khotimah, H., Nugrahenny, D., Mustofa, M., 2023. In vitro insulin resistance model: A Recent Update. *J. Obes.* 2023, 1–13. <https://doi.org/10.1155/2023/1964732>
- Zhang, N., Zhang, W., Guo, X., Liu, J., Li, S., Zhang, H., Fan, B., 2022. Genistein protects against hyperglycemia and fatty liver disease in diet-induced prediabetes mice via activating hepatic insulin signaling pathway. *Front. Nutr.* 9, 1072044. <https://doi.org/10.3389/fnut.2022.1072044>
- Zhang, P., Ang, I.L., Lam, M.M.T., Wei, R., Lei, K.M.K., Zhou, X., Lam, H.H.N., He, Q., Poon, T.C.W., 2021. Susceptibility to false discovery in biomarker

research using liquid chromatography–high resolution mass spectrometry based untargeted metabolomics profiling. *Clin. Transl. Med.* 11, e469. <https://doi.org/10.1002/ctm2.469>

Zhang, Q., Kong, X., Yuan, H., Guan, H., Li, Y., Niu, Y., 2019. Mangiferin improved palmitate-induced-insulin resistance by promoting free fatty acid metabolism in HepG2 and C2C12 Cells via PPAR α : Mangiferin Improved Insulin Resistance. *J. Diabetes Res.* 2019, 1–13. <https://doi.org/10.1155/2019/2052675>

Zhou, M., Konigsberg, W.H., Hao, C., Pan, Y., Sun, J., Wang, X., 2023. Bioactivity and mechanisms of flavonoids in decreasing insulin resistance. *J. Enzyme Inhib. Med. Chem.* 38, 2199168. <https://doi.org/10.1080/14756366.2023.2199168>

Zulkipli, I.N., Rajabalaya, R., Idris, A., Sulaiman, N.A., David, S.R., 2017. *Clinacanthus nutans*: a review on ethnomedicinal uses, chemical constituents and pharmacological properties. *Pharm. Biol.* 55, 1093–1113. <https://doi.org/10.1080/13880209.2017.1288749>