UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adem, E., Boteva, S., Zhang, L., & Elhag, M. (2023). Estimation of evapotranspiration based on METRIC and SEBAL model using remote sensing, near Al-Jouf, Saudi Arabia. *Desalination and Water Treatment*, *290*, 94–103. https://doi.org/10.5004/dwt.2023.29478

Adiningrum, C. (2016). Analisis Perhitungan Evapotranspirasi Aktual Terhadap Perkiraan Debit Kontinyu dengan Metode Mock. *Jurnal Teknik Sipil*, *13*(2), 135–147. https://doi.org/10.24002/jts.v13i2.649

Alam, M. S., Lamb, D. W., & Warwick, N. W. M. (2021). A canopy transpiration model based on scaling up stomatal conductance and radiation interception as affected by leaf area index. *Water (Switzerland)*, *13*(3). https://doi.org/10.3390/w13030252

Allen, Richard G., Pereira, Luis S., Raes, Dirk and Smith, M. (1998). FAO Irrigation and Drainage Paper Crop by. *Irrigation and Drainage*, *300*(56), 300. http://www.kimberly.uidaho.edu/water/fao56/fao56.pdf

Allen et al. (1998). FAO Irrigation and Drainage Paper Crop by. *Irrigation and Drainage*, *300*(56), 300. http://www.kimberly.uidaho.edu/water/fao56/fao56.pdf

Allen, R. G., Tasumi, M., Morse, A., Trezza, R., Wright, J. L., Bastiaanssen, W., Kramber, W., Lorite, I., & Robison, C. W. (2007). Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications. *Journal of Irrigation and Drainage Engineering*, *133*(4), 395–406. https://doi.org/10.1061/(asce)0733-9437(2007)133:4(395)

Asner, G. P., Scurlock, J. M. O., & Hicke, J. a. (2003). Global synthesis of leaf area index observations : *Global Ecology & Biogeography*, *12*(2003), 191–205.

Bastiaanssen, W. G. M., Menenti, M., Feddes, R. A., & Holtslag, A. A. M. (1998). 1998-Bastiaanssen-surface energy balance algorithm for land (SEBAL) : 1.

UNIVERSITAS GADJAH MADA
Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Formulation.PDF. *Journal of Hydrology*, *213*, 198–212.

Bhusal, N., Santiago, L. S., Lee, J., Jeong, S., Park, I. H., Choi, B. H., Kweon, H. J., Han, S. G., & Yoon, T. M. (2024). Daily and seasonal changes of sap flow in Gamhong apple cultivar and estimate the tree-level transpiration using Penman-Monteith reference evapotranspiration. *South African Journal of Botany*, *173*, 397–410. https://doi.org/10.1016/j.sajb.2024.08.042

Callañaupa Gutierrez, S., Segura Cajachagua, H., Saavedra Huanca, M., Flores Rojas, J., Silva Vidal, Y., & Cuxart, J. (2021). Seasonal variability of daily evapotranspiration and energy fluxes in the Central Andes of Peru using eddy covariance techniques and empirical methods. *Atmospheric Research*, *261*(June). https://doi.org/10.1016/j.atmosres.2021.105760

Cammalleri, C., Anderson, M. C., Bambach, N. E., McElrone, A. J., Knipper, K., Roby, M. C., Ciraolo, G., DeCaro, D., Ippolito, M., Corbari, C., Ceppi, A., Mancini, M., & Kustas, W. P. (2024). A fully remote sensing-based implementation of the two-source energy balance model: an application over Mediterranean crops. *Agricultural Water Management*, *306*(October). https://doi.org/10.1016/j.agwat.2024.109207

Chaves, M. E. D., Picoli, M. C. A., & Sanches, I. D. (2020). Recent applications of Landsat 8/OLI and Sentinel-2/MSI for land use and land cover mapping: A systematic review. *Remote Sensing*, *12*(18). https://doi.org/10.3390/rs12183062

Chen, X., Su, Z., Ma, Y., Trigo, I., & Gentine, P. (2021). Remote Sensing of Global Daily Evapotranspiration based on a Surface Energy Balance Method and Reanalysis Data. *Journal of Geophysical Research: Atmospheres*, *126*(16), 1–22. https://doi.org/10.1029/2020JD032873

Chen, X., Yu, S., Zhang, H., Li, F., Liang, C., & Wang, Z. (2023). Estimating the Actual Evapotranspiration Using Remote Sensing and SEBAL Model in an Arid Environment of Northwest China. *Water (Switzerland)*, *15*(8). https://doi.org/10.3390/w15081555

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Collins, S. P., Storrow, A., Liu, D., Jenkins, C. A., Miller, K. F., Kampe, C., & Butler, J. (2021). *Remote Sensing and Image Interpretation*.

Cone, J. (1998). Principles of Geographical Information Systems by Peter A. *New Zealand Geographer*, *54*(2), 56–57. https://doi.org/10.1111/j.1745-7939.1998.tb02089.x

Du, J., Song, K., Wang, Z., Zhang, B., & Liu, D. (2013). Evapotranspiration estimation based on MODIS products and surface energy balance algorithms for land (SEBAL) model in Sanjiang Plain, Northeast China. *Chinese Geographical Science*, *23*(1), 73–91. https://doi.org/10.1007/s11769-013-0587-8

Fang, H., Baret, F., Plummer, S., & Schaepman-Strub, G. (2019). An Overview of Global Leaf Area Index (LAI): Methods, Products, Validation, and Applications. *Reviews of Geophysics*, *57*(3), 739–799. https://doi.org/10.1029/2018RG000608

Farr, T. G., Rosen, P. A., Caro, E., Crippen, R., Duren, R., Hensley, S., Kobrick, M., Paller, M., Rodriguez, E., Roth, L., Seal, D., Shaffer, S., Shimada, J., Umland, J., Werner, M., Oskin, M., Burbank, D., & Alsdorf, D. E. (2007). The shuttle radar topography mission. *Reviews of Geophysics*, *45*(2). https://doi.org/10.1029/2005RG000183

Fawzi, N. I. (2014). Pemetaan Emisivitas Menggunakan Indeks Vegetasi (Surface Emissivity Mapping Using Vegetation Indices). *Majalah Ilmiah Globë*, *16*(2), 133–140.

Fibriana, R., Ginting, Y. S., Ferdiansyah, E., & Mubarak, S. (2018). Analisis Besar Atau Laju Evapotranspirasi pada Daerah Terbuka. *Agrotekma: Jurnal Agroteknologi Dan Ilmu Pertanian*, *2*(2), 130. https://doi.org/10.31289/agr.v2i2.1626

Foody, G. (2010). Assessing the Accuracy of Remotely Sensed Data: Principles and Practices. In *The Photogrammetric Record* (Vol. 25, Issue 130).

Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1111/j.1477-9730.2010.00574_2.x

French, A. N., Sanchez, C. A., Wirth, T., Scott, A., Shields, J. W., Bautista, E., Saber, M. N., Wisniewski, E., & Gohardoust, M. R. (2023). Remote sensing of evapotranspiration for irrigated crops at Yuma, Arizona, USA. *Agricultural Water Management*, *290*(November), 108582. https://doi.org/10.1016/j.agwat.2023.108582

Gao, X., Yao, Y., Chen, S., Li, Q., Zhang, X., Liu, Z., & Zeng, Y. (2024). Improved maize leaf area index inversion combining plant height corrected resampling size and random forest model using UAV images at fine scale. *European Journal of Agronomy*, *161*(May), 127360. https://doi.org/10.1016/j.eja.2024.127360

Ghisi, T., Fischer, M., Nieto, H., Kowalska, N., Jocher, G., Homolová, L., Burchard-Levine, V., Žalud, Z., & Trnka, M. (2024). Evaluation of the METRIC and TSEB remote sensing evapotranspiration models in the floodplain area of the Thaya and Morava Rivers. *Journal of Hydrology: Regional Studies*, *53*(January). https://doi.org/10.1016/j.ejrh.2024.101785

Goyal, P., Kumar, S., & Sharda, R. (2023). A review of the Artificial Intelligence (AI) based techniques for estimating reference evapotranspiration: Current trends and future perspectives. *Computers and Electronics in Agriculture*, *209*(July 2022), 107836. https://doi.org/10.1016/j.compag.2023.107836

Guo, J., Xiao, D., Sun, X., Guo, F., Xue, S., & Fan, L. (2024). Drought risk assessment on arid region under different socioeconomic scenarios: A case of Loess Plateau, China. *Ecological Indicators*, *167*(October), 112728. https://doi.org/10.1016/j.ecolind.2024.112728

Han, Y., Calabrese, S., Du, H., & Yin, J. (2024). Evaluating biases in Penman and Penman–Monteith evapotranspiration rates at different timescales. *Journal of Hydrology*, *638*(April), 131534. https://doi.org/10.1016/j.jhydrol.2024.131534

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*, *25*(3), 295–309. https://doi.org/10.1016/0034-4257(88)90106-X

Huggel, C., Schneider, D., Miranda, P. J., Delgado Granados, H., & Kääb, A. (2008). Evaluation of ASTER and SRTM DEM data for lahar modeling: A case study on lahars from Popocatépetl Volcano, Mexico. *Journal of Volcanology and Geothermal Research*, *170*(1–2), 99–110. https://doi.org/10.1016/j.jvolgeores.2007.09.005

Iqbal, B., Ali, M., Fahim, B., & Nazir, J. (2024). Application of surface energy balance Algorithm for land (SEBAL) for mapping spatiotemporal evapotranspiration over various climatic zones of Pakistan. *Advances in Space Research*, *74*(1), 145–162. https://doi.org/10.1016/j.asr.2024.03.064

Jensen, J. R. (2009). *Remote Sensing of the Environment An Earth Resource Perspective*.

Jian, D., Li, X., Sun, H., Tao, H., Jiang, T., Su, B., & Hartmann, H. (2018). Estimation of actual evapotranspiration by the complementary theory-based advection-aridity model in the tarim river basin, China. *Journal of Hydrometeorology*, *19*(2), 289–303. https://doi.org/10.1175/JHM-D-16-0189.1

Jonathan, W. Chipman; Lillesand, Thomas M.; Kiefer, R. W. (2016). *Remote Sensing of the Environment, An Earth Resource*.

Karbalaye, A., Rao, S., Hessels, T., Bastiaanssen, W., & Kisekka, I. (2025). Science of the Total Environment Enhancing evapotranspiration estimates in composite terrain through the integration of satellite remote sensing and eddy covariance measurements. *Science of the Total Environment*, *963*(December 2024), 178530. https://doi.org/10.1016/j.scitotenv.2025.178530

Kumar, P., Deka, D., Yadav, A., Ashwani, Kumar, M., Das, J. P., Singh, A., & Gurjar, A. (2024). Potential and actual evapotranspiration and Landsat-

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

derived indices. *Global Journal of Environmental Science and Management*, *10*(3), 1227–1248. https://doi.org/10.22034/gjesm.2024.03.18

Li, Z. L., Tang, R., Wan, Z., Bi, Y., Zhou, C., Tang, B., Yan, G., & Zhang, X. (2009). A review of current methodologies for regional Evapotranspiration estimation from remotely sensed data. *Sensors*, *9*(5), 3801–3853. https://doi.org/10.3390/s90503801

Liang, S., Shuey, C. J., Russ, A. L., Fang, H., Chen, M., Walthall, C. L., Daughtry, C. S. T., & Hunt, R. (2003). Narrowband to broadband conversions of land surface albedo: II. Validation. *Remote Sensing of Environment*, *84*(1), 25–41. https://doi.org/10.1016/S0034-4257(02)00068-8

Mallick, J., Singh, C. K., Shashtri, S., Rahman, A., & Mukherjee, S. (2012). Land surface emissivity retrieval based on moisture index from LANDSAT TM satellite data over heterogeneous surfaces of Delhi city. *International Journal of Applied Earth Observation and Geoinformation*, *19*(1), 348–358. https://doi.org/10.1016/j.jag.2012.06.002

Mayr, S., Kuenzer, C., Gessner, U., Klein, I., & Rutzinger, M. (2019). Validation of earth observation time-series: A review for large-area and temporally dense land surface products. *Remote Sensing*, *11*(22). https://doi.org/10.3390/rs11222616

Mondal, I., Thakur, S., De, A., & De, T. K. (2022). Application of the METRIC model for mapping evapotranspiration over the Sundarban Biosphere Reserve, India. *Ecological Indicators*, *136*, 108553. https://doi.org/10.1016/j.ecolind.2022.108553

Rahmi, K. I. N. (2014). *Penggunaan Algoritma Surface Energy Balance System (Sebs) Pada Citra Landsat 8 Multitemporal Untuk Estimasi Evapotranspirasi Aktual Di DAS Mangkang Timur, DAS Garang, Dan DAS Kanal Timur*. 1–203.

Ramírez-Cuesta, J. M., Allen, R. G., Intrigliolo, D. S., Kilic, A., Robison, C. W.,

Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Trezza, R., Santos, C., & Lorite, I. J. (2020). METRIC-GIS: An advanced energy balance model for computing crop evapotranspiration in a GIS environment. *Environmental Modelling and Software*, *131*(June), 104770. https://doi.org/10.1016/j.envsoft.2020.104770

Santamouris, M. (2014). Cooling the cities - A review of reflective and green roof mitigation technologies to fight heat island and improve comfort in urban environments. *Solar Energy*, *103*, 682–703. https://doi.org/10.1016/j.solener.2012.07.003

Santrum, M. J., Tokan, M. K., & Imakulata, M. M. (2021). Estimasi Indeks Luas Daun dan Fotosintesis Bersih Kanopi Hutan Mangrove di Pantai Salupu Kecamatan Kupang Barat Kabupaten Kupang. *Haumeni Journal of Education*, *1*(2), 38–43. https://doi.org/10.35508/haumeni.v1i2.5402

Sarma, A., & Bharadwaj, K. (2020). Determination of crop-coefficients and estimation of evapotranspiration of rapeseed using lysimeter and different reference evapotranspiration models. *Journal of Agrometeorology*, *22*(2), 172–178.

Senay, G. B. (2018). Satellite psychrometric formulation of the operational simplified surface energy balance (ssebop) model for. *Applied Engineering in Agriculture*, *34*(3), 555–566. https://doi.org/10.13031/aea.12614

Senay, G. B., Budde, M. E., & Verdin, J. P. (2011). Enhancing the Simplified Surface Energy Balance (SSEB) approach for estimating landscape ET: Validation with the METRIC model. *Agricultural Water Management*, *98*(4), 606–618. https://doi.org/10.1016/j.agwat.2010.10.014

Shahfahad, Talukdar, S., Naikoo, M. W., Rahman, A., Gagnon, A. S., Islam, A. R. M. T., & Mosavi, A. (2023). Comparative evaluation of operational land imager sensor on board landsat 8 and landsat 9 for land use land cover mapping over a heterogeneous landscape. *Geocarto International*, *38*(1). https://doi.org/10.1080/10106049.2022.2152496

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Shamloo, N., Taghi Sattari, M., Apaydin, H., Valizadeh Kamran, K., & Prasad, R. (2021). Evapotranspiration estimation using SEBAL algorithm integrated with remote sensing and experimental methods. *International Journal of Digital Earth*, *14*(11), 1638–1658. https://doi.org/10.1080/17538947.2021.1962996

Singh, R. K., & Senay, G. B. (2016). Comparison of four different energy balance models for estimating EvapoTranspiration in the Midwestern United States. *Water (Switzerland)*, *8*(1), 1–19. https://doi.org/10.3390/w8010009

Smith, R. B. (2010). The heat budget of the earth ' s surface deduced from space (R . B . Smith ; Version : March , 2010) 2 . Solar Radiation (VIS and SWIR) a . Basic equations. *Terrain*, *0*, 1–10.

Sobrino, J. A., Rocha, N. S. da, Skoković, D., Käfer, P. S., López-Urrea, R., Jiménez-Muñoz, J. C., & Rolim, S. B. A. (2021). Evapotranspiration estimation with the s-sebi method from landsat 8 data against lysimeter measurements at the barrax site, Spain. *Remote Sensing*, *13*(18). https://doi.org/10.3390/rs13183686

Song, Y. H., Chung, E. S., & Shahid, S. (2024). Global future potential evapotranspiration signal using Penman-Monteith and Hargreaves-Samani method by latitudes based on CMIP6. *Atmospheric Research*, *304*(December 2023), 107367. https://doi.org/10.1016/j.atmosres.2024.107367

Stisen, S., Sandholt, I., Nørgaard, A., Fensholt, R., & Jensen, K. H. (2008). Combining the triangle method with thermal inertia to estimate regional evapotranspiration - Applied to MSG-SEVIRI data in the Senegal River basin. *Remote Sensing of Environment*, *112*(3), 1242–1255. https://doi.org/10.1016/j.rse.2007.08.013

Su, Z. (2002). The Surface Energy Balance System (SEBS) for estimation of turbulent heat fluxes. *Hydrology and Earth System Sciences*, *6*(1), 85–99. https://doi.org/10.5194/hess-6-85-2002

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Supangat, A. B. (2016). Analisis Perubahan Nilai Pendugaan Evapotranspirasi Potensial Akibat Perubahan Iklim di Kawasan Hutan Tanaman Eucalyptus pellita. *Prosiding Seminar Nasional Geografi UMS 2016 UPAYA PENGURANGAN RISIKO BENCANA TERKAIT PERUBAHAN IKLIM*, 112–122.

Taha, H. (1997). Urban climates and heat islands: Albedo, evapotranspiration, and anthropogenic heat. *Energy and Buildings*, *25*(2), 99–103. https://doi.org/10.1016/s0378-7788(96)00999-1

Tasumi, M. (2019). Estimating evapotranspiration using METRIC model and Landsat data for better understandings of regional hydrology in the western Urmia Lake Basin. *Agricultural Water Management*, *226*(October), 105805. https://doi.org/10.1016/j.agwat.2019.105805

USGS. (2016). *Department of the Interior U.S. Geological Survey*. *8*.

Van Zyl, J. J. (2001). The shuttle radar topography mission (SRTM): A breakthrough in remote sensing of topography. *Acta Astronautica*, *48*(5–12), 559–565. https://doi.org/10.1016/S0094-5765(01)00020-0

Vázquez-Rodríguez, B. A., Ontiveros-Capurata, R. E., González-Sánchez, A., & Ruíz-Álvarez, O. (2024). Comparative analysis of actual evapotranspiration values estimated by METRIC model using LOCAL data and EEFlux for an irrigated area in Northern Sinaloa, Mexico. *Heliyon*, *10*(15), e34767. https://doi.org/10.1016/j.heliyon.2024.e34767

Vishwakarma, D. K., Pandey, K., Kaur, A., Kushwaha, N. L., Kumar, R., Ali, R., Elbeltagi, A., & Kuriqi, A. (2022). Methods to estimate evapotranspiration in humid and subtropical climate conditions. *Agricultural Water Management*, *261*(September 2021), 107378. https://doi.org/10.1016/j.agwat.2021.107378

Walls, S., Binns, A. D., Levison, J., & MacRitchie, S. (2020). Prediction of actual evapotranspiration by artificial neural network models using data from a Bowen ratio energy balance station. *Neural Computing and Applications*,

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

32(17), 14001–14018. https://doi.org/10.1007/s00521-020-04800-2

Wang, L., Wu, B., Zhu, W., Elnashar, A., Yan, N., & Ma, Z. (2025). Evapotranspiration Disaggregation Using an Integrated Indicating Factor Based on Slope Units. *Remote Sensing*, *17*(7). https://doi.org/10.3390/rs17071201

Waters, R., Allen, R., Tasumi, M., Trezza, R., & Bastiaanssen, W. (2002). Surface Energy Balance Algorithms for Land (SEBAL). *Advanced Training and Users Manual*, 1–97.

Wei, J., Cui, Y., & Luo, Y. (2023). Rice growth period detection and paddy field evapotranspiration estimation based on an improved SEBAL model: Considering the applicable conditions of the advection equation. *Agricultural Water Management*, *278*(January), 108141. https://doi.org/10.1016/j.agwat.2023.108141

WMO. (2008). Guide to Hydrological Practices Volume I Hydrology – From Measurement to Hydrological Information. In *International Journal of Tomography and Statistics* (Vol. 6).

Wu, B., Zhu, W., Yan, N., Xing, Q., Xu, J., Ma, Z., & Wang, L. (2020). Regional actual evapotranspiration estimation with land and meteorological variables derived from multi-source satellite data. *Remote Sensing*, *12*(2). https://doi.org/10.3390/rs12020332

Wulder, M. A., Masek, J. G., Cohen, W. B., Loveland, T. R., & Woodcock, C. E. (2012). Opening the archive: How free data has enabled the science and monitoring promise of Landsat. *Remote Sensing of Environment*, *122*, 2–10. https://doi.org/10.1016/j.rse.2012.01.010

Yu, M., Wu, B., Yan, N., Xing, Q., & Zhu, W. (2017). A method for estimating the aerodynamic roughness length with NDVI and BRDF signatures using multi-temporal proba-v data. *Remote Sensing*, *9*(1). https://doi.org/10.3390/rs9010006

UNIVERSITAS
GADJAH MADA
**Perbandingan Metode METRIC dan SEBAL untuk Estimasi Evapotranspirasi Aktual Menggunakan Citra
Landsat-8 di Sebagian Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah**
Dini Rachmadhani, Prof. Drs. Projo Danoedoro, M.Sc., Ph.D., ; Dr. Prima Widayani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zahrotunisa, S. (2021). *Estimasi Evapotranspirasi Aktual Secara Spasial Menggunakan Metode SEBS dan SEBAL Berbasis Data Penginderaan Jauh di Kota Semarang dan Sekitarnya*. http://etd.repository.ugm.ac.id/penelitian/detail/199214

Zamani Losgedaragh, S., & Rahimzadegan, M. (2018). Evaluation of SEBS, SEBAL, and METRIC models in estimation of the evaporation from the freshwater lakes (Case study: Amirkabir dam, Iran). *Journal of Hydrology*, *561*(November 2017), 523–531. https://doi.org/10.1016/j.jhydrol.2018.04.025

Zhang, Y., Zhao, Z., Zhu, J., Wang, Y., Wang, H., Fu, B., Lü, Y., Jiang, W., Hu, Y., & Wu, X. (2024). The dynamic patterns of critical ecological areas in the Yellow River Basin are driven primarily by climate factors but threatened by human activities. *Journal of Environmental Management*, *371*(November). https://doi.org/10.1016/j.jenvman.2024.123282

Zhou, H., Li, Z., & Liu, W. (2021). Connotation analysis of parameters in the generalized nonlinear advection aridity model. *Agricultural and Forest Meteorology*, *301–302*(July 2020), 108343. https://doi.org/10.1016/j.agrformet.2021.108343