

DAFTAR PUSTAKA

- Abdul Hamid, G. (2021). Epidemiology and Outcomes of Nasopharyngeal Carcinoma. *Pharynx - Diagnosis and Treatment*, March. <https://doi.org/10.5772/intechopen.96802>
- Aga, M., Bentz, G. L., Raffa, S., Torrisi, M. R., Kondo, S., Wakisaka, N., Yoshizaki, T., & Pagano, J. S. (2014). Exosomal EBV-LMP1 promotes angiogenesis and modulates the tumor microenvironment. *Proceedings of the National Academy of Sciences*, 111(46), 15718–15723. <https://doi.org/10.1073/pnas.1418136111>
- Ahmed, N., Abusalah, M. A. H. A., Farzand, A., Absar, M., Yusof, N. Y., Rabaan, A. A., AlSaihati, H., Alshengeti, A., Alwarthan, S., Alsuwailem, H. S., Alrumaih, Z. A., Alsayyah, A., & Yean, C. Y. (2023). Updates on Epstein–Barr Virus (EBV)-Associated Nasopharyngeal Carcinoma: Emphasis on the Latent Gene Products of EBV. *Medicina (Lithuania)*, 59(1). <https://doi.org/10.3390/medicina59010002>
- Almutairi, S., Kalloush, H. M., Manoon, N. A., & Bardaweel, S. K. (2023). Matrix Metalloproteinases Inhibitors in Cancer Treatment: An Updated Review (2013–2023). *Molecules*, 28(14). <https://doi.org/10.3390/molecules28145567>
- Anggorowati, N., Kurniasari, C. R., Damayanti, K., Cahyanti, T., Widodo, I., Ghozali, A., Romi, M. M., Sari, D. C. R., & Arfian, N. (2017). Histochemical and immunohistochemical study of α -SMA, collagen, and PCNA in epithelial ovarian neoplasm. *Asian Pacific Journal of Cancer Prevention*, 18(3), 667–671. <https://doi.org/10.22034/APJCP.2017.18.3.667>
- Astuti, A. Y., Sandhika, W., Anatomik, D. P., Kedokteran, F., & Airlangga, U. (2016). *Ekspresi E-Cadherin dan MMP-9 pada Karsinoma Nasofaring Tanpa Metastasis, dengan Metastasis Awal dan Metastasis Lanjut Kelenjar Getah Bening*. 25(2).
- Bharath Rao, K., Malathi, N., Narashiman, S., & Rajan, S. T. (2014). Evaluation of myofibroblasts by expression of alpha smooth muscle actin: A marker in fibrosis, dysplasia and carcinoma. *Journal of Clinical and Diagnostic Research*, 8(4), 14–17. <https://doi.org/10.7860/JCDR/2014/7820.4231>
- Borthakur, P., Kataki, K., Keppen, C., Khamo, V., & Deka, M. (2016). *EBNA APJCP_Volume 17_Issue 7_Pages 3411-3416*. 17, 3411–3416.
- Chen, C. H., Shih, L. C., Hsu, S. W., Tien, H. C., Liu, Y. F., Wang, Y. C., Tsai, C. W., Bau, D. T., & Chang, W. S. (2024). Association of Matrix Metalloproteinase-9 Genotypes With Nasopharyngeal Carcinoma Risk. *In Vivo*, 38(4), 1731–1739. <https://doi.org/10.21873/invivo.13623>
- Chen, C., Li, W. J., Weng, J. J., Chen, Z. J., Wen, Y. Y., Deng, T., Le, H. B., Zhang, Y. K., & Zhang, B. J. (2020). Cancer-associated fibroblasts, matrix metalloproteinase-9 and lymphatic vessel density are associated with

- progression from adenocarcinoma in situ to invasive adenocarcinoma of the lung. *Oncology Letters*, 20(5), 1–9. <https://doi.org/10.3892/OL.2020.11991>
- Chen, C., Xu, T., Qiu, X., Xie, S., You, Z., Hu, Y., & Zheng, Y. (2021). *Selectively recommend 18 F - FDG PET / CT for patients with de novo nasopharyngeal carcinoma in endemic areas*. 1–9. <https://doi.org/10.1186/s13014-021-01954-8>
- Chen, J., Yang, P., Xiao, Y., Zhang, Y., Liu, J., Xie, D., Cai, M., & Zhang, X. (2017). Overexpression of α -SMA-positive fibroblasts (CAFs) in nasopharyngeal Carcinoma predicts poor prognosis. *Journal of Cancer*, 8(18), 3897–3902. <https://doi.org/10.7150/jca.20324>
- Chen, S., Yang, D., Liao, X., Lu, Y., Yu, B., Xu, M., Bin, Y., Zhou, P., Yang, Z., Liu, K., Wang, R., Zhao, T., & Kang, M. (2022). *Failure Patterns of Recurrence and Metastasis After Intensity-Modulated Radiotherapy in Patients With Nasopharyngeal Carcinoma: Results of a Multicentric Clinical Study*. 11(February), 1–10. <https://doi.org/10.3389/fonc.2021.693199>
- Chen, Y., Zhang, W., Chen, L., Tang, L., & Mao, Y. (2015). *Effect of latent membrane protein 1 expression on overall survival in Epstein-Barr virus-associated cancers: a literature-based meta-analysis Eligible studies*. 6(30).
- Christensen, J., Shastri, V.P. Matrix-metalloproteinase-9 is cleaved and activated by Cathepsin K. *BMC Res Notes* 8, 322 (2015). <https://doi.org/10.1186/s13104-015-1284-8>
- Cui Q, Wang X, Zhang Y, Shen Y, Qian Y. (2023). Macrophage-Derived MMP-9 and MMP-2 are Closely Related to the Rupture of the Fibrous Capsule of Hepatocellular Carcinoma Leading to Tumor Invasion. *Biol Proced Online* 25, 8. <https://doi.org/10.1186/s12575-023-00196-0>
- Dahlan, M. S. (2016) *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*. 4th ed. Jakarta: Epidemiologi Indonesia.
- Das, A. K., Baishya, N., Sarma, A., & Kataki, A. C. (2019). *Assessment and clinicopathological correlation of matrix metalloproteinase 9 expression in nasopharyngeal carcinoma*. 1–6. <https://doi.org/10.4103/jcar.JCar>
- Davis, A. M., Rapley, A., Dawson, C. W., Young, L. S., & Morris, M. A. (2021). The ebv-encoded oncoprotein, *lmp1*, recruits and transforms fibroblasts via an erk-mapk-dependent mechanism. *Pathogens*, 10(8), 1–34. <https://doi.org/10.3390/pathogens10080982>
- Enescu, A., Enescu, A. Ş., Florou, C., & Petrescu, F. (2014). E-cadherin and α -SMA expression in the epithelial-mesenchymal transition of salivary glands pleomorphic adenomas. *Romanian Journal of Morphology and Embryology*, 55(4), 1383–1387.
- Erbas, O. (2023). *Nasopharyngeal Carcinoma: Causes and Incidence*. December. <https://doi.org/10.5606/jebms.2023.1060>

- Fang, Z., Zhang, B., Yu, X., Meng, Q., Liu, J., Shi, S., Xu, J., Wang, W., Hua, J., Zhao, Y., & Liang, C. (2023). *Signaling pathways in cancer-associated fibroblasts: recent advances and future perspectives* (Issue September 2022). <https://doi.org/10.1002/cac2.12392>
- Farhat, Asnir, R. A., Yudhistira, A., Daulay, E. R., Puspitasari, D., & Yulius, S. (2018). Evaluation of matrix metalloproteinase-9 expressions in nasopharyngeal carcinoma patients. *IOP Conference Series: Earth and Environmental Science*, *125*(1), 13–17. <https://doi.org/10.1088/1755-1315/125/1/012130>
- Farina, A. R., & Mackay, A. R. (2014). Gelatinase B/MMP-9 in tumour pathogenesis and progression. <https://doi.org/10.3390/cancers6010240>
- Forder A, Stewart GL, Telkar N, Lam WL, Garnis C. (2022). New insights into the tumour immune microenvironment of nasopharyngeal carcinoma. *Curr Res Immunol*. 2022 Sep 9;3:222-227. doi: 10.1016/j.crimmu.2022.08.009.
- Fu, Y., Liang, S., Ph, D., Huang, W., Chen, L., Chen, D., Liu, L., Ph, D., Luo, M., Ph, D., Zhong, X., Ph, D., Xu, X., & Ph, D. (2023). *Prognostic Value of Lymph Node Necrosis at Different N Stages in Patients with Nasopharyngeal Carcinoma*. *14*. <https://doi.org/10.7150/jca.84854>
- Glabman, R. A., Choyke, P. L., & Sato, N. (2022). Cancer-Associated Fibroblasts: Tumorigenicity and Targeting for Cancer Therapy. *Cancers*, *14*(16), 1–21. <https://doi.org/10.3390/cancers14163906>
- Gobin, E., Bagwell, K., Wagner, J., Mysona, D., Sandirasegarane, S., Smith, N., Bai, S., Sharma, A., Schleifer, R., & She, J. X. (2019). A pan-cancer perspective of matrix metalloproteases (MMP) gene expression profile and their diagnostic/prognostic potential. *BMC Cancer*, *19*(1), 1–10. <https://doi.org/10.1186/s12885-019-5768-0>
- Gong, L., Wu, D., Zou, J., Chen, J., Chen, L., Chen, Y., Ni, C., & Yuan, H. (2016). *Prognostic impact of serum and tissue MMP-9 in non-small cell lung cancer: a systematic review and meta-analysis*. *Oncotarget*, *7*, 18458–18468. <https://doi.org/10.18632/oncotarget.7607>
- Gonzalez-avila, G., Sommer, B., & Flores-soto, E. (2023). *Hypoxic Effects on Matrix Metalloproteinases ' Expression in the Tumor Microenvironment and Therapeutic Perspectives*.
- Goulet, C. R., Champagne, A., Bernard, G., Vandal, D., Chabaud, S., Pouliot, F., & Bolduc, S. (2019). Cancer-associated fibroblasts induce epithelial-mesenchymal transition of bladder cancer cells through paracrine IL-6 signalling. *BMC Cancer*, *19*(1), 1–13. <https://doi.org/10.1186/s12885-019-5353-6>
- Guo, L.-L., Wang, H.-Y., Zheng, L.-S., Wang, M.-D., Cao, Y., Li, Y., Liu, Z.-J., Peng, L.-X., Huang, B.-J., Shao, J.-Y., & Qian, C.-N. (2021). Metastasis of nasopharyngeal carcinoma: What we know and do not know. *Visualized Cancer Medicine*, *2*, 4. <https://doi.org/10.1051/vcm/2021003>

- Han, C., Liu, T., & Yin, R. (2020). Biomarkers for cancer-associated fibroblasts. *Biomarker Research*, 8(1), 1–8. <https://doi.org/10.1186/s40364-020-00245-w>
- Hau, P. M., Lung, H. L., Wu, M., Tsang, C. M., Wong, K. L., Mak, N. K., & Lo, K. W. (2020). Targeting Epstein-Barr Virus in Nasopharyngeal Carcinoma. *Frontiers in Oncology*, 10(May), 1–18. <https://doi.org/10.3389/fonc.2020.00600>
- Herch, I. El, Tornaas, S., & Dongre, H. N. (2024). *Heterogeneity of cancer-associated fibroblasts and tumor-promoting roles in head and neck squamous cell carcinoma*. June, 1–10. <https://doi.org/10.3389/fmolb.2024.1340024>
- Huang, W., Bai, L., & Tang, H. (2023). Epstein-Barr virus infection: the micro and macro worlds. *Virology Journal*, 20(1), 1–13. <https://doi.org/10.1186/s12985-023-02187-9>
- Huang, W., Zhang, L., Yang, M., Wu, X., Wang, X., Huang, W., Yuan, L., Pan, H., Wang, Y., Wang, Z., Wu, Y., Huang, J., Liang, H., Li, S., Liao, L., Liu, L., & Guan, J. (2021). Cancer-associated fibroblasts promote the survival of irradiated nasopharyngeal carcinoma cells via the NF- κ B pathway. *Journal of Experimental and Clinical Cancer Research*, 40(1), 1–14. <https://doi.org/10.1186/s13046-021-01878-x>
- Hurwitz, S. N., & Meckes, D. G. (2019). Extracellular vesicle biogenesis and function in EBV infection. *Frontiers in Microbiology*, 10, 1340. <https://doi.org/10.3389/fmicb.2019.01340>
- Jayalie, V. F., Paramitha, M. S., Jessica, J., Liu, C. A., Ramadianto, A. S., Trimartani, T., & Adham, M. (2017). Profile of Nasopharyngeal Carcinoma in Dr. Cipto Mangunkusumo National Hospital, 2010. *EJournal Kedokteran Indonesia*, 4(3). <https://doi.org/10.23886/ejki.4.7110.156-62>
- Jiang, C., Gao, H., Zhang, L., Li, H., Zhang, T., Ma, J., & Liu, B. (2020). Distribution pattern and prognosis of metastatic lymph nodes in cervical posterior to level v in nasopharyngeal carcinoma patients. *BMC Cancer*, 20(1), 1–9. <https://doi.org/10.1186/s12885-020-07146-z>
- Jicman (Stan), D., Niculet, E., Lungu, M., Onisor, C., Rebegea, L., Vesa, D., Bezman, L., Bujoreanu, F., Sarbu, M., Mihailov, R., Fotea, S., & Tatu, A. (2021). Nasopharyngeal carcinoma: A new synthesis of literature data (Review). *Experimental and Therapeutic Medicine*, 23(2), 1–7. <https://doi.org/10.3892/etm.2021.11059>
- Joshi, R. S., Kanugula, S. S., Sudhir, S., Pereira, M. P., Jain, S., & Aghi, M. K. (2021). The role of cancer-associated fibroblasts in tumor progression. *Cancers*, 13(6), 1–27. <https://doi.org/10.3390/cancers13061399>
- Khabir, A., Karray, H., Rodriguez, S., Rosé, M., Daoud, J., Frikha, M., Boudawara, T., Middeldorp, J., Jlidi, R., & Busson, P. (n.d.). *EBV latent membrane protein 1 abundance correlates with patient age but not with metastatic behavior in north*

African nasopharyngeal carcinomas. 7, 1–7. <https://doi.org/10.1186/1743-422X-2-39>

Kim, J., Mukherji, S., Haigentz, M., Stubbs, V. C., & Kim, S. (2023). A rare pattern of local recurrence in the nasopharyngeal carcinoma: Case report. *Otolaryngology Case Reports*, 27(February), 100518. <https://doi.org/10.1016/j.xocr.2023.100518>

Krippendorff, K., (2013). Content Analysis, an Introduction to Its Methodology, 3rd Edition. Thousand Oaks, CA: Sage Publications

Lee, D. C. W., Chua, D. T. T., Wei, W. I., Sham, J. S. T., & Lau, A. S. Y. (2007). Induction of matrix metalloproteinases by Epstein e Barr virus latent membrane protein 1 isolated from nasopharyngeal carcinoma. 61, 520–526. <https://doi.org/10.1016/j.biopha.2007.08.007>

Li, Z., Zhou, Z., Wu, X., Zhou, Q., Liao, C., Liu, Y., Li, D., Shen, L., Feng, D., & Yang, L. (2020). LMP1 promotes nasopharyngeal carcinoma metastasis through NTRK2-mediated anoikis resistance. *American Journal of Cancer Research*, 10(7), 2083–2099. <http://www.ncbi.nlm.nih.gov/pubmed/32775002>
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC7407352>

Liemiyah, R., Ruspita, D. A., Naftali, Z., Muyassaroh, M., & Farokah, F. (2024). Epidemiological Characteristics and 3-year Overall Survival Outcome of Nasopharyngeal Cancer in Central Java: A Single Institution Retrospective Study. *Indonesian Journal of Cancer*, 18(2), 143–155. <https://doi.org/10.33371/ijoc.v18i2.1083>

Liu, B., Li, F., Wang, Y., Gao, X., Li, Y., Wang, Y., & Zhou, H. (2024). APP-CD74 axis mediates endothelial cell-macrophage communication to promote kidney injury and fibrosis. <https://doi.org/10.3389/fphar.2024.1437113>

Liu, Z., Li, L., Yang, Z., Luo, W., Li, X., Yang, H., Yao, K., Wu, B., & Fang, W. (2010). Increased expression of MMP-9 is correlated with poor prognosis of nasopharyngeal carcinoma. *BMC Cancer*, 10. <https://doi.org/10.1186/1471-2407-10-270>

Lo, A. K. F., Dawson, C. W., Lung, H. L., Wong, K. L., & Young, L. S. (2021). The Role of EBV-Encoded LMP1 in the NPC Tumor Microenvironment: From Function to Therapy. *Frontiers in Oncology*, 11(February), 1–17. <https://doi.org/10.3389/fonc.2021.640207>

Merchant, N., Nagaraju, G. P., Rajitha, B., & Lammata, S. (2009). *Ac c ep t e d an us cr ip t Ac c us cr t.*

Miftalia, D., Putri, A., Anita, K. W., Retnani, D. P., & Bekti, R. S. (2024). Correlation of MMP-9 (Matrix Metalloproteinase 9) and SMA (Smooth Muscle Actin) expression with Basal Cell Carcinoma ' s risk of recurrence
Correlation of MMP-9 (Matrix Metalloproteinase 9) and SMA (Smooth

- Muscle Actin*) expression with Basal Cell Carcinoma ' s risk of recurrence. 9(October). <https://doi.org/10.30574/gscarr.2024.21.1.0387>
- Morris, M. A. (2020). *Cancer-Associated Fibroblasts in Undifferentiated Nasopharyngeal Carcinoma : A Putative Role for the*. 1–11.
- Muchlińska, A., Nagel, A., Popęda, M., Szade, J., Niemira, M., Zieliński, J., Skokowski, J., Bednarz-Knoll, N., & Żaczek, A. J. (2022). Alpha-smooth muscle actin-positive cancer-associated fibroblasts secreting osteopontin promote growth of luminal breast cancer. *Cellular and Molecular Biology Letters*, 27(1). <https://doi.org/10.1186/s11658-022-00351-7>
- Mustafa, S., Koran, S., & AlOmair, L. (2022). Insights Into the Role of Matrix Metalloproteinases in Cancer and its Various Therapeutic Aspects: A Review. *Frontiers in Molecular Biosciences*, 9(September), 1–10. <https://doi.org/10.3389/fmolb.2022.896099>
- Nafisa, I. M., Utama, M. S., Sunardi, M. A., & Adibrata, A. A. (2022). Profile of Nasopharyngeal Cancer Patients who Underwent Radiotherapy in Dr. Hasan Sadikin General Hospital Bandung. *Indonesian Journal of Cancer*, 16(2), 88. <https://doi.org/10.33371/ijoc.v16i2.869>
- Nakanishi, Y., Wakisaka, N., Kondo, S., Endo, K., Sugimoto, H., Hatano, M., Ueno, T., Ishikawa, K., & Yoshizaki, T. (2017). Progression of understanding for the role of Epstein-Barr virus and management of nasopharyngeal carcinoma. *Cancer and Metastasis Reviews*, 36(3), 435–447. <https://doi.org/10.1007/s10555-017-9693-x>
- Nanda, S. (2010). Pancreatic cancer: High stromal expression of α -smooth-muscle actin correlates with aggressive pancreatic cancer biology. *Nature Reviews Gastroenterology and Hepatology*, 7(12), 652. <https://doi.org/10.1038/nrgastro.2010.179>
- Oae, P., & Ade, T. (2025). *Diagnosis dan Tata Laksana Tuberkuloma Serebral Karsinoma Nasofaring : Faktor Risiko , Deteksi Dini , Diagnosis , dan Tata Laksana Pendekatan Diagnosis Ensefalomyelitis Pemilihan Obat Anti-Epilepsi untuk Penyandang Infeksi Dengue (OAE) Sekunder : Diseminata Akut Epilepsi Wanita Usia Subur Klinis Patologi , Diagnosis , Implikasi*. 52(1).
- Patel, A. K., Vipparthi, K., Thatikonda, V., Arun, I., Bhattacharjee, S., Sharan, R., Arun, P., & Singh, S. (2018). A subtype of cancer-associated fibroblasts with lower expression of alpha-smooth muscle actin suppresses stemness through BMP4 in oral carcinoma. *Oncogenesis*, 7(10). <https://doi.org/10.1038/s41389-018-0087-x>
- Qu, W., Li, S., Zhang, M., & Qiao, Q. (2020). Pattern and prognosis of distant metastases in nasopharyngeal carcinoma: A large-population retrospective analysis. *Cancer Medicine*, 9(17), 6147–6158. <https://doi.org/10.1002/cam4.3301>

- Quintero-Fabián, S., Arreola, R., Becerril-Villanueva, E., Torres-Romero, J. C., Arana-Argáez, V., Lara-Riegos, J., Ramírez-Camacho, M. A., & Alvarez-Sánchez, M. E. (2019). Role of Matrix Metalloproteinases in Angiogenesis and Cancer. *Frontiers in Oncology*, 9(December), 1–21. <https://doi.org/10.3389/fonc.2019.01370>
- Ramezani A, Behboudi E, Mirhosseini S, Hashemzadeh M. (2023). Concise Review on Modulation Mechanism of Matrix Metalloproteinase via Oncoviruses in Aggressiveness of Malignancies. *Romanian Journal of Military Medicine*. 126. 117-135. 10.55453/rjmm.2023.126.2.1.
- Ruengwanichayakun, P. (2021). Histochemical scoring assessment (H-score). *Asian Archives of Pathology*, 3(1), 13–14.
- Ribatti, D., Tamma, R., & Annese, T. (2020). Epithelial-Mesenchymal Transition in Cancer: A Historical Overview. *Translational Oncology*, 13(6), 100773. <https://doi.org/10.1016/j.tranon.2020.100773>
- Richardo, T., Prattapong, P., Ngernsombat, C., Wisetyaningsih, N., Iizasa, H., Yoshiyama, H., & Janvilisri, T., (2020). Epstein-Barr Virus Mediated Signaling in Nasopharyngeal Carcinoma Carcinogenesis. *Cancers*, 12(9), 2441. <https://doi.org/10.3390/cancers12092441>
- Salano, V. E., Mwakigonja, A. R., Abdulshakoor, A., Kahinga, A. A., & Richard, E. M. (2021). Epstein-Barr Virus Latent Membrane Protein-1 Expression in Nasopharyngeal Carcinoma. *JCO Global Oncology*, 7, 1406–1412. <https://doi.org/10.1200/go.21.00120>
- Salehiniya, H., Mohammadian, M., & Mahdavifar, N. (2018). *NASOPHARYNGEAL CANCER IN THE WORLD : EPIDEMIOLOGY , INCIDENCE , MORTALITY AND RISK FACTORS*. 5(1), 1–8.
- Sharif, S. E. T., Zawawi, N., Yajid, A. I., Shukri, N. M., & Mohamad, I. (2020). Pathology classification of nasopharyngeal carcinoma. *An Evidence-Based Approach to the Management of Nasopharyngeal Cancer*, 73–92. doi:10.1016/b978-0-12-814403-9.00005-7 Spence 2016. (n.d.).
- Su, Z. Y., Siak, P. Y., Leong, C. O., & Cheah, S. C. (2023). The role of Epstein–Barr virus in nasopharyngeal carcinoma. *Frontiers in Microbiology*, 14(February), 1–17. <https://doi.org/10.3389/fmicb.2023.1116143>
- Sun, W. E. I., Liu, D., Li, W., Zhang, L., Long, G., Wang, J., Mei, Q. I., & Hu, G. (2014). *Interleukin-6 promotes the migration and invasion of nasopharyngeal carcinoma cell lines and upregulates the expression of MMP-2 and MMP-9*. 1551–1560. <https://doi.org/10.3892/ijo.2014.2323>
- Tang, L.-L., Chen, Y.-P., Mao, Y.-P., Wang, Z.-X., Guo, R., Chen, L., Tian, L., Lin, A.-H., Li, L., Sun, Y., & Ma, J. (2017). Validation of the 8th Edition of the UICC/AJCC Staging System for Nasopharyngeal Carcinoma From Endemic

Areas in the Intensity-Modulated Radiotherapy Era.
<https://doi.org/10.6004/jnccn.2017.0121>

- Tsang, C. M., Lo, K. W., Nicholls, J. M., Huang, S. C. M., Tsao, S. W., & Young, L. S. (2019). Pathogenesis of nasopharyngeal carcinoma : Histogenesis, epstein-barr virus infection, and tumor microenvironment. *Nasopharyngeal Carcinoma: From Etiology to Clinical Practice*, 45–64. <https://doi.org/10.1016/B978-0-12-814936-2.00003-1>
- Tsao, S. W., Tsang, C. M., & Lo, K. W. (2017). Epstein-barr virus infection and nasopharyngeal carcinoma. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1732). <https://doi.org/10.1098/rstb.2016.0270>
- Usman, S., Waseem, N. H., Nguyen, T. K. N., Mohsin, S., Jamal, A., Teh, M. T., & Waseem, A. (2021). Vimentin is at the heart of epithelial mesenchymal transition (Emt) mediated metastasis. *Cancers*, 13(19), 1–26. <https://doi.org/10.3390/cancers13194985>
- Wang, L., & Ning, S. (2021). *New Look of EBV LMP1 Signaling Landscape*. 4, 1–22.
- Wang, S., Ma, N., Kawanishi, S., Hiraku, Y., Oikawa, S., Xie, Y., Zhang, Z., Huang, G., & Murata, M. (2014). Relationships of alpha-SMA-positive fibroblasts and SDF-1-positive tumor cells with neoangiogenesis in nasopharyngeal carcinoma. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/507353>
- Wang, X., Niu, R., Yang, H., Lin, Y., Hou, H., & Yang, H. (2024). Fibroblast activation protein promotes progression of hepatocellular carcinoma via regulating the immunity. <https://doi.org/10.1002/cbin.12154>
- Wang, Y., Sibaii, F., Lee, K., J. Gill, M., & L. Hatch, J. (2021). NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice. 1. *MedRxiv*, 1(165), 1–13.
- Wen, Y., Huang, W., Chen, X., Cai, H., Zhang, Y., Song, X., Xie, C., Peng, H., Yu, H., Chen, C., Wei, L., Zhou, T., Cai, S., Wang, F., & Lin, X. (2024). Predictive value of CXCL1 + _ FAP + phenotype in CAFs for distant metastasis and its correlation with PD-L1 expression in locoregionally advanced nasopharyngeal carcinoma patients. *Oral Oncology*, 157(April), 106963. <https://doi.org/10.1016/j.oraloncology.2024.106963>
- WHO Classification of Tumours Editorial Board. (2024). *Head and Neck Tumours* (WHO Classification of Tumours, 5th ed., Vol. 9). International Agency for Research on Cancer.
- Wolosowicz, M., Prokopiuk, S., & Kaminski, T. W. (2025). Matrix Metalloproteinase-9 (MMP-9) as a therapeutic target: Insights into molecular pathways and clinical applications. <https://doi.org/10.3390/pharmaceutics17111425>

- Wu, F., Yang, J., Liu, J., Wang, Y., Mu, J., Zeng, Q., Deng, S., & Zhou, H. (2021). Signaling pathways in cancer-associated fibroblasts and targeted therapy for cancer. *Signal Transduction and Targeted Therapy*, *April*, 1–35. <https://doi.org/10.1038/s41392-021-00641-0>
- Wu, L., Li, C., & Pan, L. (2018). Nasopharyngeal carcinoma: A review of current updates. *Experimental and Therapeutic Medicine*, *15*(4), 3687–3692. <https://doi.org/10.3892/etm.2018.5878>
- Xiao, G., Cao, Y., Qiu, X., Wang, W., & Wang, Y. (2013). *Influence of gender and age on the survival of patients with nasopharyngeal carcinoma*. 1–8.
- Yang, K. Bin, Xu, C., Chen, Y. P., Vermorken, J. B., O’Sullivan, B., & Ma, J. (2021). Editorial: Advances in the Pathogenesis and Therapeutic Strategies for Nasopharyngeal Carcinoma. *Frontiers in Oncology*, *11*(March), 9–12. <https://doi.org/10.3389/fonc.2021.647809>
- Yang, B., Zhang, B., Zhao, Y., Rao, Z., & Tang, F. (2014). Matrix metalloproteinase-9 overexpression is closely related to poor prognosis in patients with colon cancer. *World Journal of Surgical Oncology*, *12*, 24. <https://doi.org/10.1186/1477-7819-12-24>
- Ye, Q., Li, J., Wang, X., Zhang, X., Lin, J., Huo, Y., Sun, Z., Xie, S., & Huang, Z. (2020). In vivo and in vitro study of co-expression of LMP1 and Cripto-1 in nasopharyngeal carcinoma. *Brazilian Journal of Otorhinolaryngology*, *86*(5), 617–625. <https://doi.org/10.1016/j.bjorl.2019.04.002>
- Yeung, D. C. M., Yeung, Z., Wong, E. W. Y., Vlantis, A. C., & Chan, J. Y. K. (2020). Neck lymph node status on survival of regionally recurrent or persistent nasopharyngeal carcinoma. *Scientific Reports*, *10*(1), 1–8. <https://doi.org/10.1038/s41598-020-62625-4>
- Yoshizaki, T., Kondo, S., Dochi, H., Kobayashi, E., Mizokami, H., Komura, S., & Endo, K. (2024). Recent Advances in Assessing the Clinical Implications of Epstein-Barr Virus Infection and Their Application to the Diagnosis and Treatment of Nasopharyngeal Carcinoma. *Microorganisms*, *12*(1). <https://doi.org/10.3390/microorganisms12010014>
- Yu, Y., Ke, L., Lv, X., Ling, Y. H., Lu, J., Liang, H., Qiu, W., Huang, X., Liu, G., Li, W., Guo, X., Xia, W., & Xiang, Y. (2018). The prognostic significance of carcinoma-associated fibroblasts and tumor-associated macrophages in nasopharyngeal carcinoma. *Cancer Management and Research*, *10*, 1935–1946. <https://doi.org/10.2147/CMAR.S167071>
- Yusuf, M., Kusuma, Y. A., & Pawarti, D. R. (2019). Matrix Metalloproteinase-9 Expression and Status of Cervical Lymph Nodes in Patients with Nasopharyngeal Carcinoma. *Indian Journal of Otolaryngology and Head and Neck Surgery*, *71*(s1), 637–642. <https://doi.org/10.1007/s12070-018-1451-z>
- Zergoun, A. A., Zebboudj, A., Sellam, S. L., Kariche, N., Djennaoui, D., Ouraghi, S.,

- Kerboua, E., Amir-Tidadini, Z. C., Chilla, D., Asselah, F., Touil-Boukoffa, C., Merghoub, T., & Bourouba, M. (2016). IL-6/NOS2 inflammatory signals regulate MMP-9 and MMP-2 activity and disease outcome in nasopharyngeal carcinoma patients. *Tumor Biology*, 37(3), 3505–3514. <https://doi.org/10.1007/s13277-015-4186-4>
- Zhang, H., Yue, X., Chen, Z., Liu, C., Wu, W., Zhang, N., Liu, Z., Yang, L., Jiang, Q., Cheng, Q., Luo, P., & Liu, G. (2023). Define cancer-associated fibroblasts (CAFs) in the tumor microenvironment: new opportunities in cancer immunotherapy and advances in clinical trials. <https://doi.org/10.1186/s12943-023-01860-5>
- Zhang, J., Lu, S., Lu, T., Han, D., Zhang, K., Gan, L., Wu, X., Li, Y., Zhao, X., Li, Z., Shen, Y., Hu, S., Yang, F., Wen, W., & Qin, W. (2023). Single-cell analysis reveals the COL1A1+ fibroblasts are cancer-specific fibroblasts that promote tumor progression. *Frontiers in Pharmacology*, 14(January), 1–14. <https://doi.org/10.3389/fphar.2023.1121586>
- Zhang, X. F., Zhang, Y., Liang, X. W., Chen, J. L., Zhi, S. F., Yin, W. J., Wang, M. Y., Dong, E. L., & Chen, D. P. (2021). Subphrenic Lymph Node Metastasis Predicts Poorer Prognosis for Nasopharyngeal Carcinoma Patients With Metachronous Metastasis. *Frontiers in Oncology*, 11(October), 1–9. <https://doi.org/10.3389/fonc.2021.726179>
- Zhang, Y., Gu, S., Deng, H., & Shen, Z. (2024). *Global epidemiological profile in nasopharyngeal carcinoma: a prediction study*. <https://doi.org/10.1136/bmjopen-2024-091087>
- Zhang, J.-F., Zhang, Y.-P., Hao, F.-Y., Zhang, C.-X., Li, Y.-J., & Ji, X.-R. (2005). DNA ploidy analysis and expression of MMP-9, TIMP-2, and E-cadherin in gastric carcinoma. *World Journal of Gastroenterology*, 11(36), 5592–5600. <https://doi.org/10.3748/wjg.v11.i36.5592>
- Zhao, Y., Wang, Y., Zeng, S., & Hu, X. (2012). *LMP1 expression is positively associated with metastasis of nasopharyngeal carcinoma: evidence from a meta-analysis*. 41–46. <https://doi.org/10.1136/jclinpath-2011-200198>
- Zhao, Y., Zhang, Q., Zhang, B., Dai, Y., Gao, Y., Li, C., Yu, Y., & Li, C. (2024). Epstein–Barr Viruses: Their Immune Evasion Strategies and Implications for Autoimmune Diseases. *International Journal of Molecular Sciences*, 25(15). <https://doi.org/10.3390/ijms25158160>
- Zhao, Z., Li, T., Yuan, Y., & Zhu, Y. (2023). What is new in cancer-associated fibroblast biomarkers? *Cell Communication and Signaling*, 21(1), 1–23. <https://doi.org/10.1186/s12964-023-01125-0>
- Zhu, Q. Y., Zhao, G. X., Li, Y., Talakatta, G., Mai, H. Q., Le, Q. T., Young, L. S., & Zeng, M. S. (2021). Advances in pathogenesis and precision medicine for nasopharyngeal carcinoma. *MedComm*, 2(2), 175–206. <https://doi.org/10.1002/mco2.32>

Zhu, Y., Xia, J., Zhou, W., Jiang, W., Fan, S., Wu, X., & Wu, Y. (2020). *High COX - 2 expression in cancer - associated fibroblasts contributes to poor survival and promotes migration and invasiveness in nasopharyngeal carcinoma. December 2019, 265–280. <https://doi.org/10.1002/mc.23150>*