

DAFTAR PUSTAKA

- Abdel-Latif, A. & Osman, G. (2017). Comparison of three genomic DNA extraction methods to obtain high DNA quality from maize. *Plant Methods*, 13(1), 1-9. <https://doi.org/10.1186/s13007-016-0152-4>
- Aleksić, J. M., Stojanović, D., Banović, B. & Jančić, R. (2012). A simple and efficient DNA isolation method for *salvia officinalis*. *Biochemical Genetics*, 50(11–12), 881–892. <https://doi.org/10.1007/s10528-012-9528-y>
- Altschul, S. F., Gish, W., Miller, W., Myers, E. W. & Lipman, D. J. (1990). Basic Local Alignment Search Tool. *Journal of Molecular Biology*, 215.
- Amalraj, V. A. & Balasundaram, N. (2006). On the taxonomy of the members of 'Saccharum complex'. *Genetic Resources and Crop Evolution*, 53, 35-41. <https://doi.org/10.1007/s10722-004-0581-1>
- Andersson, I. & Backlund, A. (2008). Structure and function of Rubisco. *Plant Physiology and Biochemistry*, 46(3), 275–291. <https://doi.org/10.1016/j.plaphy.2008.01.001>
- Anonim. (2025a) *Sugar Annual Brazil (BR2024-0008)*. https://apps.fas.usda.gov/newgainapi/api/Report/DownloadReportByFileName?fileName=Sugar+Annual_Brasilia_Brazil_BR2024-0008.pdf
- Anonim. (2025b) *Sugar Annual China (CH2025-0086)*. https://apps.fas.usda.gov/newgainapi/api/Report/DownloadReportByFileName?fileName=Sugar%20Annual_Guangzhou%20ATO_China%20-%20People%27s%20Republic%20of_CH2025-0086.pdf
- Anonim. (2025c) *Sugar Annual India (IN2025-0027)*. https://apps.fas.usda.gov/newgainapi/api/Report/DownloadReportByFileName?fileName=Sugar%20Annual_New%20Delhi_India_IN2025-0027.pdf
- Anonim. (2026). *Varietas komersial di Indonesia*. <https://www.varietasp3gi.com/>
- Arceneaux, G. (1965). Cultivated sugarcane of the world and their botanical derivation. *Proceedings of the International Society of Sugar Cane Technology*, 12, 844–854
- Aristya, G. R., Nabillah, S. A. A., Kasiandari, R. S., Damaiyani, J. & Prabowo, H. (2024). Phylogenetic and genetic variation of sugarcane (*Saccharum* spp.) from island of Java, Indonesia based on *trnK* chloroplast gene. *International Journal of Agriculture and Biosciences*, 13(2), 157-166.
- Artschwager, E. & Brandes, E.W. (1958). *Sugarcane (Saccharum officinarum L.). Origin, Classification, Characteristics, and Descriptions of Representative Clones*. Agricultural Research Service. Washington.
- Babu, K. S. D., Janakiraman, V., Palaniswamy, H., Kasirajan, L., Gomathi, R. & Ramkumar, T. R. (2022). A short review on sugarcane: Its domestication, molecular manipulations and future perspectives. *Genetic Resources and Crop Evolution*, 69(8), 2623–2643. <https://doi.org/10.1007/s10722-022-01430-6>
- Bates, P. D., Stymne, S. & Ohlrogge, J. (2013). Biochemical pathways in seed oil synthesis. In *Current Opinion in Plant Biology*, 16(3), 358–364. <https://doi.org/10.1016/j.pbi.2013.02.015>
- Begum, G., Albanna, A., Bankapur, A., Nassir, N., Tambi, R., Berdiev, B. K., Akter, H., Karuvantevida, N., Kellam, B., Alhashmi, D., Sung, W. W. L.,

- Thiruvahindrapuram, B., Alsheikh-Ali, A., Scherer, S. W. & Uddin, M. (2021). Long-read sequencing improves the detection of structural variations impacting complex non-coding elements of the genome. *International Journal of Molecular Sciences*, 22(4), 1–14. <https://doi.org/10.3390/ijms22042060>
- Bejaoui, S., Nielsen, S. H., Rasmussen, A., Coia, J. E., Andersen, D. T., Pedersen, T. B., Møller, M. V., Kusk Nielsen, M. T., Frees, D. & Persson, S. (2025). Comparison of Illumina and Oxford Nanopore sequencing data quality for *Clostridioides difficile* genome analysis and their application for epidemiological surveillance. *BMC Genomics*, 26(1), 1–15. <https://doi.org/10.1186/s12864-025-11267-9>
- Betts, M. J. & Russell, R. B. (2003). *Amino Acid Properties and Consequences of Substitutions. In Bioinformatics for Geneticists*. John Wiley & Sons.
- Bock, R. (2015). Engineering plastid genomes: methods, tools, and applications in basic research and biotechnology. *Annual Review of Plant Biology*, 66, 211–241. <https://doi.org/10.1146/annurev-arplant-050213-040212>
- Brehelin, C., Kessler, F. & van Wijk, K. J. (2007). Plastoglobules: versatile lipoprotein particles in plastids. *Trends in Plant Science*, 12, 206–266.
- Bremer, G. (1961). Problems in breeding and cytology sugarcane. *Euphytica*, 10, 59–78
- Bruijns, B., Hoekema, T., Oomens, L., Tiggelaar, R. & Gardeniers, H. (2022). Performance of spectrophotometric and fluorometric dna quantification methods. *Analytica*, 3(3), 371–384. <https://doi.org/10.3390/analytica3030025>
- Cali, D. S., Kim, J. S., Ghose, S., Alkan, C., & Mutlu, O. (2018). Nanopore sequencing technology and tools for genome assembly: Computational analysis of the current state, bottlenecks and future directions. *Briefings in Bioinformatics*, 20(4), 1542–1559. <https://doi.org/10.1093/bib/bby017>
- Camel, V. & Zolla, G. (2021). An insight of rubisco evolution through a multilevel approach. *Biomolecules*, 11(12), 1–21. <https://doi.org/10.3390/biom11121761>
- Cárdenas-López, D., Castaño-Arboleda, N. & Cárdenas-Toro, J. (2010). *Análisis de riesgo de especies de plantas introducidas para Colombia*. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt. Colombia. 149–199.
- CBOL (2009). A DNA barcode for land plants. *Proceeding of the National Academy of Sciences of the United States of America*, 106(31), 12794–12797, <https://doi.org/10.1073/pnas.0905845106>
- Chen, S., Tan, J., Safiul Azam, F. M., Li, A., Zhang, R. & Li, B. (2025). The complete chloroplast genome of the green algae *Desmodesmus spinosus* (chodat) e.hegewald: genome structure, phylogeny, and comparative analysis. *Diversity*, 17(10), 1–15. <https://doi.org/10.3390/d17100721>
- Cheng, H., Li, J., Zhang, H., Cai, B., Gao, Z., Qiao, Y. & Mi, L. (2017). The complete chloroplast genome sequence of strawberry (*Fragaria × ananassa* Duch.) and comparison with related species of Rosaceae. *PeerJ*, 2017(10), e3919. <https://doi.org/10.7717/peerj.3919>
- Choudhury, M., Uddin, A. & Chakraborty, S. (2017). Codon usage bias and its influencing factors for Y-linked genes in human. *Computational Biology*

- and *Chemistry*, 69, 77–86.
<https://doi.org/10.1016/j.compbiolchem.2017.05.005>
- Christin, P. A., Salamin, N., Muasya, A. M., Roalson, E. H., Russier, F. & Besnard, G. (2008). Evolutionary switch and genetic convergence on *rbcL* following the evolution of C4 photosynthesis. *Molecular Biology and Evolution*, 25(11), 2361–2368. <https://doi.org/10.1093/molbev/msn178>
- Cui, X., Liu, K., Li, E., Zhang, Z. & Dong, W. (2024). Chloroplast genomes evolution and phylogenetic relationships of caragana species. *International Journal of Molecular Sciences*, 25(12), 1–15. <https://doi.org/10.3390/ijms25126786>
- D'Hont, A. & Glaszmann, J. C. (2001). Sugarcane genome analysis with molecular markers, a first decade of research. *Proceedings of the International Society of Sugar Cane Technology*, 24:556–559.
- D'Hont, A., Ison, D., Alix, K., Roux, C. & Glaszmann, J. C. (1998). Determination of basic chromosome numbers in the genus *Saccharum* by physical mapping of ribosomal RNA genes. *Genome*, 41(2), 221–225. <https://doi.org/10.1139/g98-023>
- Dai, J., Liu, Q., Xu, X., Tan, Z., Lin, Y., Gao, X. & Zhu, S. (2023). Comparative and phylogenetic analysis of the complete chloroplast genomes of *Uncaria* (Rubiaceae) species. *Frontiers in Plant Science*, 14, 1–13. <https://doi.org/10.3389/fpls.2023.1271689>
- Daniell, H., Lin, C. S., Yu, M. & Chang, W. J. (2016). Chloroplast genomes: diversity, evolution and applications in genetic engineering. *Genome Biology*, 17, 2–29.
- Daniels, J. & Daniels, C. (1993). Sugarcane in history. *Archeology in Oceania*, 28, 1–7.
- Daniels, J., Smith, P., Paton, N. & Williams, C.A. (1975). The origin of the genus *Saccharum*. *Sugarcane Breeding News*, 36, 24–39.
- de Coster, W., de Rijk, P., de Roeck, A., de Pooter, T., D'Hert, S., Strazisar, M., Slegers, K. & van Broeckhoven, C. (2019). Structural variants identified by Oxford Nanopore PromethION sequencing of the human genome. *Genome Research*, 29(7), 1178–1187. <https://doi.org/10.1101/gr.244939.118>
- de Mendonça Vilela, M., del Bem, L. E., van Sluys, M. A., de Setta, N., Kitajima, J. P., Cruz, G. M. Q., Sforça, D. A., de Souza, A. P., Ferreira, P. C. G., Grativol, C., Cardoso-Silva, C. B., Vicentini, R. & Vincentz, M. (2017). Analysis of three sugarcane homo/homeologous regions suggests independent polyploidization events of *Saccharum officinarum* and *Saccharum spontaneum*. *Genome Biology and Evolution*, 9(2), 266–278. <https://doi.org/10.1093/gbe/evw293>
- Demkina, A., Slonova, D., Mamontov, V., Konovalova, O., Yurikova, D., Rogozhin, V., Belova, V., Korostin, D., Sutormin, D., Severinov, K. & Isaev, A. (2023). Benchmarking DNA isolation methods for marine metagenomics. *Scientific Reports*, 13(1), 1–18. <https://doi.org/10.1038/s41598-023-48804-z>
- Direktorat Jenderal Perkebunan. (2025) *Targetkan Swasembada Gula, Kementan Tinjau Pabrik Gula Jatitujuh di Majalengka*. [Online]. Available at: <https://ditjenbun.pertanian.go.id/targetkan-swasembada-gula-kementan->

[tinjau-pabrik-gula-jatitujuh-di-majalengka/](#) (Accessed: 18 November 2025).

- Dobrogojski, J., Adamiec, M., & Luciński, R. (2020). The chloroplast genome: a review. In *Acta Physiologiae Plantarum*, 42(6), 1-13. Springer. <https://doi.org/10.1007/s11738-020-03089-x>
- Doyle, J. J. & Doyle, J. L. (1987). A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin*, 19(1), 11-15.
- Ellis, R.J. (1979). The most abundant protein in the world. *Trends in Biochemical Science*, 4(11), 241-244. [https://doi.org/10.1016/0968-0004\(79\)90212-3](https://doi.org/10.1016/0968-0004(79)90212-3)
- Faust, H., Duffek, P., Hentschel, J. & Popp, D. (2024). Evaluation of Automated magnetic bead-based dna extraction for detection of short tandem repeat expansions with nanopore sequencing. *Journal of Clinical Laboratory Analysis*, 38(6), 1-6. <https://doi.org/10.1002/jcla.25029>
- Fisher, S., Barry, A., Abreu, J., Minie, B., Nolan, J., Delorey, T. M., Young, G., Fennell, T. J., Allen, A., Ambrogio, L., Berlin, A. M., Blumenstiel, B., Cibulskis, K., Friedrich, D., Johnson, R., Juhn, F., Reilly, B., Shammass, R., Stalker, J., Sykes, S.M., Thompson, J., Walsh, J., Zimmer, A., Zwirko, Z., Gabriel, S., Nicol, R. & Nusbaum, C. (2011). A scalable, fully automated process for construction of sequence-ready human exome targeted capture libraries. *Genome Biology*, 12(1), 1-15. <https://doi.org/10.1186/gb-2011-12-1-r1>
- Franco-Sierra, N. D., & Díaz-Nieto, J. F. (2020). Rapid mitochondrial genome sequencing based on Oxford Nanopore Sequencing and a proxy forvertebrate species identification. *Ecology and Evolution*, 10(7), 3544-3560. <https://doi.org/10.1002/ece3.6151>
- Frumkin, I., Lajoie, M. J., Gregg, C. J., Hornung, G., Church, G. M., & Pilpel, Y. (2018). Codon usage of highly expressed genes affects proteome-wide translation efficiency. *Proceedings of the National Academy of Sciences of the United States of America*, 115(21), E4940-E4949. <https://doi.org/10.1073/pnas.1719375115>
- Gallagher, S. (1998), Quantitation of nucleic acids with absorption spectroscopy. *Current Protocols in Protein Science*, 13, A.4K.1-A.4K.3. <https://doi.org/10.1002/0471140864.psa04ks13>
- Galme, J., Flexas J, Keys AJ, Cifre J, Mitchell RAC, Madgwick PJ, Haslam RP, Medrano H, Parry MAJ. 2005. Rubisco specificity factor tends to be larger in plant species from drier habitats and in species with persistent leaves. *Plant Cell Environ.* 28, 571-579.
- Gaut, B. S., Muse, S. v, Dennis Clark, W. & Clegg, M. T. (1992). Relative rates of nucleotide substitution at the *rbcL* locus of monocotyledonous plants. *Journal of Molecular Evolution*, 35, 292-303. <https://doi.org/10.1007/BF00161167>
- Gong, Z., Zhai, D., Chen, J., Liu, B., & Zhu, T. (2023). Landscape determinants of genetic structure for *Schizopygopsis younghusbandi* in the Yarlung Tsangpo River drainage, Tibetan Plateau. *Ecological Indicators*, 151, 1-10. <https://doi.org/10.1016/j.ecolind.2023.110309>
- Gouy, M. & Cautier, C. (1982). Codon usage in bacteria: correlation with gene expressivity. *Nucleic Acid Research*, 10(22), 7055-7074.

- Grantham R. (1974). Amino acid difference formula to help explain protein evolution. *Science*, 185(4154), 862-864. <https://doi.org/10.1126/science.185.4154.862>
- Healey, A. L., Garsmeur, O., Lovell, J. T., Shengquiang, S., Sreedasyam, A., Jenkins, J., Plott, C. B., Piperidis, N., Pompidor, N., Llaca, V., Metcalfe, C. J., Doležel, J., Cápal, P., Carlson, J. W., Hoarau, J. Y., Hervouet, C., Zini, C., Dievart, A., Lipzen, A., Williams, M., Boston, L. B., Webber, J., Keymanesh, K., Tejomurthula, S., Rajasekar, S., Suchecki, R., Furtado, A., May, G., Parakkal, P., Simmons, B. A., Barry, K., Henry, R. J., Grimwood, J., Aitken, K. S., Schmutz, J. & D'Hont, A. (2024). The complex polyploid genome architecture of sugarcane. *Nature*, 628(8009), 804–810. <https://doi.org/10.1038/s41586-024-07231-4>
- Helling, R. B., Goodman, H. M., & Boyer, H. W. (1974). Analysis of endonuclease *r-ecori* fragments of dna from lambdoid bacteriophages and other viruses by agarose-gel electrophoresis. *Journal of Virology*, 14(5), 1235-1244. <https://doi.org/10.1128/jvi.14.5.1235-1244.1974>
- Hiramatsu, K., Matsuda, C., Masago, K., Toriyama, K., Sasaki, E., Fujita, Y., Haneda, M., Ebi, H., Shibata, N. & Hosoda, W. (2023). Diagnostic utility of DNA integrity number as an indicator of sufficient DNA quality in next-generation sequencing-based genomic profiling. *American Journal of Clinical Pathology*, 160(3), 261–267. <https://doi.org/10.1093/ajcp/aqad046>
- Hodkinson, T. R., Chase, M. W., Lledó, M. D., Salamin, N. & Renvoize, S. A. (2002). Phylogenetics of *Miscanthus*, *Saccharum* and related genera (Saccharinae, Andropogoneae, Poaceae) based on DNA sequences from ITS nuclear ribosomal DNA and plastid *trnL* intron and *trnL-F* intergenic spacers. *Journal of Plant Research*, 115(5), 381–392. <https://doi.org/10.1007/s10265-002-0049-3>
- Hollingsworth, P. M., Graham, S. W. & Little, D. P. (2011). Choosing and using a plant DNA barcode. *PLoS ONE*, 6(5), 12794-12797. <https://doi.org/10.1371/journal.pone.0019254>
- Hu, H., Dong, B., Fan, X., Wang, M., Wang, T., & Liu, Q. (2023). Mutational bias and natural selection driving the synonymous codon usage of single-exon genes in rice (*Oryza sativa* L.). *Rice*, 16(1), 1-13. <https://doi.org/10.1186/s12284-023-00627-2>
- Iida, S., Miyagi, A., Aoki, S., Ito, M., Kadono, Y., & Kosuge, K. (2009). Molecular adaptation of *rbcl* in the heterophyllous aquatic plant *potamogeton*. *PLoS ONE*, 4(2), 1-7. <https://doi.org/10.1371/journal.pone.0004633>
- Ikemura, T. (1981). Correlation between the abundance of *Escherichia coli* transfer RNAs and the occurrence of the respective codons in its protein genes. *Journal of Molecular Biology*, 146(1), 1-21. [https://doi.org/10.1016/0022-2836\(81\)90363-6](https://doi.org/10.1016/0022-2836(81)90363-6)
- Iriarte, A., Lamolle, G. & Musto, H. (2021). Codon usage bias: an endless tale. *Journal of Molecular Evolution*, 89, 589–593
- Isaic, A., Motofelea, N., Hoinoiu, T., Motofelea, A. C., Leancu, I. C., Stan, E., Gheorghe, S. R., Dutu, A. G., & Crintea, A. (2025). Next-generation sequencing: a review of its transformative impact on cancer diagnosis, treatment, and resistance management. *Diagnostics*, 15(19), 1-38. <https://doi.org/10.3390/diagnostics15192425>

- Jain, M., Koren, S., Miga, K. H., Quick, J., Rand, A. C., Sasani, T. A., Tyson, J. R., Beggs, A. D., Dillthey, A. T., Fiddes, I. T., Malla, S., Marriott, H., Nieto, T., O'Grady, J., Olsen, H. E., Pedersen, B. S., Rhie, A., Richardson, H., Quinlan, A. R., Snutch, T.P., Tee, L., Paten, B., Phillippy, A.M., Simpson, J.T., Loman, N.J. & Loose, M. (2018). Nanopore sequencing and assembly of a human genome with ultra-long reads. *Nature Biotechnology*, 36(4), 338–345. <https://doi.org/10.1038/nbt.4060>
- Jarvis, C.E. 1992. Seventy-two proposals for the conservation of types of selected linnaean generic names, the report of subcommittee 3c on the lectotypification of linnaean generic names. *Taxon*, 41(3), 552-583. <https://doi.org/10.2307/1222833>
- Jiang, C. K., Ma, J. Q., Liu, Y. F., Chen, J. D., Ni, D. J. & Chen, L. (2020). Identification and distribution of a single nucleotide polymorphism responsible for the catechin content in tea plants. *Horticulture Research*, 7(1). <https://doi.org/10.1038/s41438-020-0247-y>
- Jing, H., Tian, Z., Chong, K. & Li, J. 2021. Progress and perspective of molecular design breeding. *SCIENTIA SINICA Vitae*, 51(10), 1356 - 1365. <https://doi.org/10.1360/SSV-2021-0214>
- Kapralov, M. V. & Filatov, D. A. (2007). Widespread selection in the photosynthetic Rubisco enzyme. *BMC Evolution Biology*, 7(73), 1-10. <https://doi.org/10.1186/1471-2148-7-73>
- Kelly, S. (2021). The economics of organellar gene loss and endosymbiotic gene transfer. *Genome Biology*, 22(345), 1-22. <https://doi.org/10.1186/s13059-021-02567-w>
- Kolmogorov, M., Yuan, J., Lin, Y. & Pevzner, P. A. (2019). Assembly of long, error-prone reads using repeat graphs. *Nature Biotechnology*, 37(5), 540–546. <https://doi.org/10.1038/s41587-019-0072-8>
- Koren, S., Walenz, B. P., Berlin, K., Miller, J. R., Bergman, N. H. & Phillippy, A. M. (2017). Canu: scalable and accurate long-read assembly via adaptive k-mer weighting and repeat separation. *Genome Research*, 27(5), 722-736. <https://doi.org/10.1101/gr.215087.116>
- Krehenwinkel, H., Wolf, M., Lim, J. Y., Rominger, A. J., Simison, W. B. & Gillespie, R. G. (2017). Estimating and mitigating amplification bias in qualitative and quantitative arthropod metabarcoding. *Scientific Reports*, 7(17668). <https://doi.org/10.1038/s41598-017-17333-x>
- Kumar, S., Stecher, G. & Tamura, K. (2016). MEGA7: molecular evolutionary genetics analysis version 7.0 for bigger datasets. *Molecular Biology and Evolution*, 33(7), 1870–1874. <https://doi.org/10.1093/MOLBEV/MSW054>
- Leggett, R. M. & Clark, M. D. (2017). A world of opportunities with nanopore sequencing. *Journal of Experimental Botany*, 68(20), 5419–5429. <https://doi.org/10.1093/jxb/erx289>
- Li, C., Zhou, L., Nie, J., Wu, S., Li, W., Liu, Y. & Liu, Y. (2023). Codon usage bias and genetic diversity in chloroplast genomes of *Elaeagnus* species (Myrtiflorae: Elaeagnaceae). *Physiology and Molecular Biology of Plants*, 29(2), 239–251. <https://doi.org/10.1007/s12298-023-01289-6>
- Li, S., Duan, W., Zhao, J., Jing, Y., Feng, M., Kuang, B., Wei, N., Chen, B. & Yang, X. (2022). Comparative analysis of chloroplast genome in *Saccharum* spp.

- and related members of 'saccharum complex.' *International Journal of Molecular Sciences*, 23(14), 1-19. <https://doi.org/10.3390/ijms23147661>
- Li, S., Wang, Z., Xu, C., Zhang, L., Zhang, B., Huang, Y., Lu, X., Duan, W. & Yang, X. (2025). Chloroplast genome diversity and phylogenetic insights of *Saccharum spontaneum* across Southeast Asia. *Plants People Planet*, 7(6), 1834–1844. <https://doi.org/10.1002/ppp3.70056>
- Li, Z., Parris, S., & Saski, C. A. (2020). A simple plant high-molecular-weight DNA extraction method suitable for single-molecule technologies. *Plant Methods*, 16(1), 1-6. <https://doi.org/10.1186/s13007-020-00579-4>
- Lippold, F., vom Dorp, K., Abraham, M., Holzl, G., Wewer, V., Yilmaz, J. L., Lager, I., Montandon, C., Besagni, C., Kessler, F., Stymne, S. & Dormann, P. (2012) Fatty acid phytyl ester synthesis in chloroplasts of *Arabidopsis*. *Plant Cell*, 24, 2001–2014
- Liu, P. F., Avramova, L. V. & Park, C. (2009). Revisiting absorbance at 230 nm as a protein unfolding probe. *Analytical Biochemistry*, 389(2), 165–170. <https://doi.org/10.1016/j.ab.2009.03.028>
- Liu, Q., Feng, Y., Zhao, X., Dong, H. & Xue, Q. (2004). Synonymous codon usage bias in *Oryza sativa*. *Plant Science*, 167(1), 101–105. <https://doi.org/10.1016/j.plantsci.2004.03.003>
- Lloyd Evans, D., Hlongwane, T. T., Joshi, S. & Riaño Pachón, D. M. (2019). The sugarcane mitochondrial genome: assembly, phylogenetics and transcriptomics. *PeerJ*, 7, e7558. <https://doi.org/10.7717/peerj.7558>
- Logsdon, G. A., Vollger, M. R., Hsieh, P. H., Mao, Y., Liskovykh, M. A., Koren, S., Nurk, S., Mercuri, L., Dishuck, P. C., Rhie, A., de Lima, L. G., Dvorkina, T., Porubsky, D., Harvey, W. T., Mikheenko, A., Bzikadze, A. v., Kremitzki, M., Graves-Lindsay, T. A., Jain, C., Hoekzema, K., Murali, S. C., Munson, K. M., Baker, C., Sorensen, M., Lewis, A. M., Surti, U., Gerton, J. L., Larionov, V., Ventura, M., Miga, K. H., Phillippy, A. M. & Eichler, E. E. (2021). The structure, function and evolution of a complete human chromosome 8. *Nature*, 593(7857), 101–107. <https://doi.org/10.1038/s41586-021-03420-7>
- López-Giráldez, F., Moeller, A. H., & Townsend, J. P. (2013). Evaluating phylogenetic informativeness as a predictor of phylogenetic signal for metazoan, fungal, and mammalian phylogenomic data sets. *BioMed Research International*, 2013, 1-14. <https://doi.org/10.1155/2013/621604>
- Mao, Y., Catherall, E., Díaz-Ramos, A., Greiff, G. R. L., Azinas, S., Gunn, L., & McCormick, A. J. (2023). The small subunit of Rubisco and its potential as an engineering target. *Journal of Experimental Botany*, 74(2), 543–561. <https://doi.org/10.1093/jxb/erac309>
- Marmesat, E., Soriano, L., Mazzoni, C. J., Sommer, S. & Godoy, J. A. (2016). PCR strategies for complete allele calling in multigene families using high-throughput sequencing approaches. *PLoS ONE*, 11(6), 1-19. <https://doi.org/10.1371/journal.pone.0157402>
- Mayjonade, B., Gouzy, J., Donnadieu, C., Pouilly, N., Marande, W., Callot, C., Langlade, N. & Muñoz, S. (2016). Extraction of high-molecular-weight genomic DNA for long-read sequencing of single molecules. *BioTechniques*, 61(4), 203–205. <https://doi.org/10.2144/000114460>

- Mishra, P., Maurya, R., Avashthi, H., Mittal, S., Chandra, M. & Ramteke, P.W. (2022). Genome assembly and annotation. In *Bioinformatics Methods and Applications*. Academis Press. 49-66. <https://doi.org/10.1016/B978-0-323-89775-4.00013-4>
- Mizohata, E., Anwaruzzaman, M., Okuno, H., Tomizawa, K. I., Shigeoka, S., Kai, Y. & Yokota, A. (2003). Chemical modification of arginine alleviates the decline in activity during catalysis of spinach Rubisco. *Biochemical and Biophysical Research Communications*, 301(2), 591–597. [https://doi.org/10.1016/S0006-291X\(02\)03057-7](https://doi.org/10.1016/S0006-291X(02)03057-7)
- Morton, B. R. (1998). Selection on the codon bias of chloroplast and cyanelle genes in different plant and algal lineages. *Journal of Molecular Evolution*, 46, 449-459. <https://doi.org/10.1007/pl00006325>
- Morton, B. R. (2001). Selection at the amino acid level can influence synonymous codon usage: implications for the study of codon adaptation in plastid genes, *Genetics*, 159(1), 347–358, <https://doi.org/10.1093/genetics/159.1.347>
- Mukherjee, S.K. 1957. Origin and distribution of *Saccharum*. *Botanical Gazette*, 119(1), 55–61.
- Mursyidin, D. H., Hernanda, M. A. & Badruzsaufari. (2022). Genetic diversity of elephant foot yam (*Amorphophallus paeoniifolius*) and two other relatives from the meratus mountains of South Kalimantan, Indonesia. *Journal of Tropical Biodiversity and Biotechnology*, 7(1), 1-12. <https://doi.org/10.22146/jtbb.66231>
- Nath Choudhury, M., Uddin, A. & Chakraborty, S. (2017). Codon usage bias and its influencing factors for Y-linked genes in human. *Computational Biology and Chemistry*, 69, 77-86. <https://doi.org/10.1016/j.compbiolchem.2017.05.005>
- Nei, M. & Li, W.-H. (1979). Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceeding of the National Academy of Sciences of the United States of America*, 76(10), 5269-5273. <https://doi.org/10.1073/pnas.76.10.5269>
- Njuguna, W., Liston, A., Cronn, R., Ashman, T. L. & Bassil, N. (2013). Insights into phylogeny, sex function and age of *Fragaria* based on whole chloroplast genome sequencing. *Molecular Phylogenetics & Evolution*, 66, 17-29, <https://doi.org/10.1016/j.ympev.2012.08.026>
- Novianti, R., Syaikat, Y. & Ekayani, M. (2021). Pengelolaan dan analisis nilai tambah by-products industri gula (studi kasus di pabrik gula gempolkrep, Mojokerto, Jawa Timur). *Jurnal Ilmu Pertanian Indonesia*, 26(3), 400-405.
- O'Neill, M., McPartlin, J., Arthure, K., Riedel, S. & McMillan, N. D. (2011). Comparison of the TLDA with the nanodrop and the reference qubit system. *Journal of Physics: Conference Series*, 307(1), 1-6. <https://doi.org/10.1088/1742-6596/307/1/012047>
- Olejniczak, S.A., Łojewska, E., Kowalczyk, T. & Sakowicz, T. (2016). Chloroplasts: state of research and practical applications of plastome sequencing. *Planta*, 244, 517–527. <https://doi.org/10.1007/s00425-016-2551-1>
- Pace, C. N., Fu, H., Fryar, K. L., Landua, J., Trevino, S. R., Schell, D., Thurlkill, R. L., Imura, S., Scholtz, J. M., Gajiwala, K., Sevcik, J., Urbanikova, L., Myers, J. K., Takano, K., Hebert, E. J., Shirley, B. A. & Grimsley, G. R.

- (2014). Contribution of hydrogen bonds to protein stability. *Protein Science*, 23(5), 652–661. <https://doi.org/10.1002/pro.2449>
- Pachakkil, B., Terajima, Y., Ohmido, N., Ebina, M., Irei, S., Hayashi, H. & Takagi, H. 2019. Cytogenetic and agronomic characterization of intergeneric hybrids between *Saccharum* spp. hybrid and *Erianthus arundinaceus*. *Scientific Reports*, 9(1748), 1-12. <https://doi.org/10.1038/s41598-018-38316-6>
- Pan, L. L., Wang, Y., Hu, J. H., Ding, Z. T. & Li, C. (2013). Analysis of codon use features of stearoyl-acyl carrier protein desaturase gene in *Camellia sinensis*. *Journal of Theoretical Biology*, 334, 80–86. <https://doi.org/10.1016/j.jtbi.2013.06.006>
- Plotkin, J. B. & Kudla, G. (2011). Synonymous but not the same: The causes and consequences of codon bias. *Nature Reviews Genetics*, 12(1), 32–42. <https://doi.org/10.1038/nrg2899>
- Pop, C., Rouskin, S., Ingolia, N. T., Han, L., Phizicky, E. M., Weissman, J. S. & Koller, D. (2014). Causal signals between codon bias, mRNA structure, and the efficiency of translation and elongation. *Molecular Systems Biology*, 10(12), 1-15. <https://doi.org/10.15252/msb.20145524>
- Porebski, S., Bailey, L. G. & Baum, B. R. (1997). Modification of a ctab DNA extraction protocol for plants containing high polysaccharide and polyphenol components. *Plant Molecular Biology Reporter*, 15(1), 8-15. <https://doi.org/10.1007/BF02772108>
- Price S (1965) Interspecific hybridization in sugarcane breeding. *Proceedings of the International Society of Sugar Cane Technology*, 12, 1021–1026
- Price, S. (1957). Cytological studies in *Saccharum* and allied genera II. Geographic distribution and chromosome numbers in *S. robustum*. *Cytologia*, 22, 40–52.
- Priyono, D. S., Rafina, N., Arisuryanti, T., Lesmana, I., Yustian, I. & Setiawan, A. (2025). The first complete mitochondrial genome of Sumatran striped rabbit *Nesolagus netscheri* (Schlegel, 1880), and its phylogenetic relationship with other Leporidae. *Scientific Reports*, 15(1), 1-11. <https://doi.org/10.1038/s41598-025-85212-x>
- Psifidi, A., Dovas, C. I., Bramis, G., Lazou, T., Russel, C. L., Arsenos, G., & Banos, G. (2015). Comparison of eleven methods for genomic DNA extraction suitable for large-scale whole-genome genotyping and long-term DNA banking using blood samples. *PLoS ONE*, 10(1), 1-18. <https://doi.org/10.1371/journal.pone.0115960>
- Pusat Data dan Sistem Informasi Pertanian. (2025) *Buku Outlook Komoditas Perkebunan Tebu*. [Online].
- Qi, Y., Gao, X., Zeng, Q., Zheng, Z., Wu, C., Yang, R., Feng, X., Wu, Z., Fan, L. & Huang, Z. (2022). Sugarcane breeding, germplasm development and related molecular research in China. *Sugar Tech*, 24, 1–13. <https://doi.org/10.1007/s12355-021-01055-6>
- Quax, T. E. F., Claassens, N. J., Söll, D. & van der Oost, J. (2015). Codon bias as a means to fine-tune gene expression. *Molecular Cell*, 59(2), 149–161. <https://doi.org/10.1016/j.molcel.2015.05.035>
- Rahmat, E., Anindita, L., Sianipar, N. F., Assidqi, K., Kang, Y., Happy, K. & Wicaksono, A. (2025). Revealing genetic markers and evolutionary insights

- within Piperaceae in chloroplast genome architecture of Indonesian Piper betle. *Biodiversitas*, 26(11), 5906–5919. <https://doi.org/10.13057/biodiv/d261146>
- Ramadhan, C., Taryono, & Wulandari, R. (2014). Keragaan pertumbuhan dan rendemen lima klon tebu (*Saccharum officinarum* L.) di ultisol, vertisol, dan inceptisol. *Vegetalika*, 3(4), 77–87.
- Rawsthorne, S. 2002. Carbon flux and fatty acid synthesis in plants. *Progress in Lipid Research*, 42, 182–196.
- Rogers, S. O., & Bendich, A. J. (1985). Extraction of DNA from milligram amounts of fresh, herbarium and mummified plant tissues. *Plant Molecular Biology*, 5(2), 69–76. <https://doi.org/10.1007/BF00020088>
- Rokhman, H., Taryono & Supriyanta. (2014). Jumlah anakan dan rendemen enam klon tebu (*Saccharum officinarum* L.) asal bibit bagal, mata ruas tunggal, dan mata tunas tunggal, *Vegetalika*, 3(3), 89–96.
- Rousseau-Gueutin, M., Gaston, A., Ainouche, A., Ainouche, M. L., Olbricht, K., Staudt, G., Richard, L. & Denoyes-Rothan, B. (2009). Tracking the evolutionary history of polyploidy in *Fragaria* L. (strawberry): new insights from phylogenetic analyses of low-copy nuclear genes. *Molecular Phylogenetics and Evolution*, 51(3), 515–530. <https://doi.org/10.1016/j.ympev.2008.12.024>
- Roy-Chowdhuri, S., Goswami, R. S., Chen, H., Patel, K. P., Routbort, M. J., Singh, R. R., Broaddus, R. R., Barkoh, B. A., Manekia, J., Yao, H., Medeiros, L. J., Staerkel, G., Luthra, R. & Stewart, J. (2015). Factors affecting the success of next-generation sequencing in cytology specimens. *Cancer Cytopathology*, 123(11), 659–668. <https://doi.org/10.1002/cncy.21597>
- Russo, A., Mayjonade, B., Frei, D., Potente, G., Kellenberger, R. T., Frachon, L., Copetti, D., Studer, B., Frey, J. E., Grossniklaus, U., & Schlüter, P. M. (2022). Low-input high-molecular-weight dna extraction for long-read sequencing from plants of diverse families. *Frontiers in Plant Science*, 13, 1–12. <https://doi.org/10.3389/fpls.2022.883897>
- Sage, R. F. (2004). The evolution of C 4 photosynthesis. *New Phytologist*, 161, 341–370. <https://doi.org/10.1046/j.1469-8137.2004.00974.x>
- Sambrook, J. & Russell, D.W. 2001. *Molecular Cloning: A Laboratory Manual* (3rd. ed). Cold Spring Harbor Laboratory Press.
- Sambrook, J., Fritsch, E. F. & Maniatis, T. 1989. *Molecular Cloning: A Laboratory Manual* (2nd. ed). Cold Spring Harbor Laboratory Press.
- Sari, M. F., Taryono, T. & Wulandari, R. A. (2019). Indeks ketahanan salinitas 10 klon tebu (*Saccharum officinarum*). *J-Plantasimbiosa*, 1(2), 44–56. <https://doi.org/10.25181/jplantasimbiosa.v1i2.1487>
- Sawicki, J., Krawczyk, K., Paukszto, Ł., Maździarz, M., Kurzyński, M., Szablińska-Piernik, J. & Szczecińska, M. (2024). Nanopore sequencing technology as an emerging tool for diversity studies of plant organellar genomes. *Diversity*, 16(3), 1–13. <https://doi.org/10.3390/d16030173>
- Schalamun, M., Nagar, R., Kainer, D., Beavan, E., Eccles, D., Rathjen, J. P., Lanfear, R. & Schwesinger, B. 2019. Harnessing the MinION: An example of how to establish long-read sequencing in a laboratory using challenging plant tissue from *Eucalyptus pauciflora*. *Molecular Ecology Resources*, 19(1), 77–89. <https://doi.org/10.1111/1755-0998.12938>

- Seeb, J. E., Carvalho, G., Hauser, L., Naish, K., Roberts, S. & Seeb, L. W. (2011). Single-nucleotide polymorphism (SNP) discovery and applications of SNP genotyping in nonmodel organisms. *Molecular Ecology Resources*, 11(1), 1–8. <https://doi.org/10.1111/j.1755-0998.2010.02979.x>
- Sharp, P. M. & Li, W. H. (1987). The codon adaptation index — a measure of directional synonymous codon usage bias, and its potential applications. *Nucleic Acids Research*, 15(3), 1281–1295.
- Sharp, P. M. & Li, W.-H. (1986). An evolutionary perspective on synonymous codon usage in unicellular organisms. *Journal of Molecular Evolution*, 4(1-2), 28–38. <https://doi.org/10.1007/BF02099948>
- Shaw, J., Lickey, E. B., Schilling, E. E. & Small, R. L. (2007). Comparison of whole chloroplast genome sequences to choose noncoding regions for phylogenetic studies in angiosperms: the Tortoise and the Hare III. *American Journal of Botany*, 94, 275–288. <https://doi.org/10.3732/ajb.94.3.275>
- Shendure, J., Balasubramanian, S., Church, G. M., Gilbert, W., Rogers, J., Schloss, J. A. & Waterston, R. H. (2017). DNA sequencing at 40: Past, present and future. *Nature*, 550(7676), 345–354. <https://doi.org/10.1038/nature24286>
- Sheng, J., She, X., Liu, X., Wang, J. & Hu, Z. (2021). Comparative analysis of codon usage patterns in chloroplast genomes of five *Miscanthus* species and related species. *PeerJ*, 9, 1–18. <https://doi.org/10.7717/peerj.12173>
- Simbolo, M., Gottardi, M., Corbo, V., Fassan, M., Mafficini, A., Malpeli, G., Lawlor, R. T. & Scarpa, A. (2013). DNA Qualification workflow for next generation sequencing of histopathological samples. *PLoS ONE*, 8(6), 1–8. <https://doi.org/10.1371/journal.pone.0062692>
- Simmonds, N. W. (1976). Progress in sugarcane breeding. *Sugarcane breeders' Newsl*, 38, 75–78.
- Singh, J. & Banerjee, S. 2018. Utility of DNA barcoding tool for conservation and molecular identification of intraspecies of rice genotypes belonging to chhattisgarh using *rbcl* and *matk* gene sequences. *Plant Archives*, 18, 69–75.
- Slapnik, B., Šket, R., Črepinšek, K., Tesovnik, T., Bizjan, B. J., & Kovač, J. (2024). The quality and detection limits of mitochondrial heteroplasmy by long read nanopore sequencing. *Scientific Reports*, 14(1), 1–12. <https://doi.org/10.1038/s41598-024-78270-0>
- Small, R. L., Ryburn, J. A., Cronn, R. C., Seelanan, T. & Wendel, J. F. (1998). The tortoise and the hare: choosing between noncoding plastome and nuclear *Adh* sequences for phylogeny reconstruction in a recently diverged plant group. *American Journal of Botany*, 85, 1301–1315. <https://doi.org/10.2307/2446640>
- Souza, G. M., van Sluys, M. A., Lembke, C. G., Lee, H., Margarido, G. R. A., Hotta, C. T., Gaiarsa, J. W., Diniz, A. L., Oliveira, M. D. M., Ferreira, S. D. S., Nishiyama, M. Y., Ten-Caten, F., Ragagnin, G. T., Andrade, P. D. M., de Souza, R. F., Nicastro, G. G., Pandya, R., Kim, C., Guo, H., Durham, A. M., Carneiro, M. S., Zhang, J., Zhang, X., Zhang, Q., Ming, R., Schatz, M. C., Davidson, B., Paterson, A. H. & Heckerman, D. (2019). Assembly of the 373k gene space of the polyploid sugarcane genome reveals reservoirs of functional diversity in the world's leading biomass crop. *GigaScience*, 8(12), 1–18. <https://doi.org/10.1093/gigascience/giz129>

- Spangler R, Zaitchik B, Russo E, Kellogg E (1999) Andropogoneae evolution and generic limits in sorghum (Poaceae) using *ndhF* sequences. *Systematic Botany*, 24(2), 267–281
- Spreitzer, R. J. & Salvucci, M. E. (2002). Rubisco: structure, regulatory interactions, and possibilities for a better enzyme. *Annual Review of Plant Biology*, 53, 449–475. <https://doi.org/10.1146/annurev.arplant.53.100301.135233>
- Srividya, A., Sandal, S. S. & Walia, P. (2023). Doubled Haploids in Crop Improvement: Unraveling Strategies, Advancements and Prospects for Enhanced Genetics. *International Journal of Plant & Soil Science*, 35(17), 348–358. <https://doi.org/10.9734/ijpss/2023/v35i173215>
- Stulnig, T. M. & Amberger, A. (1994). Exposing contaminating phenol in nucleic acid preparations. *BioTechniques*, 16(3), 402–404.
- Sun, Y., Shang, L., Zhu, Q., Fan, L. & Guo, L. 2022. Twenty years of plant genome sequencing: achievements and challenges. *Trends in Plant Science*, 27(4), 391–401.
- Svärd, A. A., Viberg, E., von Platen, I., Jönsson, I. & Lundgren. (2025). Feasibility of extracting usable DNA from blood samples stored up to 21 years in the DiPiS study. *Scientific Reports*, 15(1), 1–11. <https://doi.org/10.1038/s41598-025-08257-y>
- Tamari, F. & Hinkley, C.S. (2016). Extraction of DNA from Plant Tissue: Review and Protocols. In: Micic, M. (eds) *Sample Preparation Techniques for Soil, Plant, and Animal Samples*. 245–263 https://doi.org/10.1007/978-1-4939-3185-9_17
- Teng, Y., Zhang, L., Song, Y., Xu, Y., Zhang, Z., Fan, D., Li, J., Liu, X., Lu, J., Wang, L., Du, C., Miao, Y., He, J., Liu, H. & Ma, C. (2025). Comparative Analysis of Chloroplast Genomes Reveals Phylogenetic Relationships and Variation in Chlorophyll Fluorescence In Vitis. *Horticulturae*, 11(11), 1–17. <https://doi.org/10.3390/horticulturae11111330>
- Thirugnanasambandam, P.P., Hoang, N.V. & Henry, R.J. 2018. The challenge of analyzing the sugarcane genome. *Frontiers in Plant Science*. 9(616), 1–18.
- Tillich, M., Lehwark, P., Pellizzer, T., Ulbricht-Jones, E. S., Fischer, A., Bock, R., & Greiner, S. (2017). GeSeq – versatile and accurate annotation of organelle genomes. *Nucleic Acids Research*, 45(W1), W6–W11. <https://doi.org/10.1093/nar/gkx391>
- van Dijk, E.L., Auger, H., Jaszczyszyn, Y. & Thermes, C. (2014) Ten years of next-generation sequencing technology. *Trends in Genetics*, 30(9), 418–26. <https://doi.org/10.1016/j.tig.2014.07.001>
- van Kleunen, M., Dawson, W., Essl, F., Pergl, J., Winter, M., Weber, E., Kreft, H., Weigelt, P., Kartesz, J., Nishino, M., Antonova, L. A., Barcelona, J. F., Cabezas, F. J., Cárdenas, D., Cárdenas-Toro, J., Castaño, N., Chacón, E., Chatelain, C., Ebel, A. L., Figueiredo, E., Fuentes, N., Groom, Q. J., Henderson, L., Inderjit, Kupriyanov, A., Masciadri, S., Meerman, J., Morozova, O. & Pyšek, P. (2015). Global exchange and accumulation of non-native plants. *Nature*, 525(7567), 100–103. <https://doi.org/10.1038/nature14910>
- Vidi, P. A., Kanwisher, M., Baginsky, S., Austin, J. R., Csucs, G., Dormann, P., Kessler, F. & Brehelin, C. (2006) Tocopherol cyclase (VTE 1) localization

- and vitamin E accumulation in chloroplast plastoglobule lipoprotein particles. *Journal of Biology Chemistry*, 281, 11225–11234
- Vidigal, P. M. P., Coelho, A. S. G., Novaes, E., Barbosa, M. H. P. & Peternelli, L. A. (2016). Complete chloroplast genome sequence and annotation of the *Saccharum* hybrid cultivar RB867515. *Genome Announcements*, 4(5), 1-2. <https://doi.org/10.1128/genomeA.01157-16>
- Vihinen, M., Torkkila, E. & Riikonen, P. (1994). Accuracy of protein flexibility predictions. *PROTEINS: Structure, Function, and Genetics*, 19, 141-149.
- Widyasari, W. B., Putra, L. K., Ranomahera, M. R. R. & Puspitasari, A. R. (2022). Historical notes, germplasm development, and molecular approaches to support sugarcane breeding program in Indonesia. *Sugar Tech*, 24(1), 30–47. <https://doi.org/10.1007/s12355-021-01069-0>
- Wu, H., Li, D. Z. & Ma, P. F. (2024). Unprecedented variation pattern of plastid genomes and the potential role in adaptive evolution in Poales. *BMC Biology*, 22(1), 1-18. <https://doi.org/10.1186/s12915-024-01890-5>
- Xin, H., Lee, D., Hormozdiari, F., Yedkar, S., Mutlu, O. & Alkan, C. (2013). Accelerating read mapping with FastHASH. *BMC Genomics*, 14, 1-13. <https://doi.org/10.1186/1471-2164-14-S1-S13>
- Xin, Z., & Chen, J. (2012). A high throughput DNA extraction method with high yield and quality. *Plant Methods*, 8(1), 1-7. <https://doi.org/10.1186/1746-4811-8-26>
- Xu, H., Li, Y., Gao, R., Xu, R., Guo, G., Lu, R., Halford, N. G., Chen, Z. & Liu, C. (2021). Rapid generation and analysis of a barley doubled haploid line with higher nitrogen use efficiency than parental lines by fl microspore embryogenesis. *Plants*, 10(8), 1-18. <https://doi.org/10.3390/plants10081588>
- Yang, T., Aishan, S., Zhu, J., Qin, Y., Liu, J., Liu, H., Tie, J., Wang, J., & Qin, R. (2023). Chloroplast genomes and phylogenetic analysis of three carthamus (asteraceae) Species. *International Journal of Molecular Sciences*, 24(21), 1-13. <https://doi.org/10.3390/ijms242115634>
- Yang, Y., Wang, X., & Shi, Z. (2024). Comparative Study on codon usage patterns across chloroplast genomes of eighteen *Taraxacum* species. *Horticulturae*, 10(5), 1-14. <https://doi.org/10.3390/horticulturae10050492>
- Yang, Z. & Sun, G. (2017). High-frequency, low-coverage “false positives” mutations may be true in GS Junior sequencing studies. *Scientific Reports*, 7(1), 1-8. <https://doi.org/10.1038/s41598-017-13116-6>
- Yang, Z., & Nielsen, R. (2002). Codon-substitution models for detecting molecular adaptation at individual sites along specific lineages. *Molecular Biology and Evolution*, 19(6), 908–917. <https://academic.oup.com/mbe/article/19/6/908/1094851>
- Yeom, H., Lee, Y., Ryu, T., Noh, J., Lee, A. C., Lee, H. B., Kang, E., Song, S. W. & Kwon, S. (2019). Barcode-free next-generation sequencing error validation for ultra-rare variant detection. *Nature Communications*, 10(1), 1-8. <https://doi.org/10.1038/s41467-019-08941-4>
- Zargar, M., Zavarykina, T., Voronov, S., Pronina, I. & Bayat, M. (2022). The Recent Development in Technologies for Attaining Doubled Haploid Plants In Vivo. *Agriculture*, 12(10), 1-21. <https://doi.org/10.3390/agriculture12101595>

- Zhang, J., Zhang, X. & Tang, H. (2018). Allele-defined genome of the autopolyploid sugarcane *Saccharum spontaneum* L. *Nature Genetics*, 50, 1565–1573. <https://doi.org/10.1038/s41588-018-0237-2>
- Zhao, Y., Wu, W., Chen, J., Lin, Q., An, C., Chen, G., Zheng, Y., Huang, M., & Lin, Y. (2026). Comparative chloroplast genomics of acanthaceae with a focus on medicinal plant *thunbergia grandiflora roxb.*: unveiling adaptive evolution, diversification mechanisms and phylogenetic relationships. *Biology*, 15(2), 1-32. <https://doi.org/10.3390/biology15020137>
- Zorz, J., Li, C., Chakraborty, A., Gittins, D. A., Surcon, T., Morrison, N., Bennett, R., MacDonald, A., & Hubert, C. R. J. (2023). *SituSeq*: An offline protocol for rapid and remote Nanopore 16S rRNA amplicon sequence analysis. *ISME Communications*, 3(1), 1-11. <https://doi.org/10.1038/s43705-023-00239-3>