UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adhitya, F., Rusdiana, O., & Saleh, M. B. (2017). Penentuan Jenis Tumbuhan Lokal Dalam Upaya Mitigasi Longsor Dan Teknik Budidayanya Pada Areal Rawan Longsor di KPH Lawu DS: Studi Kasus di RPH Cepoko Determination of Local Plants Species in Mitigation Effort at Areas Prone and Cultivation Techniques.... Journal of Tropical Silviculture, 8(1), 9-19.

Asdak C. 2003. Faktor Hutan, Geomorfologi, dan Anomali Iklim pada Bencana Longsor di Hulu DAS Cimanuk. Prosiding Semiloka Mitigasi Bencana Longsor Di Kabupaten Garut. Pemerintah Kabupaten Garut.

Badan Nasional Penanggulangan Bencana. (2016). Risiko Bencana Indonesia. Retrieved from inarisk.bnpb.go.id website: https:// inarisk.bnpb.go.id/pdf/Buku RBI_Final_low.pdf

Badan Nasional Penanggulangan Bencana 2024. Data dan Informasi Bencana Indonesia. https://dibi.bnpb.go.id/home/index2 (di akses tanggal 08 Mei 2024)

Baltsavias, E. P. (1999). Airborne laser scanning: basic relations and formulas. ISPRS Journal of photogrammetry and remote sensing, 54(2-3), 199-214.

Blaschke, T. (2010). Object based image analysis for remote sensing. ISPRS journal of photogrammetry and remote sensing, 65(1), 2-16.

Burrough, P. A., McDonnell, R. A., & Lloyd, C. D. (2015). Principles of geographical information systems. Oxford university press.

Chen, G., Li, X., Chen, W., Cheng, X., Zhang, Y., & Liu, S. (2014). Extraction and application analysis of landslide influential factors based on LiDAR DEM: a case study in the Three Gorges area, China. Natural hazards, 74(2), 509-526.

de Jong, S. M., & Jetten, V. G. (2007). Estimating spatial patterns of rainfall interception from remotely sensed vegetation indices and spectral mixture

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

analysis. International Journal of Geographical Information Science, 21, 529−545.

Duan, T. (2017). The impact of Leaf Area Index on rainfall interception and the potential to estimate it using Sentinel-1 observations (Master's thesis, University of Twente).

English, S., Wilkinson, C. dan Baker, V. 1994. Survey manual for tropical marine resource. Townsville, Autralian Institute of Marin Science.

Goodchild, M. F. (2011). Scale in GIS: An overview. Geomorphology, 130(1-2), 5-9.

Hamraz, H., Contreras, M. A., & Zhang, J. (2017). Forest understory trees can be segmented accurately within sufficiently dense airborne laser scanning point clouds. Scientific reports, 7(1), 6770.

He, W., Jing, Y., Jiang, Z.Y., Liao, C.M., Yu, Y., Peng, J.H., Zhang, Y.D., Hou, G.L., Zhang, S.Y., 2022. Spatiotemporal variations in vegetation canopy interception in China based on a revised Gash model. Forests 13, 1404.

Holder, C. D. (2012). The relationship between leaf hydrophobicity, water droplet retention, and leaf angle of common species in a semi-arid region of the western United States. Agricultural and Forest Meteorology, 152, 11-16.

Howard, John. 1991. Remote sensing of Forest Resources-Theory and Application, (diterjemahkan dalam Judul Penginderaan Jauh untuk Sumberdaya Hutan-Teori dan Aplikasi oleh Hartono, Dr. dkk, tahun 1996. Yogyakarta: Gadjah Mada University Pres.

Indirabai, I., Nair, M. H., Nair, J. R., & Nidamanuri, R. R. (2020). Direct estimation of leaf area index of tropical forests using LiDAR point cloud. Remote Sensing Applications: Society and Environment, 18, 100295.

Istarno. (2016). Buku Ajar Penginderaan Jauh Sensor Aktif Airborne Laser Scanning/Lidar. Yogyakarta: Departemen Teknik Geodesi UGM.

Jacobs, L., Kervyn, M., Reichenbach, P., Rossi, M., Marchesini, I., Alvioli, M., Dewitte, O., 2020. Regional susceptibility assessments with heterogeneous

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

landslide information: slope unit- vs. pixel-based approach. Geomorphology 356, 107084. https://doi.org/ 10.1016/j.geomorph.2020.107084.

Jaya, I. N. (2007). Analisis Citra Digital: Perspektif Penginderaan Jauh Untuk Pengelolaan Sumber Daya Alam. Bandung: Institut Teknologi Bandung.

Johnson, G., 2021. Tree silhouette. https://pixabay.com/users/gdj-1086657/?utm_source=link-att

Kerr, J. T., & Ostrovsky, M. (2003). From space to species: ecological applications for remote sensing. Trends in ecology & evolution, 18(6), 299-305.

Kushardono, D. 2003. Melihat Penyebab Longsor Garut Lewat Satelit. Harian KOMPAS, 3 Februari 2003.

Lestariningsih I.D, Widianto, D. Suprayogo, K. Hairiah dan M. van Noordwijk. 2007. Pengaruh Alih Guna Lahan Hutan Menjadi Kebun Kopi Terhadap Limpasan Permukaan dan Erosi.Prosiding Kongres Nasional HITI UPN Yogyakarta. Yogyakarta

Levia, D. F., Carlyle-Moses, D., & Tanaka, T. (Eds.). (2011). Forest hydrology and biogeochemistry: synthesis of past research and future directions (Vol. 216). Springer Science & Business Media.

Levia, D. F., & Germer, S. (2015). A review of stemflow generation dynamics and stemflow-environment interactions in forests and shrublands. Reviews of Geophysics, 53(3), 673-714.

Li, W., Guo, Q., Jakubowski, M. K., & Kelly, M. (2012). A new method for segmenting individual trees from the lidar *point cloud*. Photogrammetric Engineering & Remote Sensing, 78(1), 75-84.

Lohani, B. (2008). Airborne altimetric LIDAR: Principle, data collection, processing and applications. URL: http://home. iitk. ac. in/~ blohani/LiDAR_Tutorial/Airborne_AltimetricLidar_Tutorial. htm, accessed Feb.

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohan, M., Silva, C. A., Klauberg, C., Jat, P., Catts, G., Cardil, A., & Dia, M. (2017). Individual tree detection from UAV derived canopy height model in an open canopy mixed conifer forest. Forests, 8(9), 340.

Muntohar, A. S. (2010). Tanah Longsor Analisis, Prediksi & Mitigasi.

Myneni, R. B., Nemani, R. R., & Running, S. W. (1997). Estimation of Global Leaf Area Index and Absorbed Par Using Radiative Transfer Models. *IEEE TRANSACTIONS ON GEOSCIENCE AND REMOTE SENSING*, *35*(6), 1380-1393.

Pollen-Bankhead, N., & Simon, A. (2010). Hydrologic and hydraulic effects of riparian root networks on streambank stability: Is mechanical root-reinforcement the whole story?. Geomorphology, 116(3-4), 353-362.

Pypker, T. G., Bond, B. J., Link, T. E., Marks, D., & Unsworth, M. H. (2005). The importance of canopy structure in controlling the interception loss of rainfall: Examples from a young and an old-growth Douglas-fir forest. Agricultural and forest Meteorology, 130(1-2), 113-129.

Qu, B., 2017. The spatial and temporal distribution of rainfall interception by vegetation in China. University of Chinese Academy of Sciences.

Rahmadani, P. (2024). Perbandingan Survei LiDAR Menggunakan Wahana Drone dan Handheld-SLAM Untuk Analisa Tree Trunk dan Tree Crown. JGISE: Journal of Geospatial Information Science and Engineering, 7(2), 202-207.

Ratri, D., & Indrawan, I. G. B. (2017). Engineering Geology of Sidosari Area, Magelang, Central Java, Indonesia. Journal of Applied Geology, 2(1), 15-24.

Rivananda. 2023. Simulasi Runout Longsor Menggunakan Model Gravitational Process Path (GPP) di Ruas Jalan Salaman-Bener Kabupaten Magelang.

Salim, E. 2010. Ratusan Bangsa Merusak Satu Bumi. KOMPAS, Jakarta.

Samodra, G. 2023. Teknologi Geospasial Inventarisasi Longsor. Yogyakarta. Gadjah Mada University Press.

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Samodra, G., & Nugroho, F. S. (2022). Benchmarking landslide inventory data handling strategies for landslide susceptibility modeling based on different random forest machine learning workflows.

Sankey, T., Donager, J., McVay, J., & Sankey, J. B. (2017). UAV lidar and hyperspectral fusion for forest monitoring in the southwestern USA. Remote Sensing of Environment, 195, 30-43.

Santoso H, Gunawan T, Jatmiko RH, Darmosarkoro W, Minasny B. 2011. Mapping and identifying basal stem rot disease in oil palms in North Sumatra with QuickBird imagery. Precis Agric. 12:233–248. DOI: https://doi.org/10.1007/s11119-010-9172-7.

Septiawan, W., Indriyanto, I., & Duryat, D. (2017). Jenis tanaman, kerapatan, dan stratifikasi tajuk pada hutan kemasyarakatan kelompok tani Rukun Makmur 1 di Register 30 Gunung Tanggamus, Lampung. Jurnal Sylva Lestari, 5(2), 88-101.

Sidle, R. C., & Bogaard, T. A. (2016). Dynamic earth system and ecological controls of rainfall-initiated landslides. Earth-science reviews, 159, 275-291.

Slocum, T. A., McMaster, R. B., Kessler, F. C., & Howard, H. H. (2022). Thematic cartography and geovisualization. CRC Press.

Stokes, A., Atger, C., Bengough, A. G., Fourcaud, T., & Sidle, R. C. (2009). Desirable plant root traits for protecting natural and engineered slopes against landslides. Plant and soil, 324(1), 1-30.

Tang, H., Dubayah, R., Swatantran, A., Hofton, M., Sheldon, S., Clark, D. B., & Blair, B. (2012). Retrieval of vertical LAI profiles over tropical rain forests using waveform lidar at La Selva, Costa Rica. Remote Sensing of Environment, 124, 242-250.

Utomo, W. Y., & Widiatmaka, K. G. (2013). Analisis Potensi Rawan (Hazard) dan Risiko (Risk) Bencana Banjir dan Longsor (Studi Kasus Provinsi Jawa Barat). Tesis. Bogor: Program Pascasarjana, Institut Pertanian Bogor.

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Van Dijk, A. I. J. M., & Bruijnzeel, L. A. (2001). Modeling rainfall interception by vegetation density using an adapted analytical model. Part 1. Model Description. *Journal of Hydrology, 247(3-4),* 230-238. http://doi.org/10.1016/S0022-1694(01)00392-4

Van Westen CJ, Castellanos E, Kuriakose SL (2008) Spatial data for landslide susceptibility, hazard, and vulnerability assessment: an overview. Eng Geol 102:112–131

Vinukollu, R.K., Wood, E.F., Ferguson, C.R., Fisher, J.B., 2011. Global estimates of evapotranspiration for climate studies using multi-sensor remote sensing data: Evaluation of three process-based approaches. Remote Sens. Environ. 115, 801–823.

Xiao, Q., McPherson, E. G., Ustin, S. L., & Grismer, M. E. (2000). A new approach to modeling tree rainfall interception. Journal of Geophysical Research: Atmospheres, 105(D23), 29173-29188.

Varnes, D. J. (1978). Slope movement types and processes. Special report, 176(11), e33.

Vosselman, G., & Maas, H.-G. (2010). Airborne and Terrestrial Laser Scanning. In Whittles Publishing (Vol. 44). https://doi.org/10.1088/1751-8113/44/8/085201

Wang, H., Zhao, C., Liu, Y., Chang, Y., Huang, G., & Zang, F. (2024). Exploring the spatiotemporal distribution and driving factors of vegetation canopy rainfall interception in the Qilian Mountains, Northwest China. Catena, 237, 107829.

Weiser, H., Schäfer, J., Winiwarter, L., Krašovec, N., Fassnacht, F. E., & Höfle, B. (2022). Individual tree point clouds and tree measurements from multi-platform laser scanning in German forests. Earth System Science Data, 14(7), 2989-3012.

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Windrim, L., & Bryson, M. (2020). Detection, segmentation, and model fitting of individual tree stems from airborne laser scanning of forests using deep learning. Remote Sensing, 12(9), 1469.

Xie, D., Wang, X., Qi, J., Chen, Y., Mu, X., Zhang, W., & Yan, G. (2018). Reconstruction of single tree with leaves based on terrestrial LiDAR point cloud data. Remote sensing, 10(5), 686.

Zhang X.M., Yu X.X., Wu S.H. 2005. Effect of forest vegetation on runoff and sediment production in sloping lands of Loess area. Frontiers of Forestry in China. 1(3): 336-342.

Zhen, Z., Quackenbush, L. J., & Zhang, L. (2016). Trends in automatic individual tree crown detection and delineation—Evolution of LiDAR data. Remote Sensing, 8(4), 333

UNIVERSITAS
GADJAH MADA
Distribusi Spasial Penyimpanan Air Tajuk (CWS) Tanaman pada Area Longsor dan Tidak Longsor Menggunakan Data Light Detection and Ranging (LiDAR)
Muhammad Faried Setyono, Dr. Eng. Guruh Samodra, S.Si., M.Sc.; Dr. Danang Sri Hadmoko, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/