

DAFTAR PUSTAKA

- Adler-Nissen, J., 1979, "Determination of the Degree of Hydrolysis of Food Protein Hydrolysates by Trinitrobenzenesulfonic Acid", *J Agric Food Chem*, 27(6):1256–1262
- Aenglong, C., Woonnoi, W., Tanasawet, S., Klaypradit, W., and Sukketsiri, W., 2024, "Impact of Time and Enzyme Concentration on Sangyod Rice Bran Hydrolysate: Phytochemicals, Antioxidants, Amino Acids, and Cytotoxicity", *Springer*, 17(13), <https://doi.org/10.1186/s12284-024-00692-1>
- Agustin, V., Husni, A., and Putra, M. M. P., 2021, "Antioxidant Activity of Protein Hydrolysate from Snakehead Fish (*Channa striata*) Viscera Obtained by Enzymatic process", *IOP Conf. Series: Earth and Environmental Science*, 919(012046), doi:10.1088/1755-1315/919/1/012046
- Ahlawat, D., Poonia, D., Ahlawat, M., and Ahlawat, S. S., 2018, "Effect of Drying Techniques on Functional and Physico-Chemical Properties of Okara", *International Journal of Current Microbiology and Applied Sciences*, 7(05): 582-590, <https://doi.org/10.20546/ijcmas.2018.705.072>
- Akimova, D., Kakimov, A., Sychinov, A., Urazbayev, Z., Zharykbasov, Y., Ibragimov, N., Bauyrzhanova, A., and Utegenova, A., 2024, "Enzymatic Hydrolysis in Food Processing: Biotechnological Advancements, Applications, and Future Perspectives", *Potravinarstvo Slovak Journal of Food Sciences*, 18: 347-365, <https://doi.org/10.5219/1962>
- Amri, E. and Mamboya, F., 2012, "Papain, A Plant Enzyme Of Biological Importance: A Review", *American Journal of Biochemistry and Biotechnology*, 8(2): 99-104, doi:10.3844/ajbbsp.2012.99.104
- Antczak, A., Świerkosz, R., Szeniawski, M., Marchwicka, M., Akus-Szylberg, F., Przybysz, P., and Zawadzki, J., 2019, "The Comparison of Acid and Enzymatic Hydrolysis of Pulp Obtained from Poplar Wood (*Populus* sp.) by the Kraft Method", *Drewno*, 62(203), DOI: 10.12841/wood.1644-3985.D07.01
- Apak, R., 2019, Current Issues in Antioxidant Measurement", *J. Agric. Food Chem.*, 67: 9187–9202, <https://doi.org/10.1021/acs.jafc.9b03657>
- Arshad, Z. I. M., Amid, A., Yusof, F., Jaswir, I., Ahmad, K., Loke, S. P., 2014, "Bromelain: an overview of industrial application and purification strategies", *Appl Microbiol Biotechnol*, 98:7283–7297, DOI 10.1007/s00253-014-5889-y
- Arteaga, V.G., Guardia, M.A., Muranyi, I., Eisner, P., and Schweiggert-Weisz, U., 2020, "Effect of Enzymatic Hydrolysis on Molecular Weight Distribution, Techno-functional Properties and Sensory Perception of Pea Protein Isolates", *Innovative Food Science and Emerging Technologies*, 65, 102449, <https://doi.org/10.1016/j.ifset.2020.102449>
- Babalolaa, B. A., Akinwande, A. I., Gboyega, A. E., and Otunbac, A. A., 2023, "Extraction, Purification and Characterization of Papain Cysteine-Proteases from the Leaves of *Carica papaya*", *Scientific African*, 19(e01538), <https://doi.org/10.1016/j.sciaf.2022.e01538>

- Badan Pusat Statistik, 2024, "Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2023", terakhir diperbarui: 27 Februari 2024, diakses: 24 Agustus 2024 pukul 9:45 WIB, <https://www.bps.go.id/id/statistics-table/1/OTUwIzE=/rata-rata-konsumsi-per-kapita-seminggu-beberapa-macam-bahan-makanan-penting-2007-2023.html>
- Baehaki, A., Lestari, S. D., and Romadhoni, A. R., 2015, "Hidrolisis Protein Ikan Patin Menggunakan Enzim Papain dan Aktivitas Antioksidan Hidrolisatnya", *JPHPI*, 18(3), DOI: 10.17844/jphpi.2015.18.3.108
- Bahri, S., Hadati, K. S., and Satrimafitrah, P., 2021, "Production of Protein Hydrolysate From Tofu Dregs Using the Crude Extract of Bromelain From Pineapple Core (*Ananas comosus* L)", *Journal of Physics: Conference Series*, 1763(012008), doi:10.1088/1742-6596/1763/1/012008
- Bashiri, B., Cropotova, J., Kvangarsnes, K., Gavrilova, O., and Vilu, R., 2024, "Environmental and Economic Life Cycle Assessment of Enzymatic Hydrolysis-Based Fish Protein and Oil Extraction", *Resources*, 13(61), <https://doi.org/10.3390/resources13050061>
- Beaubiera, S., Framboisiera, X., Ioannou, I., Galetc, O., and Kapela, R., 2019, "Simultaneous Quantification of the Degree of Hydrolysis, Protein Conversion Rate and Mean Molar Weight of Peptides Released in the Course of Enzymatic Proteolysis", *Journal of Chromatography B*, 1105, 1-9, <https://doi.org/10.1016/j.jchromb.2018.12.005>
- Bernier, M. E., Thibodeau, J., and Bazinet, L., 2024, "Enzymatic Hydrolysis of Water Lentil (Duckweed): An Emerging Source of Proteins for the Production of Antihypertensive Fractions", *Foods*, 13, 323, <https://doi.org/10.3390/foods13020323>
- Bhaturiwala, R., Bagban, M., Mansuri, A., and Modi, H., 2022, "Successive Approach of Medium Optimization Using One-Factor-at-a-Time and Response Surface Methodology For Improved B-Mannanase Production From *Streptomyces* sp.", *Bioresource Technology Reports*, 18, 101087. <https://doi.org/10.1016/j.biteb.2022.101087>
- Bong, J., Middleditch, M., Stephens, J. M., and Loomes, K. M., 2023, "Proteomic Analysis of Honey: Peptide Profiling as a Novel Approach for New Zealand Manuka (*Leptospermum scoparium*) Honey Authentication", *Foods*, 12, 1968, <https://doi.org/10.3390/foods12101968>
- Bradauskiene, V., Vaiciulyte-Funk, L., Cernauskas, D., Dzingeleveciene, R., Lima, J. P. M., Bradauskaite, A., and Tita, M. A., 2022, "The Efficacy of Plant Enzymes Bromelain and Papain as a Tool for Reducing Gluten Immunogenicity from Wheat Bran", *Processes*, 10, 1948, <https://doi.org/10.3390/pr10101948>
- Calderon-Chiu, C., Calderon-Santoyo, M., Herman-Lara, E., and Ragazzo-Sanchez, J. A., 2021, "Jackfruit (*Artocarpus heterophyllus* Lam) Leaf as a New Source to Obtain Protein Hydrolysates: Physicochemical Characterization, Techno-functional Properties and Antioxidant Capacity", *Food Hydrocolloids*, 112(106319). <https://doi.org/10.1016/j.foodhyd.2020.106319>

- Cao, J., Xiong, N., Zhang, Y., Dai, Y., Wang, Y., Lu, L., and Jiang, L., 2022, "Using RSM for Optimum of Optimum Production of Peptides from Edible Bird's Nest By-Product and Characterization of Its Antioxidant's Properties", *Foods*, 11(859), <https://doi.org/10.3390/foods11060859>
- Čech, M., Herc, P., Ivanišová, E., Kolesárová, A., Urminská, D., and Grygorieva, O., 2022, "Okara-by-Product From Soy Processing: Characteristic, Properties, Benefits, and Potential Perspectives for Industry", *International Journal of Experimental Research and Review*, 28: 66 – 83, <https://doi.org/10.52756/ijerr.2022.v28.009U>
- Chiang, J. H., Loveday, M., Hardacre, A. K., and Parker, M. E., 2018, "Effects of Enzymatic Hydrolysis Treatments on the Physicochemical Properties of Beef Bone Extract using Endo- and Exoproteases", *International Journal of Food Science and Technology*, doi:10.1111/ijfs.13911.
- Chiodza, K., and Goosen, N. J., 2024, "Emulsion Formation During Enzymatic Protein Hydrolysis and its Effect on Protein Recovery and Molecular Weight Distribution of Protein Hydrolysates from Sardine (*Sardina pilchardus*) by-products", *Biomass Conversion and Biorefinery*, 14:24069–24080 <https://doi.org/10.1007/s13399-023-04438-9>
- Church, F. C., Swaisgood, H. E., Porter, D. H., and Catignani, L., 1983, "Spectrophotometric Assay Using O-Phthaldialdehyde for Determination of Proteolysis in Milk and Isolated Milk Proteins", *J Dairy Sci*, 66: 1219–1227
- Costa dos Santos, D., Filho, J. G., Silva, J., Figueiredo de Sousa, M., Vilela, M., Pereira da Silva, M. A., Lemes, A. C., and Egea, M. B., 2019, "Okara flour: its Physicochemical, Microscopical and Functional Properties", *Nutrition & Food Science*, 49(6), 1252-1264, DOI 10.1108/NFS-11-2018-0317
- Cui, Q., Sun, Y., Cheng, J., and Guo, M., 2022, "Effect of two-step enzymatic hydrolysis on the antioxidant properties and proteomics of hydrolysates of milk protein concentrate", *Food Chemistry*, 366, 130711. <https://doi.org/10.1016/j.foodchem.2021.130711>
- De la Barca, A. M. C., Ruiz-Salazar, R.A., and Jara-Marini, M. E., 2008, "Enzymatic Hydrolysis and Synthesis of Soy Protein to Improve its Amino Acid Composition and Functional Properties", *Journal of Food Science*, 65(2), <https://doi.org/10.1111/j.1365-2621.2000.tb15988.x>
- Deotale, S. M., Dutta, S., Moses, J. A., and Anandharamakrishnan, C., 2023, "Foaming and Defoaming–concepts and their Significance in Food and Allied Industries: a Review", *Discover Chemical Engineering*, 3(9), <https://doi.org/10.1007/s43938-023-00025-6>
- Dong, S., Zeng, M., Wang, D., Liu, Z., Zhao, Y., and Yang, H., 2008, "Antioxidant and biochemical properties of protein hydrolysates prepared from Silver carp (*Hypophthalmichthys molitrix*)", *Food Chemistry*, 107: 1485–1493
- Echeverria, L., Silva, C., Danesi, E. D. G., Porciuncula, B. D. A., and Barros, B. C. B., 2022, "Characterization of Okara and Rice Bran and Their Application as Fat Substitutes in Chicken Nugget Formulations", *Food Science and Technology*, <https://doi.org/10.1016/j.lwt.2022.113383>

- El-Fattah, A. M. A., Sakr, S. S., El-Dieb, S. M., and Elkashef, H. A. S., 2017, "Bioactive Peptides with ACE-I and Antioxidant Activity Produced from Milk Proteolysis", *International Journal of Food Properties*, 20(12), 3033–3042, <https://doi.org/10.1080/10942912.2016.1270963>
- Elias, R. J., Kellerby, S. S., and Decker, E. A., 2008, "Antioxidant activity of proteins and peptides", *Critical Reviews in Food Science and Nutrition*, 48(5), 430-441. <http://dx.doi.org/10.1080/10408390701425615>
- Fajriyah, A. R. and Winarti, S., 2022, "Karakteristik Penyedap Rasa Daun Murbei Dan Kepala Udang Dengan Hidrolisis Enzimatis Menggunakan Papain dan Calotropin", *Agritepa*, 9(1), 39– 52.
- Fallah-Delavar, M., and Farmani, J., 2018, "Recovery and Characterization of Enzymatic Protein Hydrolyzates and Fat from Chicken Skin", *JAOCS, Journal of the American Oil Chemists, Society*, 95(9), 1151–1161. <https://doi.org/10.1002/aocs.12131>
- Fang, J., Lu, J., Zhang, Y., Wang, J., Wang, S., Fan, H., Zhang, J., Dai, W., Gao, J., and Yu, H., 2021, "Structural Properties, Antioxidant and Immune Activities of Low Molecular Weight Peptides From Soybean Dregs (Okara)", *Food Chemistry: X*, 12, 100175, <https://doi.org/10.1016/j.fochx.2021.100175>
- Farooq, R., Mgomi, F. C., Saeed, F., Ahmad, A., Asghar, A., Riaz, S., Ateeq, H., Shah, Y. A., Khan, M. R., Li, Y., and Afzaal, M., 2023, "Characterization and Valorization of Soybean Residue (Okara) for the Development of Synbiotic Ice Cream", *Food Sci Nutr.*, 00:1–11. DOI: 10.1002/fsn3.3606
- Fawzya, Y. N., Nursatya, S. M., Susilowati, R., and Chasanah, E., 2020, "Characteristics of Fish Protein Hydrolysate from Yellowstripe Scad (*Selaroides leptolepis*) Produced by a Local Microbial Protease", *E3S Web of Conferences*, 147, 03017 (2020) <https://doi.org/10.1051/e3sconf/202014703017>
- Fernandez-Lucas, J., Castaneda, D., and Hormigo, D., 2017, "New Trends for a Classical Enzyme: Papain, a Biotechnological Success Story in the Food Industry", *Trends in Food Science & Technology*, 68, 91e101, <http://dx.doi.org/10.1016/j.tifs.2017.08.017>
- Fierens, E., Brijs, K., and Delcour, J. A., 2016, "Emulsifying and Foaming Properties of Okara Protein Hydrolysates", *Cereal Chem*, 93(1): 71–76, <http://dx.doi.org/10.1094/CCHEM-02-15-0031-R>
- Firmansyah, M. and Abduh, M. Y., 2019, "Production of Protein Hydrolysate Containing Antioxidant Activity from *Hermetia Illucens*", *Heliyon*, <https://doi.org/10.1016/j.heliyon.2019.e02005>
- Frey, D. D. and Wang, H., 2006, "Adaptive One-Factor-at-a-Time Experimentation and Expected Value of Improvement", *Technometrics*, 48(3), 418-431.
- Gaguan, J. S. and Nagal, C. J. C., 2025, "Advances in Soybean Cultivation and Utilization: Growth, Nutritional Significance, and Environmental Impacts", *International Journal of Research and Review*, 12(7).
- Garcia de Figueiredo, V. R., Justus, A., Pereira, D. G., Georgetti, S. R., Ida, E. I., and Kurozawa, L. E., 2019, "Production of Hydrolysate of Okara Protein

- Concentrate with High Antioxidant Capacity and Aglycone Isoflavone Content“, *Brazilian Archives of Biology and Technology*, 62: e19180478.
- Ge, S. J., Bai, H., Yuan, H. S., and Zhang, L. X., 1996, “Continuous Production of High Degree Casein Hydrolysates by Immobilized Proteases in Column Reactor”, *J Biotechnol*, 50(2-3): 161–170
- Gholami, A. A., Taghizadeh, M. S., Afsharifar, A., Moghadam, A., Mortazavi, Z., and Niazi, A., 2025, “Applying RSM for optimization of *Ferula assafoetida* protein hydrolysis to enhance bioactivity and functional properties”, *Applied Food Research*, 5, <https://doi.org/10.1016/j.afres.2025.100915>
- Ginting, E., Elisabeth, D. A. A., Khamidah, A., Rinaldi, J., Ambarsari, I., and Antarlina, S. S., 2024, “The Nutritional and Economic Potential of Tofu Dreg (Okara) and its Utilization for High Protein Food Products in Indonesia”, *Journal of Agriculture and Food Research*, 16(101175), <https://doi.org/10.1016/j.jafr.2024.101175>
- Grizotto, R. K. and Maurício de Aguirre, J., 2011, “Study of the flash drying of the residue from soymilk processing - “okara””, *Ciência e Tecnologia de Alimentos, Campinas*, 31(3), 645-653.
- Gul, A., Siddiqui, M., Arain, H., Khan, S., Khan, H., and Ishrat,U., 2021, "Extraction, Partial Purification and Characterization of Bromelain from Pineapple (*Ananas Comosus*) Crown, Core and Peel Waste", *Brazilian Archives of Biology and Technology*, 64: e21200639, <https://doi.org/10.1590/1678-4324-2021200639>
- Guo, C, Zhao, X., Yang, Y., Li, M., and Yu, L., 2022. “Effect of Limited Enzymatic Hydrolysis on Structural and Functional Properties of *Elaeagnus mollis* Oil Meal Protein”, *Foods*, 11, 3393, <https://doi.org/10.3390/foods11213393>
- Guruprasad, K., Reddy, B. V. B., and Pandit, M. W., 1990, “Correlation between stability of a protein and its dipeptide composition: a novel approach for predicting in vivo stability of a protein from its primary sequence”, *Protein Engineering*, 4(2):155-161.
- Halim, N. R. A. and Sarbon, N. M., 2019, “Characterization of Asian Swamp eel (*Monopterus* sp.) Protein Hydrolysate Functional Properties Prepared Using Alcalase Enzyme, *Food Research*.
- Hamzah, A., Hakim, M. N., Safitri, B. F. S., Maziyah, N., Rahmah, L. N., Sangian, H. F., Soeprijanto., and Widjaja, A., 2020, “Preliminary Study of Reducing Sugar Production from Coconut Husk by Enzymatic Hydrolysis using Chitosan Immobilized Crude and Commercial Cellulose”. *IPTEK The Journal of Technology and Science*, 31(1), DOI: 10.12962/j20882033.v31i1.5638
- Hariyanti, H., Gantini, S.N., Rusdi, N.K., Laeli, N. R. A., Athiyah, S.N., and Afrizal, F., 2024, “Response surface optimization in determining hydrolysis reaction on Barramundi scales gelatin using the box behnken design”, *Food Research*, 8 (3) : 318 – 324, [https://doi.org/10.26656/fr.2017.8\(3\).263](https://doi.org/10.26656/fr.2017.8(3).263)
- Haslaniza, H., Maskat, M. Y., Aida, W. W., and Mamot, S., 2010, “The Effects of Enzyme Concentration Temperature and Incubation Time on Nitrogen Content and Degree of Hydrolysis of Protein Precipitate from Cockle

- (Anadara granosa) Meat Wash Water”, *International Food Research Journal*, 17(1): 147–152.
- Herlina, N., Mustopa, A. Z., Surachma, R. S., Triratna, L., Kartina, G., dan Alfisyahrin, W. N., 2019, “Aktivitas Antibakteri dan Antioksidan Peptida Susu Kambing Hasil Hidrolisis dengan Protease *Lactobacillus plantarum* S31”, *Jurnal Biologi Indonesia*, 15(1), 23-31.
- Hu, S., Liu, C., and Liu, X., 2023, “The Beneficial Effects of Soybean Proteins and Peptides on Chronic Diseases”, *Nutrients*, 15(1811), <https://doi.org/10.3390/nu15081811>
- Islam, M. S., Hongxin, W., Admassu, H., Noman, A., Ma, C., Wei, F. A., 2021, “Degree of Hydrolysis, Functional and Antioxidant Properties of Protein Hydrolysates from Grass Turtle (*Chinemys reevesii*) as Influenced by Enzymatic Hydrolysis Conditions”, *Food Science & Nutrition*, 9:4031–4047.
- Islam, M., Huang, Y., Islam, S., Fan, B., Tong, L., and Wang, F., 2022, “Influence of the Degree of Hydrolysis on Functional Properties and Antioxidant Activity of Enzymatic Soybean Protein Hydrolysates”, *Molecules*, 27(6110), <https://doi.org/10.3390/molecules27186110>
- Jamdar, SN, Rajalakshmi, V., Pednekar, M. D., Juan, F., Yardi, V., and Sharma, A., 2010, “Influence of Degree of Hydrolysis on Functional Properties, Antioxidant Activity and ACE Inhibitory Activity of Peanut Protein Hydrolysate.” *Food Chemistry*, 121 (1): 178-184. doi:10.1016/j.foodchem.2009.12.027.
- Johny, L. C., Kudre, T. G., and Suresh, P. V., 2022, “Production of Egg White Hydrolysate by Digestion with Pineapple Bromelain: Optimization, Evaluation and Antioxidant Activity Study”, *J Food Sci Technol*, 59(5):1769–1780, <https://doi.org/10.1007/s13197-021-05188-0>
- Justus, A., Pereira, D.G., Ida, E.I., and Kurozawa, L.E., 2019. Combined Uses of an Endo- and Exopeptidase in Okara Improve the Hydrolysates via Formation of Aglycone Isoflavones and Antioxidant capacity, *LWT*, 115, 108467, <https://doi.org/10.1016/j.lwt.2019.108467>
- Kansakar, U., Trimarco, V., Manzi, M. V., Cervi, E., Mone, P., and Santulli, G., 2024, “Exploring the Therapeutic Potential of Bromelain: Applications, Benefits, and Mechanisms: Review”, *Nutrients*, 16, 2060. <https://doi.org/10.3390/nu16132060>
- Karnila, R., 2012, “Daya Hipoglikemik Hidrolisat, Konsentrat, dan Isolat Protein Teripang Pasir (*Holothuria scabra* j.) pada Tikus Percobaan”, *Disertasi*, Bogor : Sekolah Pascasarjana, Institut Pertanian Bogor.
- Kiettiolarn, M., Kitsanayanyong, L., Maneerote, J., Unajak, S., and Tepwong, P., 2022, “Optimization and Production of Protein Hydrolysate Containing Antioxidant Activity From Tuna Cooking Juice Concentrate by Response Surface Methodology”, *Fisheries and Aquatic Sciences*, 25(6):335-349 <https://doi.org/10.47853/FAS.2022.e31>
- Klein, T., Eckhard, U., Dufour, A., Solis, N., and Overall, C. M., 2017, “Proteolytic Cleavage Mechanisms, Function, and “Omic” Approaches for a Near-Ubiquitous Posttranslational Modification”, *Chemical Reviews*, 118(3), 1137–1168, <https://doi.org/10.1021/acs.chemrev.7b00120>

- Klompong, V., Benjakul, S., Kantachote, D., and Shahidi, F., 2007, "Antioxidative Activity and Functional Properties of Protein Hydrolysate of Yellow Stripe Trevally (*Selaroides leptolepis*) as Influenced by the Degree of Hydrolysis and Enzyme Type", *Food Chemistry*, 102: 1317–1327. doi:10.1016/j.foodchem.2006.07.016.
- Kniazhev, M., Gámbaro, A., Vieitez, I., 2023, "Physicochemical and Sensory Characterization of Okara Obtained by Two Different Processes and the Study of its use as Breaded Food", *Food Science and Technology, Campinas*, 43, e23523, DOI: <https://doi.org/10.5327/fst.23523>
- Korkmaz, F. and Mutlu, C., 2025, "Safflower Protein Hydrolysates: Physicochemical, Functional Properties and Antioxidant Activities", *Food Science and Nutrition*, 13:e70258, <https://doi.org/10.1002/fsn3.70258>
- Korkmaz, K. and Tokur, B., 2022, "Optimization of Hydrolysis Conditions for the Production of Protein Hydrolysates from Fish Wastes Using Response Surface Methodology", *Food Bioscience*, 45(101312), <https://doi.org/10.1016/j.fbio.2021.101312>
- Ktari, N., Jridi, M., Bkhairia, I., Sayari, N., Salah, R. B., and Nasri, M., 2012, "Functionalities and antioxidant properties of protein hydrolysates from muscle of zebra blenny (*Salaria basilisca*) obtained with different crude protease extracts", *Food Research International*, 49: 747–756. <http://dx.doi.org/10.1016/j.foodres.2012.09.024>
- Kumar, V., Rani, A., and Husain, L., 2016, "Investigations of Amino Acids Profile, Fatty Acids Composition, Isoflavones Content and Antioxidative Properties in Soy Okara", *Asian Journal of Chemistry*, 28(4), 903-906, <http://dx.doi.org/10.14233/ajchem.2016.19548>
- Lamsal, B. P., Jung, S., and Johnson, L. A., 2007, "Rheological properties of soy protein hydrolysates obtained from limited enzymatic hydrolysis", *LWT*, 40: 1215–1223, doi:10.1016/j.lwt.2006.08.021
- Lee, J. K. and Byun, H., 2019, "Characterization of antioxidative peptide purified from black eelpout (*Lycodes diapterus*) hydrolysate", *Fisheries and Aquatic Sciences*, 22(22), <https://doi.org/10.1186/s41240-019-0137-0>
- Lin, H., Alashi, A. M., Aluko, R. E., Pana, B. S., and Changa, Y., 2017, "Antihypertensive Properties of Tilapia (*Oreochromis* spp.) Frame and Skin Enzymatic Protein Hydrolysates", *Food and Nutrition Research*, 61, 1391666, <https://doi.org/10.1080/16546628.2017.1391666>
- Liu, C., Bhattarai, M., Mikkonen, K.S., and Heinonen, M., 2019, "Effects of Enzymatic Hydrolysis of Fava Bean Protein Isolate by Alcalase on the Physical and Oxidative Stability of Oil-in-Water Emulsions", *Journal of Agricultural and Food Chemistry*, 67(23), 6625-6632. <https://doi.org/10.1021/acs.jafc.9b00914>
- Liu, C., Li, M., Zhang, W., Chen, Y., Chen, J., and Wu, X., 2024, "Comparative Study of Physicochemical and Structural Properties of Plant Proteins Hydrolyzed by Different", *Food Science and Technology LWT*, 212 (116956), <https://doi.org/10.1016/j.lwt.2024.116956>
- Mahdabi, M. and Shekarabi, S. P. H., 2018, "A Comparative Study on Some Functional and Antioxidant Properties of Kilka Meat, Fishmeal, and Stickwater Protein Hydrolysates", *Journal of Aquatic Food Product*

- Technology*, 27(7), 844–858,
<https://doi.org/10.1080/10498850.2018.1500503>
- Marjoni, R., 2022, “*Monografi Potensi Antioksidan Ekstrak Kulit Buah Sukun (Artocarpus altilis)*”, Sleman: CV Resitasi Pustaka.
- Mbaeyi-Nwaoha, I. E. and Uchendu, N. O., 2016, “Production and Evaluation of Breakfast Cereals From Blends of Acha and Fermented Soybean Paste (Okara)”, *J Food Sci Technol*, 53(1):50–70, DOI 10.1007/s13197-015-2032-8
- Meinlschmidt, P., Sussmann, D., Schweiggert-Weisz, U., and Eisner, P., 2016, “Enzymatic treatment of soy protein isolates: effects on the potential allergenicity, technofunctionality, and sensory properties”, *Food Science and Nutrition*, 4(1): 11–23, doi: 10.1002/fsn3.253
- Melnikova, E. I., Bogdanova, E. V., and Koshevarova, I. B., 2022, “Nutritional Evaluation Of Whey Protein Hydrolysate: Chemical Composition, Peptide Profile, and Osmolarity”, *Food Science and Technology, Campinas*, 42(e110721), DOI: <https://doi.org/10.1590/fst.110721>
- Mokhtari, R., Rezaei, M., Fard, M.K., and Dirandeh, E., 2023, “Evaluation of Antimicrobial and Antioxidant Activities of Casein Derived Bioactive Peptides Using Trypsin Enzyme”, *Hindawi Journal of Food Quality*, <https://doi.org/10.1155/2023/1792917>
- Montilha, M. S., Sbroggio, M. F., Figueiredo, V. R. G., Ida, E. I. and Kurozawa, L. E., 2017, “Optimization of enzymatic protein hydrolysis conditions of okara with endopeptidase Alcalase”, *International Food Research Journal*, 24(3): 1067-1074.
- Morais, H. A., Silvestre, M. P. C., Silva, V. D. M., Silva, M. R., Simões e Silva, A. C., and Silveira, J. N., 2013, “Correlation between the Degree of Hydrolysis and the Peptide Profile of Whey Protein Concentrate Hydrolysates: Effect of the Enzyme Type and Reaction Time”, *American Journal of Food Technology*, 8(1), 1-16, DOI: 10.3923/ajft.2013.1.16
- Myers, R.H., Montgomery, D.C. and Anderson, C.M., 2009, “*Response Surface Methodology Process and Product Optimization Using Experiment*” 3rd edition, Canada: John Wiley and Sons, Inc.
- Nadzri, F.N.A., Tawalbeh, D., and Sarbon, N.M., 2021, "Physicochemical Properties and Antioxidant Activity of Enzymatic Hydrolysed Chickpea (*Cicer arietinum* L.) Protein as Influence by Alcalase and Papain Enzyme", *Biocatalysis and Agricultural Biotechnology*, 36 (102131), <https://doi.org/10.1016/j.bcab.2021.102131>
- Nath, A., Ahmad, A. S., Amankwaa, A., Csehi, B., Mednyánszky, Z., Szerdahelyi, E., Tóth, A., Tormási, J., Truong, D. H., Abrankó, L., and Koris, A., 2022, “Hydrolysis of Soybean Milk Protein by Papain: Antioxidant, Anti-Angiotensin, Antigenic and Digestibility Perspectives”, *Bioengineering*, 9, 418, <https://doi.org/10.3390/bioengineering9090418>
- Nielsen, P.M., Petersen, D., and Dambmann, C., 2001, “Improved Method for Determining Food Protein Degree of Hydrolysis”, *Journal of Food Science*, 66(5), <https://doi.org/10.1111/j.1365-2621.2001.tb04614.x>
- Nimmol, C. and Kaewkamrop, T., 2017, “Moisture Content and Physical Properties of High-Moisture Agricultural Material Dried by Impinging

- Stream Dryer, *Key Engineering Materials*, 728, 347-352, doi:10.4028/www.scientific.net/KEM.728.347
- Ningrum, A., Vanidia, N., Wardani, D. W., Priyanto, A., Manikharda, Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W., Sarifudin, A., Munawaroh, H. S. H., and Fuhrmann, P. L., 2025, "Valorization of soybean residues (Okara): technofunctionalproperties of okara hydrolyzates using papain", *International Journal of Food Properties*, 28(1), 2519838 <https://doi.org/10.1080/10942912.2025.2519838>
- Ningrum, A., Wardani, D. W., Vanidia, N., Manikharda., Sarifudin, A., Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W., and Munawaroh, H.S.H., 2023, "Evaluation of Antioxidant Activities from a Sustainable Source of Okara Protein Hydrolysate using Enzymatic Reaction", *Molecules*, 28(4974), <https://doi.org/10.3390/molecules28134974>
- Ningrum, A., Wardani, D.W., Vanidia, N., Sarifudin, A., Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W., and Munawaroh, H.S.H., 2022, "In Silico Approach of Glycinin and Conglycinin Chains of Soybean By-Product (Okara) Using Papain and Bromelain", *Molecules*, 27, 6855, <https://doi.org/10.3390/molecules27206855>
- Noman, A., Xu, Y., AL-Bukhaitia, W. Q., Abeda, S. M., Alia, A. H., Ramadhana, A. H., and Xia, W., 2018, "Influence Of Enzymatic Hydrolysis Conditions On The Degree Of Hydrolysis and Functional Properties of Protein Hydrolysate Obtained from Chinese sturgeon (*Acipenser sinensis*) by using Papain Enzyme", *Process Biochemistry*, 67: 19–28, <https://doi.org/10.1016/j.procbio.2018.01.009>
- Padial-Domínguez, M., Espejo-Carpio, F. J., Pérez-Gálvez, R., Guadix, A., and Guadix, E. M., 2020, "Optimization of the Emulsifying Properties of Food Protein Hydrolysates for the Production of Fish Oil-in-Water Emulsions", *Foods*, 9, 636; doi:10.3390/foods9050636
- Paget, B. W., Kleffmann, T., Whiteman, K. E., Thomas, M. F., and McMahon, C. D., 2023, "Quantitative comparison of manuka and clover honey proteomes with royal jelly", *Plos One*, 10, <https://doi.org/10.1371/journal.pone.0272898>
- Pearce, K. N. and Kinsella, J. E., 1978, "Emulsifying Properties of Proteins: Evaluation of a Turbidimetric Technique", *J. Agric. Food Chem.*, 26, 716–723.
- Prayudi, A. and Yuniarti, T., 2022, "Karakteristik Kimia Hidrolisat Protein dan Penguat Rasa Dari Hasil Samping Fillet Ikan Kakap (*Lutjanus sp*) yang Dihidrolisis Secara Enzimatis", *Buletin Jalanidhitah Sarva Jivitam*, 4 (2): 103-111, DOI: <http://dx.doi.org/10.15578/bjsj.v4i2.11322>
- Qi, X., Li, Y., Zhang, W., Shen, M., Chen, Y., Yu, Q., and Xie, J. 2024, "Proteolysis improves the foaming properties of rice protein fibrils: Structure, physicochemical properties changes, and application in angel food cake", *Food Chemistry*, 437, 137765, <https://doi.org/10.1016/j.foodchem.2023.137765>
- Quintana, G., Natalia D.C., Gomez-Zavaglia, A., and Gerbino, E., 2023, "Quantification of the Environmental Impact Arising from the Utilization of Whole and Defatted Okara Infermentative and Dehydration

- Processes", *Food Research International*, 174, 113645, <https://doi.org/10.1016/j.foodres.2023.113645>
- Rahman, M. M., Abdullah, R. B., Mat, K. B., Ishigaki, G., Nor, M. M., and Akashi, R., 2020, "Replacement of Soybean Meal With Levels of Inclusion of Soya Waste in the Diet of Growing Goats", *Tropical Animal Health and Production*, <https://doi.org/10.1007/s11250-020-02330-6> 2020
- Rashidi, Z., Homaei, A., and Fernandez-Lafuente, R., 2024, "Enhanced Stability of Papain at Extreme pHs and Temperatures by its Immobilization on Cellulose Nanocrystals Coated with Polydopamine", *Process Biochemistry*, 146:147–159, <https://doi.org/10.1016/j.procbio.2024.07.014>
- Ratnayani, K., Ratnayani, O., and Pane, I. A., 2022, "Antioxidant Activity and Amino Acid Composition of Okara Protein Hydrolysate", *First Asian PGPR Indonesian Chapter International e-Conference KnE Life Sciences*, 352–357, <https://orcid.org/0000-0003-3630-2361>
- Rekha, C. R. and Vijayalakshmi, G., 2013, "Influence of Processing Parameters on the Quality of Soycurd (Tofu)", *Journal Food Science Technology*, 50(1): 176–180.
- Ridhwan, A. E. R. dan Herdyastuti, N., 2024, "Pengaruh Penambahan Enzim Papain dan Enzim Bromelin Terhadap Hidrolisat Protein Dari Ampas Kelapa", *UNESA Journal of Chemistry*, 13(1).
- Riyadi, P. H., Romadhon, Bramantyo, L., and Arifin, M. H., 2023, "Optimization of Enzymatic Hydrolysis of Mackerel (*Rastrelliger sp.*) Muscle Protein Hydrolysate Using Response Surface Methodology", *IOP Conf. Series: Earth and Environmental Science*, 1224(012038), doi:10.1088/1755-1315/1224/1/012038
- Rostammiry, L., Saeidiasl, M. R., Safari, R., and Javadian, R., 2017, "Optimization of the Enzymatic Hydrolysis of Soy Protein Isolate by Alcalase and Trypsin", *Biosciences Biotechnology Research Asia*, 14(1): 193-200, <http://dx.doi.org/10.13005/bbra/2435>
- Roy, M., Sarker, A., Azad, M. A. K., Shaheb, M. R., Hoque, M. M., 2020, "Evaluation of Antioxidant and Antimicrobial Properties of Dark Red Kidney Bean (*Phaseolus vulgaris*) Protein Hydrolysates", *Journal of Food Measurement and Characterization*, 14:303–313, <https://doi.org/10.1007/s11694-019-00292-4>
- Rutherford, S. M., 2010, "Methodology For Determining Degree of Hydrolysis of Proteins In Hydrolysates: A Review", *JAOAC Int*, 93(5):1515– 1522
- Sapatinha, M., Camacho, C., Pais-Costa, A. J., Fernando, A. L., Marques, A., and Pires, C., 2025, "Enzymatic Hydrolysis Systems Enhance the Efficiency and Biological Properties of Hydrolysates from Frozen Fish Processing Co-Products", *Marine Drugs*, 23(14), <https://doi.org/10.3390/md23010014>
- Sbroggio, M.F., Montilha, M.S., Figueiredo, V.R.G., Georgetti, S.R., and Kurozawa, L.E., 2016, "Influence of the Degree of Hydrolysis and Type of Enzyme on Antioxidant Activity of Okara Protein Hydrolysates", *Food Science and Technology, Campinas*, 36(2), 375-381, <http://dx.doi.org/10.1590/1678-457X.000216>

- Schlegel, K., Sontheimer, K., Hickisch, A., Wani, A. A., Eisner, P., and Schweiggert-Weisz, U., 2019, "Enzymatic Hydrolysis of Lupin Protein Isolates—Changes in the Molecular Weight Distribution, Technofunctional Characteristics, and Sensory Attributes", *Food Science Nutrition*, 7:2747–2759, DOI: 10.1002/fsn3.1139.
- Schmelter, C., Funke, S., Treml, J., Beschnitt, A., Perumal, N., Manicam, C., Pfeiffer, N., and Grus, F. H., 2018, "Comparison of Two Solid-Phase Extraction (SPE) Methods for the Identification and Quantification of Porcine Retinal Protein Markers by LC-MS/MS", *International Journal of Molecular Sciences*, 19, 3847, doi:10.3390/ijms19123847
- Senadheera, T. R. L., Dave, D., and Shahidi, F., 2021, "Antioxidant Potential and Physicochemical Properties of Protein Hydrolysates from Body Parts of North Atlantic Sea Cucumber (*Cucumaria frondosa*)", *Food Production, Processing and Nutrition*, 3:3, <https://doi.org/10.1186/s43014-020-00049-3>
- Sholahuddin, M. A., Lastuti, N. D. R., and Amin, M., 2024, "Effect of Differences Bromelain Enzyme Concentration on Protein Hydrolysate from Waste of Tilapia Viscera (*Oreochromis sp.*) on Antioxidant Activity", *Jurnal Biosains Pascasarjana*, 26(1), 15-22, DOI 10.20473/jbp.v26i1.2024.15-22
- Shouket, H. A., Ameen, I., Tursunov, O., Kholikova, K., Pirimov, O., Kurbonov, N., Ibragimov, I., and Mukimov, B., 2020, "Study on industrial applications of papain: A succinct review", *IOP Conf. Series: Earth and Environmental Science*, 614, 012171, doi:10.1088/1755-1315/614/1/012171
- Shuai, X., Gao, L., Geng, Q., Li, T., He, X., Chen, J., Liu, C., and Dai, T., 2022, "Effects of Moderate Enzymatic Hydrolysis on Structure and Functional Properties of Pea Protein", *Foods*, 11(2368). <https://doi.org/10.3390/foods11152368>
- Singh, J., Khanna, S., Dwivedi, V., Pandey, S., and Mishra V. K., 2020, "Role and Importance of Antioxidant in Medical Science- A Review", *International Journal of Pharma and Bio Sciences*, 11(2): 129-134, doi 10.22376/ijpbs.2020.11.2.b129-134
- Singh, S. K., Singh, S. K., Tripathi, V. R., Khare, S. K., and Garg, S. K., 2011, "Comparative One-Factor-At-A-Time, Response Surface (Statistical) and Bench-Scale Bioreactor Level Optimization of Thermoalkaline Protease Production From A Psychrotrophic *Pseudomonas Putida* SKG-1 Isolate", *Microbial Cell Factories*, 10(114), <http://www.microbialcellfactories.com/content/10/1/114>
- Srikanya, A., Dhanapal, K., Sravani, K., Madhavi, K., and Kumar, G. P., 2017, "A Study on Optimization of Fish Protein Hydrolysate Preparation by Enzymatic Hydrolysis from Tilapia Fish Waste Mince", *International Journal of Current Microbiology and Applied Sciences*, 6(12): 3220-3229, ISSN: 2319-7706.
- Sulastrri, Karnila, R., Hasan, B., 2023, "Pemanfaatan Enzim Alcalase Pada Pembuatan Hidrolisat Protein Ikan Malong (*Congresox talabon*) Sebagai Inhibitor Enzim α -Glukosidase", *Berkala Perikanan Terubuk*, 51(1).

- Taivosalo, A, Irina S, Mary-Liis K, Tiina K, Taivo L, and Martti T. 2023. "Peptide Mapping with LC-HRMS and In Silico Tools for Evaluation of Potential Allergenicity of Commercially Available Whey Protein Hydrolysates". *Applied Sciences* 13, 7402. <https://doi.org/10.3390/app13137402>.
- Taylor, W. H., 1957, "Formol Titration: An Evaluation of its Various Modifications", *Analyst*, 82:488–498
- Van den Wouwer, B., Oliveira, J., Brijs, K., Raes, K., 2024, "Impact of Combined Enzyme and Ultrasound Treatments on Protein Extraction from Potato Trimmings and Soybean Okara", *Food Bioscience*, <https://doi.org/10.1016/j.fbio.2024.105691>
- Venetikidou, M., Lykartsis, E., Adamantidi, T., Prokopiou, V., Ofrydopoulou, A., Letsiou, S., and Tsoupras, A., 2025, "Proteolytic Enzyme Activities of Bromelain, Ficin, and Papain from Fruit By-Products and Potential Applications in Sustainable and Functional Cosmetics for Skincare", *Applied sciences*, 15, 2637, <https://doi.org/10.3390/app15052637>
- Wang, Y., Lin, Y., and Yang, X., 2019, "Foaming Properties and Air–Water Interfacial Behavior of Corn Protein Hydrolyzate–Tannic Acid Complexes", *J Food Sci Technol*, 56(2):905–913, <https://doi.org/10.1007/s13197-018-03553-0>
- Wei, Q. and Zhimin, H., 2006, "Enzymatic hydrolysis of protein: mechanism and kinetic model", *Front. Chem. China*, 3: 308–314, DOI 10.1007/s11458-006-0026-9
- Were, L., Hettiarachchy, N. S., and Kalapathy, U., 2006, "Modified Soy Proteins with Improved Foaming and Water Hydration Properties". *Journal of Food Science* 62(4): 821-824, <https://doi.org/10.1111/j.1365-2621.1997.tb15463.x>
- Windarsih, A., Suratno, Warmiko, H. D., Indrianingsih, A. W., Rohman, A., and Ulumuddin, Y. I., 2022, "Untargeted metabolomics and proteomics approach using liquid chromatography–Orbitrap high resolution mass spectrometry to detect pork adulteration in Pangasius hypophthalmus meat", *Food Chemistry*, 386, 132856, <https://doi.org/10.1016/j.foodchem.2022.132856>
- Xie, Y. and Butler, M., 2025, "Compositional profiling of protein hydrolysates by high resolution liquid chromatography–mass spectrometry and chemometric analysis", *Food Chemistry*, 487, 144756, <https://doi.org/10.1016/j.foodchem.2025.144756>
- Xue, S., Cui, Z., Yang, L., Wang, S., He, Y., Zhang, Y., and Liu, H., 2024, "The Effect of Okara on Physical–Chemical Characteristics and Starch Hydrolysis of Extruded Reconstituted Rice in Vitro", *Journal of Functional Foods*, 117(106252), <https://doi.org/10.1016/j.jff.2024.106252>
- Yadav, H. C. dan Vandana, 2023, "Kualitas Fungsional dan Nutrisi Okara dan Aplikasi Industri Makanan", *Jurnal Inovasi Farmasi*, 12(9), 2648-2650.
- Yi, D., Lin, Q., and Johns, P. W., 2021, "Estimation of Degree of Hydrolysis of Protein Hydrolysates by Size Exclusion Chromatography", *Food*

Analytical Methods, 14:805–813 <https://doi.org/10.1007/s12161-020-01936-8>

- Yolandani, Dabbour, H. M. M., Liu, D., Chao, J., Cheng, Y., Ali, A., Raynaldo, F. A., Yang, S., 2024, “Ultrasound viscous reduction effects on the proteolysis of soy protein isolate at a limited degree of hydrolysis: Changes in the functional characteristics and protein structure”, *Ultrasonics Sonochemistry*, 104, 106847. <https://doi.org/10.1016/j.ultsonch.2024.106847>
- Yolmeh, M. and Jafari, S. M., 2017, “Applications of Response Surface Methodology in the Food Industry Processes”, *Food Bioprocess Technol*, 10:413–433, DOI 10.1007/s11947-016-1855-2
- Yoshida, B.Y. and Prudencio, S. H. P., 2020, “Physical, Chemical, and Technofunctional Properties of Okara Modified by a Carbohydrase Mixture”, *LWT – Food Science and Technology*, 134 (110141). <https://doi.org/10.1016/j.lwt.2020.110141>
- Zhang, H., Zhang, Z., He, D., Li, S., and Xu, Y., 2022, “Optimization of Enzymatic Hydrolysis of Perilla Meal Protein for Hydrolysate with High Hydrolysis Degree and Antioxidant Activity”, *Molecules*, 27(1079), <https://doi.org/10.3390/molecules27031079>
- Zhang, Y., Sharan, S., Rinnan, Å., and Orlien, V., 2021, “Survey on Methods for Investigating Protein Functionality and Related Molecular Characteristics: Review”, *Foods*, 10, 2848, <https://doi.org/10.3390/foods10112848>
- Zhao, J., Bhandari, B., Gaiani, C., and Prakash, S., 2022, “Altering Almond Protein Function Through Partial Enzymatic Hydrolysis for Creating Gel Structures in Acidic Environment”, *Current Research in Food Science*, 5: 653-664, <https://doi.org/10.1016/j.crfs.2022.03.012>