

DAFTAR PUSTAKA

- AHA. (2024). What is High Pressure? (internet) <<https://www.heart.org/en/health-topics/high-blood-pressure/the-facts-about-high-blood-pressure#:~:text=Blood%20pressure%20and%20the%20circulatory,in%20a%20blood%20pressure%20reading>> (diakses 20 April 2025).
- Ahmad, K.&Jafar, T.H. (2005). Prevalence and determinants of blood pressure screening in Pakistan. *J Hypertens.* 23(11):1979-84. doi: 10.1097/01.hjh.0000187258.86824.00. PMID: 16208138.
- Al-Hanawi MK, Mwale ML, Kamninga TM. (2020). The Effects of Health Insurance on Health-Seeking Behaviour: Evidence from The Kingdom of Saudi Arabia. *Risk Management and Healthcare Policy* [Internet]. 13:595–607. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7308143/>
- Anteneh, N.C., Cheko, T.S., Gebremariam, Z.M. (2025). Blood pressure checkups practices and associated factors among federal ministry civil servants, Addis Ababa, Ethiopia, 2024. <https://doi.org/10.1101/2025.08.01.25332628>.
- Beaney T, Burrell LM, Castillo RR, Charchar FJ, Cro S, Damasceno A, et al. (2019). May measurement month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. *Eur Heart J.* 40(25):2006–17.
- BPJS. (2024). Peraturan Badan Penyelenggara Jaminan Nasional Nomer 3 Tahun 2024 tentang Pelayanan Skrining Riwayat Kesehatan, Pelayanan Penapisan atau Skrining Kesehatan tertentu, dan Peningkatan Kesehatan bagi Peserta Penderita Penyakit kronis dalam Program Jaminan Kesehatan.
- Brewer NT, Chapman GB, Gibbons FX, Gerrard M, McCaul KD, Weinstein ND. (2007). Meta-analysis of the relationship between risk perception and health behavior: the example of vaccination. *Health Psychol.* 26(2):136–45. pmid:17385964
- Bucholz EM, Rodday AM, Kolor K, Khoury MJ, de Ferranti SD. (2018). Prevalence and predictors of cholesterol screening, awareness, and statin treatment among US adults with familial hypercholesterolemia or other forms of severe dyslipidemia (1999–2014). *Circulation* 137: 2218–2230. <https://doi.org/10.1161/CIRCULATIONAHA.117.032321>
- Casagrande SS, Cowie CC, Genuth SM. (2014). Self-reported prevalence of diabetes screening in the U.S., 2005–2010. *Am J Prev Med* 47:780–787. <https://doi.org/10.1016/j.amepre.2014.07.039>

- Charoendee, K., Sriratanaban, J., Aekplakorn, W., & Hanvoravongchai, P. (2018). Assessment of population coverage of hypertension screening in Thailand based on the effective coverage framework. *BMC Health Services Research* (2018) 18:208
- Chu, R.Y.-K., Dong, D., Wong, S.Y.-S., Lee, E.K.-P. (2023). Barriers and Determinants to the Underutilized Hypertension Screening in Primary Care Patients in Hong Kong: A Mixed-Method Study. *Int. J. Environ. Res. Public Health*. 20, 985. <https://doi.org/10.3390/ijerph20020985>
- Datta S, Sahu SK, Niranjana R, Roy G. (2019). A community-based cross-sectional study on hypertension screening in Puducherry, India. *Indian J Med Res*. 150(2):199-202. doi: 10.4103/ijmr.IJMR_1877_17. PMID: 31670276; PMCID: PMC6829771.
- Dela, E. R. S., Putri, W. C. W. S., Yuliyatni, P. C. D., Aryani, P. (2023). Faktor Predisposisi, Pendukung dan Pendorong Perbedaan Perilaku Skrining Penyakit Tidak Menular di Kota Denpasar, Provinsi Bali. *Jurnal Medika Udayana*, Vol. 12 No.2. doi:10.24843.MU.2023.V12.i2.P09
- Dwisetyo B, Mulyono S, Khasanah U. (2020). Analisis Faktor yang Mempengaruhi Pemanfaatan Pos Pembinaan Terpadu Penyakit Tidak Menular. *Jurnal Ilmiah Kesehatan Pencerah* [Internet]. (1):9. Available from: <http://perpus.fikumj.ac.id/index.php?p=fstream-pdf&fid=12180&bid=4729>
- Evans DB, Hsu J, Boerma T. (2013). Universal health coverage and universal access. *Bull World Health Organ*. 91(8):546-546A. doi: 10.2471/BLT.13.125450. PMID: 23940398; PMCID: PMC3738317.
- Feng, Y.J., Wang, H.C., Li, Y.C., and Zhao, W.H. (2015). Hypertension Screening and Follow-up Management by Primary Health Care System among Chinese Population Aged 35 Years and Above. *Biomed Environ Sci*; 28(5): 330-340
- Fertman&Allensworth. (2017). *Health Promotion Program from Theory to Practice*. San Fransisco: Jossey-Bass A Willey Brand. Second Edition.
- Green, L. (2023). The PRECEDE-PROCEED Model 2022 Edition (internet). < <https://www.lgreen.net/precede-proceed-2022-edition>> (diakses 21 April 2025)
- Hijrah&Asrina. (2024). Pengaruh Enabling Factors terhadap Perilaku Pencegahan Hipertensi pada Pra Lanjut Usia Berisiko di Puskesmas Tamalate Kota Makassar. *Jurnal Manajemen Bisnis dan Kesehatan (JMBK)* Vol. 1, No. 2.
- Hinton TC, Adams ZH, Baker RP, Hope KA, Paton JFR, Hart EC, Nightingale

AK. (2020). Investigation and Treatment of High Blood Pressure in Young People: Too Much Medicine or Appropriate Risk Reduction? *Hypertension*. 75(1):16-22. doi: 10.1161/HYPERTENSIONAHA.119.13820. Epub 2019 Nov 18. PMID: 31735086.

Institute for Public Health (IPH). (2019). National Health and Morbidity Survey (NHMS) 2019: Vol. I: NCDs—Non-communicable diseases: Risk factors and other health problems.

Kemkes RI. (2021a). Petunjuk Teknis Pelaksanaan Posyandu Lansia dan Posbindu PTM Terintegrasi. Jakarta: Dirjen Kesmas Kemkes RI.

Kemkes RI. (2021b). Keputusan Menteri Kesehatan Republik Indonesia. Nomor HK.01.07/Menkes/4634/2021 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Hipertensi Dewasa.

Kemkes RI. (2023a). Facsheet Prevalensi, Dampak, serta Upaya Pengendalian Hipertensi & Diabetes di Indonesia. Jakarta: Badan Kebijakan Pembangunan Kesehatan.

Kemkes RI. (2023b). Survei Kesehatan Indonesia (SKI) dalam Angka. Jakarta: Badan Kebijakan Pembangunan Kesehatan.

Kemkes RI. (2023c). Keputusan Menteri Kesehatan Republik Indonesia. Nomor HK.01.07/Menkes/2015/2023 tentang Petunjuk Teknis Integrasi Pelayanan Kesehatan Primer.

Kemkes RI. (2023d). Pedoman Pengisian Kuesioner Survei Kesehatan Indonesia (SKI) 2023. Jakarta: Badan Kebijakan Pembangunan Kesehatan.

Kemkes RI. (2023e). Keputusan Menteri Kesehatan Republik Indonesia. Nomor HK.01.07/Menkes/1634/2023 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Penyakit Ginjal Kronik.

Kemkes RI. (2024). Peraturan Menteri Kesehatan Republik Indonesia Nomor 6 Tahun 2024 tentang Standar Teknis Pemenuhan Standar Pelayanan Minimal Kesehatan.

Kemkes RI. (2025). Keputusan Menteri Kesehatan Republik Indonesia. Nomor HK.01.07/Menkes/509/2025 tentang Pedoman Nasional Pelayanan Klinis Tata Laksana Obesitas Dewasa

Kohori H, Id S, Uematsu H, Id ND, Wangdi U, Dorjee C, et al. (2022). Social and behavioral factors related to blood pressure measurement: A cross-sectional study in Bhutan. *PLoS ONE*, [Internet]. 1–17. Available from: <http://dx.doi.org/10.1371/journal.pone.0271914>

- Lagarde M, Haines A, Palmer N. Conditional cash transfers for improving uptake of health interventions in low- and middle-income countries: a systematic review. *JAMA*. 2007 Oct 24;298(16):1900-10. doi: 10.1001/jama.298.16.1900. PMID: 17954541.
- Legisso TZ, Mamo BG, Bimrew AM, Fikadu T. (2023). Blood Pressure Examination Habit and Its Determinants Among Civil Servants in Arba Minch Town: A Cross-Sectional Study – Using Hurdle Poisson Regression Model. *Integr Blood Press Control*. 16:1-9.<https://doi.org/10.2147/IBPC.S397760>
- Mathiyalagen P, Rajagopal A, Vasudevan K, Gnanasekaran S, Burugina Nagaraja S, Bora J, Goel S. (2025). Hypertension screening across different age groups in Indian adults: Evidence from nationally representative cross-sectional data. *PLoS One*. 20(10):e0332226. doi: 10.1371/journal.pone.0332226. PMID: 41160547; PMCID: PMC12571314.
- Marcus, M., E., Reuter, A., Rogge, L., Diba, F., Marthoenis & Vollmer, S. (2025). Hypertension and diabetes screening uptake in adults aged 40–70 in Indonesia: a knowledge, attitudes, and practices study. *BMC Global and Public Health* 3:44. <https://doi.org/10.1186/s44263-025-00157-7>.
- McClintock HF, Peacock V, Nkiri Asong R. (2025). Social determinants of health and hypertension screening among women in The Gambia: an evaluation of 2019-2020 demographic and health survey data. *J Hum Hypertens*. 39(2):148-154. doi: 10.1038/s41371-024-00945-y.
- McKenzie, Neiger & Thackeray. 2013). *Planning, Implementing & Evaluating: Health Promotion Program*. Sixth Edition. United States: Pearson.
- McKinlay, A.R., Antonopoulou, V., Schenk, P.M., *et al.* (2025) Theoretical mapping of the barriers and enablers to having blood pressure checked among adults without a hypertension diagnosis: a systematic review and theoretical synthesis using behaviour change frameworks, *Health Psychology Review*, 19:3, 548-578, DOI:10.1080/17437199.2025.2485094.
- Mehmood M, Mesiah A, Raza F Z, et al. (July 11, 2018) Prevalence and Predictors of Blood Pressure Screening in Karachi: A Cross-sectional Study. *Cureus* 10(7): e2967. DOI 10.7759/cureus.2967.
- Mills KT, Bundy JD, Kelly TN, Reed JE, Kearney PM, Reynolds K, Chen J, He J. (2016). Global Disparities of Hypertension Prevalence and Control: A Systematic Analysis of Population-Based Studies From 90 Countries. *Circulation*. 134(6):441-50. doi: 10.1161/CIRCULATIONAHA.115.018912. PMID: 27502908; PMCID: PMC4979614.

- Ministry of Health & Family Welfare India. (2017). National Health Policy 2017 (English). n.d. [diakses pada 10 Februari 2026]. <https://nhsrindia.org/sites/default/files/2021-07/National%20Health%20Policy%202017%20%28English%29%20.pdf>
- Mizutani, M., Sugiarto, H., Bando, H., Riyanto, Kondo, I., Mock, J. (2021). Positive Deviance: Frequent Blood Pressure Monitoring Among Nonhypertensive Middle aged Women in Rural Indonesia. *Acta Med Indones - Indones J Intern Med*. Vol 53, Number 4.
- Mufunda E, Albin B, Hjelm K. (2012). Differences in health and illness beliefs in zimbabwean men and women with diabetes. *Open Nurs J*. 6:117–25.
- Naing C, Yeoh PN, Wai VN, Win NN, Kuan LP, Aung K. 2016. Hypertension in Malaysia an analysis of trends from the national surveys 1996 to 2011. *Medicine*. 95: 2417. <https://doi.org/10.1097/MD.0000000000002417> PMID: 26765422.
- Nasruddin NR. (2017). Faktor-Faktor yang Mempengaruhi Pemanfaatan Pos Pembinaan Terpadu Penyakit Tidak Menular (Posbindu PTM) di Wilayah Kerja Puskesmas Ballparang Kota Makassar Tahun 2017. Skripsi [Internet]. Available from: http://repository.uin-alaudun.ac.id/6515/1/NURIZKA_RAYHANA_opt.pdf
- NHS.UK. 2023. Blood Pressure Test. <https://www.nhs.uk/conditions/blood-pressure-test/>Diakses pada 18 Maret 2025.
- Pega F, Pabayo R, Benny C, Lee EY, Lhachimi SK, Liu SY. (2022). Unconditional Cash transfers for reducing poverty and vulnerabilities: effect on use of health services and health outcomes in low- and middle-income countries. *Cochrane Database Syst Rev*. 3(3):CD011135. doi: 10.1002/14651858.CD011135.pub3. PMID: 35348196; PMCID: PMC8962215.
- PERHI. (2023). Panduan Promotif & Preventif Hipertensi 2023. Editor: Antonio Ana Lukito.
- Presiden RI. (2017). *Instruksi Presiden Republik Indonesia Nomor 1 Tahun 2017 tentang Gerakan Masyarakat Hidup Sehat*. Sekretariat Kabinet Republik Indonesia.
- Rahman M, Williams G, Al Mamun A. (2017). Gender differences in hypertension awareness, antihypertensive use and blood pressure control in Bangladeshi adults: findings from a national cross-sectional survey. *J Health Popul Nutr*. 36(1):23. doi: 10.1186/s41043-017-0101-5. PMID: 28545582; PMCID: PMC5445516.

- Saulle R, Sinopoli A, De Paula Baer A, Mannocci A, Marino M, De Belvis AG, Federici A, La Torre G. (2020). The PRECEDE-PROCEED model as a tool in Public Health screening: a systematic review. *Clin Ter.* 171(2):e167-e177. doi: 10.7417/CT.2020.2208. PMID: 32141490.
- Shafi ST, Shafi T. (2017). A survey of hypertension prevalence, awareness, treatment, and control in health screening camps of rural central Punjab, Pakistan. *J Epidemiol Glob Health.* 135-140. 10.1016/j.jegh.2017.01.001
- Song, *et al.* (2021). Coverage and effectiveness of hypertension screening in different altitudes of Tibet autonomous region. *BMC Public Health* 21:33 <https://doi.org/10.1186/s12889-020-09858-0>
- Stafford M, von Wagner C, Perman S, Taylor J, Kuh D, Sheringham J. (2018). Social connectedness and engagement in preventive health services: an analysis of data from a prospective cohort study. *Lancet Public Health.* 3(9):e438-e446. doi: 10.1016/S2468-2667(18)30141-5. Epub 2018 Aug 22. PMID: 30143472; PMCID: PMC6123501.
- Suhaimi, *et al.* (2021). Predictors of non-communicable diseases screening behaviours among adult population in Brunei Darussalam: a retrospective study. *Journal of Public Health: From Theory to Practice* 29:1303–1312. <https://doi.org/10.1007/s10389-020-01240-z>
- Tan PPS, Sandhu RS, Zain SM, Hall D, Tan NC, Lim HM, Daud F, Pung YF. (2022). Health motivations and perceived barriers are determinants of self-care behaviour for the prevention of hypertension in a Malaysian community. *PLoS One.* ;17(12): e0278761. doi: 10.1371/journal.pone.0278761. PMID: 36477162; PMCID: PMC9728916
- Turana, Y., Widyanoro, B., Situmorang, T. D., Delliana, J., Roesli, R. M. A., Danny, S. S., Suhardjono, Sofiatin, Y., Hermiawaty, E., Kuncoro, A. S., Barack, R., Beaney, T., Ster, A. C., Poulter, N. R., & Santoso, A. (2020). May measurement Month 2018: An analysis of blood pressure screening results from Indonesia. *European Heart Journal, Supplement*, 22, H66-H69. <https://doi.org/10.1093/EURHEARTJ/SUAA031>
- Unger T, Borghi C, Charchar F, Khan NA, Poulter NR, Prabhakaran D, Ramirez A, Schlaich M, Stergiou GS, Tomaszewski M, Wainford RD, Williams B, Schutte AE. (2020). 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension.* 75(6):1334-1357. doi: 10.1161/HYPERTENSIONAHA.120.15026. Epub 2020 May 6. PMID: 32370572.
- Wang, Xiaofeng&Cheng, Zhensun. (2020). Cross-Sectional Studies. *CHEST*, Volume 158, Issue 1, S65 - S71

- WHO. (2013a). A Global Brief on Hypertension: Silent Killer, Global Public Health Crisis: World Health. <https://apps.who.int/iris/handle/10665/79059> diakses pada 12 April 2025.
- WHO. (2013b). Global action plan for the prevention and control of noncommunicable diseases 2013-2020. n.d. [diakses pada 10 Februari 2026]. <https://www.who.int/publications/i/item/9789241506236>
- WHO. (2020). WHO Guidelines on Physical Activity and Sedentary Behaviour. <https://www.who.int/publications/i/item/9789240015128>. Diakses pada 06 Mei 2025.
- WHO. (2023). Hypertension. <https://www.who.int/news-room/fact-sheets/detail/hypertension> diakses pada 12 April 2025.
- WHO. (2024). NonCommunicable Diseases. <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>. Diakses pada 18 Maret 2025.
- Widyaningsih, V., Febrinasari, R.P., Pamungkasari, E.P., Mashuri, Y.A., Sumardiyono, Balgis, B., Koot, J., Landsman-Dijkstra, J., Probandari, A. (2022). Missed opportunities in hypertension risk factors screening in Indonesia: a mixed-methods evaluation of integrated health post (POSBINDU) implementation. *BMJ Open* 2022;12: e051315. doi:10.1136/bmjopen-2021-051315.
- Widyanoro B, Situmorang TD, Turana Y, Barack R, Delliana J, Roesli RMA, Erwinanto E, Hermiawaty E, Kuncoro AS, Sofiatin Y, Beaney T, Xia X, Poulter NR, Schlaich MP, Santoso A; MMM Indonesia Investigators. (2019). May Measurement Month 2017: an analysis of the blood pressure screening campaign results in Indonesia-South-East Asia and Australasia. *Eur Heart J Suppl.* 21(Suppl D): D63-D65. doi: 10.1093/eurheartj/suz057. Epub 2019 Apr 24. PMID: 31043881; PMCID: PMC6479504.
- Williams B, Mancia G, Spiering W, Agabiti RE, Azizi M, Burnier M, et al. (2018). ESC Scientific Document Group. 2018 ESC/ESH Guidelines for the management of arterial hypertension. *Eur Heart J.*39:3021-104.
- Wiysonge CS, Paulsen E, Lewin S, Ciapponi A, Herrera CA, Opiyo N, Pantoja T, Rada G, Oxman AD. Financial arrangements for health systems in low-income countries: an overview of systematic reviews. *Cochrane Database Syst Rev.* 2017 Sep 11;9(9):CD011084. doi: 10.1002/14651858.CD011084.pub2. PMID: 28891235; PMCID: PMC5618470.