

DAFTAR PUSTAKA

- Abdel-Hamid, M., Hamed, A. M., Walker, G., & Romeih, E. (2024). Yogurt fortified with various protein hydrolysates: Texture and functional properties. *Food Chemistry*, *461*. <https://doi.org/10.1016/j.foodchem.2024.140861>
- Aldars-García, L., Gisbert, J. P., & Chaparro, M. (2021). Metabolomics insights into inflammatory bowel disease: A comprehensive review. In *Pharmaceuticals* (Vol. 14, Number 11). <https://doi.org/10.3390/ph14111190>
- Altınay, C., & Şanlı, T. (2025). Characteristics of innovative whey cheese (Lor) produced with milk fermented with commercial *starter* cultures. *International Dairy Journal*, *167*. <https://doi.org/10.1016/j.idairyj.2025.106281>
- Anwar, M. S., Al-Baarri, A. N., & Legowo, A. M. (2012). Volume Gas, pH, dan Kadar Alkohol pada Proses Produksi Bioetanol dari Acid Whey yang Difermentasi oleh *Saccharomyces cerevisiae*. *J. Aplikasi Teknologi Pangan*, *1*(4).
- Arumugam, M. K., Paal, M. C., Donohue, T. M., Ganesan, M., Osna, N. A., & Kharbanda, K. K. (2021). Beneficial effects of betaine: A comprehensive review. In *Biology* (Vol. 10, Number 6). MDPI AG. <https://doi.org/10.3390/biology10060456>
- Asunis, F., De Gioannis, G., Dessì, P., Isipato, M., Lens, P. N. L., Muntoni, A., Poletti, A., Pomi, R., Rossi, A., & Spiga, D. (2020). The dairy biorefinery: Integrating treatment processes for cheese whey valorisation. In *Journal of Environmental Management* (Vol. 276). Academic Press. <https://doi.org/10.1016/j.jenvman.2020.111240>
- Aziz, F. N., Utami, T., Suroto, D. A., Yanti, R., & Rahayu, E. S. (2023). Fermentation of pineapple juice with *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13: Sensory and microbiological characteristics. *Czech Journal of Food Sciences*, *41*(3). <https://doi.org/10.17221/243/2022-CJFS>
- Bhat, V., Pamarthy, J., Shobham, & Sukumaran, M. K. (2016). A Comparative Study on the Yields of Casein and Albumin in Buffalo and Two Dairy Milk Samples. *International Journal of Current Research in Biosciences and Plant Biology*, *3*(12). <https://doi.org/10.20546/ijcrbp.2016.312.011>
- Boban, A., Vrhovsek, U., Carlin, S., Milanović, V., Gajdoš Kljusurić, J., Jurun, Z., Mucalo, A., & Budić-Leto, I. (2025). Impact of indigenous non-*Saccharomyces* yeasts on early volatile fermentation metabolites of white Maraština grape must. *European Food Research and Technology*, *251*(8). <https://doi.org/10.1007/s00217-025-04732-y>
- Borba, K. K. S., Gadelha, T. S., Sant'Ana, A. M. S., Pacheco, M. T. B., Pinto, L. S., Madruga, M. S., Medeiros, A. N., Bessa, R. J. B., Alves, S. P. A., Magnani,

- M., Pimentel, T. C., & Queiroga, R. de C. R. do E. (2022). Fatty acids, essential amino acids, minerals and proteins profile in whey from goat cheese: Impacts of raising system. *Small Ruminant Research*, 217. <https://doi.org/10.1016/j.smallrumres.2022.106842>
- Cahyaningati, K., Yanti, R., Utami, T., Suroto, D. A., & Rahayu, S. (2024). Product Development of Yogurt Drink with *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13. *Jurnal Teknologi Hasil Pertanian*, 17(2).
- Cheirsilp, B., & Radchabut, S. (2011). Use of whey lactose from dairy industry for economical kefir production by *Lactobacillus kefirifaciens* in mixed cultures with yeasts. *New Biotechnology*, 28(6). <https://doi.org/10.1016/j.nbt.2011.01.009>
- Cotter, P. D., O'Reilly, K., & Hill, C. (2001). Role of the glutamate decarboxylase acid resistance system in the survival of *Listeria monocytogenes* LO28 in low pH foods. *Journal of Food Protection*, 64(9). <https://doi.org/10.4315/0362-028X-64.9.1362>
- Cui, Y., Miao, K., Niyaphorn, S., & Qu, X. (2020). Production of gamma-aminobutyric acid from lactic acid bacteria: A systematic review. In *International Journal of Molecular Sciences* (Vol. 21, Number 3). <https://doi.org/10.3390/ijms21030995>
- Das, B., Basaiawmoit, B., Sakure, A. A., Maurya, R., Bishnoi, M., Kondepudi, K. K., Singh, B. P., Paul, S., Mankad, P. M., Patel, A., & Hati, S. (2025). Production and Characterization of Antidiabetic and Antioxidative Peptides from Cheddar Cheese Whey with Anti-Inflammatory Activity: *In Vitro*, *in Silico* and Molecular Dynamic Study. *Food Biotechnology*, 39(4), 351–387. <https://doi.org/10.1080/08905436.2025.2581887>
- Deshmukh, N., Rao, P. S., Sharma, H., M.H., S. K., N., L. N., & C.T., M. K. (2024). Waste to nutrition: The evolution of whey, a byproduct to galactooligosaccharides production. In *Food Chemistry Advances* (Vol. 4). Elsevier Ltd. <https://doi.org/10.1016/j.focha.2024.100642>
- Diez-Gutiérrez, L., San Vicente, L., Luis, L. J., Villarán, M. del C., & Chávarri, M. (2020). Gamma-aminobutyric acid and probiotics: Multiple health benefits and their future in the global functional food and nutraceuticals market. In *Journal of Functional Foods* (Vol. 64). <https://doi.org/10.1016/j.jff.2019.103669>
- Dragone, G., Mussatto, S. I., Oliveira, J. M., & Teixeira, J. A. (2009). Characterisation of volatile compounds in an alcoholic beverage produced by whey fermentation. *Food Chemistry*, 112(4). <https://doi.org/10.1016/j.foodchem.2008.07.005>

- Fitrotin, U., Tyas, U., Pudji, H., & Umar, S. (2015). Antioxidant Properties of Fermented Sesame Milk Using *Lactobacillus plantarum* Dad 13. *International Research Journal of Biological Sciences*, 4(6).
- Gangurde *et al.* (2011). Whey Protein. In *Nutrition: Science, Issues, and Applications: Volume 1-2* (Vols. 1–2, pp. 858–859). Bloomsbury Publishing Plc. <https://doi.org/10.4103/2249-5975.99663>
- Gantumur, M. A., Sukhbaatar, N., Bilawal, A., Gankhuyag, J., Gao, C., Enkhtuya, E., Jiang, Z., & Jiang, J. (2025). Elucidating fermentation characteristics, key volatile compounds, and safety evaluations of whey permeate-derived alcoholic beverages. *Food Bioscience*, 68. <https://doi.org/10.1016/j.fbio.2025.106448>
- Gao, Y., Gao, L., Kang, Y., Yang, G., Zhao, Z., Zhao, Y., & Li, S. (2024). Non-Targeted Metabolomics Analysis Reveals Metabolite Profiles Change During Whey Fermentation with *Kluyveromyces marxianus*. *Metabolites*, 14(12). <https://doi.org/10.3390/metabo14120694>
- GROWTH OF LACTIC ACID AND PROBIOTIC BACTERIA IN PROBIOTIC CHEDDAR CHEESE PROCESSING WITH VARIATION OF LOCAL STARTER RATIO.* (n.d.). Retrieved <http://etd.repository.ugm.ac.id/>
- Guan, J., Wang, T., Xiong, Y., Li, X., Chen, W., Jia, H., Yi, Y., & Wu, H. (2025). Probiotics fermentation improves physicochemical properties, bioactivity, and flavor quality of malus toringoides fruit juice. *LWT*, 223. <https://doi.org/10.1016/j.lwt.2025.117669>
- Guo, H., Fan, L., Ding, L., Yang, W., Zang, C., & Guan, H. (2023). Separation and Purification of Antioxidant Peptide from Fermented Whey Protein by *Lactobacillus rhamnosus* B2-1. *Food Science of Animal Resources*, 43(1). <https://doi.org/10.5851/kosfa.2022.e52>
- Haghshenas, B., Nami, Y., Haghshenas, M., Abdullah, N., Rosli, R., Radiah, D., & Yari Khosroushahi, A. (2015). Bioactivity characterization of *Lactobacillus* strains isolated from dairy products. *MicrobiologyOpen*, 4(5). <https://doi.org/10.1002/mbo3.280>
- Hendrasty, H. K., Rahayu, W. T., & Marsudi, F. (2022). Effectiveness Of Edible Film From Mozarella Cheese Whey On Physical And Chemical Properties Of “Halloumi” Cheese And “Mozarella” Cheese Stored At Room Temperature. *Jurnal Agroekoteknologi Terapan*, 3(2).
- Hoffman, J. R., & Falvo, M. J. (2004). Protein - Which is best? In *Journal of Sports Science and Medicine* (Vol. 3, Number 3).

- Hong, J., & Kim, K. J. (2019). Crystal structure of γ -aminobutyrate aminotransferase in complex with a PLP-GABA adduct from *Corynebacterium glutamicum*. *Biochemical and Biophysical Research Communications*, 514(3), 601–606. <https://doi.org/10.1016/j.bbrc.2019.04.194>
- Horisah, K., Suroto, D. A., Nishi, K., Ishida, M., Utami, T., Mayangsari, Y., & Sugahara, T. (2025). Anti-Allergy Effect of Probiotic Goat Milk Yogurt with Indonesian Indigenous Bacteria *Streptococcus thermophilus* Dad-11 and *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13. *Trends in Sciences*, 22(7). <https://doi.org/10.48048/tis.2025.9780>
- Icer, M. A., Sarikaya, B., Kocyigit, E., Atabilen, B., Çelik, M. N., Capasso, R., Ağagündüz, D., & Budán, F. (2024). Contributions of Gamma-Aminobutyric Acid (GABA) Produced by Lactic Acid Bacteria on Food Quality and Human Health: Current Applications and Future Prospects. In *Foods* (Vol. 13, Number 15). <https://doi.org/10.3390/foods13152437>
- Ikhsani, A. Y., Riftyan, E., Safitri, R. A., Marsono, Y., Utami, T., Widada, J., & Rahayu, E. S. (2020). Safety Assessment of Indigenous Probiotic Strain *Lactobacillus plantarum* Mut-7 Using Sprague Dawley Rats as a Model. *American Journal of Pharmacology and Toxicology*, 15(1), 7–16. <https://doi.org/10.3844/ajptsp.2020.7.16>
- Izawa, N., Kudo, M., Nakamura, Y., Mizukoshi, H., Kitada, T., & Sone, T. (2015). Production of aroma compounds from whey using *Wickerhamomyces pijperii*. *AMB Express*, 5(1). <https://doi.org/10.1186/s13568-015-0108-5>
- Jang, J. H., Jung, H. H., & Oh, N. S. (2024). Enhanced protective effect of whey protein fermented with *Lactobacillus rhamnosus* IM36 on dexamethasone-induced myotube atrophy. *Food Science and Biotechnology*, 33(9), 2243–2254. <https://doi.org/10.1007/s10068-024-01640-x>
- Kadyan, S., Rashmi, H. M., Pradhan, D., Kumari, A., Chaudhari, A., & Deshwal, G. K. (2021). Effect of lactic acid bacteria and yeast fermentation on antimicrobial, antioxidative and metabolomic profile of naturally carbonated probiotic whey drink. *LWT*, 142. <https://doi.org/10.1016/j.lwt.2021.111059>
- Kalathinathan, P., Sain, A., Pulicherla, K., & Kodiveri Muthukaliannan, G. (2023). A Review on the Various Sources of β -Galactosidase and Its Lactose Hydrolysis Property. In *Current Microbiology* (Vol. 80, Number 4). <https://doi.org/10.1007/s00284-023-03220-4>
- Karim, A., & Aider, M. (2022). Comprehensive utilisation of electro-activated whey-based media in cell growth, metabolite production and aroma compounds synthesis using a *starter* culture originated from kefir grains.

International Dairy Journal, 126.
<https://doi.org/10.1016/j.idairyj.2021.105276>

Karimian, E., Moayedi, A., Khomeiri, M., Aalami, M., & Mahoonak, A. S. (2020). Application of high-GABA producing *Lactobacillus plantarum* isolated from traditional cabbage pickle in the production of functional fermented whey-based formulate. *Journal of Food Measurement and Characterization*, 14(6). <https://doi.org/10.1007/s11694-020-00587-x>

Kaur, H., Gupta, T., Kapila, S., & Kapila, R. (2021). Protective effects of potential probiotic: *Lactobacillus rhamnosus* (MTCC-5897) fermented whey on reinforcement of intestinal epithelial barrier function in a colitis-induced murine model. *Food and Function*, 12(13). <https://doi.org/10.1039/d0fo02641g>

kennedi. (2021). *POTENSI BAKTERI PROBIOTIK LOKAL SEBAGAI*.

Kim, E., Song, T. C., Yang, S. M., Kim, J., & Kim, H. Y. (2025). Comparative analysis of microbial diversity and fatty acids in raw milk from different production systems. *Food Chemistry*, 493. <https://doi.org/10.1016/j.foodchem.2025.145899>

Koh, W., Kwak, H., Cheong, E., & Lee, C. J. (2023). GABA tone regulation and its cognitive functions in the brain. In *Nature Reviews Neuroscience* (Vol. 24, Number 9). <https://doi.org/10.1038/s41583-023-00724-7>

Krastanov, A., J. Yeboah, P., Dulari Wijemanna, N., S. Eddin, A., D. Ayivi, R., & A. Ibrahim, S. (2023). *Volatile Aromatic Flavor Compounds in Yogurt: A Review*. <https://doi.org/10.5772/intechopen.109034>

Krunić, T., & Rakin, M. B. (2022). Enriching alginate matrix used for probiotic encapsulation with whey protein concentrate or its trypsin-derived hydrolysate: Impact on antioxidant capacity and stability of fermented whey-based beverages. *Food Chemistry*, 370. <https://doi.org/10.1016/j.foodchem.2021.130931>

Landi, N., Ragucci, S., & Di Maro, A. (2021). Amino acid composition of milk from cow, sheep and goat raised in ailano and valle agricola, two localities of 'alto casertano' (Campania region). *Foods*, 10(10). <https://doi.org/10.3390/foods10102431>

Leksono, B. Y., Cahyanto, M. N., & Utami, T. (2021). Antioxidant Activity of Isoflavone Aglycone from Fermented Black Soymilk Supplemented with Sucrose and Skim Milk Using Indonesian Indigenous Lactic Acid Bacteria. *Applied Food Biotechnology*, 8(4). <https://doi.org/10.22037/afb.v8i4.35117>

- Li, H., & Cao, Y. (2010). Lactic acid bacterial cell factories for gamma-aminobutyric acid. In *Amino Acids* (Vol. 39, Number 5). <https://doi.org/10.1007/s00726-010-0582-7>
- Li, J., Huang, Q., Zheng, X., Ge, Z., Lin, K., Zhang, D., Chen, Y., Wang, B., & Shi, X. (2020). Investigation of the Lactic Acid Bacteria in Kazak Cheese and Their Contributions to Cheese Fermentation. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.00228>
- Liang, X., Zhang, Z., Yan, L., Ding, B., Bai, J., Yang, J., & Liu, H. (2025). Discrimination and characterization of volatile compounds variations during ghee fermentation using GC - MS and GC - IMS. *Food Bioscience*, 65. <https://doi.org/10.1016/j.fbio.2025.106020>
- Lozano, P. R., Miracle, E. R., Krause, A. J., Drake, M. A., & Cadwallader, K. R. (2007). Effect of cold storage and packaging material on the major aroma components of sweet cream butter. *Journal of Agricultural and Food Chemistry*, 55(19). <https://doi.org/10.1021/jf071075q>
- Luh, N., Manik Widiyanti, P., Sukra Warpala, W., Fajar, M., & Al Achmad, S. (n.d.). *Enumerasi BAL dari Whey Starter dan Analisis Volume Whey yang Dihasilkan dalam Pembuatan Yogurt*.
- Magalhães, K. T., Dias, D. R., de Melo Pereira, G. V., Oliveira, J. M., Domingues, L., Teixeira, J. A., de Almeida e Silva, J. B., & Schwan, R. F. (2011). Chemical composition and sensory analysis of cheese whey-based beverages using kefir grains as *starter* culture. *International Journal of Food Science and Technology*, 46(4). <https://doi.org/10.1111/j.1365-2621.2011.02570.x>
- Majid, A. A., Suroto, D. A., Utami, T., & Rahayu, E. S. (2023). Probiotic potential of kombucha drink from butterfly pea (*Clitoria ternatea* L.) flower with the addition of *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13. In *Biocatalysis and Agricultural Biotechnology* (Vol. 51). Elsevier Ltd. <https://doi.org/10.1016/j.bcab.2023.102776>
- Mamani-Huanca, M., Gradillas, A., López-González, Á., & Barbas, C. (2020). Unraveling the Cyclization of l -Argininosuccinic Acid in Biological Samples: A Study via Mass Spectrometry and NMR Spectroscopy. *Analytical Chemistry*, 92(19). <https://doi.org/10.1021/acs.analchem.0c01420>
- Marya, D. T., Nurliyani, Widodo, W., & Sunarti. (2017). Characterization and antioxidant activity of fermented milk produced with a *starter* combination. *Pakistan Journal of Nutrition*, 16(6). <https://doi.org/10.3923/pjn.2017.451.456>
- Mazorra-Manzano, M. A., Robles-Porchas, G. R., González-Velázquez, D. A., Torres-Llanez, M. J., Martínez-Porchas, M., García-Sifuentes, C. O.,

- González-Córdova, A. F., & Vallejo-Córdova, B. (2020). Cheese whey fermentation by its native microbiota: Proteolysis and bioactive peptides release with ACE-inhibitory activity. *Fermentation*, 6(1). <https://doi.org/10.3390/fermentation6010019>
- Minervini, F., Bilancia, M. T., Siragusa, S., Gobetti, M., & Caponio, F. (2009). Fermented goats' milk produced with selected multiple *starters* as a potentially functional food. *Food Microbiology*, 26(6), 559–564. <https://doi.org/10.1016/j.fm.2009.03.008>
- Mirzakulova, A., Sarsembaeva, T., Suleimenova, Z., Kowalski, Ł., Gajdzik, B., Wolniak, R., & Bembenek, M. (2025). Whey: Composition, Processing, Application, and Prospects in Functional and Nutritional Beverages—A Review. In *Foods* (Vol. 14, Number 18). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods14183245>
- Mohsin, A. Z., Marzlan, A. A., Muhialdin, B. J., Wai, L. K., Mohammed, N. K., & Meor Hussin, A. S. (2022). Physicochemical characteristics, GABA content, antimicrobial and antioxidant capacities of yogurt from Murrah buffalo milk with different fat contents. *Food Bioscience*, 49. <https://doi.org/10.1016/j.fbio.2022.101949>
- Molina, D., Angamarca, E., Marinescu, G. C., Popescu, R. G., & Tenea, G. N. (2025). Integrating Metabolomics and Genomics to Uncover Antimicrobial Compounds in *Lactiplantibacillus plantarum* UTNGt2, a Cacao-Originating Probiotic from Ecuador. *Antibiotics*, 14(2). <https://doi.org/10.3390/antibiotics14020123>
- Morifuji, M., & Aoyama, Y. (2002). Dietary orotic acid affects antioxidant enzyme mRNA levels and oxidative damage to lipids and proteins in rat liver. *Journal of Nutritional Biochemistry*, 13(7). [https://doi.org/10.1016/S0955-2863\(02\)00182-1](https://doi.org/10.1016/S0955-2863(02)00182-1)
- Nursini, N. W., Antara, N. S., Sugitha, I. M., & Sujaya, I. N. (2022). Screening of *Lactobacillus rhamnosus*-producing gamma aminobutyric acid (GABA) isolated from Sumbawa mare milk and its potential application to increase GABA content in fermented milk. *Food Research*, 6(3). [https://doi.org/10.26656/fr.2017.6\(3\).380](https://doi.org/10.26656/fr.2017.6(3).380)
- Nursiwi, A., Utami, R., Andriani, M., & Sari, A. P. (2015). FERMENTASI WHEY LIMBAH KEJU UNTUK PRODUKSI KEFIRAN OLEH KEFIR GRAINS. *Jurnal Teknologi Hasil Pertanian*, 8(1). <https://doi.org/10.20961/jthp.v0i0.12794>
- Ostertag, F., Krolitzki, E., Berensmeier, S., & Hinrichs, J. (2023). Protein valorisation from acid whey – Screening of various micro- and ultrafiltration

- membranes concerning the filtration performance. *International Dairy Journal*, 146. <https://doi.org/10.1016/j.idairyj.2023.105745>
- Ouarabi, Lylia, Ouarabi, Liza, Hama-Faradji, S., Mohedano, M. L., López, P., & Drider, D. (2025). Exopolysaccharides from lactic acid bacteria: Structure, biosynthesis, and health benefits. In *Microbes and Infection*. <https://doi.org/10.1016/j.micinf.2025.105581>
- Pescuma, M., Hébert, E. M., Mozzi, F., & Font de Valdez, G. (2008). Whey fermentation by thermophilic lactic acid bacteria: Evolution of carbohydrates and protein content. *Food Microbiology*, 25(3). <https://doi.org/10.1016/j.fm.2008.01.007>
- Pinu, F. R., & Villas-Boas, S. G. (2017). Extracellular microbial metabolomics: The state of the art. In *Metabolites* (Vol. 7, Number 3). <https://doi.org/10.3390/metabo7030043>
- Pires, A. F., Marnotes, N. G., Rubio, O. D., Garcia, A. C., & Pereira, C. D. (2021). Second Cheese Whey. *Foods*, 10,(1067).
- Prastujati, A. U., Hilmi, M., & Khirzin, M. H. (2018). Pengaruh Konsentrasi Starter Terhadap Kadar Alkohol, pH, dan Total Asam Tertitrasi (Tat) Whey Kefir. *Jurnal Ilmu Peternakan Terapan*, 1(2). <https://doi.org/10.25047/jipt.v1i2.893>
- Pratama, R. I., Rostini, I., & Rochima, E. (2018). Profil Asam Amino, Asam Lemak dan Komponen Volatil Ikan Gurame Segar (*Osphronemus gouramy*) dan Kukus. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(2). <https://doi.org/10.17844/jphpi.v21i2.22842>
- Purwaningsih, Ashidiqie, M. W., Arkan, A., Djaafar, T. F., Rahayu, E. S., & Suroto, D. A. (2025). Development of Fermented Etawa Goat Milk Containing Gamma-Aminobutyric Acid (GABA) by Indigenous *Lactiplantibacillus plantarum* subsp. *plantarum* T-3. *Trends in Sciences*, 22(3). <https://doi.org/10.48048/tis.2025.9067>
- Rahayu, E. S., Cahyanto, M. N., Sarwoko, M.-A., Haryono, P., Windiarti, L., Sutriyanto, J., Kandarina, I., Nurfiyani, S., Zulaichah, E., & Utami, T. (2016). EFFECTS OF CONSUMPTION OF FERMENTED MILK CONTAINING INDIGENOUS PROBIOTIC *LACTOBACILLUS PLANTARUM* DAD-13 ON THE FECAL MICROBIOTA OF HEALTHY INDONESIAN VOLUNTEERS. *International Journal of Probiotics and Prebiotics*, 11(2).
- Ramos, O. L., Pereira, R. N., Rodrigues, R. M., Teixeira, J. A., Vicente, A. A., & Malcata, F. X. (2015). Whey and Whey Powders: Production and Uses. In *Encyclopedia of Food and Health*. <https://doi.org/10.1016/B978-0-12-384947-2.00747-9>

- Rosa, L. S., Santos, M. L., Abreu, J. P., Rocha, R. S., Esmerino, E. A., Freitas, M. Q., Mársico, E. T., Campelo, P. H., Pimentel, T. C., Cristina Silva, M., Souza, A. A., Nogueira, F. C. S., Cruz, A. G., & Teodoro, A. J. (2023). Probiotic fermented whey-milk beverages: Effect of different probiotic strains on the physicochemical characteristics, biological activity, and bioactive peptides. *Food Research International*, 164. <https://doi.org/10.1016/j.foodres.2022.112396>
- Rossi, A., Innocente, N., Di Filippo, G., Renoldi, N., & Marino, M. (2026). Unlocking the biological potential of whey proteins through lactic acid bacteria fermentation. *Food Bioscience*, 75. <https://doi.org/10.1016/j.fbio.2025.108136>
- Saha Turna, N., Chung, R., & McIntyre, L. (2024). A review of biogenic amines in fermented foods: Occurrence and health effects. In *Heliyon* (Vol. 10, Number 2). <https://doi.org/10.1016/j.heliyon.2024.e24501>
- Sahab, N. R. M., Subroto, E., Balia, R. L., & Utama, G. L. (2020). γ -Aminobutyric acid found in fermented foods and beverages: current trends. In *Heliyon* (Vol. 6, Number 11). Elsevier Ltd. <https://doi.org/10.1016/j.heliyon.2020.e05526>
- Saleem, M., Ahmad, Z., Waseem, M., Alsulami, T., Javed, M. R., Farhan, M., Nayik, G. A., Manzoor, M. F., & Abdi, G. (2025). Nutritional, physicochemical, and antioxidant characterization of pomegranate, beetroot, and carrot concentrates supplemented functional whey beverages. *Food Chemistry: X*, 25. <https://doi.org/10.1016/j.fochx.2025.102206>
- Salgado, J. M., González-Barreiro, C., Rodríguez-Solana, R., Simal-Gándara, J., Domínguez, J. M., & Cortés, S. (2012). Study of the volatile compounds produced by *Debaryomyces hansenii* NRRL Y-7426 during the fermentation of detoxified concentrated distilled grape marc hemicellulosic hydrolysates. *World Journal of Microbiology and Biotechnology*, 28(11). <https://doi.org/10.1007/s11274-012-1122-2>
- Sharma, H., El Rassi, G. D., Lathrop, A., Dobрева, V. B., Belem, T. S., & Ramanathan, R. (2021). Comparative analysis of metabolites in cow and goat milk yoghurt using GC–MS based untargeted metabolomics. *International Dairy Journal*, 117. <https://doi.org/10.1016/j.idairyj.2021.105016>
- Shraddha RC, C. R., & Nalawade T, K. A. (2015). Whey Based Beverage: Its Functionality, Formulations, Health Benefits and Applications. *Journal of Food Processing & Technology*, 6(10). <https://doi.org/10.4172/2157-7110.1000495>

- Skryplonek, K., Dmytrów, I., & Mituniewicz-Małek, A. (2019). Probiotic fermented beverages based on acid whey. *Journal of Dairy Science*, *102*(9). <https://doi.org/10.3168/jds.2019-16385>
- Stanzer, D., Hanousek Čiča, K., Blesić, M., Smajić Murtić, M., Mrvčić, J., & Spaho, N. (2023). Alcoholic Fermentation as a Source of Congeners in Fruit Spirits. In *Foods* (Vol. 12, Number 10). <https://doi.org/10.3390/foods12101951>
- Sun, L., Gong, M., Lv, X., Huang, Z., Gu, Y., Li, J., Du, G., & Liu, L. (2020). Current advance in biological production of short-chain organic acid. In *Applied Microbiology and Biotechnology* (Vol. 104, Number 21). <https://doi.org/10.1007/s00253-020-10917-0>
- Sutriswati Rahayu, E., & Utami, T. (n.d.). *Study of Fermented apple juice using Lactiplantibacillus plantarum subsp. plantarum Dad-13 : Microbiological and Sensory Properties*. Retrieved <http://etd.repository.ugm.ac.id/>
- Terpou, A., Bekatorou, A., Kanellaki, M., Koutinas, A. A., & Nigam, P. (2017). Enhanced probiotic viability and aromatic profile of yogurts produced using wheat bran (*Triticum aestivum*) as cell immobilization carrier. *Process Biochemistry*, *55*. <https://doi.org/10.1016/j.procbio.2017.01.013>
- Tsermoula, P., Khakimov, B., Nielsen, J. H., & Engelsen, S. B. (2021). WHEY - The waste-stream that became more valuable than the food product. In *Trends in Food Science and Technology* (Vol. 118). <https://doi.org/10.1016/j.tifs.2021.08.025>
- Utami, T., Cindarbhumi, A., Khuangga, M. C., Rahayu, E. S., Cahyanto, M. N., Nurfiyanti, S., & Zulaichah, E. (2020). Preparation of Indigenous Lactic Acid Bacteria Starter Cultures for Large Scale Production of Fermented Milk. *Digital Press Life Sciences*, *2*. <https://doi.org/10.29037/digitalpress.22327>
- Verma, D. K., Patel, A. R., Tripathy, S., Gupta, A. K., Singh, S., Shah, N., Utama, G. L., Chávez-González, M. L., Zongo, K., Banwo, K., Niamah, A. K., & Aguilar, C. N. (2024). Processing and formulation technology of nutritional and functional food products by utilizing cheese and/or paneer whey: A critical review. In *Journal of King Saud University - Science* (Vol. 36, Number 11). Elsevier B.V. <https://doi.org/10.1016/j.jksus.2024.103508>
- Viana, M. G. S., Vasconcelos, D. K. M., Campos, M. I. F., de Carvalho, L. M., Olegário, L. S., de Sousa Galvão, M., dos Santos, K. M. O., do Egito, A. S., Madruga, M. S., dos Santos Lima, M., Gadelha, T. S., Pacheco, M. T. B., de Medeiros, V. P. B., de Souza, E. L., & de Oliveira, M. E. G. (2024). Improving the physicochemical and sensory properties and volatile profile of goat ricotta cream with *Limosilactobacillus mucosae* CNPC007 supplementation.

International Dairy Journal, 157.
<https://doi.org/10.1016/j.idairyj.2024.106011>

Wang, X., Hou, J. M., & Cong, X. L. (2012). Composition analysis of the whey fermentation product with the antioxidant activity. *Jilin Daxue Xuebao (Gongxueban)/Journal of Jilin University (Engineering and Technology Edition)*, 42(SUPPL. 1).

Wei, L., Wang, B., Bai, J., Zhang, Y., Liu, C., Suo, H., & Wang, C. (2024). Postbiotics are a candidate for new functional foods. In *Food Chemistry: X* (Vol. 23). Elsevier Ltd. <https://doi.org/10.1016/j.fochx.2024.101650>

Wilkowska, A., Kregiel, D., Guneser, O., & Karagul Yuceer, Y. (2015). Growth and by-product profiles of *Kluyveromyces marxianus* cells immobilized in foamed alginate. *Yeast*, 32(1). <https://doi.org/10.1002/yea.3044>

Yogeswara, I. B. A., Kusumawati, I. G. A. W., Nursini, N. W., Mariyatun, M., Rahayu, E. S., & Haltrich, D. (2023). Health-Promoting Role of Fermented Pigeon Pea (*Cajanus cajan* L (Mill)) Milk Enriched with γ -aminobutyric Acid (GABA) Using Probiotic *Lactiplantibacillus plantarum* Dad-13. *Fermentation*, 9(7). <https://doi.org/10.3390/fermentation9070587>

Zandona, E., Blažić, M., & Režek Jambrak, A. (2021). Whey utilisation: Sustainable uses and environmental approach. In *Food Technology and Biotechnology* (Vol. 59, Number 2). <https://doi.org/10.17113/ftb.59.02.21.6968>

Zhang, K., Cheng, Y., Yang, Y., Li, Y., Li, B., & Liu, F. (2025). The influence of γ -aminobutyric acid production and fat content on the gel properties, protein conformation, and nutritional characteristics of fermented milk: Achieved through interactions with milk proteins. *Food Chemistry*, 474. <https://doi.org/10.1016/j.foodchem.2025.143221>